EXHIBIT C

Fig 1. Eastern looking view of Aikman Creek near northern area of property.



Fig. 2 Eastern looking view of Aikman Creek near center area of property.



Fig. 3 Western looking view of Aikman Creek near southern area of property.



(photos dated January 2015)

APPROVED JURISDICTIONAL DETERMINATION FORM U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SECTION I: BACKGROUND IN	NFOR	MATION
--------------------------	------	--------

- A. REPORT COMPLETION DATE FOR APPROVED JURISDICTIONAL DETERMINATION (JD): April 13, 2017
- B. DISTRICT OFFICE, FILE NAME, AND NUMBER: Louisville District, Swartzentruber Wetland Violation, ID# LRL-2014-51-sew
- C. PROJECT LOCATION AND BACKGROUND INFORMATION:

State: Indiana County/parish/borough: Daviess

City: Click here to enter text.

Center coordinates of site (lat/long in degree decimal format): Lat. 38.5755804 °, Long. -87.1381655 °

Universal Transverse Mercator: Click here to enter text.

Name of nearest waterbody: Aikman Creek

Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Aikman Creek

Name of watershed or Hydrologic Unit Code (HUC): 05120208170080 Aikman Creek

Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request.

Check if other sites (e.g., offsite mitigation sites, disposal sites, etc...) are associated with this action and are recorded on a different JD form

D. REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY):

✓ Office (Desk) Determination. Date: April 13, 2017

Field Determination. Date(s): March 13, 2014, Click here to enter a date.

SECTION II: SUMMARY OF FINDINGS

A. RHA SECTION 10 DETERMINATION OF JURISDICTION.

There are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the review area. [Required]

Waters subject to the ebb and flow of the tide.

Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce. Explain: *Click here to enter text.*

B. CWA SECTION 404 DETERMINATION OF JURISDICTION.

There are "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required]

1. Waters of the U.S.

a.	Indicate presence	of waters of	U.S. in	review area	(check all that apply):
----	-------------------	--------------	---------	-------------	-------------------------

TNWs, including territorial seas

Wetlands adjacent to TNWs

Relatively permanent waters² (RPWs) that flow directly or indirectly into TNWs

Non-RPWs that flow directly or indirectly into TNWs

Wetlands directly abutting RPWs that flow directly or indirectly into TNWs

Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs

Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs

Impoundments of jurisdictional waters

Isolated (interstate or intrastate) waters, including isolated wetlands

b. Identify (estimate) size of waters of the U.S. in the review area:

Non-wetland waters: 4514 linear feet: up to 25 width (ft) and/or # acres. Wetlands: 60.5 acres.

c. Limits (boundaries) of jurisdiction based on: 1987 Delineation Manual

Elevation of established OHWM (if known): Click here to enter text.

2. Non-regulated waters/wetlands (check if applicable):3

Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional. Explain: *Click here to enter text*.

¹ Boxes checked below shall be supported by completing the appropriate sections in Section III below.

² For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

³ Supporting documentation is presented in Section III.F.

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

1 TNW

Identify TNW: Click here to enter text.

Summarize rationale supporting determination: Click here to enter text.

Wetland adjacent to TNW

Summarize rationale supporting conclusion that wetland is "adjacent": Click here to enter text.

CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under Rapanos have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody4 is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

Characteristics of non-TNWs that flow directly or indirectly into TNW

General Area Conditions: Watershed size: 19,456 acres Drainage area: 19,456

Average annual rainfall: 45.46 inches Average annual snowfall: 11.68 inches

(ii) Ph

1110	rage	dilitual Silo Wia		oo menes
Phy (a)		Characteristi ationship with Tributary flow	TNW	ectly into TNW.
	Γ	Tributary flov	ws thr	ough Choose an item. tributaries before entering TNW.
	Proj Proj Proj	ect waters are ect waters are ect waters are	Choos 2-5 as Choos	ver miles from TNW. e an item. river miles from RPW. crial (straight) miles from TNW. e an item. aerial (straight) miles from RPW. erve as state boundaries. Explain: Click here to enter text.
				NW ⁵ : Aikman Creek is a TNW less than 5 miles downstream from the subject site if known: <i>Click here to enter text</i> .
(b)	Gen	eral Tributary	Chara	acteristics (check all that apply):
	Tri	butary is:	~	Natural
			Γ	Artificial (man-made). Explain: Click here to enter text.
				Manipulated (man-altered). Explain: Click here to enter text.

⁴ Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

⁵ Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

	Av.	ry properties with re erage width: 25-30 ferage depth: 6-7 fee erage side slopes: 2:	feet t	k (estimate):		
	Primary	tributary substrate of Silts Cobbles Bedrock	Sands Gravel		oly): cover: <i>Click l</i>	「 「 here to	Concrete Muck enter text.
			ick here to enter text.	. Type//or			
the banks are	and disp more stab Presence ciated wi Tributar	lay eroding banks in the but still quite stee	n many places espect ep. omplexes. Explain the stream but predo ering	cially in the : Within the ominant bed	outside ben e project are	nds wh	n: The banks of Aikman Creek are very steep to here vegetation has been removed. In other areas e are no riffle pool complexes. However, there sized material.
(c)	Estimate Des	erennial y provides for: Choo e average number of scribe flow regime: formation on duration	flow events in revi perennial			ı item.	
	Surface	flow is: Confined C	Characteristics: Click	k here to ente	er text.		
		nce flow: Unknown Dye (or other) test					
	Tributar	clear, natural le changes in the changes in the vegetation mat leaf litter disturbed sediment depo water staining other (list): Cli	Il indicators that ap ine impressed on th character of soil tted down, bent, or a rbed or washed awa	e bank	destruction the presen- sediment s scour multiple o abrupt cha	n of tece of verting	
	If factor	High Tide Line in oil or scum lin fine shell or de physical marki tidal gauges		ts Γ	ean High W survey to a physical m	ater Navailal availal	

Characterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.). Explain: water is generally somewhat murky but after a rainfall is chocolate brown Identify specific pollutants, if known: sediment from eroding banks and agriculture which dominates the headwater landscape.

⁶A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

	(iv)	Biol	logical Cha Riparian	aracteristics. Channel supports (check all that apply): corridor. Characteristics (type, average width): Prior to vegetative mechanical clearing, Aikman Creek had a
		1*	forested r	iparian zone of >125' on each side with the exception of a power line right of way near the center of the site.
		Γ	Wetland t	ringe. Characteristics: Click here to enter text.
		~	Habitat fo	or:
			enda that	rally Listed species. Explain findings: The site provided suitable summer habitat for the Federally listed ngered Indiana bat and threatened Northern Long Eared Bat. The U.S. Fish and Wildlife Service (USFWS) noted there are multiple current records of Indiana bat and Northern Long Eared Bat maternity colonies within 5 miles of ubject site.
			Section,	spawn areas. Explain findings: Click here to enter text.
			C Othe	er environmentally-sensitive species. Explain findings: Click here to enter text.
			✓ Aqu	atic/wildlife diversity. Explain findings: Members of this office observed fish species in Aikman Creek and many and mammalian species of wildlife while visiting the site.
2.	Cha	ract		wetlands adjacent to non-TNW that flow directly or indirectly into TNW
	(i)			acteristics:
		(a)	General V Properties	Vetland Characteristics:
				nd size: # acres
				nd type. Explain: Click here to enter text.
				nd quality. Explain: <i>Click here to enter text.</i> etlands cross or serve as state boundaries. Explain: <i>Click here to enter text.</i>
		(b)		low Relationship with Non-TNW:
		(b)		Choose an item. Explain: Click here to enter text.
			Surface fl	ow is: Choose an item. cteristics: Click here to enter text.
			Subsurfac	e flow: Choose an item. Explain findings: Click here to enter text.
				Oye (or other) test performed: Click here to enter text.
		(c)	Wetland A	Adjacency Determination with Non-TNW:
		(-)		ectly abutting
			☐ No	t directly abutting
			Г	Discrete wetland hydrologic connection. Explain: Click here to enter text.
			Г	Ecological connection. Explain: Click here to enter text.
			Г	Separated by berm/barrier. Explain: Click here to enter text.
		(d)	Proximity	(Relationship) to TNW
			Project w	etlands are Choose an item. river miles from TNW.
				aters are <i>Choose an item</i> , aerial (straight) miles from TNW.
				approximate location of wetland as within the <i>Choose an item</i> . floodplain.
	(ii)			aracteristics:
		Cha		retland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics
		Ider		plain: Click here to enter text. ic pollutants, if known: Click here to enter text.
	(iii) Bio	logical Ch	aracteristics. Wetland supports (check all that apply):
	(Г		buffer. Characteristics (type, average width): Click here to enter text.
			Vegetati	on type/percent cover. Explain: Click here to enter text.
		Г	Habitat	for:
			Fede	rally Listed species. Explain findings: Click here to enter text.
			Fish.	spawn areas. Explain findings: Click here to enter text.
			Cothe	r environmentally-sensitive species. Explain findings: Click here to enter text.
			┌ Aqu	atic/wildlife diversity. Explain findings: Click here to enter text.

Characteristics of all wetlands adjacent to the tributary (if any)
All wetland(s) being considered in the cumulative analysis: Choose an item. Approximately (#) acres in total are being considered in the cumulative analysis. For each wetland, specify the following:

Directly abuts? (Y/N)	Size (in acres)	Directly abuts? (Y/N)	Size (in acres)
Y/N	#	Y/N	#
Y/N	#	Y/N	#
Y/N	#	Y/N	#
Y/N	#	Y/N	#

Summarize overall biological, chemical and physical functions being performed: Click here to enter text.

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D: Click here to enter text.
- Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs.
 Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: Click here to enter text.
- Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D: Aikman Creek is a perennial stream and is noted as such on the USGS Sandy Hook Quadrangle. The watershed is approximately 14,793 acres to the downstream end of the subject property. The entire watershed of Aikman Creek is 19,456 acres. The watershed is sizable enough to gather surface flow and other inputs for long enough to flow throughout the year in most years. Additionally 5 site visits have been made to this site since January 2014 in various seasons of the year and Aikman Creek was flowing continuously at each visit. Aikman Creek is a TNW near its confluence with the East Fork White River which is 4.7 river miles downstream of the subject site and 2.74 linear miles from the East Fork White River which is itself a TNW. Aikman Creek as well as the unnamed tributary flowing into it provides functions such as carrying pollutants and floodwaters to the TNW section below. It also provides feeding, nesting and spawning habitat and supports a microinvertebrate population which sustains the entire food web. The adjacent wetlands surround Aikman Creek and the unnamed tributary and are within 15 feet of the bank of Aikman Creek in portions of the site. They provided sediment, nutrient and pollution uptake and adsorption, flood attenuation, attenuation of currents and circulation patterns. The affect the physical integrity of the TNW's by providing water storage during high water events, slowing the runoff and detaining water that later is released through groundwater discharge. This in turn slows water flowing into the TNW below and lessens erosion and reduces peak runoff promoting a more stable geomorphic channel. The adjacent wetland provide a sink for herbicides, pesticides, and nutrient leaching from fertilizer applications in adjacent agricultural areas. This reduces the chemical inputs introduced into the TNW below and provides less chances for eutrophication and subsequent lower dissolved oxygen levels. The adjacent wetlands provide food and detritus inputs into the streams and subsequently the TNW below which supports the base of the food web and provides cover and habitat as well. The adjacent wetlands also serve as a food source and provide nesting and habitat for a variety of mammals, reptiles, amphibians, and avian species. All combined attributes of Aikman Creek and its adjacent wetlands demonstrate that there is a significant nexus between them and the TNW below.

D. DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL THAT APPLY):

1.	1111	vs and Adjacent wetlands. Check all that apply and provide size estimates in review area:
	Γ	TNWs: # linear feet # width (ft), Or, # acres.
		Wetlands adjacent to TNWs: # acres.

2. RPWs that flow directly or indirectly into TNWs.

Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: Aikman Creek is a perennial stream and is noted as such on the USGS Sandy Hook Quadrangle. The watershed is approximately 14,793 acres to the downstream end of the subject property. The entire watershed of Aikman Creek is 19,456 acres. The watershed is sizable enough to gather surface flow and other inputs for long enough to flow throughout the year

in most years. Additionally 5 site visits have been made to this site since January 2014 in various seasons of the year and Aikman Creek was flowing continuously at each visit.

Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally: The unnamed tributary to Aikman Creek is a long term intermittent or perennial stream. The subject stream has been relocated since the USGS Sandy Hook Quadrangle has been updated. The former stream was noted as perennial on the USGS map and formerly ran south then west then south to Aikman Creek on the adjacent property to the east of this site. The stream has now been turned to the west and flows through the subject property and empties into Aikman Creek. The watershed is approximately 568 acres to its confluence with Aikman Creek and contains 3 ponds that empty into it within its watershed. The watershed is sizable enough to gather surface flow and other inputs for long enough to flow at lease seasonally in most years. Additionally 5 site visits have been made to this site since January 2014 in various seasons of the year and the tributary to Aikman Creek was flowing during each visit.

Provide estimates for jurisdictional waters in the review area (check all that apply):

Tributary waters: Aikman Creek 3972 linear feet 25 width (ft)

Unnamed tributary to Aikman Creek 542 linear feet 10 feet width.

Other non-wetland waters: # acres.

Identify type(s) of waters: Click here to enter text.

3.	Non-RPWs ⁸ that flow directly or indirectly into TNWs. Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus wi TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.	th a
	Provide estimates for jurisdictional waters within the review area (check all that apply): Tributary waters: # linear feet # width (ft).	
	Other non-wetland waters: # acres.	
	Identify type(s) of waters: Click here to enter text.	
4.	Wetlands directly abutting an RPW that flow directly or indirectly into TNWs.	
	Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands.	
	Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: Click here to enter text.	6
	Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: Click here to enter text.	
	Provide acreage estimates for jurisdictional wetlands in the review area: # acres.	
5.	Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacent and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.	
	Provide acreage estimates for jurisdictional wetlands in the review area: 60.5 acres.	
6.	Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs. Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.	ent
	Provide estimates for jurisdictional wetlands in the review area: # acres.	
7.	Impoundments of jurisdictional waters. ⁹	
	As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional.	
	Demonstrate that impoundment was created from "waters of the U.S.," or	
	Demonstrate that water meets the criteria for one of the categories presented above (1-6), or	
	Demonstrate that water is isolated with a nexus to commerce (see E below).	
OF	ATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, DEGR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY SUCH WATER THAT APPLY): ¹⁰	ADATION S (CHECK
Γ	which are or could be used by interstate or foreign travelers for recreational or other purposes.	
Γ	from which fish or shellfish are or could be taken and sold in interstate or foreign commerce.	
Γ	which are or could be used for industrial purposes by industries in interstate commerce.	
	interstate isolated waters. Explain: Click here to enter text.	
Г	Other factors. Explain: Click here to enter text.	
Ide	ify water body and summarize rationale supporting determination: Click here to enter text.	
Pro	de estimates for jurisdictional waters in the review area (check all that apply): 1 Fributary waters: # linear feet # width (ft).	
Γ	Other non-wetland waters: # acres.	
	Identify type(s) of waters: Click here to enter text.	
Г	Wetlands: # acres.	

E.

 ⁸See Footnote # 3.
 9 To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.
 10 Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA Memorandum Regarding CWA Act Jurisdiction Following Rapanos.

F.	NO	N-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY):
	110	If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements.
	Г	Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce.
		Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR).
	Γ	Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain: Click here to enter te
	Γ	Other: (explain, if not covered above): Click here to enter text.
	(i.e.	vide acreage estimates for non-jurisdictional waters in the review area, where the <u>sole</u> potential basis of jurisdiction is the MBR factor, presence of migratory birds, presence of endangered species, use of water for irrigated agriculture), using best professional judgment each all that apply): Non-wetland waters (i.e., rivers, streams): # linear feet # width (ft).
		Lakes/ponds: # acres.
	Γ	Other non-wetland waters: # acres. List type of aquatic resource: Click here to enter text
	Γ	Wetlands: # acres.
		vide acreage estimates for non-jurisdictional waters in the review area that do not meet the "Significant Nexus" standard, where such a ling is required for jurisdiction (check all that apply):
		Non-wetland waters (i.e., rivers, streams): # linear feet # width (ft).
	Г	Lakes/ponds: # acres.
	厂	Other non-wetland waters: # acres. List type of aquatic resource: Click here to enter text

Wetlands: # acres.

SECTION IV: DATA SOURCES.

OLCIIC	ANTI DATING CHEES.
	PORTING DATA. Data reviewed for JD (check all that apply - checked items shall be included in case file and, where checked and asset, appropriately reference sources below):
	Maps, plans, plots or plat submitted by or on behalf of the applicant/consultant: Click here to enter text.
	Data sheets prepared/submitted by or on behalf of the applicant/consultant.
	Office concurs with data sheets/delineation report.
	Office does not concur with data sheets/delineation report.
~	Data sheets prepared by the Corps: Midwest Region Data Forms preparted during 3/13/14 site visit
	Corps navigable waters' study: Click here to enter text.
~	U.S. Geological Survey Hydrologic Atlas: Click here to enter text.
	USGS NHD data.
	USGS 8 and 12 digit HUC maps.
V	U.S. Geological Survey map(s). Cite scale & quad name: Sandy Hook 1:24,000
V	USDA Natural Resources Conservation Service Soil Survey. Citation: web soil survey viewed site on 4/13/17
V	National wetlands inventory map(s). Cite name: Sandy Hook
	State/Local wetland inventory map(s): Click here to enter text.
Ė	FEMA/FIRM maps: Click here to enter text.
	100-year Floodplain Elevation is: <i>Click here to enter text.</i> (National Geodectic Vertical Datum of 1929)
V	Photographs: $\overline{\checkmark}$ Aerial (Name & Date): Google Earth maps dated 3/28/16, 9/22/13, 6/19/10, 6/18/08, 7/1/07, 7/26/06, 12/30/04,
,	12/30/97
	or Cher (Name & Date): Click here to enter text.
~	Previous determination(s). File no. and date of response letter: November 6, 2012 NRCS wetland determination revealed no wetlands present but sampled entire 88 acres site with 2 soil descriptions
	Applicable/supporting case law: Click here to enter text.
	Applicable/supporting scientific literature: Click here to enter text.
	Other information (please specify): Click here to enter text.
B. ADD	ITIONAL COMMENTS TO SUPPORT JD: Click here to enter text.
1	ill Rihello April 13 2017
M	April 13, 2017
) (' 1	10 011

Michael S. Ricketts Chief, MCE Branch Regulatory Division