



**US Army Corps
of Engineers**
Louisville District

Notice to Navigation Interests

Notice No. 2019-035

Date: June 20, 2019

<http://www.lrl.usace.army.mil/Missions/CivilWorks/Navigation/Notices.aspx>

In Reply Refer to: CELRL-OP-TM PO Box 59, Louisville, KY 40201 Telephone: 502-315-6698

LOUISVILLE DISTRICT

MCALPINE LOCKS AND DAM

SHOALING CONDITIONS

OHIO RIVER

REFERENCE: Navigation Notice #2019-025, dated May 16, 2019

McAlpine Locks and Dam (Ohio River mile 606.8). Dredging of the lower approach has been completed. A normal navigation channel has been restored.

The most recent survey is attached. Mariners are urged to check the channel depth surveys, monitor lower gage readings, and contact lockmaster via marine radio on channel 13 for more information.

/s/

Craig M. Moulton P.E.
Ch. Maintenance Section
Technical Support Branch



CONTRACTOR'S NOTE: The United States Government is authorized to reproduce and distribute reprints for government purposes not withstanding any copyright notation that may appear hereon.


DISCLAIMER: The United States Government is authorized to reproduce and distribute reprints for government purposes not withstanding any copyright notation that may appear hereon.

NOTES: This map was prepared by the Corps of Engineers, Louisville District, for the purpose of providing a general overview of the project area. It is not intended to be used for navigation or other purposes. The Corps of Engineers is not responsible for any errors or omissions in this map. The user assumes all liability for any use of this map.





Checked By:	
Flashed By:	
Surveyed By:	

Survey Information
 McALPINE POOL, OHIO RIVER
 OH_LD_MCA_X_20190810_AD_607_608_SORT
 10 Jun 2019

Pool
 Reach
 Number
 1 of 39



NOTES:
 Coordinate System: North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Kentucky South Zone, NAD83, Zone 15, Survey Feet.
 Vertical Datum: Soundings are shown in feet and indicate depths below the Ohio River Datum.
 The information depicted on this map represents the results of a survey conducted by the Corps of Engineers and is not intended to be used for navigation or other purposes. The user assumes all liability for any use of this map.
 The location of navigation aids are based on and provided by the U.S. Coast Guard.






DISCLAIMER: The United States Government is authorized to reproduce and distribute reprints for government purposes not withstanding any copyright notation that may appear hereon. The United States Government is authorized to reproduce and distribute reprints for government purposes not withstanding any copyright notation that may appear hereon. The United States Government is authorized to reproduce and distribute reprints for government purposes not withstanding any copyright notation that may appear hereon.


Checked By:	
Plotted By:	
Surveyed By:	

Survey Information
 MCAHPINE_POOL_OHIO_RIVER
 OH_LD_MCAH_20190810_AD_607_608_SORT
 10 Jun 2019

Pool Reach Number
 2 of 39



NOTES: Coordinate System: North American Datum of 1983 (NAD83), projected to the State Plane Coordinate System (SPCS), Kentucky South Zone. Vertical Datum: US Survey Feet. Soundings are shown in feet and indicate depths below the Ohio River Datum. The information depicted on this map represents the results of a survey conducted under the general conditions existing at that time. The location of navigation aids are based on and provided by the U.S. Coast Guard.



TGT Points

- Green Buoy
- Red Buoy

Navigation Lights

- Green
- Red
- Junction

LAYERS

- < 0 (dry height)
- 0 - 9 ft
- 10 - 12 ft
- River Mile
- > 12 ft
- Sailing Line

