



Photo 39: Levee embankment (looking east near Station 72+50)  
Note the dense vegetative growth on the riverward slope.




Photo 40: Deck encroaching onto levee (looking southwest near Station 77+80)



Photo 41: Crest and landward slope (looking northeast near Station 79+60)



Photo 42: Riverward slope of levee (looking northeast near Station 80+00)



RESOLUTION OF  
THE MEMBERS OF THE  
BOARD OF THE TOWN OF ROCKY RIPPLE

WHEREAS, the Louisville District, U.S. Army Corps of Engineers (the, "USACE") prepared a Draft Supplemental Environmental Impact Statement ("DSEIS"), dated June 29, 2012, responding to community comments and outcry regarding the Environmental Assessment ("EA"), dated February 1, 2011, that proposed changes to Phase 3B of the Indianapolis, White River (North), IN Flood Damage Reduction Project (the, "Project");

WHEREAS, the DSEIS studied specific alternative alignments for the Project, including the existing earthen levee surrounding the Town of Rocky Ripple ("Rocky Ripple"), which was built over eight-five (85) years ago, is badly deteriorating and provides little protection for residents of Rocky Ripple during high water incidents;

WHEREAS, instead of including Rocky Ripple in the Project, the DSEIS once again excludes Rocky Ripple from flood protection by recommending the USACE design and build a 8200-foot floodwall (the "Floodwall") and earthen levee on the East side of the Indianapolis Central Canal (the "Canal") along Westfield Boulevard beginning, approximately, South of the waste water treatment facility near the Riviera Club and terminating at high ground on the Butler University campus;

WHEREAS, the Floodwall will be connected to the earthen levee by a Floodgate crossing the Canal to restrict the flow of water at, approximately, Capitol Avenue;


WHEREAS, the recommended Floodwall will be as high as four (4) feet tall along Westfield Boulevard and can be increased to six (6) feet with attachments;

WHEREAS, the recommended Floodwall will essentially wall off Rocky Ripple and permanently relegate Rocky Ripple to a floodway;

WHEREAS, the DSEIS recommendation by the USACE will do irreparable damage to Rocky Ripple and its residents by (i) placing lives and properties in danger in the event of a high water incident by failing to provide full flood protection for Rocky Ripple and by placing sandbags at the only exits from Rocky Ripple, the 52<sup>nd</sup> and 53<sup>rd</sup> Street bridges, preventing ingress and egress; (ii) significantly decreasing the property values in Rocky Ripple; and (iii) further delaying the installation of sewers in Rocky Ripple, or causing raw sewage to enter basements in Rocky Ripple once sewers are installed;

WHEREAS, the DSEIS recommendation by the USACE will also do irreparable damage to one of our community's greatest amenities, the Central Canal, which is designated as eligible for the National Register for Historic Places;

WHEREAS, not only will the Floodwall prevent our neighbors in the Butler Tarkington Neighborhood from viewing and accessing the Central Canal, thus lowering their property values, but in the event of a high water incident, the integrity of the Central Canal would be jeopardized, placing at risk sixty percent (60%) of the City's drinking water;



WHEREAS, the DSEIS recommends the removal of trees and structures (15" feet on each side of the Floodwall or earthen levee) for the entire Project, and the USACE predicted that twenty two (22) homes in Rocky Ripple would be fully or partially removed in the event USACE constructed an earthen levee along the existing earthen levee in Rocky Ripple;

WHEREAS, numerous residents of Rocky Ripple have expressed their opposition to the DSEIS to members of the Rocky Ripple Town Board (the "Board") and the Board believes that the proposed placement and design of the Floodwall will adversely affect Rocky Ripple;

WHEREAS, the USACE is holding a public hearing for comment on August 23, 2012 and is accepting written comments regarding the DSEIS until the close-of-business, Friday, August 31, 2012.

THEREFORE, BE IT:

RESOLVED, that the Board request that the USACE extend the DSEIS comment period by ninety (90) days in order for all citizens and entities impacted by the DSEIS to have adequate time to evaluate the DSEIS (and its supporting documentation) and submit comments to the USACE.

FURTHER RESOLVED, that the Board petition its United States Congressmen and United States Senators to require the USACE to conduct a General Reevaluation Review of the Project in order for Rocky Ripple to be re-included within the scope of the Project.

FURTHER RESOLVED, the Board requests the USACE and the City of Indianapolis provide full flood protection for Rocky Ripple by: (1) adopting an alignment generally consistent with the existing earthen levee in Rocky Ripple; and (2) reengineering the floodwall (as proposed in the Rocky Ripple alignment in the DSEIS) to have as minimal impact as possible on existing structures and homes in Rocky Ripple.

FURTHER RESOLVED, the Board requests the USACE and the City of Indianapolis include the Butler University Athletic Fields within the scope of the Project and provide full flood protection for the Butler University Athletic Fields.

FURTHER RESOLVED, the Board is authorized to take all necessary and reasonable actions, including legal action, to prevent the implementation of any and all proposals in the DSEIS that permanently wall off Rocky Ripple into a floodway and do not provide full flood protection for Rocky Ripple and shall communicate with any necessary person, public or private, to implement the resolutions written above.

Robert Tomey, President

Carla Gaff-Clark

Brad Barcom



Creamer-Elson REALTORS Since 1986

August 21, 2012

To All Concerned Parties:

Building a wall in front of the Central Canal will have (i) a significant, negative affect on the real estate values for those properties along the canal and the surrounding areas; and (ii) significantly affect the quality of the human environment.

First, the view of the Central Canal has been a selling point along Westfield Boulevard since the homes were built. Historic advertisements dating back to the 1930s can be found in the Indianapolis Star real estate section stating, "beautiful home located on scenic Central Canal". An advertisement would never say, "Home with view of a wall".


Secondly, as our city has grown, more and more buyers are seeking homes near the natural, picturesque environment of the canal. This peaceful setting is getting more difficult to find in our metro area. The Central Canal enhances the quality of life for all residents of midtown and beyond from toddlers to senior citizens. This is born out by a survey conducted by the National Association of REALTORS, showing that over 90% of those surveyed reported walking was the most enjoyable form of exercise.

As an example, last week I sold a house at 5443 Capitol Avenue to a couple from Portland, Oregon. One of the reasons they purchased the house was the proximity of the home to the Central Canal. They wanted their three children to be able to walk along the canal to the Riviera Club.

Without a doubt, the Central Canal Tow Path is one of the most unique, historic and enjoyable places to walk or ride on Indianapolis's north side.

In closing, constructing a wall would near the canal would (i) alter the historical feel and walk ability of the neighborhoods; (ii) have a significant, negative impact on the quality of life and human environment for families in the area; and (iii) negatively impact the real estate values of all homes in the proximity of the Central Canal.

Sincerely,

A handwritten signature in black ink that reads "John T. Creamer". The signature is fluid and cursive, with a long, sweeping underline.

John T. Creamer, GRI

Vice President of Indiana Association of REALTORS

[icreamer@c21scheetz.com](mailto:icreamer@c21scheetz.com)

(317)250-5646



Division of Historic Preservation & Archaeology • 402 W. Washington Street, W274 • Indianapolis, IN 46204-2739  
Phone 317-232-1646 • Fax 317-232-0693 • dhpa@dnr.IN.gov



August 13, 2012

Wm. Michael Turner  
CELRL-PM-P-E (Room 708)  
U.S. Army Corps of Engineers  
P.O. Box 59  
Louisville, Kentucky 40201-0059

Federal Agency: U.S. Army Corps of Engineers

Re: Draft Supplemental Environmental Impact Statement regarding Phase 3B (South Warleigh Section) of the White River-Indianapolis North Flood Damage Reduction project (DHPA #5180)

Dear Mr. Turner:

Pursuant to Section 106 of the National Historic Preservation Act (16 U.S.C. § 470f) and 36 C.F.R. Part 800, the staff of the Indiana State Historic Preservation Officer ("Indiana SHPO") has conducted an analysis of the materials dated June 21, 2012 and received on June 29, 2012 for the above indicated project in Indianapolis, Washington Township, Marion County, Indiana.

Thank you for providing us with a copy of the draft Environmental Assessment. In regard to buildings and structures within the area of potential effect, we noted that the Butler University Historic District (Site #097-296-18001-042), which we believe to be eligible for inclusion in the National Register of Historic Places, and the Butler/ Hinkle Fieldhouse (Site #097-296-11140) which has been designated a National Historic Landmark, will be affected by the proposed project. We also note that Central Canal was determined eligible for inclusion in the National Register of Historic Places by the Keeper of the National Register on April 25, 1985. In terms of the proposed aesthetic treatment for the floodwall along Westfield Boulevard, extending onto Butler University property, we believe that a stone treatment as shown in the preliminary renderings provided would be appropriate. We note that the floodwall to be constructed at Butler University will be relatively low in height and be faced to have a stone appearance. The route appears to cross the eastern edge of the Holcomb Gardens, a 1950 formal garden designed by Indianapolis landscape architect A.W. Brayton that is a contributing resource within the Butler University Historic District. There may be an effect on the Holcomb Gardens from introducing the flood wall; another site visit would probably clarify this.

With respect to the section of floodwall along the Central Canal, it is our understanding that a permanent wall would be constructed on the berm side of the canal, opposite the historic canal towpath. The proposed height of the permanent portion of flood wall has been reduced to 4 feet or less by incorporating removable panels that could be temporarily installed to increase its height when flood events are anticipated. This approach reduces the visual impact of the floodwall on the setting of the Central Canal. However, considering the historic appearance and setting of the Central Canal, we believe that the introduction of new elements, including placing a gate structure across the canal, constructing a floodwall along the southern bank of the canal, and removing mature trees, may result in effects on the Central Canal, which has been determined eligible for inclusion in the National Register of Historic Places.

In terms of other eligible resources, we believe that a potential extension of the previously identified Butler-Fairview Historic District exists north of 52<sup>nd</sup> Street between the Central Canal and the east side of Illinois Street. The Butler-Fairview District was identified as a possible district in the 1999 *Washington Township Marion County Interim Report* (p. 74). However, based on a recent site visit by staff, we believe that the area within the above boundaries meets National Register Criteria A and C. It illustrates the development of Fairview Park and Butler University during the 1920-50 period and contains houses of smaller scale representing both period details from Tudor Revival and Colonial Revival architectural sources and post-World War masonry and brick ranch houses.

From survey records in our office, we also have identified a potential historic district in the Warfleigh area, bounded by the Central Canal on the south; Meridian Street on the west; Riverview Drive on the north; and College Avenue on the east. This district appears to meet National Register Criteria A and C. It represents an expansion of Indianapolis as Broad Ripple grew as a commercial area between the 1920s and 1950. Some of the earliest houses date to 1915 and are Craftsman in style. Later structures, especially in the northern section of the district, are styled with Tudor Revival and Colonial Revival details. Other houses represent the Colonial Garrison, Cape Cod, and post-World War II ranch house types. A final area, between Meridian on the east; the Central Canal on the south; and Hill Street, Illinois Street, and Riverview Drive on the west and north, needs further study.


In terms of effects on eligible resources of the vegetation clearance proposed along the current floodwall between Kessler Boulevard and College Avenue, it would be helpful to know the age of the current earthen levee along Riverview Drive.

In terms of archaeological resources, we concur with the assessment on pages 54 and 55 that the two sites recorded in the Westfield section do not appear eligible for inclusion for the National Register of Historic Places. However, six sites appear potentially eligible in the Rocky Ripple section and will need to be avoided or subjected to further archaeological investigations.

We look forward to continuing consultation regarding cultural resources for the proposed project including any unresolved Section 106 issues and any proposed mitigation areas. Once additional information is received, the Indiana SHPO will resume identification and evaluation procedures for this project. Please keep in mind that additional information may be requested in the future.

*A copy of the revised 36 C.F.R. Part 800 that went into effect on August 5, 2004, may be found on the Internet at [www.achp.gov](http://www.achp.gov) for your reference. If you have questions about archaeological issues please contact Cathy Draeger-Williams at (317) 234-3791 or [cdraeger-williams@dnr.IN.gov](mailto:cdraeger-williams@dnr.IN.gov). If you have questions about buildings or structures please contact Chad Slider at (317) 234-5366 or [cslider@dnr.IN.gov](mailto:cslider@dnr.IN.gov). Additionally, in all future correspondence regarding the above indicated project, please refer to DHPA #5180.*

Very truly yours,



James A. Glass, Ph.D.  
Deputy State Historic Preservation Officer

JAG:CWS:CDW:cws

emc: Dr. Michele J. Curran, NHL Program, National Park Service  
Keith Keeney, Corps of Engineers

**THIS IS NOT A PERMIT**

**State of Indiana  
DEPARTMENT OF NATURAL RESOURCES  
Division of Fish and Wildlife**

**Early Coordination/Environmental Assessment**

**DNR #:** ER-15583-1 **Request Received:** July 3, 2012

**Requestor:** US Army Corps of Engineers, Louisville District  
Colonel Luke T Leonard  
CELRL-PM-P-E, Room 708  
PO Box 59  
Louisville, KY 40201-0059

**Project:** Indianapolis North Flood Damage Reduction Project, (Phase 3B between the Riviera Club & Butler Univ); DSEIS

**County/Site info:** Marion

The Indiana Department of Natural Resources has reviewed the above referenced project per your request. Our agency offers the following comments for your information and in accordance with the National Environmental Policy Act of 1969.

If our agency has regulatory jurisdiction over the project, the recommendations contained in this letter may become requirements of any permit issued. If we do not have permitting authority, all recommendations are voluntary.

**Regulatory Assessment:** On May 3, 2001, the Department approved Application No. FW-19540 for the Metro Indianapolis North Local Flood Protection Project along the West Fork White River (copy enclosed). Any new work proposed that is from the Riviera Club south property line to Butler University (as shown in Figure 6 and 11 of the DSEIS dated June 21, 2012) is outside the floodway and a permit is not required under the Flood Control Act (IC 14-28-1) for this project.

**Natural Heritage Database:** The Natural Heritage Program's data have been checked. The mussels below have been recorded within ½ mile west of the project:  
A) **FEDERALLY & STATE ENDANGERED:**  
1. Northern Riffleshell (*Epioblasma torulosa rangiana*)  
2. Snuffbox (*Epioblasma triquetra*)  
3. Clubshell (*Pleurobema clava*)  
4. Rough Pigtoe (*Pleurobema plenum*)  
B) **STATE ENDANGERED:** Rabbitsfoot (*Quadrula cylindrica cylindrica*)  
C) **SPECIAL CONCERN:**  
1. Round Hickorynut (*Obovaria subrotunda*)  
2. Kidneyshell (*Ptychobranchnus fasciolaris*)

**Fish & Wildlife Comments:** None of the above mussel species are still found live near the project area; therefore, we do not foresee any impacts to these species as a result of this project.

Avoid and minimize impacts to fish, wildlife, and botanical resources to the greatest extent possible, and compensate for impacts. The following are recommendations that address potential impacts identified in the proposed project area:

1) **Proposed Realignment:**  
The Division of Fish and Wildlife supports the proposed floodwall realignment for the South Warfleigh Section. It would appear to have negligible impacts to significant fish, wildlife, and botanical resources within the project study area. However, there are significant concerns with the proposed levee alignment (Kessler Boulevard to Riviera Club segment) and along previously constructed Phases 3A and 3C because of the removal of riparian habitat.

**State of Indiana  
DEPARTMENT OF NATURAL RESOURCES  
Division of Fish and Wildlife**

**Early Coordination/Environmental Assessment**

---

2) Tree Clearing:

Tree clearing along the existing wooded riparian corridor of West Fork White River and previously constructed segments of the Indianapolis North Flood Damage Reduction Project is a significant concern that has not been adequately addressed to date.

The permit issued in 2001 (FW-19540) is currently out of compliance with the special conditions regarding tree cutting. Changes to the site should be made to bring it into compliance with the permit. Failure to bring this project into compliance with the permit may result in your file being forwarded to the Compliance and Enforcement Section of the Division of Water.

To date, the Corps has failed to properly mitigate for the original clearing impacts. Proposed mitigation included 14 acres of mature bottomland hardwoods and 15 acres of emergent wetland plantings. The currently proposed vegetation clearing will result in the conversion of an additional 6.4 acres along Phase 3A and 0.3 acres along Phase 3C from mature riparian forest to an open short grass landscape. The completion of Phase 3B from Kessler Boulevard to the southern end of the Riviera Club and adjacent to the Citizens Water Canal will require the removal of 6.84 acres of riparian woodlands, or 5.34 more than were estimated previously. Therefore, the final mitigation acreage is expected to be substantially more than the previously identified 29 acres (more likely in the range of 90 to 150 acres as indicated in the DSEIS).

3) The following are current guidelines for non-wetland forested impacts within the floodway:

Impacts that remove trees from a non-wetland, riparian area should be mitigated. Impacts to non-wetland forest over one (1) acre should be mitigated at a minimum 2:1 ratio. If less than one acre of non-wetland forest is removed in a rural setting, replacement should be at a 1:1 ratio based on area. Impacts to non-wetland forest under one (1) acre in an urban setting should be mitigated by planting five trees, at least 2 inches in diameter-at-breast height (dbh), for each tree which is removed that is 10" dbh or greater (5:1 mitigation based on the number of large trees).

A native riparian forest mitigation plan should use at least 5 canopy trees and 5 understory trees or shrubs selected from the Woody Riparian Vegetation list (copy enclosed) or an approved equal. A native riparian forest mitigation plan for impacts of less than one acre in an urban area may involve fewer numbers of species and sizes of trees, depending on the level of impact. Additionally, a native herbaceous seed mixture should be planted consisting of at least 10 species of grasses, sedges, and wildflowers selected from the Herbaceous Riparian Vegetation list (copy enclosed) or an approved equal. The DNR's Floodway Habitat Mitigation guidelines can be found online at: <http://www.in.gov/legislative/iac/20120801-IR-312120434NRA.xml.pdf>.

The Division of Fish and Wildlife does not support the currently proposed action in relation to previously constructed Phases 3A and 3C as well as the proposed segment of 3B from Kessler Boulevard to the southern end of the Riviera Club and adjacent to the Citizens Water Canal. The No Action Alternative or the Vegetation Variance Alternative would allow either all or some of the trees that would otherwise be cleared to remain in place. On page 42 of the DSEIS, it is assumed from Manning's Equation that "[keeping] these trees within the outer portion of the vegetation free zone decreases the flow of the White River near the I-Wall during any potential high water events", which "eases the potential effects of scour and wave-wash along the levee and floodwall."

**State of Indiana  
DEPARTMENT OF NATURAL RESOURCES  
Division of Fish and Wildlife**

**Early Coordination/Environmental Assessment**

---

Pages 34-37 of Chapter 5 in the DSEIS present evidence of the benefits and quality of the White River and its habitat value. It was stated that the White River contains a diversity of habitat, and that USFWS has described it as a "high quality fishery." From an assessment by IDEM in September 1996, the QHEI rated the Rocky Ripple area of the White River at 84 (out of 100), which indicates a fairly good diversity and quality of habitat. Section 5.6 "Terrestrial Resources" discusses the amount of riparian forest along the river and canal, as well as the many benefits of this forest type. It was stated that the riparian forest supports suitable habitat for a diversity of bat and bird species. Page 37 states "It is very likely that the Indiana bat uses the riparian woodlands within the area covered by the three phases of the Indianapolis North Flood Damage Reduction Project as summer habitat."

A vegetation variance for completed Phases 3A and 3C would preserve about 3.2 acres of mature riparian woodlands along the river. You must still comply with the special conditions placed on permit FW-19540. Since preparation of the September 1996 GRR and EIS for the Indianapolis North Flood Damage Reduction Study and as a result of the flooding from Hurricane Katrina in New Orleans, Louisiana, the Corps of Engineers revised its design standards for construction of floodwalls and levees. The U.S. Army Corps of Engineers' design criteria in Engineer Technical Letter (ETL) 1110-2-571, Guidelines for Landscape Planting and Vegetation Management at Levees, Floodwalls, Embankment Dams, and Appurtenant Structures, dated 10 April 2009, requires removal of all structures, trees and other deep-rooted vegetation within 15 feet of a floodwall or toe of an earthen levee. It is important to note that these guidelines were not in existence at the time of the original 1996 GRR and EIS or during the time Phases 3A and 3C were constructed between September 2002 and July 2004. This new Corps design criteria will have negative impacts to the wooded riparian habitat corridor along the White River by requiring the removal of trees and other deep-rooted vegetation within 15 feet. The Division of Fish and Wildlife currently recommends keeping as much of the wooded riparian corridor along West Fork White River as possible.

The proposed additional tree clearing is a significant concern for the Division of Fish and Wildlife particularly on sheets C102, C104, C105, C106, C107, and BC103. In these areas, the renderings provided seem to show the riparian corridor reduced to a single row of trees or less. In areas such as this, the benefits of a wooded riparian corridor for fish, wildlife, and botanical resources are severely reduced. In three locations along Phase 3A, the clearing will go to the river's edge for about 15% of the total length (i.e. approximately 1,140 linear feet). These areas will be protected with erosion control blankets and the ends of the blankets will be anchored in trenches in the riverbank. In areas where the riparian corridor is completely eliminated or reduced to only a single row of trees, cumulative impacts should be expected. These impacts include increased erosion, loss of remaining trees and the necessity to use hard-armoring in place of bio-engineered techniques when bank failure occurs. This is based on experience with similar construction on large river systems under past permits issued by the DNR.

4) The following are current guidelines for bank stabilization impacts in the floodway: Establishing vegetation along the banks is critical for stabilization and erosion control. In addition to vegetation, some other form of bank stabilization may be needed. While hard armoring alone (e.g. riprap or glacial stone) may be needed in certain instances, soft armoring and bioengineering techniques should be considered first. In many instances, one or more methods are necessary to increase the likelihood of vegetation establishment. Combining vegetation with most bank stabilization methods can provide additional bank protection while not compromising the benefits to fish and wildlife. Information about bioengineering techniques can be found at <http://www.in.gov/legislative/iac/20120404-IR-312120154NRA.xml.pdf>. Also, the following is a USDA/NRCS document that outlines many different bioengineering

**State of Indiana  
DEPARTMENT OF NATURAL RESOURCES  
Division of Fish and Wildlife**

**Early Coordination/Environmental Assessment**

---

techniques for streambank stabilization: <http://directives.sc.egov.usda.gov/17553.wba>  
(Choose Handbooks; Title 210 Engineering; National Engineering Handbook; Part 650  
Engineering Field Handbook. Choose Chapter 16 from next window).

Riprap must not be placed in the active thalweg channel or placed in the streambed in a manner that precludes fish or aquatic organism passage (riprap must not be placed above the existing streambed elevation). Riprap may be used only at the toe of the sideslopes up to the ordinary high water mark (OHWM). The banks above the OHWM must be restored, stabilized, and revegetated using geotextiles and a mixture of grasses, sedges, wildflowers, shrubs, and trees native to Central Indiana and specifically for stream bank/floodway stabilization purposes as soon as possible upon completion.

The additional measures listed below should be implemented to avoid, minimize, or compensate for impacts to fish, wildlife, and botanical resources:

1. Revegetate all bare and disturbed areas with a mixture of grasses (excluding all varieties of tall fescue), legumes, and native shrub and hardwood tree species as soon as possible upon completion.
2. Minimize and contain within the project limits inchannel disturbance and the clearing of trees and brush.
3. Do not work in the waterway from April 1 through June 30 without the prior written approval of the Division of Fish and Wildlife.
4. Do not cut any trees suitable for Indiana bat roosting (greater than 3 inches dbh, living or dead, with loose hanging bark) from April 1 through September 30.
5. Do not excavate in the low flow area except for the placement of piers, foundations, and riprap, or removal of the old structure.
6. Use minimum average 6 inch graded riprap stone extended below the normal water level to provide habitat for aquatic organisms in the voids.
7. Appropriately designed measures for controlling erosion and sediment must be implemented to prevent sediment from entering the stream or leaving the construction site; maintain these measures until construction is complete and all disturbed areas are stabilized.
8. Seed and protect all disturbed streambanks and slopes that are 3:1 or steeper with erosion control blankets (follow manufacturer's recommendations for selection and installation); seed and apply mulch on all other disturbed areas.

**Contact Staff:**

Christie L. Stanifer, Environ. Coordinator, Fish & Wildlife

Our agency appreciates this opportunity to be of service. Please contact the above staff member at (317) 232-4080 if we can be of further assistance.

  
\_\_\_\_\_  
J. Matthew Buffington  
Environmental Supervisor  
Division of Fish and Wildlife

**Date:** August 30, 2012

STATE OF INDIANA  
DEPARTMENT OF NATURAL RESOURCES

MAILED

JUN 01 2001

CERTIFICATE OF APPROVAL  
CONSTRUCTION IN A FLOODWAY

APPLICATION # : FW-19540

STREAM : West Fork White River

APPLICANT : Indianapolis Department of Capital Asset Management  
Jim Shackelford  
604 North Sherman Drive  
Indianapolis, IN 46201

AGENT : U.S. Army Corps of Engineers  
Louisville District  
Linda Murphy  
P.O. Box 59  
Louisville, KY 40201-0059

AUTHORITY : IC 14-28-1 with 310 IAC 6-1 and IC 14-29-1 with 310 IAC 21

DESCRIPTION : As part of the proposed Metro Indianapolis North Local Flood Protection Project, new flood protection structures will be constructed to raise flood protection along the White River. The project involves construction in four sections as listed below:

The Canal Towpath Section is approximately 3,512' in length and will have about 3,375' of sheet pile with concrete cap. This section is located along the northwest streambank of the Indianapolis Water Canal and along the southeast (left) overbank of the West Fork White River. The floodwall will have a maximum height of about 3' with flood protection varying uniformly from 717.90', NGVD, to 714.37', NGVD, (upstream to downstream).

The South Warleigh Section begins just south of the Riviera Club on Illinois Street and runs north to Kessler Boulevard, a reach of approximately 4,249' along the southeast streambank of the West Fork White River. Construction includes about 1,000' of sheet pile with concrete cap, 550' of new earth levee, 780' of T-wall, and 1,909' of Type II I-Wall. The maximum height of the new structures is approximately 10' with flood protection varying uniformly from 720.60', NGVD, to 718.10', NGVD (upstream to downstream).

The Warleigh Section begins at Kessler Boulevard and runs northeast to College Avenue, a reach of approximately 7,606' along the left bank of the West Fork White River. Proposed work includes raising about 2,400' of the existing levee with sheetpile and concrete cap, constructing 530' of earth levee, and installing 4,676' of modified sheet pile I-wall. The structures will have a maximum height of about 4' and provide flood protection varying uniformly from 725.60', NGVD, to 720.60', NGVD (upstream to downstream). Other work includes rehabilitation of the Warleigh Pump Station.

The Monon-Broadripple Section begins at College Avenue and continues upstream approximately 4,982' along the left bank of the West Fork White River to high ground, about 400' upstream of the Indianapolis Water Company Canal intake structure at Westfield Boulevard. Construction includes: installing approximately 4,880' of modified sheet pile I-Wall with textured concrete; repaving Westfield Boulevard to the level of the flood protection; and raising the Canal inlet structure. The maximum height of the floodwall is about 6' and provides flood protection varying uniformly from 728.10', NGVD, to 725.60', NGVD (upstream to downstream).

STATE OF INDIANA  
DEPARTMENT OF NATURAL RESOURCES  
**CERTIFICATE OF APPROVAL  
CONSTRUCTION IN A FLOODWAY**

Other project features include (1) The levees will have a 10' top width and 2 1/2 :1 side slopes; (2) Except for the Canal Towpath Section, toe drains will be installed along the landward toe of the existing and new earth levees, and along the base of new floodwalls; (3) Gate closures will be installed where the line of protection (of the floodwall) crosses roads and entrance driveways; (4) A 110' x 25' x 4'-6" high terrace will be constructed along the landward side of the floodwall adjacent to the Riviera Club; (5) Removal of existing septic tank leach field from a section along the levee; (6) Construction of two sewage lift stations; and (7) Placement of two outfall pipes along the riverbank. Details of the project are contained in plans and information received at the Division of Water on February 10, 1999, February 24, 1999, April 23, 1999, September 9, 1999, September 29, 1999, April 7, 2000, May 3, 2000, May 15, 2000, January 9, 2001, March 8, 2001 and April 6, 2001.

**LOCATION** : **DOWNSTREAM:** Beginning about 400' upstream of the inlet structure for the Indianapolis Water Canal and continuing downstream for approximately 16,837' along the left (west, south, and southwest) streambank of the West Fork White River to a point about 4,200' downstream of the Kessler Boulevard stream crossing; and beginning on the northwest (right) streambank (Canal Towpath) of the Indianapolis Water Company Canal at a site 250' upstream of the 53rd Street stream crossing and continuing downstream for approximately 3,512' at Indianapolis, Washington Township, Marion County  
NE¼, NW¼, NW¼, Section 14, T 16N, R 3E, Indianapolis West Quadrangle  
UTM Coordinates: Downstream 4410000 North, 570550 East  
**UPSTREAM:** W½, Section 36, T 17N, R 3E  
UTM Coordinates: Upstream 4413550 North, 573500 East

**APPROVED BY** :

*for*   
Michael W. Neyer, P.E., Director  
Division of Water

**APPROVED ON** : May 30, 2001

**Attachments:** Notice Of Right To Administrative Review  
General Conditions  
Special Conditions  
Service List

STATE OF INDIANA  
DEPARTMENT OF NATURAL RESOURCES

**NOTICE OF RIGHT TO ADMINISTRATIVE REVIEW**

APPLICATION #: FW- 19540

This signed document constitutes the issuance of a permit by the Natural Resources Commission, or its designee, subject to the conditions and limitations stated on the pages entitled "General Conditions" and "Special Conditions".

The permit or any of the conditions or limitations which it contains may be appealed by applying for administrative review. Such review is governed by the Administrative Orders and Procedures Act, IC 4-21.5, and the Department's rules pertaining to adjudicative proceedings, 312 IAC 3-1.

In order to obtain a review, a written petition must be filed with the Division of Hearings within 18 days of the mailing date of this notice. The petition should be addressed to:

Mr. Stephen L. Lucas, Director  
Division of Hearings  
Room W272  
402 West Washington Street  
Indianapolis, Indiana 46204

The petition must contain specific reasons for the appeal and indicate the portion or portions of the permit to which the appeal pertains.

If an appeal is filed, the final agency determination will be made by the Natural Resources Commission following a legal proceeding conducted before an Administrative Law Judge. The Department of Natural Resources will be represented by legal counsel.

STATE OF INDIANA  
DEPARTMENT OF NATURAL RESOURCES

GENERAL CONDITIONS

APPLICATION #: FW- 19540

- (1) If any archaeological artifacts or human remains are uncovered during construction, federal law and regulations (16 USC 470, et seq., 36 CFR 800.11, et al) and State Law (IC 14-21-1) require that work must stop and that the discovery must be reported to the Division of Historic Preservation and Archaeology within 2 business days

Division of Historic Preservation and Archaeology  
Room W274  
402 West Washington Street  
Indianapolis, IN 46204

Telephone (317) 232-1646 FAX (317) 232-8090

- (2) This permit must be posted and maintained at the project site until the project is completed
- (3) This permit does not relieve the permittee of the responsibility for obtaining additional permits, approvals, easements, etc. as required by other federal, state, or local regulatory agencies. These agencies include, but are not limited to

Agency	Telephone Number
Indianapolis Department of Capital Asset Management	(317) 327-4700
US Army Corps of Engineers, Louisville District	(502) 315-6733
Indiana Department of Environmental Management	(317) 233-2471
Local city or county planning or zoning commission	

- (4) This permit must not be construed as a waiver of any local ordinance or other state or federal law
- (5) This permit does not relieve the permittee of any liability for the effects which the project may have upon the safety of the life or property of others
- (6) This permit may be revoked by the Department of Natural Resources for violation of any condition, limitation or applicable statute or rule
- (7) This permit shall not be assignable or transferable without the prior written approval of the Department of Natural Resources. To initiate a transfer contact

Mr. Michael W. Neyer, PE, Director  
Division of Water  
Room W264  
402 West Washington Street  
Indianapolis, IN 46204

Telephone (317) 232-4160, Toll Free (877) 928-3755  
FAX (317) 233-4578

- (8) The Department of Natural Resources shall have the right to enter upon the site of the permitted activity for the purpose of inspecting the authorized work.
- (9) The receipt and acceptance of this permit by the applicant or authorized agent shall be considered as acceptance of the conditions and limitations stated on the pages entitled "General Conditions" and "Special Conditions"

STATE OF INDIANA  
DEPARTMENT OF NATURAL RESOURCES

SPECIAL CONDITIONS

APPLICATION #: FW- 19540

**PERMIT VALIDITY** : This permit is valid for 24 months from the "Approved On" date shown on the first page. If work has not been initiated by May 30, 2003 the permit will become void and a new permit will be required in order to continue work on the project.

This permit becomes effective 18 days after the "MAILED" date shown on the first page. If both a petition for review and a petition for a stay of effectiveness are filed before this permit becomes effective, any part of the permit that is within the scope of the petition for stay is stayed for an additional 15 days

**CONFORMANCE** : Other than those measures necessary to satisfy the "General Conditions" and "Special Conditions", the project must conform to the information received by the Department of Natural Resources on: February 10, 1999, February 24, 1999, April 23, 1999, September 9, 1999, September 29, 1999, April 7, 2000, May 3, 2000, May 15, 2000, January 9, 2001, March 8, 2001 and April 6, 2001 Any deviation from the information must receive the prior written approval of the Department.

Number	Special Condition
( 1 )	revegetate all bare and disturbed areas with a mixture of grasses (excluding all varieties of tall fescue), legumes, and native shrub and hardwood tree species as soon as possible upon completion; tree plantings along the toe of the existing levee must be regionally native hardwoods of container or ball and burlap stock; all levee sections that will be maintained must be planted with warm season grasses and wildflowers, and these areas can be mowed once annually in late fall or early spring
( 2 )	minimize and contain within the project limits all tree and brush clearing and provide the opportunity to utilize cleared trees of firewood and timber size; a multi-agency team consisting of representatives from Department of Natural Resources, U.S. Fish and Wildlife Service, U.S. Army Corps of Engineers, and the Indianapolis Department of Capital Asset Management must mark trees that can be removed along the entire length of the project; tree marking must be completed prior to any tree removal or construction of this project; the marking will accurately identify and delineate the actual clear area needed to complete construction of this project
( 3 )	do not cut any trees suitable for Indiana bat roosting (greater than 14 inches in diameter, living or dead, with loose hanging bark) from April 15 through September 15
( 4 )	appropriately designed measures for controlling erosion and sediment must be implemented to prevent sediment from entering the stream or leaving the construction site; maintain these measures until construction is complete and all disturbed areas are stabilized; silt fences must be installed along the field delineated clear zones to control movement of sediment out of the construction zone
( 5 )	seed and protect all disturbed streambanks and slopes that are 3:1 or steeper with erosion control blankets (follow manufacturer's recommendations for selection and installation) or use an appropriate structural armament. seed and apply mulch on all other disturbed areas
( 6 )	plant five trees, at least 2 inches in diameter-at-breast height, for each tree which is removed that is ten inches or greater in diameter-at-breast height in the mitigation areas as outlined in sheets C-25 and C-26 dated August 7, 1998 received at the Division of Water on February 10, 1999

STATE OF INDIANA  
DEPARTMENT OF NATURAL RESOURCES

SPECIAL CONDITIONS

APPLICATION #: FW- 19540

- ( 7 ) replacement habitat areas must be planted no later than the first fall after impacts from construction occurs; a conservation easement must be provided to the Indiana Department of Natural Resources within 90 days after permit issuance that protects these areas in perpetuity; consult Department of Natural Resources Legal Staff (317-232-1291) for information on drafting of conservation easement
- ( 8 ) submit a report to the Environmental Biologist at the West Lafayette Office (Division of Fish and Wildlife, 3300 Soldiers Home Road, West Lafayette, IN 47906) by December 31 of each year to monitor the initiation, progress, and success of the replacement habitat areas. the report will include appropriate pictures of vegetative plantings, wetland areas, and hydrology controls; a narrative will describe the activity accomplished to date, acres planted, number planted, list of species planted on site, and estimated survival; reports will be submitted each year, even if work has not been initiated on the site, and continue to be submitted for a maximum of three years after work initiation, or until the replacement habitat areas are complete and determined to be successful; if after three years after work initiation the replacement habitat areas are not successful, the permit will be considered in violation, and another plan will be submitted for approval
- ( 9 ) do not disturb Marrott Park Nature Preserve or Williams Creek during construction of the project
- ( 10 ) except for the material used as backfill as shown on the above referenced project plans on file at the Division of Water, place all excavated material landward of the floodway \*
- ( 11 ) do not leave felled trees, brush, or other debris in the floodway \*
- ( 12 ) upon completion of the project, remove all construction debris from the floodway \*
- ( 13 ) approval as a Flood Control Project is contingent upon the Federal Emergency Management Agency's (FEMA) acceptance of the freeboard analysis contained in the Corps of Engineers Risk and Uncertainty Analysis for the design of the proposed flood control levee, floodwalls, and associated appurtenances
- ( 14 ) approval as a Flood Control Project is contingent on agreement by the City of Indianapolis to own, maintain and operate the flood control levee, floodwalls, and associated appurtenances in perpetuity
- ( 15 ) approval as a Flood Control Project is based on the plans submitted by the Corps of Engineers and received at the Indiana Department of Natural Resources (IDNR) February 10, 1999, and revised hydraulic analysis submitted March 8, 2001; subsequent revisions and/or modifications to the flood control levee, floodwalls, and associated appurtenances will require further review and approval by the IDNR
- ( 16 ) submit to the Division of Water as-built plans (certified by a Professional Engineer registered in the State of Indiana) of the flood control levee, floodwalls, and associated appurtenances within ninety (90) days after completion of the project
- ( 17 ) project must remain within areas previously disturbed by construction activities, and no known historic buildings, structures, objects, districts, or archaeological sites listed in or eligible for inclusion in the Indiana Register of Historic Sites and Structures or the National Register of Historic Places will be affected by this project

STATE OF INDIANA  
DEPARTMENT OF NATURAL RESOURCES

**SPECIAL CONDITIONS**

APPLICATION #: FW- 19540

- (18) • NOTE: for regulatory purposes, the floodway is defined as that shown on Panels 30 and 35 of the Flood Boundary and Floodway Map for the City of Indianapolis dated June 3, 1988

## Woody Riparian Vegetation

Common name	Scientific name	Midwest Wetland Status	Type of plant	Tree, Shrub, Vine	Indiana Region (N, C, S)	Coefficient of Conservatism	Comment
Box Elder	<i>Acer negundo</i>	FAC	Large Understory Tree	T	N, C, S	1	Only occasionally recommended
Black Maple	<i>Acer nigrum</i>	FACU	Large Canopy Tree	T	N, C, S	6	
Red Maple	<i>Acer rubrum</i>	FAC	Large Canopy Tree	T	N, C, S	5	
Silver Maple	<i>Acer saccharinum</i>	FACW	Large Canopy Tree	T	N, C, S	1	Only occasionally recommended
Sugar Maple	<i>Acer saccharum</i>	FACU	Large Canopy Tree	T	N, C, S	4	
Ohio Buckeye	<i>Aesculus glabra</i>	FAC	Large Understory Tree	T	N, C, S	5	
Indigobush	<i>Amorpha fruticosa</i>	FACW	Medium Shrub	S	S	3	
Common Paw Paw	<i>Asimina triloba</i>	FAC	Small Understory Tree	T	N, C, S	6	
River Birch	<i>Betula nigra</i>	FACW	Small Canopy Tree	T	N, S	2	
American Hornbeam	<i>Carpinus caroliniana</i>	FAC	Medium Understory Tree	T	N, C, S	5	
Bitternut Hickory	<i>Carya cordiformis</i>	FACU	Large Canopy Tree	T	N, C, S	5	
Pecan	<i>Carya illinoensis</i>	FACW	Large Canopy Tree	T	S*	4	Extreme southwestern counties
Shellbark Hickory	<i>Carya laciniosa</i>	FACW	Large Canopy Tree	T	N, C, S	8	
Shagbark Hickory	<i>Carya ovata</i>	FACU	Large Canopy Tree	T	N, C, S	4	
Sugarberry	<i>Celtis laevigata</i>	FACW	Large Understory Tree	T	S	7	
Hackberry	<i>Celtis occidentalis</i>	FAC	Large Canopy Tree	T	N, C, S	3	
Buttonbush	<i>Cephalanthus occidentalis</i>	OBL	Medium Shrub	S	N, C, S	5	
Redbud	<i>Cercis canadensis</i>	FACU	Small Understory Tree	T	N, C, S	3	
Alternate-leaf Dogwood	<i>Cornus alternifolia</i>	FAC	Small Understory Tree	T	N, C, S	8	
Roughleaf Dogwood	<i>Cornus drummondii</i>	FAC	Medium Shrub	S	N, C, S	2	
Flowering Dogwood	<i>Cornus florida</i>	FACU	Small Understory Tree	T	N, C, S	4	Susceptible to dogwood anthracnose
Pale Dogwood (formerly Silky Dogwood)	<i>Cornus obliqua</i>	FACW	Medium Shrub	S	N, C, S	5	
Gray Dogwood	<i>Cornus racemosa</i>	FAC	Medium Shrub	S	N, C, S	2	
Red-osier Dogwood	<i>Cornus sericea (aka (C. alba))</i>	FACW	Medium Shrub	S	N	4	
Hazelnut	<i>Corylus americana</i>	FACU	Medium Shrub	S	N, C, S	4	
Cockspur Hawthorn	<i>Crataegus crus-galli</i>	FAC	Small Understory Tree	T	N, C, S	4	
Downy Hawthorn	<i>Crataegus mollis</i>	FAC	Small Understory Tree	T	N, C, S	2	

Dotted hawthorn	<i>Crataegus punctata</i>		Small Understory Tree	T	N, C, S	2	Okay in floodplains; not in extreme southwestern counties
Persimmon	<i>Diospyros virginiana</i>	FAC	Medium Understory Tree	T	S	2	
American Beech	<i>Fagus grandifolia</i>	FACU	Large Canopy Tree	T	N, C, S	8	
Honey Locust	<i>Gleditsia triacanthos</i>	FACU	Small Canopy Tree	T	N, C, S	1	
Kentucky Coffeetree	<i>Gymnocladus dioicus</i>		Large Canopy Tree	T	N, C, S	4	
Witch Hazel	<i>Hamamelis virginiana</i>	FACU	Small Understory Tree	T	N, C, S	5	
Smooth Hydrangea	<i>Hydrangea arborescens</i>	FACU	Small Shrub	S	N, C, S	7	
Common Winterberry	<i>Ilex verticillata</i>	FACW	Medium Shrub	S	N, C, S	8	
Butternut (White Walnut)	<i>Juglans cinerea</i>	FACU	Small Canopy Tree	T	N, C, S	5	Scattered within range; susceptible to butternut canker
Black Walnut	<i>Juglans nigra</i>	FACU	Large Canopy Tree	T	N, C, S	2	
Spicebush	<i>Lindera benzoin</i>	FACW	Medium Shrub	S	N, C, S	5	
Sweet Gum	<i>Liquidambar styraciflua</i>	FACW	Large Canopy Tree	T	S	4	
Tuliptree	<i>Liriodendron tulipifera</i>	FACU	Large Canopy Tree	T	N, C, S	4	
Wild Sweet Crabapple	<i>Malus coronaria</i>		Medium Understory Tree	T	N, C, S		
Black Gum	<i>Nyssa sylvatica</i>	FAC	Large Understory Tree	T	N, C, S	5	
Hop Hornbeam	<i>Ostrya virginiana</i>	FACU	Medium Understory Tree	T	N, C, S	5	
Purple Chokeberry	<i>Photinia floribunda</i> (formerly <i>Aronia prunifolia</i> )	FACW	Medium Shrub	S	N	8	
Black Chokeberry	<i>Photinia melanocarpa</i> (formerly <i>Aronia melanocarpa</i> )	FACW	Medium Shrub	S	N, C, S	8	
Common Ninebark	<i>Physocarpus opulifolius</i>	FACW	Small Shrub	S	N, C, S	7	
American Sycamore	<i>Platanus occidentalis</i>	FACW	Large Canopy Tree	T	N, C, S	3	
Eastern Cottonwood	<i>Populus deltoides</i>	FAC	Large Canopy Tree	T	N, C, S	1	Only occasionally recommended
Swamp Cottonwood	<i>Populus heterophylla</i>	OBL	Large Canopy Tree	T	N, S	8	Scattered within its range
Quaking Aspen	<i>Populus tremuloides</i>	FAC	Small Canopy Tree	T	N	2	
American Plum	<i>Prunus americana</i>	UPL	Small Understory Tree	T	N, C, S	4	Also along riverbanks
Black Cherry	<i>Prunus serotina</i>	FACU	Small Canopy Tree	T	N, C, S	1	
Common Hop-tree	<i>Ptelea trifoliata</i>	FACU	Medium Shrub	S	N, C, S	4	
White Oak	<i>Quercus alba</i>	FACU	Large Canopy Tree	T	N, C, S	5	
Swamp White Oak	<i>Quercus bicolor</i>	FACW	Large Canopy Tree	T	N, C, S	7	
Southern Red Oak	<i>Quercus falcata</i>	FACU	Med.-Lg. Canopy Tree	T	S*	5	Far southern and southwestern counties
Shingle Oak	<i>Quercus imbricaria</i>	FACU	Medium Canopy Tree	T	N, C, S	3	

Overcup Oak	<i>Quercus lyrata</i>	OBL	Medium Canopy Tree	T	S*	7	Extreme southwestern counties
Bur Oak	<i>Quercus macrocarpa</i>	FAC	Large Canopy Tree	T	N, C, S	5	
Swamp Chestnut Oak	<i>Quercus michauxii</i>	FACW	Med.-Lg. Canopy Tree	T	S*	7	Far southern and southwestern counties
Chinkapin Oak	<i>Quercus muehlenbergii</i>	FACU	Med.-Lg. Canopy Tree	T	N, C, S	4	Also along well-drained riverbanks
Pin Oak	<i>Quercus palustris</i>	FACW	Small Canopy Tree	T	N, C, S	3	
Northern Red Oak	<i>Quercus rubra</i>	FACU	Large Canopy Tree	T	N, C, S	4	
Shumard Oak	<i>Quercus shumardii</i>	FACW	Large Canopy Tree	T	C, S	7	
Post Oak	<i>Quercus stellata</i>	FACU	Sm.-Med. Canopy Tree	T	S*	5	Seasonally swampy woods in SW counties
Staghorn Sumac	<i>Rhus typhina</i>		Large Shrub	S	N	2	
Pasture Gooseberry	<i>Ribes cynosbati</i>	FAC	Small Shrub	S	N, C, S	4	
Carolina Rose	<i>Rosa carolina</i>	FACU	Small Shrub	S	N, C, S	4	
Peachleaf Willow	<i>Salix amygdaloides</i>	FACW	Small Canopy Tree	T	N	4	
Sandbar Willow	<i>Salix interior</i>	FACW	Medium Shrub	S	N, C, S	1	
Black Willow	<i>Salix nigra</i>	OBL	Large Understory Tree	T	N, C, S	3	
Elderberry	<i>Sambucus canadensis</i> (or <i>S. nigra</i> ssp <i>canadensis</i> )	FACW	Medium Shrub	S	N, C, S	2	
American Bladdernut	<i>Staphylea trifolia</i>	FAC	Medium Shrub	S	N, C, S	5	
Bald Cypress	<i>Taxodium distichum</i>	OBL	Large Canopy Tree	T	S*	10	Only in Vanderburgh, Posey, Warrick, Knox, Gibson Co.
American Basswood	<i>Tilia americana</i>	FACU	Large Canopy Tree	T	N, C, S	5	
Nannyberry	<i>Viburnum lentago</i>	FAC	Medium Shrub	S	N	5	
Black Haw	<i>Viburnum prunifolium</i>	FACU	Medium Shrub	S	N, C, S	4	
Prickly ash	<i>Zanthoxylum americanum</i>	FACU	Medium Shrub	S	N	3	

Plant names and wetland status (Midwest region) from: Robert W. Lichvar and John T. Kartesz. 2009. *North American Digital Flora: National Wetland Plant List, version 2.4.0* ([http://wetland\\_plants.usace.army.mil](http://wetland_plants.usace.army.mil)). U.S. Army Corps of Engineers, Engineer Research and Development Center, Cold Regions Research and Engineering Laboratory, Hanover, NH, and BONAP, Chapel Hill, NC. (accessed May 22, 2012)

## Herbaceous Riparian Vegetation

Common Name	Scientific Name	Size / Class	Indicator
White Snakeroot	<i>Ageratina altissima</i>	wildflower	FACU
Hog-Peanut	<i>Amphicarpaea bracteata</i>	herbaceous vine	FAC
Ground-Nut	<i>Apios americana</i>	herbaceous vine	FACW
False Nettle	<i>Boehmeria cylindrica</i>	wildflower	OBL
Blue-Joint Grass	<i>Calamagrostis canadensis</i>	grass	OBL
Emory's Sedge	<i>Carex emoryi</i>	sedge	OBL
Shoreline Sedge	<i>Carex hyalinolepis</i>	sedge	OBL
Lakebank Sedge	<i>Carex lacustris</i>	sedge	OBL
Larger Straw Sedge	<i>Carex normalis</i>	sedge	FACW
Hairy-Fruit Sedge	<i>Carex trichocarpa</i>	sedge	OBL
Fox Sedge	<i>Carex vulpinoidea</i>	sedge	FACW
Wild or Streambank Chervil	<i>Chaerophyllum procumbens</i>	wildflower	FACW
Wood-Reed	<i>Cinna arundinacea</i>	grass	FACW
Honewort	<i>Cryptotaenia canadensis</i>	wildflower	FAC
Wild Cucumber	<i>Echinocystis lobata</i>	herbaceous vine	FACW
Canada Wild Rye	<i>Elymus canadensis</i>	grass	FAC
Bottlebrush Grass	<i>Elymus hystrix</i>	grass	FACU
Riverbank Wild Rye	<i>Elymus riparius</i>	grass	FACW
Virginia Wild Rye	<i>Elymus virginicus</i>	grass	FACW
Boneset	<i>Eupatorium perfoliatum</i>	wildflower	OBL
Spotted Joe-Pye-Weed	<i>Eutrochium maculatum</i>	wildflower	OBL
White Avens	<i>Geum canadense</i>	wildflower	FAC
Fowl Manna Grass	<i>Glyceria striata</i>	grass	OBL
False Sunflower	<i>Heliopsis helianthoides</i>	wildflower	FACU
Orange Jewelweed	<i>Impatiens capensis</i>	wildflower	FACW
Yellow Jewelweed	<i>Impatiens pallida</i>	wildflower	FACW
Soft Rush	<i>Juncus effusus</i>	rush	OBL
Wood Nettle	<i>Laportea canadensis</i>	wildflower	FACW
Rice Cut Grass	<i>Leersia oryzoides</i>	grass	OBL
White Grass	<i>Leersia virginica</i>	grass	FACW
Great Blue Lobelia	<i>Lobelia siphilitica</i>	wildflower	OBL
American Bugleweed	<i>Lycopus americanus</i>	wildflower	OBL
Virginia Blue Bells	<i>Mertensia virginica</i>	wildflower	FACW
Hairy Sweet-Cicely	<i>Osmorhiza claytonii</i>	wildflower	FACU
Switch Grass	<i>Panicum virgatum</i>	grass	FAC
Wild Blue Phlox	<i>Phlox divaricata</i>	wildflower	FACU
Clearweed	<i>Pilea pumila</i>	wildflower	FACW
Green-Headed Coneflower	<i>Rudbeckia laciniata</i>	wildflower	FACW
Brown-Eyed Susan	<i>Rudbeckia triloba</i>	wildflower	FACU
Clustered Black-Snakeroot	<i>Sanicula odorata</i>	wildflower	FAC
River Bulrush	<i>Schoenoplectus fluviatilis</i>	bulrush	OBL
Soft-Stem Bulrush	<i>Schoenoplectus tabernaemontani</i>	bulrush	OBL
Dark Green Bulrush	<i>Scirpus atrovirens</i>	bulrush	OBL
Wool-Grass	<i>Scirpus cyperinus</i>	bulrush	OBL
Drooping Bulrush	<i>Scirpus pendulus</i>	bulrush	OBL
Cup-Plant	<i>Silphium perfoliatum</i>	wildflower	FACW
Late Goldenrod	<i>Solidago gigantea</i>	wildflower	FACW

Prairie Cordgrass	<i>Spartina pectinata</i>	grass	FACW
Panicled Aster	<i>Symphotrichum lanceolatum</i>	wildflower	FAC
Side-Flowering Aster	<i>Symphotrichum lateriflorum</i>	wildflower	FACW
American Germander	<i>Teucrium canadense</i>	wildflower	FACW
Blue Vervain	<i>Verbena hastata</i>	wildflower	FACW
Wingstem	<i>Verbesina alternifolia</i>	wildflower	FACW

Plant names and wetland status (Midwest region) from: *Robert W. Lichvar and John T. Kartesz. 2009. North American Digital Flora: National Wetland Plant List, version 2.4.0* ([http://wetland\\_plants.usace.army.mil](http://wetland_plants.usace.army.mil)). U.S. Army Corps of Engineers, Engineer Research and Development Center, Cold Regions Research and Engineering Laboratory, Hanover, NH, and BONAP, Chapel Hill, NC. (accessed May 22, 2012)

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

NAME	ADDRESS OF RESIDENCE	NEIGHBORHOOD
1. <u>Dennis Faulkenberg</u>	<u>177 W. Westfield Blvd</u> <u>Indpls, IN 46208</u>	<u>BTNA</u>
2. <u>Molly Adelman</u>	<u>215 W Westfield Blvd</u> <u>Indianapolis, IN 46208</u>	<u>BTNA</u>
3. <u>DERRICK ADELMAN</u>	<u>215 W WESTFIELD BLVD</u> <u>INDIANAPOLIS, IN 46208</u>	<u>BTNA</u>
4. <u>Robert N Falco</u>	<u>5419 GRACELAND AVE</u> <u>INDIANAPOLIS IN 46208</u>	<u>BTNA</u>
5. <u>Nancy Falco</u>	<u>5419 Graceland Ave</u>	<u>BTNA</u>
6. <u>Zach Cottle</u>	<u>706 W 54th St</u> <u>Indpls 46208</u>	<u>Rocky Ripple</u>
7. <u>Bred Barcom</u>	<u>731 W 53rd St 46208</u>	<u>Rocky Ripple</u>
8. <u>Stephen Maikot</u>	<u>165 W. Westfield Blvd.</u> <u>Indpls. IN 46208</u>	<u>BTNA</u>
9. <u>Jennifer Fleetwood</u>	<u>5530 N. CAPITOL AVE.</u> <u>IND PLS. IN 46208</u>	<u>BTNA</u>
10. <u>Gary J Fleetwood</u>	<u>5530 N. CAPITOL AVE.</u> <u>IND PLS. IN 46208</u>	<u>BTNA</u>

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>Jill Faulkenberg</u>	<u>177 W. Westfield Blvd</u> <u>46208</u>	<u>BTNA</u>
2. <u>Maria Bogos</u>	<u>5555 N. CAPITOL AVE</u> <u>46208</u>	<u>BTNA</u>
3. <u>Sharon Kidwell</u>	<u>5474 N. CAPITOL AVE</u> <u>46208</u>	<u>BTNA</u>
4. <u>MARA OMTZ</u>	<u>5509 N CAPITOL AVE</u> <u>46208</u>	<u>BTNA</u>
5. <u>Carl Coburn</u>	<u>4907 N. Kenwood Ave</u> <u>46208</u>	<u>BTNA</u>
6. <u>Arac Boger</u>	<u>5430 N. CAPITOL AVE</u>	<u>BTNA</u>
7. <u>Peter Boerger</u>	<u>305 W 46th St</u> <u>Indianapolis 46208</u>	<u>BTNA</u>
8. <u>Renee Harness</u>	<u>5414 N. Capitol Ave</u> <u>Indianapolis IN 46208</u>	<u>BTNA</u>
9. <u>DENNIS CARR</u>	<u>5414 N. Capitol Av</u> <u>INDPLS IN 46208</u>	<u>BTNA</u>
10. <u>Les Zwiern</u>	<u>207 Buckingham Dr 46208</u>	<u>BTNA</u>

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>BART HERRIMAN</u>	<u>5340 RIVERVIEW DR.</u> <u>INDIANAPOLIS, IN 46208</u>	<u>ROCKY RIPPLE</u>
2. <u>NANCY CARROW</u>	<u>5148 N CAPITOL AVE</u> <u>INDIANAPOLIS IN 46208</u>	<u>BUTLER-TACKLETON</u>
3. <u>Enid Zwirn</u>	<u>207 Buckingham Dr.</u> <u>Indianapolis, IN 46208</u>	<u>Butler-Tackleton</u>
4. <u>Molly Purcell</u>	<u>5515 N. CAPITOL AVE</u> <u>46220</u>	<u>DEWBERRY / HICK.</u>
5. <u>Neil Bloede</u>	<u>103 E. 50<sup>th</sup></u> <u>Indpls, IN 46205</u>	<u>UKVA</u>
6. <u>Robert Jones</u>	<u>702 W 54<sup>th</sup></u> <u>Rocky Ripple In</u>	<u>RR</u>
7. <u>Anthony Brude</u>	<u>7635 Mente Carla Way</u> <u>Indpls 46278</u>	<u>Pike</u>
8. <u>Walt Wolk</u>	<u>54<sup>th</sup> of Graceland Ave</u> <u>335 W. Westfield Blvd.</u>	<u>BT</u>
9. <u>Kerni Connolly</u>	<u>Indianapolis</u> <u>IN 46208</u>	<u>BT</u>
10. <u>Reg Sharples</u>	<u>5326 N. Capitol 46208</u>	<u>BPNA</u>

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>Marilyn Porter</u>	<u>5320 N. Capitol Ave.</u> <u>46208</u>	<u>BTNA</u>
2. <u>Janet R Thompson</u>	<u>5531 N. Kenwood Ave</u> <u>46208</u>	<u>BTNA</u>
3. <u>Ron McNew</u>	<u>5524 N. Kenwood Ave.</u> <u>46208</u>	<u>BTNA</u>
4. <u>Jeannie McNew</u>	<u>5524 N. Kenwood Av.</u> <u>46208</u>	<u>BTNA</u>
5. <u>DOUG TERRELLSTEIN</u>	<u>5311 BOWLEMAN PL</u> <u>INDY IN 46208</u>	<u>BTNA</u>
6. <u>John Hurley</u>	<u>4925 N. Capital Ave</u> <u>Indianapolis 46208</u>	<u>Butler Tarkington</u>
7. <u>Gale/Anne Helfr</u>	<u>5102 N Capitol Av</u> <u>46208</u>	<u>BTNA</u>
8. <u>Tina Palrosino</u>	<u>5054 N. Capital</u> <u>City 46208</u>	<u>BTNA</u>
9. <u>CORRINE HENN</u>	<u>5764 KENWOOD</u> <u>46208</u>	<u>BTNA</u>
10. <u>VINCE HENN</u>	<u>5764 N. KENWOOD</u> <u>46208</u>	<u>BTNA</u>

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>MARY ANN YATES</u>	<u>4746 N. Hivesley Ave</u> <u>INDPLS. 46208</u>	<u>BUTLER/TARKINGTON</u>
2. <u>SUSAN ORR</u>	<u>4815 N. ILLINOIS</u> <u>INDPLS. IN 46208</u>	<u>BUTLER TARKINGTON</u>
3. <u>CAROLYN SEUFERT</u>	<u>5006 N. KENWOOD</u> <u>INDPLS. IN 46208</u>	<u>BUTLER TARKINGTON</u>
4. <u>Wesley Bishop</u>	<u>1308 N. Central Ave Apt. 103</u> <u>Indpls, IN 46207</u>	<u>OLD NORTH</u>
5. <u>Geneb Loggia</u>	<u>257 W. Westfield Blvd 46208</u>	<u>Butler Tarkington</u>
6. <u>MIKE TRAYNOR</u>	<u>5151 BOULEVARD PLACE</u>	<u>BTNA</u>
7. <u>Sylvia Patterson Scott</u>	<u>635 W. 42nd St</u>	<u>BTNA</u>
8. <u>Michelle Rhodes</u>	<u>334 Berkley, IN</u>	<u>BTNA</u>
9. _____	_____	_____
10. _____	_____	_____

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>Jay Kroger</u>	<u>Louisville, KY</u> <u>314 Hillcrest Ave 40206</u>	<u>former RR resident</u>
2. <u>Alfrey Westerfeld</u>	<u>314 Hillcrest Ave</u> <u>Louisville, KY 40206</u>	<u>Former RR resident</u>
3. <u>Daniel Kunz</u>	<u>629 E. 52nd Street</u> <u>Indpls. IN 46220</u>	<u>MK resident</u>
4. <u>RICH MATHIEN</u>	<u>14817 Senator Way</u> <u>CARMEL, IN 46032</u>	<u>Village Farms</u>
5. <u>Jim Bogusz</u>	<u>5738 Crestview</u> <u>Indy, IN 46220</u>	<u>Canterbury</u>
6. <u>Linda B. Smith</u>	<u>5255 Boulevard Place</u> <u>46208</u>	<u>Butler-Torkington</u>
7. <u>CARL SMITH</u>	<u>5255 BOULEVARD PL</u> <u>INDIANAPOLIS 46208</u>	<u>BUTLER TORKINGTON</u>
8. <u>Dave Bossen</u>	<u>6570 Dawsonhale</u> <u>Indy 46220</u>	<u>OXBOW</u>
9. <u>Sharon Bossy</u>	<u>6570 Dawsonhale</u> <u>Indy 46220</u>	<u>S Bossy</u>
10. <u>BC Good</u>	<u>6015 Crestview AV</u>	<u>ROCKY RIPPLE</u>

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT. I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>Quwe Layna</u>	<u>257 W. Westfield</u>	<u>BTNA</u>
2. <u>Phil P. M.</u>	<u>5151 Boulevard Pl</u>	<u>BTNA</u>
3. <u>ERIC M. (Fall)</u>	<u>6948 Evanston</u>	<u>BR</u>
4. <u>P. Myers</u>	<u>504 W. Sycamore</u>	<u>RR</u>
5. <u>Don Hall</u>	<u>3050 E 76th</u>	<u>BR</u>
6. <u>Alline Bering</u>	<u>5325 Clarendon Rd</u>	<u>RR</u>
7. <u>OTB</u>	<u>5015 N. Illinois</u>	<u>BTNA</u>
8. <u>Aden L. King</u>	<u>5015 N. Illinois</u>	<u>BTNA</u>
9. <u>John Baratt</u>	<u>5136 Kenwood</u>	<u>BTNA</u>
10. <u>Karen Koff Smith</u>	<u>690 W. Ash St.</u>	<u>Zionsville</u>

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

Zionsville  
IN

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>Cathy Hunt</u>	<u>5212 Riverview Dr 46208</u>	<u>Rocky Ripple</u>
2. <u>Samara Lee</u>	<u>5302 Lester St 46205</u>	<u>Rocky Ripple</u>
3. <u>LINDSAY RUSSO</u>	<u>5310 Lester St 46205</u>	<u>Rocky Ripple</u>
4. <u>Ryan Conry</u>	<u>5370 LESTER ST. 46205</u>	<u>Rocky Ripple</u>
5. <u>Ellie Saubren</u>	<u>5211 Crown St</u>	<u>— —</u>
6. <u>Brenda Marcum</u>	<u>5205 Crown St</u>	<u>Rocky Ripple</u>
7. <u>Julie Morris</u>	<u>500 Ripple Rd</u>	<u>_____</u>
8. <u>J.M.</u>	<u>4168 N. PARK AVE INDY, IN 46205</u>	<u>NA</u>
9. <u>Donna Floyd</u>	<u>5318 Sunset Ave Indy, IN 46208</u>	<u>RR</u>
10. <u>Jim Poyser</u>	<u>5220 Riverview</u>	<u>Rocky Rip</u>

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>Susan C. Goh</u>	<u>702 W. 53rd St</u> <u>Indpls IN 46208</u>	<u>Rocky Ripple</u>
2. <u>Keston D Jones</u>	<u>6451 Sunset Lane</u> <u>Indy, IN 46260</u>	<u>Rocky Ripple</u>
3. <u>Mike Smith</u>	<u>5251 Clarendon</u> <u>Indpls, IN 46208</u>	<u>Rocky Ripple</u>
4. <u>[Signature]</u>	<u>5531 Pennsylvania St</u> <u>INDPLS IN 46220</u>	<u>MERIDIAN KESSLER</u>
5. <u>[Signature]</u>	<u>5650 N. Illinois St</u> <u>Indpls, IN 46208</u>	<u>ROCKY RIPPLE INVESTA</u> <u>PROPERTY</u> <u>Meridian Kessler owner</u>
6. <u>[Signature]</u>	<u>5375 Patterson St</u>	<u>Rocky Ripple</u>
7. <u>Martha Schultz</u>	<u>6002 W. 54th St</u> <u>Indy IN 46208</u>	<u>Rocky Ripple</u>
8. <u>Mindy Welch</u>	<u>650 W. 54</u> <u>46208</u>	<u>Rocky Ripple</u>
9. <u>Daniel Keut</u>	<u>1480 E. 71st St.</u> <u>Indpls IN 46220</u>	<u>Ravenswood</u>
10. <u>Thomas Hardy</u>	<u>1738 E 71st St., 46220</u>	<u>Ravenswood</u>

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT. I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>Riley McManus</u>	<u>5153 Lester St.</u>	<u>RR</u>
2. <u>Paul Akiom</u>	<u>1122 N. Bolton Ave</u>	<u>Community Heights</u>
3. <u>Sue Mogle</u>	<u>507 W 54th St Indpls IN</u>	<u>RR</u>
4. <u>Robert Catus</u>	<u>507 W. 54th St INDPLS IN</u>	<u>RR</u>
5. <u>GAIL GRAVES</u>	<u>4913 Crane Lund Ave</u>	<u>Bert. Park</u>
6. <u>Hannah Meils</u>	<u>5326 Riverview Dr Indianapolis, IN 46208</u>	<u>Rocky Ripple</u>
7. <u>CHAD BRACKEN</u>	<u>5326 RIVERVIEW 6361 BYRAM AVE.</u>	<u>ROCKY RIPPLE!</u>
8. <u>Karen Meils</u>	<u>5326 Riverview Dr. Indpls. IN 46208</u>	<u>Rocky Ripple</u>
9. <u>Barbara Schindler</u>	<u>5156 Lester St Indpls IN 46208</u>	<u>Rocky Ripple!!</u>
10. <u>Emma Faesi</u>	<u>702 W. 51st St 46208</u>	<u>Rocky Ripple</u>

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkeley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>Tatjana Gordon</u>	<u>3515 Salem St., 46208</u>	<u>Crown Hill</u>
2. <u>Margaret Brabant</u>	<u>538 Ripple Rd. INDIANAPOLIS IN 46208</u>	<u>Rocky Ripple</u>
3. <u>JANAE Hunter</u>	<u>903 W. 54th St Indianapolis, Ind.</u>	<u>Rocky Ripple</u>
4. <u>Stu Hunter</u>	<u>Stu Hunter</u>	<u>Rocky Ripple</u>
5. <u>Jim Moran</u>	<u>5801 N. Wiley</u>	<u>Indianapolis</u>
<u>Phil Kip</u>	<u>5330 Byram Ave.</u>	<u>Rocky Ripple</u>
<u>Bob [unclear]</u>	<u>231 E. 68th Street Indianapolis, IN</u>	<u>Dawnblow</u>
<u>Michael [unclear]</u>	<u>5151 RIVERVIEW</u>	<u>RR</u>
9. <u>Neil Cain</u>	<u>5330 Byram Ave Rocky Ripple</u>	<u>RR</u>
10. <u>Lauren Frederick</u>	<u>5330 Byram Ave.</u>	<u>RR</u>

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALLIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALLIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>Shannon Heffernan</u>	<u>51044 Guilford Ave.</u> <u>Indianapolis, IN 46220</u>	<u>Forest Hills</u>
2. <u>Nicole Sholly</u>	<u>829 W 52nd St.</u> <u>Indianapolis IN 46208</u>	<u>Rocky Ripple</u>
3. <u>Jon Sholly</u>	<u>829 W. 52nd St.</u> <u>Indianapolis, IN 46208</u>	<u>Rocky Ripple</u>
4. <u>Ric Ritter</u>	<u>5340 Crown St.</u> <u>Indianapolis IN 46208</u>	<u>Rocky Ripple</u>
5. <u>JAKE MOSS</u>	<u>5206 Crown St.</u> <u>Indianapolis IN 46208</u>	<u>Rocky Ripple</u>
6. <u>Brent John</u>	<u>702 W. 53rd St.</u> <u>Indpls. IN 46208</u>	<u>Rock Ripple</u>
7. <u>Janis Hentrup</u>	<u>5217 N Annette St</u> <u>Indpls IN 46208</u>	<u>Rocky Ripple</u>
8. <u>Chris Carlson</u>	<u>6380 N. Park</u> <u>46208</u>	<u>Broad Ripple-Warfield</u>
9. <u>Negan Wright</u>	<u>5326 Annette St</u>	<u>Rocky Ripple</u>
10. <u>Julie Todd</u>	<u>5146 Riverview Dr</u>	<u>Rocky Ripple</u>

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALLIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALLIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

NAME	ADDRESS OF RESIDENCE	NEIGHBORHOOD
1. Dawn Louig	5309 Patterson St. Indianapolis, IN 46208	Rocky Ripple!
2. <del>Anna Johnson</del>	835 W. 53rd St. Indianapolis IN 46208	Rocky Ripple
3. Andrew Wispe	1528 Red Cliff Dr Coblesville, IN 46066	Kingsly
4. Ben McNew	5524 N. Kenwood Indpls - In. 46208	B7NA
5. <del>Pan Atkins</del>	5377 Clarendon Rd. Indpls, IN 46208	Rocky Ripple
6. Michael Conard	5314 Clarendon Rd Indpls. 46208	Rocky Ripple
7. <del>Julia Smith</del>	5251 Clarendon Rd Indpls IN 46208	Rocky Ripple
8. <del>David Dausch</del>	5040 Riverview Dr 46208	Rocky "
9. Steve Careisky	Dean Rd	Indy
10. Maureen Dobie	8411 W 53rd	Rocky Ripple biz

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>Bill Cummings</u>	<u>5217 N Grandland</u> <u>46208</u>	<u>BT</u>
2. <u>Randall Strate</u>	<u>157 W. Westfield Blvd</u> <u>Indpls IN 46208</u>	<u>BT</u>
3. <u>Jillian Fitzer</u>	<u>619 W. 44th St</u> <u>Indianapolis IN 46208</u>	<u>BT</u>
4. <u>Taylor Hughes</u>	<u>619 W. 44th St</u> <u>Indianapolis, IN 46208</u>	<u>BT</u>
5. <u>Ally Pauszek</u>	<u>619 W 44th St</u> <u>Indianapolis, IN 46208</u>	<u>BT</u>
6. <u>Jip Prapaisilapa</u>	<u>619 W 44th St.</u> <u>Indianapolis, IN 46208</u>	<u>BT</u>
7. <u>Cindy Martin</u>	<u>5337 N Capitol</u> <u>Indianapolis, IN 46208</u>	<u>BT clwhoth@gmail.com</u>
8. <u>Kelsey Martin</u>	<u>5337 N. Capitol</u> <u>Indianapolis, IN 46208</u>	<u>BT</u>
9. <u>Amy Meyer</u>	<u>614 Orange</u> <u>Indpls</u>	<u>Bates Heights</u>
10. <u>Pamela Devine</u>	<u>905 Sarasota Dr</u> <u>Lafayette, IN 47909</u>	<u>BT</u>

Please return to: Bart Herriman, 5340 Riverview Dr Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. Shannon Wex	5313 Clarendon Rd INDY IN 46208	Rocky Ripple
2. MARK A LOESCH	5230 Boulevard Pl Indy IN 46208	Butler Parkington
3. Benson Loesch	5230 Boulevard Pl Indy IN 46208	Butler Parkington
4. RANDY FRITZ	603 W 53RD ST ROCKY RIPPLE 46208	ROCKY RIPPLE
5. Rowan Milton	603 W 53RD ST Rocky Ripple 46208	Rocky Ripple
6. James Davis	5211 Annette St.	Rocky Ripple
7. Jim Davis		Rocky Ripple
8. Kelly Jones	5750 E WASHINGTON ST INDY IN	Irvington
9. Quentin Bracken	5326 River View Dr.	Rocky Ripple
10. MSael	5228 Annette St.	Rocky Ripple

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALLIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALLIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>Kelly Heffernan</u>	<u>15710 Allisonville Rd.</u> <u>Noblesville, IN 46060</u>	<u>Wellingtons</u>
2. <u>Annie Horvath</u>	<u>654 W. 54th</u> <u>Indpls IN 46208</u>	<u>RR</u>
3. <u>Delaney King</u>	<u>5145 Patterson St.</u> <u>Indpls, IN 46208</u>	<u>RR</u>
4. <u>Michael Kaster</u>	<u>5148 Patterson ST</u> <u>Indy IN 46208</u>	<u>RR</u>
5. <u>Lara Vallyly</u>	<u>5125 crown st</u> <u>Indpls IN 46208</u>	<u>RR</u>
6. <u>Jeremy Smith</u>	<u>5125 crown St.</u> <u>Indy IN 46208</u>	<u>RR</u>
7. <u>Ann Clayton</u>	<u>542 Purple Rd</u> <u>Indpls IN 46208.</u>	<u>RR.</u>
8. <u>Ann Ketchum</u>	<u>542 Purple Rd.</u>	<u>RR</u>
9. <u>[Signature]</u>	<u>5325N RURAL</u> <u>INDPS IN 46208</u>	<u>BRECKTON</u>
10. <u>Shannon Greene</u>	<u>5306 Patterson St.</u>	<u>RR</u>

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALLIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALLIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>Jeff Johnson</u>	<u>5260 Potters Pike</u> <u>Indpls. 46234</u>	<u>Feglarcrest</u>
2. <u>Kristi Stohler</u>	<u>4902 Riverview</u>	<u>Rocky Ripple</u>
3. <u>Caroline Bore</u>	<u>5108 Annette St.</u>	<u>Rocky Ripple</u>
<u>Walter King</u>	<u>3501 Broadway St.</u>	<u>None</u>
5. <u>Tim Sauer</u>	<u>3501 Broadway St</u>	<u>None</u>
6. <u>[Signature]</u>	<u>836 W 54th</u>	<u>RR</u>
7. <u>Lindsey Nov</u>	<u>5199 Clarendon</u>	<u>Rocky Ripple</u>
8. <u>Diana Hauschild</u>	<u>5319 Crown St</u>	<u>Rocky Ripple</u>
9. <u>Jarret Souders</u>	<u>5311 BYRAM AVE.</u>	<u>Rocky Ripple</u>
10. <u>Alex Redmond</u>	<u>830 W 54th</u>	<u>Rocky Ripple</u>

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALLIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALLIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>May Davis</u>	<u>5367N Riverview Dr</u> <u>Indpls IN 46208</u>	<u>Rocky Ripple</u>
2. <u>Mike Gregory</u>	<u>5367 RIVERVIEW DR</u>	<u>Rocky Ripple</u>
3. <u>Cherrie Tochal</u>	<u>BINEGAR</u>	<u>RR</u>
4. <u>Renee Eul</u>	<u>5343 BYRAM AVE</u> <u>5240 Byram Ave</u> <u>Indpls IN 46208</u>	<u>RR</u>
5. <u>John Blakely</u>	<u>5240 Crown St</u> <u>Indpls IN 46208</u>	<u>RR</u>
<u>Juli Ann D. Blakely</u>	<u>5240 CROWN ST</u> <u>INDOPLS, IN 46208</u>	<u>Rocky Ripple</u>
7. <u>Dave Bow</u>	<u>5228 Riverview</u> <u>Indpls, 46208</u>	<u>Rocky Ripple</u>
8. <u>ERICA LOVELAND</u>	<u>5102 Canal Blvd.</u> <u>Indianapolis, IN 46208</u>	<u>Rocky Ripple</u>
9. <u>KEMMA LOVELAND</u>	<u>5102 CANAL BLVD</u> <u>IND. IN 46208</u>	<u>Rocky RIPLE</u>
10. <u>Emily Wingate</u>	<u>5102 Canal Blvd.</u> <u>Indianapolis, IN</u>	<u>Rocky Ripple</u>

Please return to Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 218 Berkley Rd, Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>KAREN Slattery</u>	<u>5785 N. Washington Blvd</u> <u>Indpls, IN 46226</u>	<u>MKN</u>
2. <u>Natalie Dobie</u>	<u>5347 Clarendon Rd</u> <u>46208</u>	<u>Rocky Ripple</u>
3. <u>Beth Rago</u>	<u>529 W. 54th St</u> <u>46208</u>	<u>Rocky Ripple</u>
4. <u>Zurnal</u>	<u>5372 Canal Blvd.</u>	<u>Rocky R</u>
5. <u>Angie White</u>	<u>5360 Canal Blvd</u>	<u>Rocky Ripple</u>
6. <u>Judy Hayes</u>	<u>38 E. 55th St</u> <u>46220</u>	<u>MKN</u>
7. <u>Stacy C. Bortolo</u>	<u>1102 E. 49th Street</u>	<u>South Broad Ripple</u>
8. <u>[Signature]</u>	<u>6810 Bretton Circle</u>	<u>Pike</u>
9. <u>[Signature]</u>	<u>8310 NASHUA DR</u> <u>46260</u>	<u>PIKE</u>
10. <u>[Signature]</u>	<u>6301 CENTRAL Ave</u> <u>46220</u>	<u>Indripple</u>

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>Jane Sery</u>	<u>320 Spring Ridge Cr</u>	<u>Carmel</u>
2. <u>Ward Plummer</u>	<u>4902 Mtn Creek Rd</u> <u>Chatt IN 37415</u>	
3. <u>Paula Berard</u>	<u>4902 Mtn Creek Rd</u> <u>Chatt, TN 37415</u>	
4. <u>Erica Kuchinski</u>	<u>51 E Westfield</u> <u>Indianapolis, IN 46220</u>	<u>Mendham Kender</u>
5. <u>Shelly Weiss</u>	<u>11063 LATONIA LN</u> <u>INDIANAPOLIS 46280</u>	<u>LOXINGTON FARMS CARMEL</u>
6. <u>Andy Mill</u>	<u>528 E 86th ST</u>	<u>M-K</u>
7. <u>Keith Cruz</u>	<u>3057 N College Ave</u> <u>Indy 46205</u>	<u>MFC</u>
8. <u>Travis Cunniff</u>	<u>5433 Broadway</u>	<u>Meridian Knolls</u>
<u>Ellen</u>	<u>46226</u>	
9. <u>Greenspan</u>	<u>1488 Golden Hill Dr</u> <u>46208</u>	<u>Golden Hill</u>
10. <u>Jay Barber</u>	<u>245 W. 44TH ST 46208</u>	<u>BTNA</u>

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>Jill Warrick</u>	<u>5878 Dapple Trace</u>	<u>Saddle Brook</u>
2. <u>Jordan Star</u>	<u>5878 Dapple Trace</u>	<u>Saddle Brook</u>
3. <u>Doug Steert</u>	<u>5878 Dapple Trace Indpls 46228</u>	<u>Saddle Brook</u>
4. <u>Eric Hygie</u>	<u>5431 N Kenwood Dr</u>	<u>Butler Tarkington</u>
5. <u>Justin Metcalf</u>	<u>Butler 4737 Boulevard Indy 46208</u>	<u>Butler</u>
6. <u>John Sands</u>	<u>5699 N Odessa</u>	<u>MUNA</u>
7. <u>Michael Burck</u>	<u>4732 Curran Ln S</u>	<u>Butler</u>
8. <u>Rick Beardley</u>	<u>12750 Elm Creek</u>	<u>Carmel</u>
9. <u>Steve Bowman</u>	<u>85 W. Westfield</u>	<u>Butler</u>
10. <u>Jay Wood</u>	<u>4132 Rockwood Ave</u>	<u>Butler Tarkington</u>

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>Mary F. Miller</u>	<u>3133 N. Pennsylvania St</u> <u>Indpls.</u>	<u>Meridian Park</u>
2. <u>Cathy Arbut</u>	<u>5168 E. 76<sup>th</sup> St Ct</u> <u>Indianapolis IN 46250</u>	
3. <u>Carla Rainardo</u>	<u>4651 Bookwood Ave.</u>	<u>Butler-Tackling</u>
4. <u>Carl Warner</u>	<u>6002 Winthrop Ave</u>	<u>IBR</u>
5. <u>Tatjana Gorda</u>	<u>3515 Salem St.</u>	<u>Crown Hill</u>
6. <u>Terry Holloway</u>	<u>1327 W. 51<sup>st</sup> St</u>	<u>Crown Hill</u>
7. <u>KRS KEEUA</u>	<u>6031 Kingsley Drive</u>	
8. <u>Victor Uland</u>	<u>3663 Brumley Way</u>	<u>Eden Glen</u>
9. <u>Nick Elmore</u>	<u>3663 Brumley Way</u>	<u>Eden Glen</u>
10. <u>Brendan Allen</u>	<u>5927 Winthrop Ave</u>	<u>Broad Ripple</u>

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. Julie McKenna	9145 Kinlock Dr. 46250	Lantern Hills
2. Florian Strambu	430 Indiana Ave. 46202	Downtown
3. Emelsson	60110 Compton St 46200	B. Rip
4. Lena Snelthen	5662 Broadway St. Indy 46220	M-K
5. Kathy Jenkins	7199 Wash. Blvd.	Meridian Hills
6. [Signature]	"	"
7. [Signature]	5930 Carrollton	B Rip
8. [Signature]	6849 Fourwindsct Brownsburg 46112	
9. [Signature]	6847 Fourwindsct Brownsburg 46112	
10. Gloria Lawson	725 E. 64th St. Apt. A-2	BR

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. Elizabeth Hanman	5317 Carrollton Ave	M-K
2. Donna Williams	10 East 71st Indpls IN 46220	Meridian Hills
3. Jeff W...	8013 Stonehenge Ct W #180 Indy, IN 46260	86 <sup>th</sup> 40 <sup>th</sup> Ch Broad
4. [Signature]	6171 Rosslyn Ave INDY IN	Ripple
5. Ann Jay	7435 CENTRAL 46240	MERIDIAN HILLS
6. Nathan Corn	5853 Rosslyn	Broad Ripple
7. Euna Choi	5853 Rosslyn	Broad ripple
8. Nila Nealy	3148 Waterloo Circle Indianapolis IN 46268	Crooked Creek
9. Rachel Ratliff	4980 Union 46131	Southside
10. Inow Severns	7031 Washington Blvd 46226	Ardan/ Broad Ripple

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>Thi M. Ehlert</u>	<u>8820 Nora Lane</u>	<u>Nora</u>
2. <u>Shelley Newby</u>	<u>1675 E 81st St.</u>	<u>Nora</u>
3. <u>CINDY Zweber-Free</u>	<u>4810 N. Meridian ST</u> <u>INDpls IN 46208</u>	<u>BTNA - MIDTOWN</u>
4. <u>Colleen Fanning</u>	<u>6134 Carrollton Ave</u> <u>Indy IN 46220</u>	<u>BR</u>
5. <u>CAROL MERE</u>	<u>8077 N. ILLINOIS</u> <u>INDPLS 46260</u>	<u>M/H</u>
6. <u>ALAN</u>	<u>8077 N. ILLINOIS</u> <u>INDPLS, 46260</u>	<u>M/H</u>
7. <u>Heather McKee</u>	<u>5040 ILLINOIS</u> <u>INDpls., 46208</u>	<u>BT</u>
8. <u>Jenna R. Miller</u>	<u>1425 E. 81st</u>	<u>NORA</u>
9. <u>Stephanie Miller</u>	<u>1425 E 81st</u>	<u>NORA</u>
10. <u>Tom Mervin</u>	<u>6909 Rockville</u>	<u>Indy</u>

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208



THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>J. R. [Signature]</u>	<u>7548 Morning Side</u>	<u>_____</u>
2. <u>[Signature]</u>	<u>7548 Morning Side Dr.</u>	<u>_____</u>
3. <u>[Signature]</u>	<u>5135 Winthrop Ave</u>	<u>SoBro</u>
4. <u>[Signature]</u>	<u>7775 Springmill</u>	<u>Mer. Hills</u>
5. <u>[Signature]</u>	<u>4664 Greenshire</u>	<u>_____</u>
6. <u>[Signature]</u>	<u>5701 N. DELAWARE ST</u>	<u>_____</u>
7. <u>[Signature]</u>	<u>5768 Washburn Blvd.</u>	<u>MLK</u>
8. <u>[Signature]</u>	<u>9223 BAZZOLOTTI</u> <u>INDY, IN 46210</u>	<u>NORA</u>
9. <u>Charles d. Sterne</u>	<u>4549 Coburn Ave.</u> <u>Indpls IN 46228</u>	<u>Greenshire</u>
10. <u>Maureen S. Slick</u>	<u>839 N Bauman St</u>	<u>Chapel Hill</u>

Please return to: Bart Herriman, S340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALLIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALLIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>C. Anderson</u>	<u>4998 RiverView</u>	<u>Rocky Ripple</u>
2. <u>Ann Wickham</u>	<u>5400 Canal Blvd Rocky Ripple</u>	<u>B.R.</u>
3. <u>N. Abraham</u>	<u>3965 N. Meridian INDIANAPOLIS, IN</u>	<u>B.R.</u>
4. <u>Robert Scott</u>	<u>3121 N. Skyline Indianapolis 46208</u>	<u>N.W. Indy</u>
5. <u>Mike Nolte</u>	<u>209 Berkley Rd 46208</u>	<u>B.T.</u>
6. <u>Constance Voutsikakis</u>	<u>805 West 54th street Indpls, IN 46208</u>	<u>R.R.</u>
7. <u>Peggy Esselman</u>	<u>2403 N. Pennsylvania St Indpls, IN 46205</u>	<u>Fall Creek Place</u>
8. <u>Diana Gibbons</u>	<u>4601 N. <del>Crestview</del> Ave INDPLS, IN 46205</u>	<u>South B. Rip</u>
9. <u>Ben Hester</u>	<u>606 Portledge Commons Dr. Lafayette, IN</u>	<u>Lafayette, IN</u>
10. <u>James King</u>	<u>Oakland Rd 46240</u>	<u>NORA</u>

Please return to: Barry Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALLIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALLIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>Josh Graham</u>	<u>5276 Haverford Ave</u> <u>Indianapolis, IN 46220</u>	<u>So. Broad Ripple</u>
2. <u>Sarah Schumacher</u>	<u>5276 Haverford Ave</u>	<u>South Broad Ripple</u>
3. <u>Tim House</u>	<u>5870 Norwalk Ave</u>	<u>South Broad Ripple</u>
4. <u>Emma D'Arcy</u>	<u>8275 Lakeshore Dr</u>	<u>Castleton</u>
5. <u>Sarah Shannon</u>	<u>6757 Waterstone Drive</u> <u>Indianapolis IN 46268</u>	<u>Pike Township</u>
6. <u>Dusty Shannon</u>	<u>" "</u>	<u>Pike</u>
7. <u>Sandra Maher</u>	<u>5225 N. Blvd. Pl.</u> <u>Indianapolis, IN</u>	<u>Butler-Tarkington</u>
8. <u>Bill Nowlin</u>	<u>595 Elk Court</u> <u>Westville IN 46385</u>	<u>Family in Pike</u>
9. <u>Tim Maher</u>	<u>5225 N. Boulevard Pl.</u> <u>Indpls IN 46208</u>	<u>Butler Tarkington</u>
10. <u>Stacy McGraw</u>	<u>1130 Hawks Ln INDY 46220</u>	<u>So. Broad Ripple</u>

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>Chelsea Bachhus</u>	<u>27 Northview Dr</u> <u>Indpls, IN 46205</u>	<u><del>BT</del> BT</u>
2. <u>Alex Cantu</u>	<u>920 E 62nd St</u> <u>Indpls, IN 46220</u>	<u>Broad Ripple</u>
3. <u>Maddy Supton</u>	<u>2525 Knollwood Dr</u> <u>Indpls, IN 46228</u>	<u>Nottingham Park</u>
4. <u>Anna M. Smith</u>	<u>P.O. Box 1138 Indpls IN</u> <u>46201</u>	<u>JKINGTON</u>
5. <u>Bruce Rapoff</u>	<u>6124 HILLSIDE AVE</u> <u>46220</u>	<u>BROADRIPPLE</u>
6. <u>Rachel McKinney</u>	<u>5746 N Rural</u> <u>Indpls. 46220</u>	<u>BroadRipple</u>
7. <u>William Pluter</u>	<u>6477 Oakwood Way</u> <u>Indianapolis</u>	<u>Broad Ripple</u>
8. <u>Joe Paer</u>	<u>6477 Oakwood Way</u> <u>46220</u>	<u>BR</u>
9. <u>Melinda Zure</u>	<u>506 E Green St</u> <u>Bramsbury</u>	<u>Bramsbury</u>
10. <u>Carla Gregory</u>	<u>900 Fenster Ct</u> <u>Indpls 46234</u>	

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>MARK CHATTEN</u>	<u>5509 N CAPITAL AVE</u> <u>INDIANAPOLIS, IN</u>	<u>B.T.</u>
2. <u>Lisa Bless</u>	<u>7626 Old Oakland</u> <u>Blvd East</u>	<u>LB</u>
3. <u>Ambrose Cuckett</u>	<u>6109 Haverford Ave.</u>	<u>B.R.</u>
4. <u>Bill &amp; Cathy Adams</u>	<u>1110 Westfield Ct</u>	<u>BR</u>
5. <u>Tommy Reed</u>	<u>620 W. 72nd Indy</u>	<u>MH</u>
6. <u>Sean Dougherty</u>	<u>620 W 72nd Indy</u>	<u>MH</u>
7. <u>Jason Hunt</u>	<u>6075 Ralston Ave (Indy)</u>	<u>BR</u>
8. <u>Rebecca Brezio</u>	<u>10701 N College Ave.</u>	<u>BR.</u>
9. <u>Robert Venting</u>	<u>7750 Deer Rd</u> <u>46240</u>	<u>Royal Pines</u>
10. <u>Jeff Sandoe</u>	<u>501 Blue Ridge Rd. 46208</u>	<u>B.T.</u>

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>Kelli W</u>	<u>220 E. Village Dr</u> <u>Carmel In 46032</u>	<u>Carmel</u>
2. <u>Laurel Pitt</u>	<u>1537 S Alabama St.</u> <u>Indianapolis, IN 46225</u>	<u>Bates Hendricks</u>
3. <u>Dianne Dixon</u>	<u>3409 E. 68th St</u> <u>Indy, IN 46220</u>	<u>Creekwood</u>
4. <u>Jill Ellen Miller</u>	<u>5524 Sporen River</u> 46268	<u>Robin Run</u>
5. <u>Tara Scrim</u>	<u>30 W Columbine Ln</u> <u>Westfield, IN 46074</u>	<u>Westfield</u>
6. <u>Michael Ayler</u>	<u>805 West 59th St</u> <u>Indianapolis, IN</u>	<u>Rocky Ripple</u>
7. <u>Ashtleigh Buralawicz</u>	<u>1192 Greenbriar Dr.</u> <u>Greenwood, IN 46142</u>	<u>Greenwood</u>
8. <u>Cham Arnold</u>	<u>6737 Doughty Rd</u> <u>Broadmeade</u>	<u>Indy</u>
<u>Jinda Hirsch</u>	<u>6737 Doughty Rd.</u> <u>46220</u>	<u>71st &amp; Allisonville</u>
10. <u>Patti Wright</u>	<u>523 E. Vermont</u>	<u>Lockerbie</u>

Please return to: Bar Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>Swanhard</u>	<u>11771 Sadbrook Rd</u> <u>Fishers, IN 46037</u>	
2. <u>Gadski, ME</u>	<u>4431 N Illinois</u> <u>Indpls IN 46208</u>	<u>BTNA</u>
3. <u>Amy Steele</u>	<u>7479 N. Pennsylvania</u> <u>46240</u>	
4. <u>Linda Russell</u>	<u>7102 N. Penn.</u> <u>46240</u>	<u>M. Hills</u>
5. <u>Carol Shebourne</u>	<u>7418 N WASH</u> <u>46340</u>	<u>MH</u>
6. <u>Jon Adeln</u>	<u>4225 N ILLINOIS</u> <u>46208</u>	<u>BTNA</u>
7. <u>May J. Roth</u>	<u>7402 Semset Way</u>	<u>Newport Hill</u>
8. <u>Jack &amp; Carolyn Esten</u>	<u>7601 Newport Bay Dr. Ind</u>	<u>Newport Bay</u>
9. <u>Marya Kultas</u>	<u>6120 Guilford Ave</u>	<u>Broad Ripple</u>
10. <u>Jeani Zortman</u>	<u>6120 Guilford Ave</u>	<u>BROAD RIPPLE</u>

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>Connie Pitner</u>	<u>5374 Sunset Ave</u> <u>Indy 46208</u>	<u>RR</u>
2. <u>Nikki Royer</u>	<u>Clinton, IN</u>	
3. <u>Audrey McReynolds</u>	<u>5505 Broadway</u> <u>Inds, IN 46220</u>	<u>MK</u>
4. <u>Christie McNabb</u>	<u>1207 N. Keystone Ave</u> <u>Indy 46201</u>	<u>downtown</u>
5. <u>Kari Pitt</u>	<u>3939 Rickle St.</u> <u>Indy 46205</u>	<u>MK</u>
6. <u>Joel Dent</u>	<u>3939 Ruckle St.</u> <u>Indy 46205</u>	<u>Meridian Kessler</u>
7. <u>Mack Wade</u>	<u>4250 Ashwood Dr</u> <u>INDY 46260</u>	<u>M/K</u>
8. <u>Plan. Allen</u>	<u>3740 N. Penn</u> <u>Indianapolis 46205</u>	<u>NE</u>
9. <u>Sylvia Dyar</u>	<u>6639 N. Ewing St.</u> <u>1040 Res. IN 46220</u>	<u>TERRA VISTA.</u>
10. <u>Jackie King</u>	<u>7316 Brackenwood DR</u> <u>46260</u>	

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>Margaret Hite</u>	<u>5220 Oak Leaf Drive</u> <u>Indianapolis 46220</u>	<u>So Bro</u>
2. <u>Mrs. Abrell</u>	<u>10815 Belair Dr</u> <u>Indy 46280</u>	<u>Lexington Farms</u>
3. <u>Chris Riedy</u>	<u>10815 Belair Dr.</u> <u>Indpls. IN 46280</u>	<u>Lexington Farms</u> <u>BT</u>
4. <u>John Hughes</u>	<u>5040 Illinois</u> <u>Indianapolis</u>	<u>BT</u>
5. <u>Kara Martin</u>	<u>6105 Guilford Ave</u> <u>Indpls 46220</u>	<u>Broadripple</u>
6. <u>Brittany Hagan</u>	<u>"</u>	<u>Broadripple</u>
7. <u>Meredith Beck</u>	<u>1104 W 72nd</u> <u>46260</u>	<u>West Lane Terrace</u>
8. <u>Jen Duncan</u>	<u>6711 Rosslyn Ave</u>	<u>Broadripple</u>
9. <u>Katie Bogan</u>	<u>1347 A N. Park</u>	<u>ONS</u>
10. <u>Derek Glass</u>	<u>1347 A N. Park</u>	<u>ONS</u>

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>Christine Thompson</u>	<u>5768 Washington Blvd</u> <u>46220</u>	<u>mk</u>
2. <u>[Signature]</u>	<u>820 Forest Blvd N.W.</u>	<u>Windcombe G</u>
3. <u>Christine Cooper</u>	<u>820 Forest Blvd N.W.</u>	<u>Windcombe</u>
4. <u>Kary Brown</u>	<u>718 Timber Mill Rd</u> <u>46260</u>	<u>Timber mill</u>
5. <u>Austin Beck</u>	<u>8838 E Joyce</u>	<u>above</u>
6. <u>M/A [Signature]</u>	<u>3560 Laurelwood Circle</u> <u>46240</u>	<u>Claremont Court</u>
7. <u>Greg M-H</u>	<u>5329 Grandwood Ave</u>	<u>Butler Park</u>
8. <u>[Signature]</u>	<u>5329 GRANDWOOD AVE</u>	<u>BUTLER PARK</u>
9. <u>Adam Carlson</u>	<u>6183 Crittendon Ave</u>	<u>Broad Ripple</u>
10. <u>Megan Garner</u>	<u>6183 Crittendon Ave</u>	<u>Broad Rip.</u>

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>I.D.R. Raynor</u>	<u>5406 Canal Blvd</u> <u>Indy 46208</u>	<u>R.R.</u>
2. <u>Ingrid Sato</u>	<u>4370 Cooper Rd.</u> <u>Indy 46228</u>	<u>Wynedale, Ind.</u>
3. <u>Takuya Sato</u>	<u>4390 Cooper Rd.</u>	<u>44th &amp; Cooper Rd.</u>
4. <u>Cherry Lynn</u>	<u>5390 Canal Blvd</u>	<u>B.R.</u>
5. <u>Ten Moore</u>	<u>321 W. 40th</u>	<u>Butler/Torkington</u>
6. <u>A. Fernandez</u>	<u>6247 <del>Road</del> Evans Road</u> <u>Indy 46220 317-205-1961</u>	<u>B.R.</u>
7. <u>Su MEE OOI</u>	<u>5509 N CAPITOL AV</u> <u>IN 46208</u>	<u>Butler-T</u>
8. <u>Meg Ruth</u>	<u>5501 Haverford</u> <u>46220</u>	<u>BR</u>
9. <u>Dee Maitlen</u>	<u>5828 OUTER BANK Rd.</u>	<u></u>
10. <u>Joyce Calhoun</u>	<u>8673 Dartmouth Rd</u>	<u>GD</u>

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>Zachary Verner</u>	<u>1504 N Pennsylvania St</u> <u>1504 N Pennsylvania St</u>	<u>Northside</u>
2. <u>Kate Salotra</u>	_____	_____
3. <u>JMJC</u>	<u>3317 Bay Pkwy</u> <u>46240</u>	<u>NORTH side</u>
4. <u>Jim Nicolini</u>	<u>626 Northview</u> <u>46220</u>	<u>No Bro</u> <u>Brookridge</u>
5. <u>Sam Mizwicki</u>	<u>Avon, CO</u>	_____
6. <u>Diane Hancock</u>	<u>327 Buckingham Dr. 46208</u>	<u>BTNA</u>
7. <u>M. K. C.</u>	<u>7475 Mary Lane #192</u> <u>46205</u>	<u>Manan/Kaystone</u>
8. <u>Marcia Baker</u>	<u>753 N Graham Ave</u> <u>46219</u>	<u>Irvington</u>
9. <u>DIANE LIHOM</u>	<u>5225 Luzzano Ln</u> <u>INDIANAPOLIS 46220</u>	<u>Sobro</u>
10. _____	_____	_____

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>Sarah Green</u>	<u>6261 Riverview Dr</u> <u>46260</u>	<u>WartleIGH</u>
2. <u>CRAIG BUEHNER</u>	<u>8775 N. PENNSYLVANIA</u> <u>46240</u>	<u>NORA</u>
3. <u>Deb Buehner</u>	<u>8775 N. Penn</u> <u>46240</u>	<u>Nora</u>
4. <u>Brian Case</u>	<u>10785 Timber</u> <u>SPRINKLES</u>	<u>FISHERS</u>
5. <u>Lynnda Rosewater</u>	<u>4412 N Park</u>	<u>Meridia-Kessler</u>
6. <u>Chant Tremm</u>	<u>5101 CENTRAC</u> <u>46205</u>	<u>Meridium Kessler</u>
7. <u>[Signature]</u>	<u>6126 Compton St apt 22</u> <u>46220</u>	<u>Broad Ripple</u>
8. <u>Anita Westbrook</u>	<u>6126 Compton St apt 20</u>	<u>Broad Ripple</u>
9. <u>Kate Juergens</u>	<u>6026 E. 1st St.</u> <u>Indianapolis</u>	<u>Broad Ripple</u>
10. _____	_____	_____

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>James Booser</u>	<u>117 Westfield Ct. West</u>	<u>Broad Ripple</u>
2. <u>Lisa Goldberg</u>	<u>603 W 53rd St</u>	<u>Rocky Ripple</u>
3. <u>Wesley Kuhn</u>	<u>850 W. 77th S. Dr.</u>	<u>Shady Knoll</u>
4. <u>Patty Barga</u>	<u>929 Forest Blvd S Dr.</u>	<u>Windcombe</u>
5. <u>Lucas Howard</u>	<u>6432 N. Park Ave.</u>	<u>Duneland</u>
6. <u>James L. McDonald</u>	<u>5032 Arabian Run</u>	<u>Saddlebrook Indpls</u>
7. <u>Ashley Schmell</u>	<u>1206 Hoyt Ave</u>	<u>Fountain Sq.</u>
8. <u>John Gull</u>	<u>1306 HOYT AVE</u>	<u>Ft. Sq.</u>
9. <u>Kevin E. Place</u>	<u>5817 KINGSLEY</u>	<u>BR. RIPPLE</u>
10. _____	_____	_____

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>Laura Czajkowski</u>	<u>6114 Pawel St</u>	<u>Broad Ripple</u>
2. <u>Melli Hoppe</u>	<u>6001 Broadway</u>	<u>Broad Ripple</u>
3. <u>Megan</u>	<u>1239 Tecumseh</u>	<u>Windsor Park</u>
4. <u>Janice</u>	<u>" "</u>	<u>" "</u>
5. <u>Dan Hoppe</u>	<u>6001 Broadway</u>	<u>Broad Ripple</u>
6. <u>Liz Boyd</u>	<u>2009 Sunfield</u>	<u>Kessler</u>
7. <u>JAKE BOYD</u>	<u>" "</u>	<u>" "</u>
8. <u>Jane Jones</u>	<u>5654 Cannellton</u>	<u>Forest Hills</u>
9. <u>Steph Stalinet</u>	<u>909 E 58th St</u>	<u>Forest Hills</u>
10. _____	_____	_____

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>Stephanie Shelton</u>	<u>558 Cornelia Ave</u> <u>Indianapolis IN 46208</u>	<u>Butler-Tarkenton</u>
2. <u>Mike Young</u>	<u>842 W 54th St</u> <u>Rocky Ripple 46208</u>	<u>R.R</u>
3. <u>Marie Brown</u>	<u>5314 Sunset Ave.</u> <u>Rocky Ripple, IN 46208</u>	<u>RR</u>
4. <u>Julie Willy</u>	<u>5314 Sunset Ave.</u> <u>Rocky Ripple, IN 46208</u>	<u>RR</u>
5. <u>Alan Paul</u>	<u>5401 CANAL BLVD</u> <u>RR, IN 46208</u>	<u>RR</u>
6. <u>Heidi Seib</u>	<u>4670 Amesley Ave</u>	<u>ST</u>
7. <u>Allena Ford</u>	<u>7300 54th St</u> <u>INDIANAPOLIS IN 46208</u>	<u>RR</u>
8. <u>Janet Hill</u>	<u>7300 54th St</u> <u>INDIANAPOLIS IN 46208</u>	<u>RR</u>
9. <u>ERIC WALKER</u>	<u>317</u>	
10. _____	_____	_____

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>Barbara M Green</u>	<u>1311 Fox Hill Dr</u> <u>46228</u>	<u>Sunset Hills</u>
2. <u>Ranjani Larman</u>	<u>8902 E. 18<sup>th</sup> St</u> <u>46219</u>	<u>East side</u>
3. <u>Candyn Whitaker</u>	<u>1540 West 72nd St</u> <u>46200</u>	<u>east side</u>
4. <u>Harriet Lowe</u>	<u>5108 Riverview Dr</u> <u>46205</u>	<u>RR</u>
5. <u>Annals</u>	<u>5114 N. Park Ave</u> <u>46205</u>	<u>MR. Keebler</u>
6. <u>Kathy Lay</u>	<u>6754 Shore Island</u> <u>46226</u>	<u>Broad Ripple</u>
7. <u>Fog O'Grady</u>	<u>6754 Shore Island</u> <u>46226</u>	<u>Broad Ripple</u>
8. _____	_____	_____
9. _____	_____	_____
10. _____	_____	_____

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>Scott Humphreys</u>	<u>3950 Broadway St</u> <u>Indpls IN 46205</u>	<del>North</del> <u>Mendian Kessler</u>
2. <u>Erin Humphreys</u>	<u>3950 Broadway St</u> <u>Indpls, IN 46205</u>	<u>Mendian Kessler</u>
3. <u>RHESA Hanson</u>	<u>1281 Munson Ct</u> <u>Indpls IN 46260</u>	<u>North Indy</u>
4. <u>Carol Filkins</u>	<u>5038 Allisonville</u> <u>Indianapolis, IN 46205</u>	<u>Columdale</u>
5. <u>NANCY BARTON</u>	<u>533 Ripple Rd</u> <u>Indpls 46208</u>	<u>Rocky Ripple</u>
6. <u>[Signature]</u>	<u>5140 Riverview Dr</u>	<u>Rocky Ripple</u>
<u>Becky Jones</u>	<u>5140 Riverview</u>	<u>Rocky Ripple</u>
8. _____	_____	_____
9. _____	_____	_____
10. _____	_____	_____

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>Judith Bushor</u>	<u>7166 Harbour Isle</u> <u>Judy 46246</u>	<u>Harbour Club</u>
2. <u>[Signature]</u>	<u>6215 LANDBOROUGH</u> <u>46220</u>	<u>Avalon Hills</u>
3. <u>[Signature]</u>	<u>2547 E 68th St.</u> <u>46220</u>	<u>North Broad Ripple</u>
4. <u>[Signature]</u>	<u>5445 Winthrop Ave</u> <u>46220</u>	<u>Northside</u>
5. <u>Patt Newton</u>	<u>6010 N. Oakland Ave</u>	<u>Wider/Kessler</u>
6. <u>Kate Appel</u>	<u>6669 W. Grand St.</u>	<u>Meridian Hills</u>
7. <u>Mackenzie Smith</u>	<u>8399 Lakeshore Circle</u> <u>46250</u>	<u>North Indy</u>
8. _____	_____	_____
9. _____	_____	_____
10. _____	_____	_____

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALLIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALLIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>[Signature]</u>	<u>2227 Embassy Row</u> <u>Indianapolis, IN</u>	<u>"West Side"</u>
2. <u>[Signature]</u>	<u>5248 N. Delaware St</u>	<u>"Meridian North"</u>
3. <u>[Signature]</u>	<u>5821 PRAIRIE CREEK DR.</u> <u>Indpls, IN 46254</u>	<u>Northwest</u>
4. <u>Nick Baker</u>	<u>5803 Brackton Dr.</u> <u>Indy, IN 46220</u>	<u>Broadripple</u>
5. <u>Rachel Kesting</u>	<u>4455 Marcey Lane</u> <u>Indpls IN 46205</u>	<u>Broadripple</u>
6. <u>[Signature]</u>	<u>9217 Threshwood Ln</u> <u>Indpls IN 46250</u>	<u>Castleton</u>
7. _____	_____	_____
8. _____	_____	_____
9. _____	_____	_____
10. _____	_____	_____

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT. I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

NAME	ADDRESS OF RESIDENCE	NEIGHBORHOOD
1. Janet Cooper	801 W 52 <sup>nd</sup> 58 years	Rocky Ripple
2. [Signature]	1008 26 <sup>th</sup> St IND	Rocky Ripple
3. Art Bracken	5214 ANNETTE ST	ROCKY RIPPLE
4. Mary Gofink	8801 Madras	Indianapolis 46227
5. TAIL REDMOND	5205 7 <sup>th</sup> PAM	Rocky Ripple 46208
6. Nancy Schalk	5028 Riverview Dr.	Rocky Ripple
7. _____	_____	_____
8. _____	_____	_____
9. _____	_____	_____
10. _____	_____	_____

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT. I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

NAME	ADDRESS OF RESIDENCE	NEIGHBORHOOD
1. <u>Margaret Hepp</u>	<u>929 N. Leland</u>	<u>Wasson Outside</u>
2. <u>Ruth Jennings</u>	<u>5306 Byron Ave</u>	<u>Rocky Ripple</u>
3. <u>Ben Rto</u>	<u>780 N. Water</u>	<u>Ruh King</u>
4. <u>Dave Helton</u>	<u>106 Parkridge Dr. Danville IN</u>	<u>Dave Helton</u>
5. <u>KEVIN Zimmerman</u>	<u>237 W. WESTFIELD</u>	<u>BUTLER - TARIKATON</u>
6. <u>Saundra Hild Kucher</u>	<u>9976 Green Dr INDIANAPOLIS, IN</u>	<u>Walden Pond.</u>
7. _____	_____	_____
8. _____	_____	_____
9. _____	_____	_____
10. _____	_____	_____

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>Lesley Stockton</u>	<u>5242 Roland</u> <u>46228</u>	<u>Kauffman Estates</u>
2. <u>MICHAEL HAWK</u>	<u>6110 ROSILYN AVE</u> <u>46220</u>	<u>BROADRIPPLE</u>
3. <u>Grace Chval</u>	<u>5414 Winthrop Ave</u> <u>46220</u>	<u>Broad Ripple</u>
4. <u>Pat Reynolds</u>	<u>8903 Gerking Ct.</u> <u>46256</u>	<u>Lawrence</u>
5. <u>Steve Pludebaum</u>	<u>3773 E 62nd</u> <u>46220</u>	<u><del>Glendale</del> Glendale</u>
6. _____	_____	_____
7. _____	_____	_____
8. _____	_____	_____
9. _____	_____	_____
10. _____	_____	_____

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>Laina Winslow</u>	<u>29 Thornleigh Dr</u> <u>Brownsburg, IN</u>	<u>Brownsburg</u>
2. <u>Jamie Fahrner</u>	<u>5205 Norwaldo Ave.</u> <u>Indianapolis, IN 46220</u>	<u>South B. Ripple</u>
3. <u>Mallory Post</u>	<u>815 E 53rd St</u> <u>Indy, IN 46220</u>	<u>So. Brip</u>
4. <u>AMY SEREGNY</u>	<u>908 E 52nd St</u> <u>46205</u>	<u>So Bro</u>
5. <u>Kate Burk</u>	<u>835 W 52nd St</u>	<u>Rocky Ripple</u>
6. _____	_____	_____
7. _____	_____	_____
8. _____	_____	_____
9. _____	_____	_____
10. _____	_____	_____

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALLIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALLIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>Sue Grizzel</u>	<u>301 Ripple Rd</u> <u>Indpls</u>	<u>Rocky Ripple</u>
2. <u>Ezra Braid - Grizzell</u>	<u>301 Ripple Rd</u> <u>Indianapolis</u>	<u>Rocky Ripple</u>
3. <u>Beth Adams</u>	<u>5238 Riverview Dr</u> <u>INDPLS, IN</u>	<u>Rocky Ripple</u>
4. <u>Matt Bargo</u>	<u>7006 Ralston Ave</u> <u>Indianapolis, In</u>	<u>_____</u>
5. <u>DAVID BENN</u>	<u>933 ENGLISH AVE.</u> <u>INDAS, IN 46203</u>	<u>FOUNTAIN SQUARE</u>
6. <u>_____</u>	<u>_____</u>	<u>_____</u>
7. <u>_____</u>	<u>_____</u>	<u>_____</u>
8. <u>_____</u>	<u>_____</u>	<u>_____</u>
9. <u>_____</u>	<u>_____</u>	<u>_____</u>
10. <u>_____</u>	<u>_____</u>	<u>_____</u>

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.



I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALLIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALLIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

NAME	ADDRESS OF RESIDENCE	NEIGHBORHOOD
1. <u>Richard Rikins III</u>	<u>242 West 54th Street INDIANAPOLIS, IN 46208</u>	<u>Rocky Rocky Ripple</u>
2. <u>Stella Brickel</u>	<u>1738 E. 71st INDIANAPOLIS, IN 46220</u>	<u>Ravenwood</u>
3. <u>Jay &amp; Mary Bullis</u>	<u>2540 140th St. Galesburg, IL</u>	<u>-</u>
4. <u>Kim W. Hatfield</u>	<u>Bullis 2540 140<sup>th</sup> St Galesburg, IN</u>	<u>_____</u>
5. _____	_____	_____
6. _____	_____	_____
7. _____	_____	_____
8. _____	_____	_____
9. _____	_____	_____
10. _____	_____	_____

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALLIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALLIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

NAME	ADDRESS OF RESIDENCE	NEIGHBORHOOD
1. 	5228 Annette St 46208	Rocky Ripple
2. 	5326 Sunset Ave	Rocky Ripple
3. 	402 E 57 <sup>th</sup>	Rocky Ripple
4. _____	_____	_____
5. _____	_____	_____
6. _____	_____	_____
7. _____	_____	_____
8. _____	_____	_____
9. _____	_____	_____
10. _____	_____	_____

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT. I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

NAME	ADDRESS OF RESIDENCE	NEIGHBORHOOD
1. <u>Chelsea Switzer</u>	<u>5055 Guilford Ave Indianapolis, IN 46220</u>	<u>Forest Hills Ext.</u>
2. <u>ADAM GABER</u>	<u>5370 CLAREMONT RD</u>	<u>RR</u>
3. _____	_____	_____
4. _____	_____	_____
5. _____	_____	_____
6. _____	_____	_____
7. _____	_____	_____
8. _____	_____	_____
9. _____	_____	_____
10. _____	_____	_____

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>MAUREEN Jordan</u>	<u>350 W. HAMPTON DR</u>	<u>BUTLER/TARKINGTON</u>
2. <u>BRIAN J. ARTHUR</u>	<u>902 N. Pennsylvania St #104</u>	<u>Downtown</u>
3. <u>Kevin Quadrozzi</u>	<u>902 N. Penn. St. #104</u>	<u>Downtown</u>
4. <u>Jeff Mlynski</u>	<u>1248 Riverwalk Dr. Apt I</u>	<u>Indy - West</u>
5. <u>Tom Holt</u>	<u>500 W 62nd St Indpls IN 46210</u>	<u>Cross Creek</u>
6. <u>Steve Nelson</u>	<u>4840 Park Indy IN 46205</u>	<u>So. Ind</u>
7. <u>Catherine Walnesse</u>	<u>404 E. 4th St Indpls Love Nature and Running</u>	<u>Truancy MK - R Uanner</u>
8. <u>PAM MAWERY</u>	<u>1632 FOREST OAK DR IND PL 46239</u>	<u>FAR EAST SIDE</u>
9. _____	_____	_____
10. _____	_____	_____

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>ZACH HAWKINS</u>	<u>5820 Hillside Ave</u>	<u>Glendale</u>
2. <u>Susan Cloe</u>	<u>5255 N. Illinois</u> <u>Indianapolis</u>	<u>Butler</u>
3. <u>Sarah Zauber</u>	<u>5912 Central</u>	<u>Blacker / MK</u>
4. <u>Jared Weber</u>	<u>77 W Westfield</u>	
5. <u>Brian Lush</u>	<u>5111 Pennsylvania</u>	<u>MKN</u>
6. <u>Carl DUNCAN</u>	<u>599 W. Westfield Blvd.</u>	<u>Butler</u>
7. <u>Margie Shettle</u>	<u>1750 W. 58th St.</u> <u>46228</u>	<u>Crow's nest</u>
8. _____	_____	_____
9. _____	_____	_____
10. _____	_____	_____

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>Gina Michay</u>	<u>2829 265<sup>th</sup></u>	<u>Meridian</u>
2. <u>George Breuner</u>	<u>5356 N. Broadway St</u> <u>Indianapolis IN 46220</u>	<u>Meridian</u>
3. <u>Tom Dinwiddie</u>	<u>5940 Wash. Blvd.</u> <u>Indpls</u>	<u>"</u>
4. <u>Glenn M Kimball</u>	<u>23 W. 57<sup>th</sup> St</u> <u>Indpls IN 46208</u>	<u>Meridian</u>
5. <u>Pam Kent</u>	<u>5656 N. Ill. St</u> <u>46208</u>	<u>"</u>
6. <u>Judy Reed</u>	<u>5878 N. Delaware</u> <u>46220</u>	<u>Meridian</u>
7. <u>Allina VanKersen</u>	<u>4460 Heaney Ct</u> <u>46228</u>	<u>"</u>
8. _____	_____	_____
9. _____	_____	_____
10. _____	_____	_____

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALLIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALLIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

NAME	ADDRESS OF RESIDENCE	NEIGHBORHOOD
1. <u>Miriam Leib</u>	<u>4737 Cornelius Ave</u>	<u>Butler-Tank</u>
2. <u>Leann Oakley</u>	<u>1037 L Forest Creek Dr Indy IN 46239</u>	<u>Eastside</u>
3. <u>MICHAEL READ</u>	<u>5374 RIVERVIEW DR 46208</u>	<u>Rocky Ripple</u>
4. <u>CATHERINE DOSING</u>	<u>5304 CROWN ST.</u>	<u>Rocky Ripple</u>
5. _____	_____	_____
6. _____	_____	_____
7. _____	_____	_____
8. _____	_____	_____
9. _____	_____	_____
10. _____	_____	_____

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT.

I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>Jake Moss</u>	<u>5206 Crown St.</u>	<u>Rocky Ripple</u>
2. <u>Daner Toney</u>	<u>4225 Boulevard</u>	<u>Ripple</u>
3. <u>Megan Haff</u>	<u>4225 Boulevard</u>	<u>Ripple</u>
4. <u>Thomas Tuener</u>	<u>504 N Kenvad Ave</u>	<u>Butler/Takington</u>
5. <u>Anne McDougal</u>	<u>5151 Lester</u>	<u>Rocky/Ripple</u>
6. <u>Steve Schultz</u>	<u>602 W. 54<sup>TH</sup> ST</u>	<u>Rocky Ripple</u>
7. <u>PAUL Willenbrock</u>	<u>5406 N. Kenwood AVE</u>	<u>BUTLER/TACK</u>
8. <u>Luther Garcia</u>	<u>846 W. 56<sup>th</sup> St</u>	<u>Hickland Kessler</u>
9. <u>James Pasky</u>	<u>541 Annette St.</u>	<u>Rocky Ripple</u>
10. <u>[Signature]</u>	<u>5137 Lester Ave</u>	<u>Rocky Ripple</u>

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT. I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>Brook Africa</u>	<u>Spartford Ave</u>	<u>Forest Hills</u>
2. <u>[Signature]</u>	<u>200 W. 49th</u>	<u>ISI</u>
3. <u>Samira</u> <u>Shel Cooper</u>	<u>6183 W. Waterfront</u> <u>Way</u> <u>McClintockville, IN</u>	<u>Bay Creek</u>
4. <u>[Signature]</u>	<u>804 W Hampton</u> <u>Indianapolis, IN 46208</u>	<u>Butler University</u>
5. <u>[Signature]</u>	<u>1020 W Hampton Dr.</u> <u>Indianapolis, IN 46208</u>	<u>Butler University</u>
6. <u>William Kevin Fajardo</u>	<u>200 W. 49th</u>	<u>ISI</u>
7. <u>Marcus</u> <u>Jacob Duff</u>	<u>725 W Hampton</u> <u>Indianapolis, IN 46208</u>	<u>Butler University</u>
8. <u>Jordan Ludwig</u>	<u>737 W Hampton</u> <u>Indianapolis, IN 46208</u>	<u>Butler University</u>
9. <u>Anastasia Lee</u>	<u>630 W. Hampton Dr</u> <u>Indianapolis, IN 46208</u>	<u>Butler University</u>
10. _____	_____	_____

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

THE U.S. ARMY CORPS OF ENGINEERS (THE "CORPS") PREPARED AN ENVIRONMENTAL ASSESSMENT DATED FEBRUARY, 2011 ("EA") REGARDING CHANGES TO PHASE 3B OF THE INDIANAPOLIS, WHITE RIVER (NORTH), IN FLOOD DAMAGE REDUCTION PROJECT (THE "PROJECT"). THE REDESIGN OF THE PROJECT ENTAILS THE CONSTRUCTION OF AN EARTHEN LEVEE AND FLOODWALL, WHICH CROSSES THE HISTORIC WHITE RIVER CENTRAL CANAL NEAR THE RIVERIA CLUB, CONTINUES SOUTHWEST ALONG WESTFIELD BOULEVARD AND TERMINATES AT HIGH GROUND ON BUTLER UNIVERSITY. SUCH PROPOSAL EXCLUDED THE TOWN OF ROCKY RIPPLE FROM FLOOD PROTECTION. BECAUSE OF OVERWHELMING PUBLIC OUTCRY FROM CITIZENS IMPACTED BY THE EA, THE CORPS PROPOSED A DRAFT SUPPLEMENTAL ENVIRONMENTAL IMPACT STUDY ("DSEIS") TO EVALUATE SPECIFIC ALTERNATIVES FOR THE REALIGNMENT OF THE FLOODWALL, INCLUDING PROTECTING ROCKY RIPPLE. HOWEVER, THE CORPS' DSEIS RECOMMENDED THE SAME ROUTE AS SET FORTH IN THE EA WITH MINOR, COSMETIC REVISIONS TO ITS DESIGN AND ONCE AGAIN EXCLUDED ROCKY RIPPLE FROM THE PROJECT. I OPPOSE THE CURRENT PROJECT AND SUPPORT THE FOLLOWING MEASURES: (1) A NINETY (90) DAY EXTENSION OF THE COMMENT PERIOD TO THE DSEIS, WHICH IS NECESSARY FOR ALL CITIZENS IMPACTED BY THE DSEIS TO HAVE ADEQUATE OPPORTUNITY TO CONSIDER THE DSEIS (AND SUPPORTING DOCUMENTATION) AND SUBMIT COMMENTS; (2) CONGRESS CONDUCTING A GENERAL REEVALUATION REVIEW IN ORDER FOR ROCKY RIPPLE TO BE REINCLUDED IN THE PROJECT; (3) THE CORPS AND THE CITY OF INDIANAPOLIS PROVIDING FULL FLOOD PROTECTION FOR ROCKY RIPPLE BY: (A) ADOPTING AN ALIGNMENT GENERALLY CONSISTENT WITH THE EXISTING EARTHEN LEVEE IN ROCKY RIPPLE; AND (B) REDESIGNING THE FLOODWALL (AS PROPOSED IN THE ROCKY RIPPLE ALIGNMENT IN THE DSEIS) TO HAVE LESS AN IMPACT ON STRUCTURES IN ROCKY RIPPLE.

<u>NAME</u>	<u>ADDRESS OF RESIDENCE</u>	<u>NEIGHBORHOOD</u>
1. <u>Maggie Boelgen</u>	<u>5345 Lister St</u> <u>Indianapolis, IN 46208</u>	<u>Rocky Ripple</u>
2. <u>JASON HANNA</u>	<u>5345 LISTER ST.</u> <u>INDIANAPOLIS 46208</u>	<u>Rocky Ripple</u>
3. _____	_____	_____
4. _____	_____	_____
5. _____	_____	_____
6. _____	_____	_____
7. _____	_____	_____
8. _____	_____	_____
9. _____	_____	_____
10. _____	_____	_____

Please return to: Bart Herriman, 5340 Riverview Dr., Indianapolis, IN 46208, or Neil Bloede, 210 Berkley Rd., Indianapolis, IN 46208

## KID'S PETITION

WE ARE KIDS WHO LIVE IN ROCKY RIPPLE. WE LOVE OUR TOWN. OUR TOWN IS A GOOD PLACE TO LIVE. WE WANT FLOOD PROTECTION FOR OUR TOWN, BUT WE DON'T WANT ANYBODY TO HAVE TO LOSE THEIR HOME.

PLEASE INCLUDE ROCKY RIPPLE IN YOUR PLAN FOR FLOOD PROTECTION. PLEASE DON'T TEAR ANYBODY'S HOUSE DOWN. IT WOULD MEAN A LOT TO US IF YOU COULD FIND A WAY TO SAVE ROCKY RIPPLE WITHOUT TEARING DOWN PEOPLE'S HOMES.

NAME	AGE	ADDRESS
Shawn M	11	RRR
Lily Hunter	11	RRR
Peyton		RRR
Red Che K		RRR
PARKER	5	RR
ELISE	3	RR
MIKE	43	
SARAH	27	INDY
ERICA L.	27	Rocky Ripple
MANNA	6	" "
O.R. Raynor	66	" "
ALICE PULSEN		— — —
Brandy Marcom		— — —

Name	Age	Address
Harrison	7	
Mike Kelley	58	5209 clarendon Rd.
Jim Dany	63	Rocky Ripple
<del>John Dany</del>	12	Rocky Ripple
Margaret Bryant	58	538 Ripple Rd.
<del>John Bryant</del>		
Helen Meils	59	5326 Riverview Dr.
LIZZY TODD	14	5345 RIVERVIEW DR
TUCKER TODD	1	5345 RIVERVIEW DR
Grant SUTSKIN	15	5108 SUNDY MANOR LN.
L. S. SUTSKIN	16	5108 ANNETTE ST.
John Harman	36	5340 RIVERVIEW DR.
Jack Harman	6	"
Charlie Harman	3	"
Barb Harman	43	"
Nick Myers	12	509 W 5TH ST
C/A P A Myers	5	"
Becky Stoops	60	5120 Riverview
Riley McManus	17	5153 Lester
Isabelle Nara	11	5131 patterson St.
Peggy Brill	56	1231 Hendrick St

Nancy Henry  
Brad Brice

5703 Skyride Dr  
45 Nancy Henry  
1231 Hendak, Carmel

## KID'S PETITION

WE ARE KIDS WHO LIVE IN ROCKY RIPPLE. WE LOVE OUR TOWN. OUR TOWN IS A GOOD PLACE TO LIVE. WE WANT FLOOD PROTECTION FOR OUR TOWN, BUT WE DON'T WANT ANYBODY TO HAVE TO LOSE THEIR HOME.

PLEASE INCLUDE ROCKY RIPPLE IN YOUR PLAN FOR FLOOD PROTECTION. PLEASE DON'T TEAR ANYBODY'S HOUSE DOWN. IT WOULD MEAN A LOT TO US IF YOU COULD FIND A WAY TO SAVE ROCKY RIPPLE WITHOUT TEARING DOWN PEOPLE'S HOMES.

NAME	AGE	ADDRESS
Jayne Hunter	<del>13</del>	<del>903</del> RRR
John Mack		R.R.
Kevin Erler		RRR
Leo Horvath	13	654 West 54 Street
Gus Horvat	9	
Finn Horvath	7	
Emercy Horvath	14	
Kate W Bullis	26	835 W 53 <sup>rd</sup> St
Mark Linajeay	62	5367 River view
Mary Dunne	54	3367 N River view
Alex Gordon	19	
ERIN SMITH	12	5251 Clarendon Road





# KID'S PETITION

WE ARE KIDS WHO LIVE IN ROCKY RIPPLE. WE LOVE OUR TOWN. OUR TOWN IS A GOOD PLACE TO LIVE. WE WANT FLOOD PROTECTION FOR OUR TOWN, BUT WE DON'T WANT ANYBODY TO HAVE TO LOSE THEIR HOME.

PLEASE INCLUDE ROCKY RIPPLE IN YOUR PLAN FOR FLOOD PROTECTION. PLEASE DON'T TEAR ANYBODY'S HOUSE DOWN. IT WOULD MEAN A LOT TO US IF YOU COULD FIND A WAY TO SAVE ROCKY RIPPLE WITHOUT TEARING DOWN PEOPLE'S HOMES.

NAME	AGE	ADDRESS
<u>Lillian</u>	<u>8</u>	<u>RRR</u>
<u>Megan yohn</u>	<u>13 1/2</u>	<u>Creekside Ln</u>
<u>Dona's</u>	<u>70</u>	<u>W. 54th. St.</u>
<u>Alex Carroll</u>	<u>27</u>	<u>5650 N. Illinois St.</u>
<u>FIONA GARVE</u>	<u>9</u>	<u>5320 Z. LARSEN DR</u>
<u>Scott McNamee</u>	<u>7</u>	<u></u>
<u>Peter Horvat</u>	<u>42</u>	<u></u>
<u>Jorge Cisneros</u>	<u>32</u>	<u>5199 Clarendon</u>
<u>Jordyn Connell</u>	<u>12</u>	<u>W 53rd</u>
<u>Angelena Deuff</u>	<u>11</u>	<u>5139 Annetto</u>
<u></u>	<u></u>	<u></u>
<u></u>	<u></u>	<u></u>
<u></u>	<u></u>	<u></u>





**From:** [Jill Morris](#)  
**To:** [Turner, Michael LRL](#)  
**Subject:** SEIS comment  
**Date:** Thursday, August 23, 2012 4:39:13 PM

---

I'm a daily tow path walker, a 26 year resident of Rocky Ripple, collage graduate, an Indianapolis small business owner, CERT trained, member of Rocky Ripple Emergency Management team, a tax payer and registered voter.

Rocky Ripple has existed as an included town since 1970 when it was incorporated into Indianapolis as part of Unigov.

Legally, it is part of Indianapolis, according to Indiana Code 36-3-1-4 sec, 4 (a) (2).

My point is, I would expect the US Corps of Engineers and the City of Indianapolis to provide my home and community with the same flood protection that's being offered to our surrounding neighborhoods.

Jill Morris

500 Ripple Rd

Indianapolis, IN 46208

[jmorris004@indy.rr.com](mailto:jmorris004@indy.rr.com)

317-257-9757

**From:** [Mary Weber](#)  
**To:** [Turner, Michael LRL](#)  
**Subject:** SEIS for the Indianapolis, White River (North), IN Flood Damage Reduction Project Phase 3B  
**Date:** Monday, September 24, 2012 9:25:51 PM  
**Attachments:** [rocky ripple letter.docx](#)

---

Dear Mr. Turner,

Attached is my letter of response to the Army Corps of Engineers' recommendations for flood protection in Indianapolis.

Please forward to Colonel Leonard if you would.

Sincerely,  
Mary Weber  
5112 Riverview Drive  
Indianapolis, IN, 46208

September 24, 2012

Colonel Luke T. Leonard  
District Commander  
US Army Corps of Engineers,  
Louisville District  
PO Box 59  
ATTN: CELRL-PM-P-E  
Louisville, KY 40201

Re: SEIS for the Indianapolis, White River (North), IN Flood Damage Reduction Project  
Phase 3B

Dear Colonel Leonard:

I've avoided writing this letter because the situation is a dilemma. There's no ideal solution.

It appears that money and relative ease of construction are the primary factors for the Corps' recommendation for the Westfield tow path alignment. And as an individual, that's fine by me. Because I'm a "red dot" home slated for destruction should the flood wall be placed along the river. But ethically, it isn't the right thing to do. The force behind the waters of a 100 to 300 year flood would destroy Rocky Ripple. And as a community member, I just can't support the placement of a flood wall that would lead to the destruction of our neighborhood.

Along with the chaos and possible loss of life, it would likely cost close to the amount of the Rocky Ripple alignment to remove the destruction, tend to the contaminating septic systems, repair the canal, clean up the water supply, etc. It's pennywise and pound foolish. It would be convenient for the city, though, because the entire neighborhood would be declared "uninhabitable" and viola....the greenspace would make a beautiful park for the city, wouldn't it?

I find it interesting that the current "standard" for levee improvement is based on that learned from the devastation of Katrina. I wish the Corps would make the "standard" based on the emotional losses of the Katrina victims—the emotional trauma from losing their loved ones, their homes, their neighborhoods. Sure, the wall is going to protect the folks and neighborhoods on the other side---the side of the "majority", the side of the educated, the side of the tax base and vote, etc., etc. But what about the "minority" that have the right for that same protection? It's easy to marginalize a minority that have chosen to live in a flood plain. But remember, most of the people who live in this neighborhood have done so for financial reasons. The nature is incredible, and aesthetically it is so awesome to live in the "country" and city simultaneously. But the number one reason the majority have chosen to live in Rocky Ripple is because they can afford it.

I've only lived here a little over a year. I finally landed a home on the river after searching for 5 years! But my neighbors to the right—Dick and Donna, they have lived in their house on the river for 57 years! It's all they have known. Donna is dying of metastatic breast cancer, Colonel. And the only thing she can worry about is "What's going to happen to Dick? Where will he go if they close the gates? Where will he go if they destroy the house?" And then the neighbor three houses downstream has lived in his home since he was 2 years old. And he's 76 now!!

So I don't know the answer.

I do know that I love my home and I love my neighborhood. I would like the levee to be "fortified" and repaired without the loss of homes. While this may not help in the event of a 100 year flood, it could certainly help with non-catastrophic flooding. Aside from this suggestion, I can't really support much else.

I'm choosing to enjoy the wildlife and keep on sending in my annual flood insurance check.

Sincerely,

Mary C. Weber  
5112 Riverview Drive  
Indianapolis, IN, 46208  
317-340-0478

**From:** [nancyabarton@aol.com](mailto:nancyabarton@aol.com)  
**To:** [Turner, Michael LRL](#)  
**Subject:** US Army Corps of Engineers Draft Supplemental Environmental Impact Statement (DSEIS) for the Indianapolis North Flood Damage Reduction Project.  
**Date:** Monday, September 24, 2012 6:17:02 PM

---

Please forward these comments to:

Colonel Luke T. Leonard  
District Commander  
US Army Corps of Engineers,  
Louisville District  
PO Box 59  
ATTN: CELRL-PM-P-E  
Louisville, KY 40201

Dear Colonel Leonard :

I am writing you to express my concerns about the floodwall project in Indianapolis specifically the US Army Corps of Engineers Draft Supplemental Environmental Impact Statement (DSEIS) for the Indianapolis North Flood Damage Reduction Project.

I attended the meetings in Indianapolis and have reviewed the proposals. I was in the audience when you were receiving comments from many citizens of Indianapolis. I believe that you heard our message loud and clear: no one is in favor of any of the proposals that have been recommended for the final phase of this project.

Rocky Ripple is a river town within the boundaries of Indianapolis. We're over 100 years old. Since its inception the people here have lived with the dangers of the White River in flood. Our WPA-era levee served us well for decades. Now, due to development north of us, loss of wetlands, and an apparent change in rainfall events, our old levee (already in ill repair) is asked to hold back more water, and to do so more frequently than ever before.

Nobody knows better than we do how urgently flood control measures along the White River are needed. If the Corps' preferred plans go forward our Town's destruction in a major flood event is virtually guaranteed.

This is because the Corps proposes to consign us to an "exclusion zone". All but one of the Corps' flood control plans call for my community to be on the "wrong" side of a flood wall. We would be "walled out".

The single Corps option to include Rocky Ripple requires that numerous homes be leveled (which no one in town wants). But the Corps regards any proposal to include us as too costly.

I submit the exact opposite is true. Any plan that excludes Rocky Ripple is too expensive and here is why:

The Corps' plan:

- \* Implies only certain areas and certain citizens' safety are worth preserving;
- \* Guarantees loss of property (and perhaps life) in the event of a major flood event;
- \* Will destroy property values in the excluded areas even without a flood;
- \* Degrades the historic and aesthetic nature of our celebrated Central Canal;
- \* Ignores completely the emotional and economic dislocation to the lives of the families in the excluded area;

The Army Corps of Engineers can afford to ignore these costs. They feel no sense of connection here.

Consider this rejection of all of your proposals as an opportunity to review the current standards for flood protection. Ask these questions:

1. Do inland, urban neighborhoods need the proposed level of protection?
  - a. We are not on a coast, we do not have hurricanes.
2. Could the removal of the 16th street dam lower the level of the river?
  - a. So the level of the flood protection could be reduced
3. Could the river be dredged to lower the level?

These ideas might seem simplistic, but the cost could be greatly reduced for this project. Think forward to other communities in the country who might also be dealing with issues like this. Maybe such alternatives could become viable possibilities.

Thank you for your time and care with this project.

Sincerely,

Nancy Barton  
533 Ripple Road  
Indianapolis, IN 46208

**From:** [Jim P.](#)  
**To:** [Turner, Michael LRL](#)  
**Subject:** Warleigh Resident Supports Westfield Boulevard Alignment  
**Date:** Sunday, August 26, 2012 5:21:22 PM

---

Dear Sir,

Could you please note my support for the proposed Westfield Boulevard Alignment as set forth in the Draft Supplemental Environmental Impact Statement for Indianapolis North Flood Damage Reduction, Indianapolis, Indiana dated June 2012?

Sincerely,

James A. Polito

6335 Riverview Drive

Indianapolis, Indiana 46220

**From:** [John Seest](#)  
**To:** [Turner, Michael LRL](#)  
**Subject:** Westfield Boulevard Flood Wall, Indianapolis, Indiana  
**Date:** Thursday, August 30, 2012 9:33:10 PM

---

August 30, 2012

To: Colonel Luke T. Leonard, USArmy Corps of Engineers

Re: Westfield Boulevard Flood Wall, Indianapolis, Indiana

Dear Colonel Leonard:

I would like to strongly express my opposition to the current plans for the flood wall on Westfield Boulevard. I'm sure that you are well aware of the many reasons not to proceed with the current plan. I'm also sure you are aware of the extent of opposition by the many parties directly affected. I urge the Corps to revise the plans and locate the flood wall along the White River and include protection to the town of Rocky Ripple. Please consider the impact on those your plan will affect.

Regards,

John A. Seest

5212 N. Capitol Ave.

Indianapolis, IN 46208

**From:** [FLEETWOOD, GEORGE S.](mailto:FLEETWOOD, GEORGE S.)  
**To:** [Turner, Michael LRL](mailto:Turner, Michael LRL)  
**Cc:** [nathan.bennett@mail.house.gov](mailto:nathan.bennett@mail.house.gov); [FLEETWOOD, GEORGE S.](mailto:FLEETWOOD, GEORGE S.)  
**Subject:** White River Flood Damage Project  
**Date:** Friday, September 28, 2012 9:08:25 AM

---

Dear Mr. Turner,

We are writing today in response to the Draft Supplemental Environmental Assessment and the proposed changes by the US Army Corps of Engineers to Phase 3b of the White River (North) Flood Damage Reduction Project .

We reside at 5530 N. Capitol Avenue (the corner of Capitol and Westfield) and feel we are directly impacted by your proposed flood wall. Our objections to this project are numerous and extremely strong. They are as follow:

1. We are pleased that you finally sought public input on the project. You will note that during your public meeting at the North United Methodist Church no one testified in favor of the current proposal. You heard opposition from all the affected neighborhood organizations. Additionally, Citizens Water and Butler University, the two largest landowners that would be impacted by the project, have also expressed their opposition and concerns about the current configuration. Several elected officials in attendance also expressed their reservations about the plan. As public servants you should heed the unanimous voices that were raised against the project.

2. In reading the Environmental Assessment we firmly disagree with your brief discussion of the aesthetics of the project. One of the reasons we moved to our home was because of the lovely view of the Central Canal. It is like living in a parkland. It greatly enhances the value of our home. Your proposed changes will permanently mar a city landmark and totally obliterate our view of the canal.

3. We find your limited discussion of the impact on the neighborhood to be off-base. We believe that by disfiguring the landmark canal you will destabilize a currently solid urban neighborhood. Further, your discussion on the impact of property values in the neighborhood being elevated by this wall is totally in error. We believe that our neighborhood, which is a wonderful place to live, could well be sent into a precipitous downward spiral. This assessment has been

shared by several real estate professionals who ply their trade in the area.

4. We also find your very limited discussion of putting 60% of the City of Indianapolis' water supply permanently into the flood plain to be myopic. Your previous two iterations would have rightfully protected the City's water supply in the event of the unlikely flood.

5. We find the notion of placing the approximately 350 homes in Rocky Ripple into a permanently unprotected flood status to be ill-conceived and reckless.

6. Your limited discussion of the recreational uses of the canal is in error. The canal towpath is one of the major assets of the City of

Indianapolis for residential recreation, i.e. jogging, walking, biking, and babies in strollers. We believe that erecting a six-foot-high wall,

even with the slight modification of a two foot removable section, across from the towpath could pose serious security issues for those utilizing said. Further, your discussion of fishing on the canal is not accurate. Although this may not be one of the premier fishing venues in the area, numerous people, including our six-year-old son and I, greatly enjoy direct access to the canal for fishing. This would be totally eliminated by your proposal. He and I enjoy Sunday afternoons walking across the street with our folding chairs, sitting under our favorite tree (fishing our honey hole) and catching small pan fish which we release back into the canal. Others simply prefer to sit on the bench near "our" tree and enjoy the natural beauty of the area which would be raped by your proposed project.

7. We are greatly concerned about the proposed removal of what appears to be nearly all, if not all, the trees and vegetation that run along the course of the wall. This would further disfigure the neighborhood and serve as a catalyst to bringing down the area.

8. Citizens Water raises two additional item that are very disconcerting.

They claim that 5000 homes in the area would experience sewer backups

In the event of a flood because of flaws in the plan. Additionally, they

question the ability of the walls of the canal to withstand a flood given

your faulty configuration. This would jeopardize the city's water supply

even after the flood waters recede.

In sum, we are not against the flood control project; rather, we firmly believe that flood control is a worthy goal for our city. However, we believe that the erection of a wall along Westfield Boulevard will spoil the aesthetics of the area, send our neighborhood into degradation, and set a dangerous precedent of destroying historic natural landmarks. We believe that other alternatives exist including following the course of the White River and protecting Rocky Ripple residents, which only seems a matter of common sense.

Thank you for your thoughtful consideration of our comments.

Respectfully,  
George, Jenny, and Hank Fleetwood  
5530 N. Capitol Avenue  
Indianapolis, IN 46208  
317-255-5922

**From:** [mgeib@indy.rr.com](mailto:mgeib@indy.rr.com)  
**To:** [Turner, Michael LRL](#)  
**Subject:** White River floodwall  
**Date:** Thursday, September 27, 2012 9:24:20 PM

---

Dear Sir:

I am completely opposed to the plan for the Indianapolis White River floodwall project along Westfield Blvd. I have lived in this neighborhood for forty years and highly value the canal for its importance as a water supply and as a historic and natural feature. I walk along the towpath several times a week as do hundreds of others, neighbors and many who are drawn by its beauty from all over the northside of the city.

It makes no sense at all to put our water supply at risk and to destroy one of the most attractive features of life in our neighborhood for a wall that won't even offer full protection to all area homes, indeed puts some home homes and the beautiful Holcomb Gardens of Butler University at greater risk.

Please abandon this unwanted ill-conceived plan which will wreak very real damage for very dubious benefit.

Miriam Geib  
4737 Cornelius Avenue  
Indianapolis IN 46208  
[mgeib@indy.rr.com](mailto:mgeib@indy.rr.com)

**From:** [amanda\\_burt](#)  
**To:** [Turner, Michael LRL](#)  
**Cc:** [Paul Willenbrock](#); [amandajburt@hotmail.com](mailto:amandajburt@hotmail.com)  
**Subject:** Written objections to the proposed flood wall  
**Date:** Tuesday, August 28, 2012 8:16:01 PM

---

As residents of the Butler Tarkington neighborhood we'd like to submit our written objections to the proposed flood wall project as follows:

1. We feel the overall esthetics of the neighborhood and the beauty of the wildlife along the canal would be compromised.
2. As frequent daily users of the canal path (jogging and dog walking) we would lose an important part of our leisure activities.
3. Security would be a worry in addition to possible graffiti would make the wall into an eyesore.
4. Home property values in the area would suffer as a consequence.
5. One of the major reasons we moved to this area was the beauty and character of this area which is strongly influenced by the central canal path.

Thank you in advance for taking our opinions into consideration, opinions we know are shared by many of our neighbours and friends.

Amanda Burt & Paul Willenbrock

**Public Hearing Written Comments:**

# Optional information

(so we can send you announcements in the future):

Name: \_\_\_\_\_

Address: \_\_\_\_\_

\_\_\_\_\_

City, State, ZIP: \_\_\_\_\_

Business Phone # \_\_\_\_\_

Home Phone # \_\_\_\_\_

Email address: \_\_\_\_\_

fold here

## Mailing/Email Options:

1. Simply fold this sheet (or send us a letter on your organization's stationery), and mail to the address below (attach correct postage).

or

2. Leave with one of the attendants tonight.

or

3. Email comments with full name and address to: [Michael.Turner@usace.army.mil](mailto:Michael.Turner@usace.army.mil)

fold here

U.S. Army Corps of Engineers Louisville District  
 ATTN: CELRL-PM-E  
 P.O. Box 59  
 Louisville, KY 40201-0059

Your complete address  
 Booby Steps  
 5140 Riverwood Drive  
 Indianapolis, IN 46208

Staple here

First-  
 class  
 postage  
 required



US Army Corps  
of Engineers  
Louisville District

Indianapolis, Indiana  
INDIANAPOLIS NORTH FLOOD DAMAGE REDUCTION PROJECT

# Draft Supplemental Environmental Impact Statement

June 2012

Study online at <http://bit.ly/indynorth>

## We appreciate YOUR "SEIS" opinions and comments

Write your comments below, or send us a letter on your own stationery. Our mailing address is on the reverse. For full consideration, your comments must be received by us no later than August 31, 2012.

My name is Becky Steeps. I live at 5140 Riverbend Drive in Rocky Ripple, IN. I believe that Rocky Ripple should be included in any flood protection plan proposed by the Army Corps of Engineers and endorsed by the Indiana Department of Public Works.

I believe that there is room along the White River to construct a flood protection wall, backfilling to the old earthen levee, giving flood protection to all affected communities.

Please don't wall Rocky Ripple out.

\_\_\_\_\_  
Your signature

Please provide your name and address on the reverse.

**Below is a list of the Butler-Tarkington Neighborhood Association's points of concern:**

- Health and safety of Rocky Ripple residents;
- Clearing of trees along Westfield Blvd and the Central Canal;
- Clearing of trees along Holcomb Gardens;
- Butler University's Athletic Fields, Central Canal and Holcomb would likely be destroyed in a flood b/c they are behind the wall. Holcomb Gardens is currently listed on the National Register of Historic Place. The portion of the Central Canal in Butler-Tarkington is eligible for the National Register of Historic Places;
- The proposed design would pose a threat to city water supply if there were a flood. The City of Indianapolis acquires 60% of its water from the Central Canal. A flood could wash away the banks of the Central Canal and destroy it permanently or seriously contaminate the water;
- The floodgate position and design would require a valve on at least one sewer line. In the event of a flood, sewers could back up into neighborhood homes;
- A wall would prevent visual line-of-sight security for people using the tow path behind the wall;
- A wall would alter the aesthetic quality of the area and walls tend to collect trash and serve as canvasses for graffiti;
- If the project were done as proposed, there is no guarantee that flood insurance requirements for some properties would be removed or reduced by the Federal Emergency Management Agency (FEMA). FEMA must certify the entire project and portions of the project in Warfleigh and Broad Ripple do not currently meet the requirements.

→ How many people  
could not flush toilets /  
use sewers if sluice  
gate closed?

# Optional information

(so we can send you announcements in the future):

Name: Cathy Hurt

Address: 5212 Riverview Dr

City, State, ZIP: Indianapolis, IN 46208

Business Phone # \_\_\_\_\_

Home Phone # \_\_\_\_\_

Email address: CathHurt@gmail.com

fold here

## Mailing/Email Options:

1. Simply fold this sheet (or send us a letter on your organization's stationery), and mail to the address below (attach correct postage).


or

2. Leave with one of the attendants tonight.

or

3. Email comments with full name and address to: [Michael.Turner@usace.army.mil](mailto:Michael.Turner@usace.army.mil)

fold here



4020100595

U.S. Army Corps of Engineers Louisville District  
ATTN: CELRL-PM-E  
P.O. Box 59  
Louisville, KY 40201-0059


Start here

Your complete address  
Catherine Hurt  
5212 Riverview Dr  
Indianapolis, IN 46208



Liberty  
FOREVER





US Army Corps  
of Engineers  
Louisville District

Indianapolis, Indiana  
INDIANAPOLIS NORTH FLOOD DAMAGE REDUCTION PROJECT

Draft Supplemental Environmental Impact Statement

June 2012

Study online at <http://bit.ly/indynorth>

We appreciate YOUR "SEIS" opinions and comments

Write your comments below, or send us a letter on your own stationery. Our mailing address is on the reverse. For full consideration, your comments must be received by us no later than August 31, 2012.

Hello!

I am writing as a citizen of the town of Rocky Ripple. I am very concerned about the plan to close off our town with floodgates and sandbags in a high water event. It is bad enough that we have had no help with flood protection, but please do not trap us!

Thank you,

*Cathy Hunt*

Your signature

Please provide your name and address on the reverse.

# Optional information

(so we can send you announcements in the future):

Name: \_\_\_\_\_

Address: \_\_\_\_\_

\_\_\_\_\_

City, State, ZIP: \_\_\_\_\_

Business Phone # \_\_\_\_\_

Home Phone # \_\_\_\_\_

Email address: \_\_\_\_\_

fold here

## Mailing/Email Options:

1. Simply fold this sheet (or send us a letter on your organization's stationery), and mail to the address below (attach correct postage).

or

2. Leave with one of the attendants tonight.

or

3. Email comments with full name and address to: [Michael.Turner@usace.army.mil](mailto:Michael.Turner@usace.army.mil)

fold here

Louisville, KY 40201-0059

P.O. Box 59

ATTN: CELRL-PM-E

U.S. Army Corps of Engineers Louisville District

required

postage

class

First-

Staple here

Your complete address

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_



US Army Corps  
of Engineers  
Louisville District

Indianapolis, Indiana  
INDIANAPOLIS NORTH FLOOD DAMAGE REDUCTION PROJECT

**Draft Supplemental Environmental Impact Statement**

June 2012


Study online at <http://bit.ly/indynorth>

**We appreciate YOUR "SEIS" opinions and comments**

Write your comments below, or send us a letter on your own stationery. Our mailing address is on the reverse. For full consideration, your comments must be received by us no later than August 31, 2012.

Hi I live at 5120 Lester St. I'd like to know if you have information about the approximate elevation of my property and how that elevation/location would fare in a 100 year flood scenario. Also any additional information relative to the project as it affect my home would be helpful

Thank you  
Channing Webster  
Cwebbie@yahoo.com

  
Your signature

Please provide your name and address on the reverse.

# Optional information

(so we can send you announcements in the future):

Name: CHRIS FELTMAN

Address: 6065 BLADDEN DR

City, State, ZIP: INDIANAPOLIS IN 46220

Business Phone # \_\_\_\_\_

Home Phone # \_\_\_\_\_

Email address: CFELTMAN@AOL.COM

fold here

## Mailing/Email Options:

1. Simply fold this sheet (or send us a letter on your organization's stationery), and mail to the address below (attach correct postage).

or

2. Leave with one of the attendants tonight.

or

3. Email comments with full name and address to: [Michael.Turner@usace.army.mil](mailto:Michael.Turner@usace.army.mil)

fold here

U.S. Army Corps of Engineers Louisville District  
ATTN: CELRL-PM-E  
P.O. Box 59  
Louisville, KY 40201-0059

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
Your complete address

Staple here

First-  
class  
postage  
required



US Army Corps  
of Engineers  
Louisville District

Indianapolis, Indiana  
INDIANAPOLIS NORTH FLOOD DAMAGE REDUCTION PROJECT

**Draft Supplemental Environmental Impact Statement**

June 2012

Study online at <http://bit.ly/indynorth>

**We appreciate YOUR "SEIS" opinions and comments**


Write your comments below, or send us a letter on your own stationery. Our mailing address is on the reverse. For full consideration, your comments must be received by us no later than August 31, 2012.

THANK YOU FOR DOING A GREAT JOB  
AT PROVING YOUR ~~CHIEF~~ PLAN IS THE MOST  
ENVIRONMENTALLY AND COST EFFECTIVE METHOD  
OF FINISHING THIS PROJECT.

YOU NOT ONLY SHOWED US YOUR PLAN BUT  
3 OTHER PLANS TO PROVE IT.

I LIVE AND OWN WITHIN THE FLOOD PLANE TO  
BE PROTECTED. AND HOPE ~~THE~~ THE PRIMARY  
PLAN IS APPROVED AND FUNDED QUICKLY.

I AGREE WITH NOT SPENDING MY TAX DOLLARS  
TO BUY A 36 MILLION DOLLAR WALL TO  
PROTECT 30 MILLION WORTH OF PROPERTY

  
Your signature

Please provide your name and address on the reverse.

# Optional information

(so we can send you announcements in the future):

Name: \_\_\_\_\_

Address: \_\_\_\_\_  
\_\_\_\_\_

City, State, ZIP: \_\_\_\_\_

Business Phone # \_\_\_\_\_

Home Phone # \_\_\_\_\_

Email address: \_\_\_\_\_

fold here

## Mailing/Email Options:

1. Simply fold this sheet (or send us a letter on your organization's stationery), and mail to the address below (attach correct postage).


or

2. Leave with one of the attendants tonight.

or


3. Email comments with full name and address to: [Michael.Turner@usace.army.mil](mailto:Michael.Turner@usace.army.mil)

fold here



4020100559

U.S. Army Corps of Engineers Louisville District  
ATTN: CEI/RL-PM-E  
P.O. Box 59  
Louisville, KY 40201-0059



STAPLE HERE

staple here

Your complete address  
C. R. H. H. H.  
5340 Crown St  
INDPS 110 46208



US Army Corps  
of Engineers  
Louisville District

Indianapolis, Indiana  
INDIANAPOLIS NORTH FLOOD DAMAGE REDUCTION PROJECT

**Draft Supplemental Environmental Impact Statement**

June 2012

Study online at <http://bit.ly/indynorth>

**We appreciate YOUR "SEIS" opinions and comments**

Write your comments below, or send us a letter on your own stationery. Our mailing address is on the reverse. For full consideration, your comments must be received by us no later than August 31, 2012.

I am an upstanding, tax paying citizen of this United States, a resident of Indiana and Marion City. I feel that I should receive the same protection against floods as my fellow citizens - I will not sit in the back of the bus.

Please respond to: Claudia Ritter  
5340 Crown St  
Indps IN 46208

\_\_\_\_\_  
Your signature

Please provide your name and address on the reverse.

# Optional information

(so we can send you announcements in the future):

Name: Donna Floyd

Address: 5318 Sunset Ave  
Indianapolis, IN

City, State, ZIP: 46208

Business Phone # \_\_\_\_\_

Home Phone # N/A

Email address: \_\_\_\_\_

fold here

## Mailing/Email Options:

1. Simply fold this sheet (or send us a letter on your organization's stationery), and mail to the address below (attach correct postage).

or

2. Leave with one of the attendants tonight.

or

3. Email comments with full name and address to: [Michael.Turner@usace.army.mil](mailto:Michael.Turner@usace.army.mil)

fold here




4020100599

U.S. Army Corps of Engineers Louisville District  
ATTN: CELRL-PM-E  
P.O. Box 59  
Louisville, KY 40201-0059



Staple here





US Army Corps  
of Engineers  
Louisville District

Indianapolis, Indiana  
INDIANAPOLIS NORTH FLOOD DAMAGE REDUCTION PROJECT

## Draft Supplemental Environmental Impact Statement

June 2012

Study online at <http://bit.ly/indynorth>

### We appreciate YOUR "SEIS" opinions and comments

Write your comments below, or send us a letter on your own stationery. Our mailing address is on the reverse. For full consideration, your comments must be received by us no later than August 31, 2012.

My comments are unprintable, words fail me. I am broken-hearted. I have been in Rocky Ripple for 5 years. I am not a part of a decision made in 96 (that's 16 years ago) the majority of this town was road-ruled by our former Board members until new ones were elected.

We, here, are older, educated, simple life people to fill out our days with the nature and peace this neighborhood has to offer.

With all that is going on in the world do you really ?? think we need to worry about being walled-in? Put the wall down the river like intelligent human beings that you are. The money will come if you build along the river if that's your concern. Do the right thing. We aren't expendable to God.

Donna Floyd  
Your signature

Please provide your name and address on the reverse.

City Of Indianapolis 23-Aug-2012 Public Hearing for the  
Indianapolis North Flood Damage Reduction Project Statement

Commentary on the Proposal:

Flood protection is needed to protect the citizens and properties within Marion County. I am an engineer with 20 years and 10 years supporting water purification systems. I would like the following concerns addressed by the Army Corp of Engineers.

The Canal must be protected within the floor wall. The following would be impacted if not protected within the flood wall.

1. The canal supplies 60% of the city water. City purification systems are already overtaxed and could not handle the influx of silt and high bacterial counts. Current non-flood counts can run as high as 60 CFU/100 ml of a single species on some days with many other species groups being identified and each population counted. Indianapolis (Veolia) water passes the National Drinking Water Standards, but does not have any more room to absorb the filth of a flood
2. Storm sewers that protect our neighborhoods would flood from the canal into our neighborhoods as recently witnessed 01-May-2012 when heavy rains raised the canal level causing the storm sewers to back up into Broad Ripple Ave. area businesses. A flood situation would worsen the sewer backup situation and cause the silt and high bacteria counts to invade our neighborhoods.
3. The flood wall base was depicted as seated inside the earthen mounds. This appears to not have sufficient lateral strength to hold both the weight of the water and the thrust that will hit the walls at curves and the lateral thrust due to turbulence. All of this needs to be added into the total pressure on the wall.
4. No concrete footings were apparent for the wall. Footings stabilize a wall when set in a dirt or clay substrate. Please consider having footings.
5. Another concern is that our historical canal, that could not withstand a major flood, would be damaged including the banks area.
6. Include Rocky Ripple so that we have a cohesive line of defense to the river and to prevent multiple future instances of damage in the area.

Please take these into serious consideration when making your plans. We must protect our city and its citizens.

Respectfully submitted,

A handwritten signature in cursive script, appearing to read "Ellen Antoniadis".

Ellen Antoniadis

5101 N Pennsylvania St.

Indianapolis, IN 46205

(317) 847-6740

# Optional information

(so we can send you announcements in the future):

Name: Emma Faesi

Address: 702 W 56th Street

City, State, ZIP: Indianapolis, IN 46208

Business Phone # \_\_\_\_\_

Home Phone # 847-1069

Email address: elfaesi@gmail.com

fold here

## Mailing/Email Options:

1. Simply fold this sheet (or send us a letter on your organization's stationery), and mail to the address below (attach correct postage).


or

2. Leave with one of the attendants tonight.

or

3. Email comments with full name and address to: Michael.Turner@usace.army.mil

fold here



4020100559

Louisville, KY 40201-0059

P.O. Box 59

ATTN: CELRL-PM-E

U.S. Army Corps of Engineers Louisville District



forever

NO POSTAGE  
NECESSARY  
IF MAILED  
IN THE  
UNITED STATES

Staple here

Indianapolis, IN 46208  
702 W. 56th Street

Your complete address



US Army Corps  
of Engineers  
Louisville District

Indianapolis, Indiana  
INDIANAPOLIS NORTH FLOOD DAMAGE REDUCTION PROJECT

# Draft Supplemental Environmental Impact Statement

June 2012


Study online at <http://bit.ly/indynorth>

## We appreciate YOUR "SEIS" opinions and comments

Write your comments below, or send us a letter on your own stationery. Our mailing address is on the reverse. For full consideration, your comments must be received by us no later than August 31, 2012.

To Whom It May Concern:

I am horrified that the City of Indianapolis and the Army Corps of Engineers would even consider a plan that disincludes a community of 1,000 people from flood protection. Even worse, the current plan puts Rocky Ripple in imminent danger in the event of a flood. Not only are we not included, but we are to be condemned to losing our homes and land if the White River overflows its banks, which it has been predicted to do within 7 years. As a new homeowner, the thought of losing my first home is devastating. I know that I speak for the entire community when I implore you to reconsider your plan to include protection for my family and the other families of Rocky Ripple. We are a vibrant and lively group, worthy of preservation.



Your signature

Please provide your name and address on the reverse.

# Optional information

(so we can send you announcements in the future):

Name: Hank Niec

Address: 4930 N. Kenwood Ave.

City, State, ZIP: Indpls IN 46208

Business Phone # (317) 490-4140

Home Phone # \_\_\_\_\_

Email address: julieniec@aol.com

fold here

## Mailing/Email Options:

1. Simply fold this sheet (or send us a letter on your organization's stationery), and mail to the address below (attach correct postage).

or

2. Leave with one of the attendants tonight.

or

3. Email comments with full name and address to: Michael.Turner@usace.army.mil

fold here


U.S. Army Corps of Engineers Louisville District  
ATTN: CETRL-PM-E  
P.O. Box 59  
Louisville, KY 40201-0059

First-  
class  
postage  
required

staple here

Your complete address

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_



US Army Corps  
of Engineers  
Louisville District

Indianapolis, Indiana  
INDIANAPOLIS NORTH FLOOD DAMAGE REDUCTION PROJECT

## Draft Supplemental Environmental Impact Statement

June 2012

Study online at <http://bit.ly/indynorth>


### We appreciate YOUR "SEIS" opinions and comments

Write your comments below, or send us a letter on your own stationery. Our mailing address is on the reverse. For full consideration, your comments must be received by us no later than August 31, 2012.

While this project is intended to protect homes & businesses from flood damage, please, please make every effort to protect the natural beauty of this area, because we all need beauty, not just shelter.

Specifically preserve trees wherever possible, and the aesthetics of the 1837 Central Canal, Holcomb Gardens & adjoining woods. \*  
Thank you.

\* P.S. I consider Holcomb Gardens & woods a crown jewel of the neighborhood & I utilize it several times per week.

  
Your signature

Please provide your name and address on the reverse.

## Optional information

(so we can send you announcements in the future):

Name: Julie Bose Todd

Address: 5146 Riverview Dr

City, State, ZIP: Rocky Ripple, TN 46208

Cell Business Phone # 561-324-4260

Home Phone # \_\_\_\_\_

Email address: Jbootodd @ AOL.com

fold here

## Mailing/Email Options:

1. Simply fold this sheet (or send us a letter on your organization's stationery), and mail to the address below (attach correct postage).

or

2. Leave with one of the attendants tonight.

or

3. Email comments with full name and address to: [Michael.Turner@usace.army.mil](mailto:Michael.Turner@usace.army.mil)

fold here

U.S. Army Corps of Engineers Louisville District  
ATTN: CETRL-PM-E  
P.O. Box 59  
Louisville, KY 40201-0059

First-  
class  
postage  
required

Staple here

Your complete address  
Julie Todd  
5146 Riverview Dr  
Rocky Ripple, TN  
46208



US Army Corps  
of Engineers  
Louisville District

Indianapolis, Indiana  
INDIANAPOLIS NORTH FLOOD DAMAGE REDUCTION PROJECT

## Draft Supplemental Environmental Impact Statement

June 2012


Study online at <http://bit.ly/indynorth>

### We appreciate YOUR "SEIS" opinions and comments

Write your comments below, or send us a letter on your own stationery. Our mailing address is on the reverse. For full consideration, your comments must be received by us no later than August 31, 2012.

My grandmother lived in Rocky Ripple  
some 120 yrs ago. members of my family  
have lived here ever since. I have owned  
a home here for 20 some yrs. Some questions:

- ① Why the \$35 million cost in Rocky Ripple?  
may we see the accounting?
- ② Why not work with existing (neglected) earthen  
levee + canal structures in Rocky Ripple?
- ③ Why "post-Katrina" standards? Where would  
all the moisture (rain) come from?
- ④ Permanent or Removable wall along Westfield  
Blvd? on opposite side of canal from  
Rocky Ripple?
- ⑤ Start date, + completion date?
- ⑥ Environmental Impact?

  
Your signature

Please provide your name and address on the reverse.





US Army Corps  
of Engineers  
Louisville District

Indianapolis, Indiana  
INDIANAPOLIS NORTH FLOOD DAMAGE REDUCTION PROJECT

# Draft Supplemental Environmental Impact Statement

June 2012


Study online at <http://bit.ly/indynorth>

## We appreciate YOUR "SEIS" opinions and comments

Write your comments below, or send us a letter on your own stationery. Our mailing address is on the reverse. For full consideration, your comments must be received by us no later than August 31, 2012.

The Canal is an important public asset.

I am opposed to building the flood wall  
on the south side of the Canal.

  
Your signature

Please provide your name and address on the reverse.

# Optional information

(so we can send you announcements in the future):

Name: Kristin Loesch

Address: 5230 Boulevard J

City, State, ZIP: Jackson TN 42208

Business Phone # \_\_\_\_\_

Home Phone # \_\_\_\_\_

Email address: \_\_\_\_\_

fold here

## Mailing/Email Options:

1. Simply fold this sheet (or send us a letter on your organization's stationery), and mail to the address below (attach correct postage).


or

2. Leave with one of the attendants tonight.

or

3. Email comments with full name and address to: [Michael.Turner@usace.army.mil](mailto:Michael.Turner@usace.army.mil)

fold here



40201\$0059 B050

Louisville, KY 40201-0059

P.O. Box 59


ATTN: CELRL-PM-E

U.S. Army Corps of Engineers Louisville District



Staple here

Your complete address  
Kristin Loesch  
5230 Boulevard J  
Jackson TN 42208



US Army Corps  
of Engineers  
Louisville District

Indianapolis, Indiana  
INDIANAPOLIS NORTH FLOOD DAMAGE REDUCTION PROJECT

## Draft Supplemental Environmental Impact Statement


June 2012

Study online at <http://bit.ly/indynorth>

### We appreciate YOUR "SEIS" opinions and comments

Write your comments below, or send us a letter on your own stationery. Our mailing address is on the reverse. For full consideration, your comments must be received by us no later than August 31, 2012.

I appreciate your availability for comment on this study. The concerns of residents of Rocky Top & Butler Tract don't want to be heard and recognized. It is the community that lives here, pays taxes here, and cares about this vital area of metropolitan Indianapolis. As more people move away from Manual Park, it is the rest of us that stay and contribute to grow a community as an inviting place to live and work. Many professionals of community members have devoted themselves to keeping the Central Canal and the White River as a retreat from the "concrete jungle" that only major city certainly becomes. Please work with us in keeping the natural greenways that we and the surrounding communities all enjoy so much. These two greenways are not just for Rocky Top & Butler Tract residents alone. Broad Top, Meridian Kessler, Woodleigh residents are everyday participants while people of all areas of this city are able to enjoy the natural settings and take the time to do so. While the money to fund the project has yet to be brought forward, let all of us take this time to design this project the right way, for now and the years to come.

  
Your signature

Please provide your name and address on the reverse.

# Optional information

(so we can send you announcements in the future):

Name: LARRY M. FITZGERALD

Address: 60 W 43RD

City, State, ZIP: INDIAN IN 46208

Business Phone # 317-557-5134

Home Phone # 317-283-4548

Email address: shuntowsing@sbaaglebal.net

fold here

## Mailing/Email Options:

1. Simply fold this sheet (or send us a letter on your organization's stationery), and mail to the address below (attach correct postage).

or

2. Leave with one of the attendants tonight.

or

3. Email comments with full name and address to: Michael.Turner@usace.army.mil

fold here

U.S. Army Corps of Engineers Louisville District  
ATTN: CELRL-PM-E  
P.O. Box 59  
Louisville, KY 40201-0059

First-  
class  
postage  
required

Staple here

Your complete address  
LARRY M. FITZGERALD  
60 W 43RD  
INDIAN IN 46208



US Army Corps  
of Engineers  
Louisville District

Indianapolis, Indiana  
INDIANAPOLIS NORTH FLOOD DAMAGE REDUCTION PROJECT

**Draft Supplemental Environmental Impact Statement**

June 2012  
Study online at <http://bit.ly/indynorth>

**We appreciate YOUR "SEIS" opinions and comments**

Write your comments below, or send us a letter on your own stationery. Our mailing address is on the reverse. For full consideration, your comments must be received by us no later than August 31, 2012.

AT OUR LAST NEIGHBORHOOD MEETING A LOCAL ENGINEER MENTIONED THAT A DAM EXIST AROUND 16th ST & LAFAYETTE RD THAT DAMS UP WHITE RIVER FOR RECREATIONAL PURPOSES.

HAS ANYONE EXPLORED PUTTING MOVABLE GATES ON THE DAM WHICH COULD BE OPENED TO ALLOW EXCESSIVE WATER FLOW DURING POTENTIAL FLOOD PERIODS?

ALSO, IT WOULD BE UNFAIR TO EXCLUDE ROCKY RIPPLE & BUTLER UNIVERSITY FROM FLOOD PROTECTION. THE COST OF POSSIBLE FLOODING WOULD FAR EXCEED THE COST OF PROTECTION OVER A PERIOD OF YEARS

WE DO NOT WANT THE FLOOD WALL AS PROPOSED!

*Henry M. Ditzgen*  
Your signature

Please provide your name and address on the reverse.

# Optional information

(so we can send you announcements in the future):

Name: Lyndee Rell

Address: 5317 Crown St

City, State, ZIP: Indpls. IN 46208

Business Phone # \_\_\_\_\_

Home Phone # (317) 251-1742

Email address: lprrell@orchard.org

fold here

## Mailing/Email Options:

1. Simply fold this sheet (or send us a letter on your organization's stationery), and mail to the address below (attach correct postage).

or

2. Leave with one of the attendants tonight.

or

3. Email comments with full name and address to: [Michael.Turner@usace.army.mil](mailto:Michael.Turner@usace.army.mil)

fold here

U.S. Army Corps of Engineers Louisville District  
ATTN: CEIRL-PM-E  
P.O. Box 59  
Louisville, KY 40201-0059

First-class postage required

staple here

Your complete address  
Lyndee Rell  
5317 Crown St  
Indpls. IN  
46208



US Army Corps  
of Engineers  
Louisville District

Indianapolis, Indiana  
INDIANAPOLIS NORTH FLOOD DAMAGE REDUCTION PROJECT

**Draft Supplemental Environmental Impact Statement**

June 2012

Study online at <http://bit.ly/indynorth>

**We appreciate YOUR "SEIS" opinions and comments**

Write your comments below, or send us a letter on your own stationery. Our mailing address is on the reverse. For full consideration, your comments must be received by us no later than August 31, 2012.

*We attended a meeting on Dup 1st concerning Rocky Top. The pending flood wall and if Rocky Top as a neighborhood will be included. It is clear that there are questions that need answering. We request that the US Army Corps of Engineers and representatives from Indianapolis hold a hearing to answer these questions.*

*Jordan Paul*

Your signature

Please provide your name and address on the reverse.

# Optional information

(so we can send you announcements in the future):

Name: LORI ADELSON

Address: 4225 N ILLINOIS ST.

City, State, ZIP: INDIANAPOLIS, IN 46208

Business Phone # 615-364-0863

Home Phone # 317-352-2772

Email address: LMadelson@gmail.com

fold here

## Mailing/Email Options:

1. Simply fold this sheet (or send us a letter on your organization's stationery), and mail to the address below (attach correct postage).

or

2. Leave with one of the attendants tonight.

or

3. Email comments with full name and address to: [Michael.Turner@usace.army.mil](mailto:Michael.Turner@usace.army.mil)

fold here

U.S. Army Corps of Engineers Louisville District  
ATTN: CEIRL-PM-E  
P.O. Box 59  
Louisville, KY 40201-0059

First-  
class  
postage  
required

Staple here


Your complete address

---

---

---

---



US Army Corps  
of Engineers  
Louisville District

Indianapolis, Indiana  
INDIANAPOLIS NORTH FLOOD DAMAGE REDUCTION PROJECT

## Draft Supplemental Environmental Impact Statement

June 2012

Study online at <http://bit.ly/indynorth>

### We appreciate YOUR "SEIS" opinions and comments

Write your comments below, or send us a letter on your own stationery. Our mailing address is on the reverse. For full consideration, your comments must be received by us no later than August 31, 2012.

If we can get a camera to Mars, why can't we resolve this in a way where everyone wins: the trees, the water, the homes, the people. Smart engineers can figure this out. We may have to abandon old projects but we need to do so and redesign this flood plan. This is the center of our beautiful city. I live in an 83 year old home in BTNA, not in the flood plain, but I LOVE the canal! I walk or run on it daily. I do yoga at my friend's home in Rocky Ripple & they have opened their hearts & homes to me time & again. RR is home to AMAZING citizens: artists, journalists, teachers, researchers & students. It is a joy to know them. Please consider starting OVER. Thank you! This is not ODS or OIF. We can reverse!

 Your signature

Please provide your name and address on the reverse.

# Optional information

(so we can send you announcements in the future):

Name: LUCY RIEGEL

Address: 4631 BOULEVARD PLACE

City, State, ZIP: INDIANAPOLIS IN 46208

Business Phone # 317-923-8021

Home Phone # \_\_\_\_\_

Email address: kiegel@indy,rr.com

fold here

## Mailing/Email Options:

1. Simply fold this sheet (or send us a letter on your organization's stationery), and mail to the address below (attach correct postage).


or

2. Leave with one of the attendants tonight.

or

3. Email comments with full name and address to: Michael.Turner@usace.army.mil

fold here



4020100559

Louisville, KY 40201-0059

P.O. Box 59


ATTN: CETRL-PM-E

U.S. Army Corps of Engineers Louisville District

staple here

Your complete address

RIEDEL  
4631 BOULEVARD PLACE  
INDIANAPOLIS 46208





US Army Corps  
of Engineers  
Louisville District

Indianapolis, Indiana  
INDIANAPOLIS NORTH FLOOD DAMAGE REDUCTION PROJECT

**Draft Supplemental Environmental Impact Statement**

June 2012

Study online at <http://bit.ly/indynorth>

**We appreciate YOUR "SEIS" opinions and comments**

Write your comments below, or send us a letter on your own stationery. Our mailing address is on the reverse. For full consideration, your comments must be received by us no later than August 31, 2012.

ROCKY RIPPLE SHOULD NOT BE ABANDONED  
TO POTENTIAL "LAKE."

CONSIDER EVENTUAL COST OF  
FLOOD DAMAGE  
LOSS OF LIFE

THIS COULD EXCEED THE 35 MILLION "SAVINGS"

I DO NOT LIVE IN ROCKY RIPPLE.

I DO FORESEE PROBLEMS WHEN THE  
CITY BEGINS PILING SAND-BAGS ON  
THE 2 BRIDGE EXITS FROM ROCKY RIPPLE.  
RESIDENTS WILL WANT TO RESCUE AS  
MUCH OF THEIR POSSESSIONS AS POSSIBLE

THE WALL ALONG WESTFIELD WILL BE  
TRULY UNSIGHTLY. PLEASE DROP THIS  
PLAN & REPAIR THE LEVEE ALONG-SIDE  
THE RIVER.

*Murray Riegel*  
Your signature

Please provide your name and address on the reverse.

MY NAME IS MARILYNN HUNTER AND I LIVE IN ROCKY RIPPLE INDIANA, IN A GREAT HOUSE WITH A GREAT VIEW OF THE WHITE RIVER.

I GUESS I SHOULD BE HAPPY THAT THE ARMY CORPS OF ENGINEERS HAS SELECTED THE WESTFIELD ALIGNMENT AS IT'S "PROPOSED ACTION", BECAUSE IF THE ROCKY RIPPLE ALIGNMENT HAD BEEN CHOSEN, MY HOME WOULD HAVE BEEN ELIMINATED.

BUT I AM NOT HAPPY WITH THE WESTFIELD ALIGNMENT BECAUSE I HAVE A SON, A DAUGHTER, A GRANDDAUGHTER AND COUNTLESS FRIENDS WHOSE HOMES SIT LOWER THAN MINE IN TOWN, AND WHO WILL BE WALLED INTO THE FLOODWAY AND PLACED IN JEOPARDY IF THE WESTFIELD ALIGNMENT IS IMPLEMENTED. AND SO I FIND MYSELF IN THE ODD POSITION OF ADVOCATING AGAINST MY OWN SELF INTEREST.

I KNOW THAT THE CORPS HAS WORKED WITH ROCKY RIPPLE BEFORE, IN THE MID 1990s, AND I KNOW THAT IN 1996 THE TOWN DECLINED TO PARTICIPATE IN THE CORPS' PLAN TO PROVIDE FLOOD PROTECTION TO ROCKY RIPPLE WITHOUT THE LOSS OF A SINGLE HOME. I DIDN'T LIVE IN ROCKY RIPPLE THEN, BUT IF I HAD, I WOULD HAVE SUPPORTED THAT PLAN, AND WOULD HAVE WORKED WITH MY NEIGHBORS TO SEE IT APPROVED AND IMPLEMENTED. I CAN TELL YOU THAT THE DEMOGRAPHICS OF THE TOWN HAVE CHANGED SIGNIFICANTLY SINCE 1996 AND I BELIEVE THAT MOST RESIDENTS WOULD NOW SUPPORT A PLAN SUCH AS THE ONE OFFERED AT THAT TIME.

I IMPLORER THE CORPS OF ENGINEERS AND THE INDIANA DEPARTMENT OF PUBLIC WORKS TO FIND SOME COMPASSION FOR THE TOWN OF ROCKY RIPPLE AND REVISIT THE ROCKY RIPPLE ALIGNMENT. I KNOW THAT THE CORPS THAT DESIGNED THE HOOVER DAM CAN DESIGN A COST-EFFECTIVE FLOOD PROTECTION SOLUTION FOR THE BUTLER TARKINGTON NEIGHBORHOOD THAT WILL INCLUDE ROCKY RIPPLE, WITHOUT THE FORCED TAKING OF HOMES.

# Optional information

(so we can send you announcements in the future):

Name: Mary J. Mikels

Address: 6024 N Meridian St.

City, State, ZIP: Indianapolis, TN 46208

Business Phone # \_\_\_\_\_

Home Phone # 251-2686

Email address: \_\_\_\_\_

fold here

## Mailing/Email Options:

1. Simply fold this sheet (or send us a letter on your organization's stationery), and mail to the address below (attach correct postage).

or

2. Leave with one of the attendants tonight.

or

3. Email comments with full name and address to: [Michael.Turner@usace.army.mil](mailto:Michael.Turner@usace.army.mil)

fold here

4020130059 B050

Louisville, KY 40201-0059

P.O. Box 59

ATTN: CELRL-PM-E

U.S. Army Corps of Engineers Louisville District

M.J. Mikels  
6024 N. Meridian St  
Indpls, IN 46208

Your complete address

Staple here





US Army Corps  
of Engineers  
Louisville District

Indianapolis, Indiana  
INDIANAPOLIS NORTH FLOOD DAMAGE REDUCTION PROJECT

# Draft Supplemental Environmental Impact Statement

June 2012

Study online at <http://bit.ly/indynorth>

## We appreciate YOUR "SEIS" opinions and comments

Write your comments below, or send us a letter on your own stationery. Our mailing address is on the reverse. For full consideration, your comments must be received by us no later than August 31, 2012.

This proposed project 111B does not protect the citizens of Rocky Ripple between the canal + White R. at all. It has no purpose. Not only that but the proposed levee, etc. 111B does not protect city water in the canal. The whole thing would make matters worse in the event of excessive water or flooding.

The levee needs to be built on the south edge of the river to do any good at all.

I hope you use some common sense.

I have lived in this area all of my life and I am 85 yrs old. Only once when I was a child did they ever have water (maybe 7-8 inches) at 56th and Illinois at the Riviera Club + shopping area.

Your proposal should be reconsidered. This is White River, not the Gulf of Mexico! When did we last have a hurricane in Indiana?

Mary J. Mikels  
Your signature

Please provide your name and address on the reverse.

I echo the concerns already set forth by BTNA, Rocky Ripple, and Butler University. I too vehemently oppose the Westfield wall approach and support the river approach that protects the people of Rocky Ripple.

Additionally, there was no meaningful discussion in the DSEIS about the proposed sewer gatewell structures with sluice gate(s) that would accompany the Westfield wall approach. (See, DSEIS Pg. 18). The DSEIS did not contain any depiction of how the gate(s) would look or their location (i.e. –inside the proposed wall facing the canal or outside the proposed wall facing Westfield).<sup>1</sup> No discussion was made in the DSEIS as to who would operate the gate(s), whether they would be electric, hydraulic, manual and/or some combination thereof. Given the recent failure of the sluice gate in Board Ripple (apparently due to tampering) what safeguards are proposed to prevent and/or hinder tampering of the gate(s) if the Westfield wall approach is adopted?

The DSEIS also did not contain an actual breakdown of the estimated costs associated with each proposed alternative. Since the estimated costs are set forth in the DSEIS, why not include the actual breakdown for the public to see, evaluate, compare and comment upon? Underestimating what is preferred and overestimating what is not preferred?

*Matthew W. Welfer*

---

<sup>1</sup> During the open house on August 23, 2012, the DPW told me the gate would be inside the wall facing the canal, while the USACE told me the gate would be outside the wall facing Westfield.



**US Army Corps  
of Engineers**  
Louisville District

Indianapolis, Indiana  
**INDIANAPOLIS NORTH FLOOD DAMAGE REDUCTION PROJECT**

## Draft Supplemental Environmental Impact Statement

June 2012

Study online at <http://bit.ly/indynorth>

### We appreciate YOUR "SEIS" opinions and comments

Write your comments below, or send us a letter on your own stationery. Our mailing address is on the reverse. For full consideration, your comments must be received by us no later than August 31, 2012.

I strongly urge you to consider flood control options that would both protect Butler-Tarlington AND Rocky Ripple and pay due consideration to the community use of the canal trail. I don't want the eyesore that is currently being proposed.

~~##~~

  
Your signature

Please provide your name and address on the reverse.

# Optional information

(so we can send you announcements in the future):

Name: \_\_\_\_\_

Address: \_\_\_\_\_

\_\_\_\_\_

City, State, ZIP: \_\_\_\_\_

Business Phone # \_\_\_\_\_

Home Phone # \_\_\_\_\_

Email address: \_\_\_\_\_

fold here

## Mailing/Email Options:

1. Simply fold this sheet (or send us a letter on your organization's stationery), and mail to the address below (attach correct postage).

or

2. Leave with one of the attendants tonight.

or

3. Email comments with full name and address to: [Michael.Turner@usace.army.mil](mailto:Michael.Turner@usace.army.mil)

fold here

U.S. Army Corps of Engineers Louisville District  
ATTN: CELRL-PM-E  
P.O. Box 59  
Louisville, KY 40201-0059

First-  
class  
postage  
required

Staple here

Your complete address

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

## Optional information

(so we can send you announcements in the future):

Name: Pat Brummer

Address: 6206 N. Meridian St.

City, State, ZIP: Indianapolis, IN 46260

Business Phone # \_\_\_\_\_

Home Phone # 317-251-6465

Email address: pwbrummer@sbcglobal.net

fold here

## Mailing/Email Options:

1. Simply fold this sheet (or send us a letter on your organization's stationery), and mail to the address below (attach correct postage).


or

2. Leave with one of the attendants tonight.

or

3. Email comments with full name and address to: [Michael.Turner@usace.army.mil](mailto:Michael.Turner@usace.army.mil)

fold here



4020100559

U.S. Army Corps of Engineers Louisville District  
ATTN: CELRL-PM-E  
P.O. Box 59  
Louisville, KY 40201-0059



Staple here

Wayne M & Patricia H Brummer  
6206 N. Meridian Street  
Indianapolis, IN 46260-4226

Your complete address



US Army Corps  
of Engineers  
Louisville District

Indianapolis, Indiana  
INDIANAPOLIS NORTH FLOOD DAMAGE REDUCTION PROJECT

**Draft Supplemental Environmental Impact Statement**

June 2012

Study online at <http://bit.ly/indynorth>

**We appreciate YOUR "SEIS" opinions and comments**

Write your comments below, or send us a letter on your own stationery. Our mailing address is on the reverse. For full consideration, your comments must be received by us no later than August 31, 2012.

I am tired of coming to these meetings to have Rocky Ripple take over the meetings. I didn't come here to listen to Rocky Ripple guff. I want to hear about the proposal and I want to be able study the proposal. I want to know how this will affect my flood insurance and when will it be completed.

Pat Bummer  
Your signature

Please provide your name and address on the reverse.



# Optional information

(so we can send you announcements in the future):

Name: Paul T. Hig

Address: 6431 N. Park Ave

City, State, ZIP: Indianapolis, IN. 46220

Business Phone # \_\_\_\_\_

Home Phone # 251-5153

Email address: \_\_\_\_\_

fold here

## Mailing/Email Options:

1. Simply fold this sheet (or send us a letter on your organization's stationery), and mail to the address below (attach correct postage).

or

2. Leave with one of the attendants tonight.

or

3. Email comments with full name and address to: [Michael.Turner@usace.army.mil](mailto:Michael.Turner@usace.army.mil)

fold here

4020100599

Louisville, KY 40201-0059

P.O. Box 59

ATTN: CELRT-PM-E

U.S. Army Corps of Engineers Louisville District

Staple here

Your complete address

Paul T. Hig  
6431 N. Park Ave  
Indianapolis, IN. 46220

Justice  
FOREVER





## Optional information

(so we can send you announcements in the future):

Name: Ric Ritter

Address: 5340 Crown St

City, State, ZIP: Indpls, IN

Business Phone # \_\_\_\_\_

Home Phone # 317 748 7020

Email address: ric.ritter@nidec-motor.com

fold here

## Mailing/Email Options:

1. Simply fold this sheet (or send us a letter on your organization's stationery), and mail to the address below (attach correct postage).

or

2. Leave with one of the attendants tonight.

or

3. Email comments with full name and address to: Michael.Turner@usace.army.mil

fold here

U.S. Army Corps of Engineers Louisville District  
ATTN: CEIRL-PM-E  
P.O. Box 59  
Louisville, KY 40201-0059

First-  
class  
postage  
required

Staple here

Your complete address  
Ric Ritter  
5340 Crown St  
Indpls, IN 46208



US Army Corps  
of Engineers  
Louisville District

Indianapolis, Indiana  
INDIANAPOLIS NORTH FLOOD DAMAGE REDUCTION PROJECT

**Draft Supplemental Environmental Impact Statement**

June 2012

Study online at <http://bit.ly/indynorth>

**We appreciate YOUR "SEIS" opinions and comments**

Write your comments below, or send us a letter on your own stationery. Our mailing address is on the reverse. For full consideration, your comments must be received by us no later than August 31, 2012.

To whom it may concern

lowering Rocky Ripple <sup>outside the floodwall</sup> is an ill conceived plan that will decrease the property value and trap our community into a flood prone area with no escape once the bridges are closed

I have lived in Rocky Ripple 28 years & this subject has been discussed most of that time. I do not believe that a supplemental plan to help Rocky Ripple later will ever happen in my lifetime. Let us not take the cheap way out, let's spend the money to do this the right way, protecting everyone & excluding none! We, the fellow taxpayers & voting citizens have the right to be safe. If you roll over Rocky Ripple & leave us out we will see you in court!

Richard L. Ritter

Your signature

Please provide your name and address on the reverse.

# Optional information

(so we can send you announcements in the future):

Name: \_\_\_\_\_ *Aus* \_\_\_\_\_

Address: \_\_\_\_\_  
Mr Richard Wilson  
5326 Graceland Ave  
Indianapolis IN 46208-2518  
\_\_\_\_\_

City, State, ZIP: \_\_\_\_\_

Business Phone # *N.A.* \_\_\_\_\_

Home Phone # \_\_\_\_\_

Email address: *N.A.* \_\_\_\_\_

fold here

## Mailing/Email Options:

1. Simply fold this sheet (or send us a letter on your organization's stationery), and mail to the address below (attach correct postage).


or

2. Leave with one of the attendants tonight.

or

3. Email comments with full name and address to: [Michael.Turner@usace.army.mil](mailto:Michael.Turner@usace.army.mil)

fold here



40201005959

U.S. Army Corps of Engineers Louisville District  
ATTN: CEIRL-PM-E  
P.O. Box 59  
Louisville, KY 40201-0059

staple here

Your complete address  
R M Wilson  
5326 Graceland Ave  
Indianapolis, IN 46208





US Army Corps  
of Engineers  
Louisville District

Indianapolis, Indiana  
INDIANAPOLIS NORTH FLOOD DAMAGE REDUCTION PROJECT

# Draft Supplemental Environmental Impact Statement

June 2012

Study online at <http://bit.ly/indynorth>

## We appreciate YOUR "SEIS" opinions and comments

Write your comments below, or send us a letter on your own stationery. Our mailing address is on the reverse. For full consideration, your comments must be received by us no later than August 31, 2012.

As a citizen, I am upset that gov. is putting a wall up on Westfield Blvd. I would recommend that you put up wall for 2 more blocks and stop completely.

As a citizen, I have always enjoyed walking along canal and admire the beautiful trees which help the water supply and add to the beauty of BTNA area. City gets 60 percent of water from the canal and building a lame wall may deplete our water and create shortages. Also once the wall is built, the criminals will come up to this area, and a huge weed <sup>and trash</sup> problem will occur. That will end my weekly walks as I will fear for safety <sup>and robbery, also</sup>.

I hope Army Corps of Engineers will reconsider their decision to build a lame wall. I have polled my neighbors, and 100 percent are opposed to this project.

P.S. It will be a sad day when I see those bulldozers destroy beautiful trees along Westfield Blvd and days of shade and nature will be eliminated!

Richard Wilson  
Your signature

Please provide your name and address on the reverse.

# Optional information

(so we can send you announcements in the future):

Name: ROBERT RIEGEL

Address: 4631 BOULVARD PL

City, State, ZIP: INDIAN IN 46208

Business Phone # \_\_\_\_\_

Home Phone # (317) 283-6755

Email address: \_\_\_\_\_

fold here

## Mailing/Email Options:

1. Simply fold this sheet (or send us a letter on your organization's stationery), and mail to the address below (attach correct postage).


or

2. Leave with one of the attendants tonight.

or

3. Email comments with full name and address to: [Michael.Turner@usace.army.mil](mailto:Michael.Turner@usace.army.mil)

fold here



4020100599

U.S. Army Corps of Engineers Louisville District  
ATTN: CEIRL-PM-E  
P.O. Box 59  
Louisville, KY 40201-0059

required



staple here

Your complete address  
RIEGL  
4631 BLVD PL  
INDIAN IN 46208



US Army Corps  
of Engineers  
Louisville District

Indianapolis, Indiana  
INDIANAPOLIS NORTH FLOOD DAMAGE REDUCTION PROJECT

## Draft Supplemental Environmental Impact Statement

June 2012

Study online at <http://bit.ly/indynorth>

### We appreciate YOUR "SEIS" opinions and comments


Write your comments below, or send us a letter on your own stationery. Our mailing address is on the reverse. For full consideration, your comments must be received by us no later than August 31, 2012.

1) A proposal to allow an entire neighborhood of less expensive homes to be flooded while "protecting" a more expensive area is a political mistake/disaster. The people of Rocky Ripple deserve the same level of concern as those in Butler - Tackington (where I live)

2) The proposals to put walls through an established commercial node is aesthetically appalling. Destruction of vegetation another negative.

3) The plan to "build" a containment with removable panels & sandbags, along with gates that may or may not work sounds like a logistical nightmare under a real flood threat.

"Tear down this wall" - Ronald Reagan

  
Your signature

Please provide your name and address on the reverse.



US Army Corps  
of Engineers  
Louisville District

Indianapolis, Indiana  
INDIANAPOLIS NORTH FLOOD DAMAGE REDUCTION PROJECT

## Draft Supplemental Environmental Impact Statement

June 2012

Study online at <http://bit.ly/indynorth>

### We appreciate YOUR "SEIS" opinions and comments

Write your comments below, or send us a letter on your own stationery. Our mailing address is on the reverse. For full consideration, your comments must be received by us no later than August 31, 2012.

Dear Col. Leonard:

I'm writing to express my disagreement and concerns re the proposed floodwall plan that affects Butler Tarkington and Rocky Ripple. Among my concerns are that without including Rocky Ripple in the plan you put over 300 families in jeopardy of flooding. This plan also puts the city water supply in jeopardy if a flood were to include the canal. Your plan would involve the destruction of several hundred mature trees including many stately sycamores. The wall along Westfield would lower our property values and it sounds as if it could limit access to the tow path which is important to me because I walk along the tow path almost daily for exercise.

While I appreciate that this current proposal would protect me - as I live very close to the canal and am in the area that could possibly become flooded - the plan affects a small part of Butler Tarkington but the effect of not including Rocky Ripple could be devastating to a much larger area with many more people in the case of a flood. I implore you to re-consider your plan to include Rocky Ripple and to work with the city of Indianapolis to protect all of our residents.

Ron McNew

Your signature

Please provide your name and address on the reverse.

# Optional information

(so we can send you announcements in the future):

Name: RON McNew

Address: 5524 N. Kenwood Ave.

City, State, ZIP: Indianapolis, In. 46208

Business Phone # 317-621-7672

Home Phone # 317-251-5814

Email address: ron.mcnew@att.net

fold here

## Mailing/Email Options:

1. Simply fold this sheet (or send us a letter on your organization's stationery), and mail to the address below (attach correct postage).

or

2. Leave with one of the attendants tonight.

or

3. Email comments with full name and address to: [Michael.Turner@usace.army.mil](mailto:Michael.Turner@usace.army.mil)

fold here

U.S. Army Corps of Engineers Louisville District  
ATTN: CELRL-PM-E  
P.O. Box 59  
Louisville, KY 40201-0059

First-  
class  
postage  
required

Staple here

Your complete address

---

---

---

---

# Optional information

(so we can send you announcements in the future):

Name: Ruth Jennings

Address: 5306 Byram Ave.  
Indianapolis,

City, State, ZIP: Indiana, 46208

Business Phone # \_\_\_\_\_

Home Phone # 317-257-9167

Email address: ryjennings@att.net

## Mailing/Email Options:

1. Simply fold this sheet (or send us a letter on your organization's stationery), and mail to the address below (attach correct postage).

or

2. Leave with one of the attendants tonight.

or

3. Email comments with full name and address to: Michael.Turner@usace.army.mil

fold here

40201005959

Louisville, KY 40201-0059


P.O. Box 59

ATTN: CELRL-PM-E


U.S. Army Corps of Engineers Louisville District

Ruth Jennings  
5306 Byram Ave  
Indianapolis, IN 46208

Your complete address



here



US Army Corps  
of Engineers  
Louisville District

Indianapolis, Indiana  
INDIANAPOLIS NORTH FLOOD DAMAGE REDUCTION PROJECT

Draft Supplemental Environmental Impact Statement

June 2012

Study online at <http://bit.ly/indynorth>

We appreciate YOUR "SEIS" opinions and comments

Write your comments below, or send us a letter on your own stationery. Our mailing address is on the reverse. For full consideration, your comments must be received by us no later than August 31, 2012.

The proposed flood wall will really threaten my home. I am a 70 yr old woman living in my own home in Rocky Ripple. I was able to pay for my house & fix it up to be my one & only property & my retirement home. I have lived here for over 25 years & it has always been a safe & happy community to raise a daughter & later live by myself.

If the Corps of Engineers could reinforce our outdated levee, I would be very relieved.

Please help us keep our community a safe place for people like me to live.

Ruth Jennings  
Your signature

Please provide your name and address on the reverse.

# Optional information

(so we can send you announcements in the future):

Name: Scot M. McManus

Address: 5375 Patterson St

City, State, ZIP: Indianapolis IN 46208

Business Phone # \_\_\_\_\_

Home Phone # (317) 258-7273

Email address: \_\_\_\_\_

fold here

## Mailing/Email Options:

1. Simply fold this sheet (or send us a letter on your organization's stationery), and mail to the address below (attach correct postage).

or

2. Leave with one of the attendants tonight.

or

3. Email comments with full name and address to: [Michael.Turner@usace.army.mil](mailto:Michael.Turner@usace.army.mil)

fold here

40201005969

Attn: Colonel Luke T. Leonard


Louisville, KY 40201-0059

P.O. Box 59

ATTN: CEIRL-PM-E

U.S. Army Corps of Engineers Louisville District

Your complete address  
S.M.  
5375 Patterson St  
Indpls IN 46208



Station here



US Army Corps  
of Engineers  
Louisville District

Indianapolis, Indiana  
INDIANAPOLIS NORTH FLOOD DAMAGE REDUCTION PROJECT

**Draft Supplemental Environmental Impact Statement**

June 2012

Study online at <http://bit.ly/indynorth>

**We appreciate YOUR "SEIS" opinions and comments**

Write your comments below, or send us a letter on your own stationery. Our mailing address is on the reverse. For full consideration, your comments must be received by us no later than August 31, 2012.

Col. Leonard,

Thank you for listening to our concerns on Aug 23rd. If your office was not aware, the Indy North Flood Reduction project is overwhelmingly opposed by the community it affects. My causes for concern are the vegetation clearing and the Riviera Club property levee. Both actions will funnel the stream flow faster, therefore, placing additional pressure on the Rocky Ripple levee. The Riviera property east of the proposed levee has flooded in the past. The parking lot, shelter, tennis courts all have flooded. Across from the Riviera property, on the west bank of the White River, is a large tract of land. This property appears to have been wetlands at one time. It is sparsely vegetated with no residential structures. Could the stream be diverted into a wetland/storage area during high water events? North of this property, but south of the Kessler Blvd bridge, canoeists already have to portage during low stream flow. It is a rocky natural dam. I know this is a big "what if," but we the people built the Hoover Dam. Again, thank you for listening to our concerns.

Respectfully,

Your signature

SCOT M. McMANUS  
5375 Patterson St.

Indianapolis, IN  
46208

Please provide your name and address on the reverse.

317-258-7273

Dear Mr. Turner,

The Warleigh Neighborhood Association held a neighbor-wide meeting on July 23, 2012, to draft a letter with our position on the completion of Phase III of the North Flood Damage Reduction Project as recently updated in the Draft Supplemental Environmental Impact Statement. Of the 52 individuals who attended the meeting, 34 or 65% voted in favor of the Westfield Boulevard Alignment. Two members voted to do nothing from this point forward, with the remaining 16 members abstaining. Most of those in attendance favored getting the levee wall completed and upgraded according to Katrina standards -- 'Get it done right this time!' The position taken by many at the meeting was to protect our properties as soon as possible from future floods and to reduce or eliminate the required flood insurance.

Will Carlson  
President  
Warleigh Neighborhood Association

Dear Mr. Turner,

As a member of the Warfleigh Neighborhood Association, I am in favor of getting Phase III of the North Flood Damage Reduction Project completed and upgraded according to Katrina standards -- 'Get it done right this time!' The position taken by many in our neighborhood is to protect our properties as soon as possible from future floods and to reduce or eliminate the required flood insurance."

My personal perspective has changed since our neighborhood meeting on July 23, 2012. I have received communications from Warfleigh neighbors who could not attend our formal meeting as well as folks from other affected neighborhoods -- BTNA, Butler University and Rocky Ripple. Of our own neighbors contacting me, quite a few have agreed to "our" position. But those neighbors opposed to the official WNA and representatives from other neighboring groups have brought a great deal of information to my attention that we didn't have at our July 23<sup>rd</sup> meeting. Most of this material revolves around exaggerated funding required when Rocky Ripple is included in this levee wall protection. Also, the potential for irreparable damage to the canal and its use as a conduit for our water supply is much higher than originally estimated.

As President of the Warfleigh Neighborhood Association, I support the position as drafted by the WNA members. As an individual, my concerns are for the City, all the citizens of Indianapolis, Rocky Ripple and Butler-Tarkington residents and the priceless value of the Butler University campus. We need to all take a position of solidarity and make sure the completion of this project best serves our entire community and not the least expensive option.

Will Carlson  
22 W. 62<sup>nd</sup> Street  
Indianapolis, IN 46260  
(317)465-1867