



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/1987	1,017.22	39.9	54.9	0.00
1/2/1987	1,017.24	50.0	47.0	0.00
1/3/1987	1,017.22	42.5	47.0	0.00
1/4/1987	1,017.18	38.0	47.0	0.00
1/5/1987	1,017.13	30.5	47.0	0.00
1/6/1987	1,017.13	34.4	35.9	0.00
1/7/1987	1,017.14	31.0	28.0	0.00
1/8/1987	1,017.16	32.5	28.0	0.00
1/9/1987	1,017.16	29.5	28.0	0.00
1/10/1987	1,017.15	25.0	28.0	0.03
1/11/1987	1,017.15	28.0	28.0	0.04
1/12/1987	1,017.14	25.0	28.0	0.00
1/13/1987	1,017.12	23.5	28.0	0.00
1/14/1987	1,017.09	19.0	28.0	0.04
1/15/1987	1,017.13	24.9	15.9	0.05
1/16/1987	1,017.19	29.0	11.0	0.03
1/17/1987	1,017.25	29.0	11.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/1987	1,017.32	27.5	11.0	0.99
1/19/1987	1,017.58	77.1	24.6	0.53
1/20/1987	1,020.87	1,064.5	66.6	0.00
1/21/1987	1,020.99	275.3	176.6	0.00
1/22/1987	1,020.64	118.5	221.9	0.40
1/23/1987	1,020.12	81.1	220.9	0.04
1/24/1987	1,019.57	35.8	219.9	0.12
1/25/1987	1,018.88	10.4	218.6	0.56
1/26/1987	1,018.21	7.1	217.4	0.00
1/27/1987	1,017.87	16.5	145.5	0.00
1/28/1987	1,017.78	49.5	75.0	0.03
1/29/1987	1,017.68	43.5	75.0	0.00
1/30/1987	1,018.13	151.5	74.5	0.00
1/31/1987	1,019.26	556.8	175.9	0.01
2/1/1987	1,019.29	257.6	218.9	0.00
2/2/1987	1,019.00	145.1	218.4	0.05
2/3/1987	1,018.57	75.6	217.6	0.00
2/4/1987	1,018.02	55.6	216.9	0.00
2/5/1987	1,017.90	141.0	198.4	0.00
2/6/1987	1,017.65	41.8	104.8	0.00
2/7/1987	1,017.34	25.5	116.9	0.00
2/8/1987	1,017.29	37.4	65.8	0.00
2/9/1987	1,017.33	50.0	38.0	0.00
2/10/1987	1,017.31	35.0	38.0	0.00
2/11/1987	1,017.28	27.5	38.0	0.01
2/12/1987	1,017.24	24.5	38.0	0.01
2/13/1987	1,017.22	33.5	38.0	0.00
2/14/1987	1,017.24	27.6	24.6	0.16
2/15/1987	1,017.31	40.0	19.0	0.00
2/16/1987	1,017.36	34.0	19.0	0.83
2/17/1987	1,018.35	262.8	19.0	0.19
2/18/1987	1,018.10	259.5	259.4	0.12
2/19/1987	1,017.40	156.6	356.8	0.00
2/20/1987	1,017.47	148.5	167.8	0.01
2/21/1987	1,017.36	106.4	121.4	0.02
2/22/1987	1,017.32	86.9	109.1	0.83
2/23/1987	1,018.46	336.1	74.1	0.16
2/24/1987	1,018.77	464.5	276.9	0.00
2/25/1987	1,018.23	212.5	359.3	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/1987	1,017.77	124.9	275.3	0.22
2/27/1987	1,017.50	110.4	215.1	0.90
2/28/1987	1,020.47	1,013.1	139.3	0.47
3/1/1987	1,021.83	570.5	116.4	0.00
3/2/1987	1,022.19	267.1	122.4	0.00
3/3/1987	1,021.61	89.0	242.8	0.00
3/4/1987	1,020.73	4.4	295.8	0.00
3/5/1987	1,019.70	0.0	256.6	0.00
3/6/1987	1,018.56	3.8	334.5	0.00
3/7/1987	1,018.04	23.4	208.1	0.00
3/8/1987	1,017.62	20.3	145.0	0.00
3/9/1987	1,017.51	45.4	94.6	0.11
3/10/1987	1,017.46	62.0	74.0	0.01
3/11/1987	1,017.42	46.5	57.0	0.04
3/12/1987	1,017.32	42.5	74.0	0.10
3/13/1987	1,017.33	42.6	44.1	0.00
3/14/1987	1,017.40	38.5	19.0	0.00
3/15/1987	1,017.46	37.0	19.0	0.00
3/16/1987	1,017.61	49.0	19.0	0.56
3/17/1987	1,017.57	80.5	68.5	0.00
3/18/1987	1,017.42	43.6	88.1	0.36
3/19/1987	1,017.93	138.0	39.1	0.34
3/20/1987	1,018.85	336.9	19.0	0.01
3/21/1987	1,019.40	186.3	19.0	0.00
3/22/1987	1,019.78	139.0	19.0	0.00
3/23/1987	1,020.03	101.6	19.0	0.00
3/24/1987	1,020.22	81.3	19.0	0.01
3/25/1987	1,020.38	70.0	19.0	0.00
3/26/1987	1,020.49	53.8	19.0	0.00
3/27/1987	1,020.57	47.5	19.0	0.00
3/28/1987	1,020.66	47.5	19.0	0.00
3/29/1987	1,020.73	41.0	19.0	0.00
3/30/1987	1,020.78	35.0	19.0	0.37
3/31/1987	1,020.99	67.8	9.3	0.18
4/1/1987	1,021.18	71.1	5.0	0.00
4/2/1987	1,021.34	55.4	5.0	0.33
4/3/1987	1,021.60	84.6	5.0	0.88
4/4/1987	1,022.02	136.1	5.0	0.74
4/5/1987	1,022.46	147.9	5.0	0.30

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/6/1987	1,022.91	159.6	5.0	0.00
4/7/1987	1,023.69	246.3	5.0	0.02
4/8/1987	1,025.39	565.6	32.0	0.01
4/9/1987	1,029.66	1,456.3	70.0	0.00
4/10/1987	1,031.39	1,106.3	84.3	0.00
4/11/1987	1,030.77	465.3	400.0	0.04
4/12/1987	1,029.44	128.1	622.0	0.21
4/13/1987	1,028.32	102.3	529.5	0.00
4/14/1987	1,027.69	105.3	352.9	0.00
4/15/1987	1,027.64	137.6	220.4	1.26
4/16/1987	1,028.78	816.1	454.8	0.32
4/17/1987	1,031.03	1,073.4	214.5	0.12
4/18/1987	1,031.96	507.1	109.6	0.00
4/19/1987	1,031.36	258.4	405.5	0.00
4/20/1987	1,030.04	133.3	625.6	0.00
4/21/1987	1,028.40	35.8	618.3	0.00
4/22/1987	1,027.66	71.8	396.6	0.00
4/23/1987	1,027.59	90.0	147.3	0.18
4/24/1987	1,027.39	81.5	137.3	0.32
4/25/1987	1,027.40	92.0	113.9	0.06
4/26/1987	1,027.51	127.3	80.4	0.00
4/27/1987	1,027.57	104.0	82.0	0.00
4/28/1987	1,027.44	78.3	114.4	0.00
4/29/1987	1,027.49	78.1	74.4	0.00
4/30/1987	1,027.48	54.1	50.4	0.00
5/1/1987	1,027.45	54.3	63.0	0.00
5/2/1987	1,027.40	45.3	63.0	0.00
5/3/1987	1,027.31	34.1	63.0	0.65
5/4/1987	1,027.35	68.3	63.0	0.11
5/5/1987	1,027.32	71.3	76.4	0.00
5/6/1987	1,027.26	38.8	62.0	0.00
5/7/1987	1,027.23	33.3	42.0	0.00
5/8/1987	1,027.18	25.9	42.0	0.00
5/9/1987	1,027.17	19.1	26.5	0.00
5/10/1987	1,027.25	34.8	9.4	0.00
5/11/1987	1,027.30	24.6	5.0	0.00
5/12/1987	1,027.34	19.0	5.0	0.00
5/13/1987	1,027.38	19.0	5.0	0.00
5/14/1987	1,027.36	12.1	15.6	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/15/1987	1,027.35	9.9	20.0	0.00
5/16/1987	1,027.30	5.8	20.0	0.00
5/17/1987	1,027.25	5.0	20.0	0.00
5/18/1987	1,027.19	2.1	20.0	0.00
5/19/1987	1,027.17	2.5	14.3	0.23
5/20/1987	1,027.21	19.6	7.1	0.14
5/21/1987	1,027.24	17.5	5.0	0.09
5/22/1987	1,027.25	8.1	5.0	0.00
5/23/1987	1,027.24	1.9	5.0	0.42
5/24/1987	1,027.31	28.3	5.0	0.00
5/25/1987	1,027.32	11.1	5.0	0.82
5/26/1987	1,027.36	19.1	5.0	0.00
5/27/1987	1,027.38	12.0	5.0	0.00
5/28/1987	1,027.38	4.4	5.0	0.00
5/29/1987	1,027.36	2.0	7.1	0.16
5/30/1987	1,027.39	23.1	8.0	0.26
5/31/1987	1,027.53	42.9	8.0	0.00
6/1/1987	1,027.48	22.5	25.4	0.28
6/2/1987	1,027.44	15.0	31.0	0.00
6/3/1987	1,027.43	26.3	31.0	0.34
6/4/1987	1,027.49	52.3	38.9	0.25
6/5/1987	1,027.32	46.5	92.4	0.00
6/6/1987	1,027.15	1.4	64.1	0.00
6/7/1987	1,027.15	6.6	12.6	0.00
6/8/1987	1,027.14	1.9	5.0	0.00
6/9/1987	1,027.14	6.8	5.0	0.78
6/10/1987	1,027.24	34.0	5.0	0.00
6/11/1987	1,027.24	10.3	5.0	0.06
6/12/1987	1,027.25	8.9	4.5	0.04
6/13/1987	1,027.29	15.9	5.0	0.02
6/14/1987	1,027.28	4.1	5.0	0.00
6/15/1987	1,027.27	1.9	5.0	0.00
6/16/1987	1,027.27	4.6	5.0	0.00
6/17/1987	1,027.26	1.5	5.0	0.00
6/18/1987	1,027.25	1.3	5.0	0.18
6/19/1987	1,027.21	45.0	9.4	0.00
6/20/1987	1,027.16	677.3	12.0	0.08
6/21/1987	1,027.13	0.8	12.0	0.25
6/22/1987	1,027.13	8.6	12.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/23/1987	1,027.14	8.0	5.0	0.35
6/24/1987	1,027.18	19.6	4.1	0.00
6/25/1987	1,027.17	2.1	5.0	0.27
6/26/1987	1,027.33	26.3	5.0	0.94
6/27/1987	1,027.14	53.9	60.3	0.00
6/28/1987	1,027.12	1.0	34.3	0.00
6/29/1987	1,027.11	1.5	5.0	0.00
6/30/1987	1,027.10	1.9	5.0	0.00
7/1/1987	1,027.10	10.4	5.0	0.85
7/2/1987	1,027.35	88.4	4.3	0.00
7/3/1987	1,027.44	34.0	5.0	0.01
7/4/1987	1,027.50	30.8	14.0	0.48
7/5/1987	1,027.61	113.8	55.5	0.06
7/6/1987	1,027.41	13.4	83.0	0.14
7/7/1987	1,027.28	1.0	53.6	0.00
7/8/1987	1,027.20	2.1	24.0	0.13
7/9/1987	1,027.22	13.4	12.1	0.14
7/10/1987	1,027.27	25.5	7.0	0.36
7/11/1987	1,027.32	29.0	7.0	0.65
7/12/1987	1,027.57	84.5	7.0	0.30
7/13/1987	1,027.48	49.4	61.0	0.36
7/14/1987	1,027.48	72.0	83.0	0.13
7/15/1987	1,027.37	51.9	83.0	0.00
7/16/1987	1,027.16	12.6	83.0	0.00
7/17/1987	1,027.16	9.8	24.5	0.00
7/18/1987	1,027.16	5.0	5.0	0.00
7/19/1987	1,027.15	4.5	5.0	0.00
7/20/1987	1,027.14	4.4	5.0	0.00
7/21/1987	1,027.13	8.9	14.8	0.00
7/22/1987	1,027.12	42.9	44.0	0.00
7/23/1987	1,027.11	0.0	5.0	0.00
7/24/1987	1,027.07	0.0	9.1	0.00
7/25/1987	1,027.01	0.0	12.0	0.00
7/26/1987	1,026.99	0.0	6.4	0.27
7/27/1987	1,027.02	6.3	5.0	0.90
7/28/1987	1,027.07	32.3	5.0	0.00
7/29/1987	1,027.10	14.5	5.0	0.00
7/30/1987	1,027.07	0.0	5.0	0.00
7/31/1987	1,027.05	0.0	5.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
8/1/1987	1,027.04	0.3	5.0	0.00
8/2/1987	1,027.03	1.5	5.0	0.00
8/3/1987	1,027.01	1.3	5.0	0.00
8/4/1987	1,026.99	0.0	5.0	0.00
8/5/1987	1,026.97	1.5	5.0	0.49
8/6/1987	1,027.06	32.6	5.0	0.00
8/7/1987	1,027.06	4.6	5.0	0.10
8/8/1987	1,027.05	1.5	5.0	0.00
8/9/1987	1,027.04	1.8	5.0	0.05
8/10/1987	1,027.03	1.9	5.0	0.00
8/11/1987	1,027.03	4.4	5.0	0.00
8/12/1987	1,027.01	0.0	5.0	0.00
8/13/1987	1,026.99	0.0	5.0	0.00
8/14/1987	1,026.97	0.0	5.0	0.00
8/15/1987	1,026.94	0.0	5.0	0.00
8/16/1987	1,026.92	0.0	5.0	0.00
8/17/1987	1,026.89	0.0	5.0	0.00
8/18/1987	1,026.86	0.0	5.0	0.00
8/19/1987	1,026.83	0.0	5.0	0.00
8/20/1987	1,026.80	0.0	5.0	0.00
8/21/1987	1,026.77	0.0	4.5	0.00
8/22/1987	1,026.74	1.5	5.0	1.16
8/23/1987	1,026.85	34.6	5.0	0.00
8/24/1987	1,026.85	9.6	5.0	0.00
8/25/1987	1,026.82	0.0	5.0	0.00
8/26/1987	1,026.77	0.0	8.1	0.00
8/27/1987	1,026.70	0.9	10.0	1.16
8/28/1987	1,026.85	47.3	6.1	0.18
8/29/1987	1,026.87	20.0	8.4	0.00
8/30/1987	1,026.83	13.1	10.0	0.00
8/31/1987	1,026.77	0.0	10.0	0.00
9/1/1987	1,026.74	0.0	6.6	0.00
9/2/1987	1,026.72	0.0	5.0	0.00
9/3/1987	1,026.69	0.0	4.4	0.00
9/4/1987	1,026.66	0.0	4.0	0.00
9/5/1987	1,026.62	0.0	4.6	0.00
9/6/1987	1,026.58	0.0	5.0	0.00
9/7/1987	1,026.56	0.0	5.0	0.25
9/8/1987	1,026.54	0.0	5.0	0.10

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/9/1987	1,026.51	0.0	4.8	0.00
9/10/1987	1,026.48	0.0	5.0	0.00
9/11/1987	1,026.46	0.0	5.0	0.19
9/12/1987	1,026.48	437.0	5.0	0.57
9/13/1987	1,026.80	1,050.4	5.0	0.00
9/14/1987	1,026.82	16.6	5.0	0.00
9/15/1987	1,026.82	7.0	5.0	0.00
9/16/1987	1,026.79	0.0	5.0	0.00
9/17/1987	1,026.67	0.0	21.4	0.00
9/18/1987	1,026.52	0.0	32.0	0.08
9/19/1987	1,026.37	0.4	32.0	0.60
9/20/1987	1,026.31	6.9	32.0	0.00
9/21/1987	1,026.17	0.0	32.0	0.00
9/22/1987	1,026.02	0.0	32.0	0.00
9/23/1987	1,025.86	0.0	32.0	0.00
9/24/1987	1,025.70	0.0	32.0	0.00
9/25/1987	1,025.56	0.0	26.5	0.00
9/26/1987	1,025.48	0.0	23.6	0.00
9/27/1987	1,025.30	0.0	23.0	0.00
9/28/1987	1,025.18	0.0	23.0	0.00
9/29/1987	1,025.05	0.6	23.0	0.83
9/30/1987	1,025.04	6.1	23.0	0.00
10/1/1987	1,024.94	2.0	23.0	0.02
10/2/1987	1,024.81	0.0	23.0	0.00
10/3/1987	1,024.67	0.0	23.0	0.17
10/4/1987	1,024.56	0.0	23.0	0.00
10/5/1987	1,024.43	0.0	23.0	0.00
10/6/1987	1,024.30	0.0	23.0	0.10
10/7/1987	1,024.18	0.0	23.0	0.00
10/8/1987	1,024.05	0.0	23.0	0.00
10/9/1987	1,023.92	0.0	23.0	0.00
10/10/1987	1,023.81	0.0	23.0	0.00
10/11/1987	1,023.70	0.0	23.0	0.01
10/12/1987	1,023.53	0.0	23.0	0.00
10/13/1987	1,023.40	0.0	23.0	0.00
10/14/1987	1,023.25	0.0	23.0	0.00
10/15/1987	1,023.11	0.0	23.0	0.00
10/16/1987	1,022.97	0.0	23.0	0.00
10/17/1987	1,022.84	0.0	23.0	0.00



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/18/1987	1,022.70	0.0	23.0	0.00
10/19/1987	1,022.57	0.0	23.0	0.00
10/20/1987	1,022.44	0.0	22.6	0.14
10/21/1987	1,022.32	0.0	22.0	0.00
10/22/1987	1,022.19	0.0	22.0	0.00
10/23/1987	1,022.06	0.0	23.3	0.00
10/24/1987	1,021.95	0.0	24.0	0.00
10/25/1987	1,021.84	0.0	24.0	0.00
10/26/1987	1,021.73	0.0	24.0	0.00
10/27/1987	1,021.61	0.0	24.0	0.03
10/28/1987	1,021.51	0.0	24.0	0.00
10/29/1987	1,021.39	0.0	24.0	0.02
10/30/1987	1,021.27	0.0	24.0	0.00
10/31/1987	1,021.16	0.0	24.0	0.00
11/1/1987	1,021.06	0.0	24.0	0.00
11/2/1987	1,020.95	0.0	24.0	0.00
11/3/1987	1,020.84	0.0	24.0	0.00
11/4/1987	1,020.73	0.0	24.0	0.00
11/5/1987	1,020.61	0.0	24.0	0.00
11/6/1987	1,020.51	0.0	24.0	0.00
11/7/1987	1,020.39	0.0	24.0	0.00
11/8/1987	1,020.27	0.0	24.0	0.00
11/9/1987	1,020.14	0.1	24.0	0.65
11/10/1987	1,020.13	6.6	24.0	0.46
11/11/1987	1,020.04	17.3	33.9	0.02
11/12/1987	1,019.88	0.0	39.0	0.00
11/13/1987	1,019.71	0.0	39.0	0.00
11/14/1987	1,019.62	0.0	24.0	0.00
11/15/1987	1,019.53	0.0	19.0	0.00
11/16/1987	1,019.43	0.0	19.0	0.00
11/17/1987	1,019.40	6.9	19.0	0.66
11/18/1987	1,019.43	35.8	19.0	0.00
11/19/1987	1,019.38	5.1	19.0	0.00
11/20/1987	1,019.30	0.0	19.0	0.00
11/21/1987	1,019.24	0.0	19.0	0.00
11/22/1987	1,019.15	0.0	19.0	0.00
11/23/1987	1,019.06	0.0	19.0	0.00
11/24/1987	1,018.95	0.0	19.0	0.00
11/25/1987	1,018.86	0.0	19.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/26/1987	1,018.79	0.0	19.0	0.00
11/27/1987	1,018.69	0.0	19.0	0.00
11/28/1987	1,018.62	0.0	19.0	0.00
11/29/1987	1,018.53	0.0	19.0	0.02
11/30/1987	1,018.44	0.0	19.0	0.00
12/1/1987	1,018.34	0.0	19.0	0.05
12/2/1987	1,018.05	2.8	19.0	0.03
12/3/1987	1,018.15	46.8	19.0	0.07
12/4/1987	1,018.05	0.0	19.0	0.18
12/5/1987	1,017.98	0.0	19.0	0.00
12/6/1987	1,017.89	0.0	19.0	0.00
12/7/1987	1,017.80	0.0	19.0	0.00
12/8/1987	1,017.73	0.0	19.0	0.00
12/9/1987	1,017.64	0.0	19.0	0.00
12/10/1987	1,017.55	0.0	19.0	0.00
12/11/1987	1,017.50	0.0	13.0	0.00
12/12/1987	1,017.44	0.0	11.0	0.00
12/13/1987	1,017.37	0.0	11.0	0.00
12/14/1987	1,017.30	0.1	11.0	0.30
12/15/1987	1,017.29	5.1	11.0	0.12
12/16/1987	1,017.25	0.6	7.8	0.03
12/17/1987	1,017.25	4.6	5.0	0.00
12/18/1987	1,017.24	1.5	5.0	0.00
12/19/1987	1,017.22	0.3	5.0	0.05
12/20/1987	1,017.22	2.1	5.0	0.01
12/21/1987	1,017.20	2.3	5.0	0.00
12/22/1987	1,017.20	4.6	5.0	0.01
12/23/1987	1,017.19	1.8	5.0	0.00
12/24/1987	1,017.18	3.8	5.0	0.55
12/25/1987	1,017.37	74.4	5.0	1.83
12/26/1987	1,019.30	590.3	50.1	0.56
12/27/1987	1,019.65	262.5	122.8	0.25
12/28/1987	1,019.38	69.4	137.6	0.24
12/29/1987	1,019.30	98.9	137.0	0.10
12/30/1987	1,018.98	54.4	137.0	0.00
12/31/1987	1,018.50	0.0	136.4	0.14