



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/1989	1,018.15	20.5	150.0	0.00
1/2/1989	1,017.73	21.9	149.4	0.00
1/3/1989	1,017.26	12.5	148.9	0.00
1/4/1989	1,016.74	0.1	148.0	0.00
1/5/1989	1,016.26	6.9	147.4	0.00
1/6/1989	1,015.81	7.9	146.6	0.50
1/7/1989	1,015.48	56.6	146.0	0.00
1/8/1989	1,015.23	62.0	145.4	0.58
1/9/1989	1,015.25	144.1	145.0	0.27
1/10/1989	1,015.12	89.1	145.0	0.01
1/11/1989	1,014.87	487.8	145.0	0.45
1/12/1989	1,015.42	7,245.4	32.3	0.93
1/13/1989	1,018.80	874.9	7.0	0.24
1/14/1989	1,018.86	468.5	277.9	0.53
1/15/1989	1,018.52	246.0	431.0	0.21
1/16/1989	1,018.38	460.1	430.8	0.02
1/17/1989	1,017.74	147.3	342.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/1989	1,017.43	91.9	201.1	0.00
1/19/1989	1,017.26	80.3	130.9	0.00
1/20/1989	1,017.22	59.1	79.0	0.00
1/21/1989	1,017.18	17.1	23.5	0.00
1/22/1989	1,017.16	21.5	30.3	0.00
1/23/1989	1,017.28	49.3	16.5	0.00
1/24/1989	1,017.39	42.1	10.0	0.00
1/25/1989	1,017.48	35.1	10.0	0.00
1/26/1989	1,017.43	13.8	23.3	0.07
1/27/1989	1,017.40	18.4	30.0	0.00
1/28/1989	1,017.33	11.1	30.0	0.00
1/29/1989	1,017.26	8.9	30.0	0.14
1/30/1989	1,017.18	7.9	30.0	0.16
1/31/1989	1,017.18	29.3	30.0	0.00
2/1/1989	1,017.18	19.0	20.0	0.00
2/2/1989	1,017.22	27.4	16.0	0.09
2/3/1989	1,017.24	31.1	16.0	0.56
2/4/1989	1,018.17	233.3	16.0	0.33
2/5/1989	1,018.45	244.4	111.0	0.20
2/6/1989	1,018.37	136.4	150.0	0.06
2/7/1989	1,018.18	92.9	150.0	0.03
2/8/1989	1,017.89	68.5	149.9	0.00
2/9/1989	1,017.52	39.3	149.0	0.00
2/10/1989	1,017.26	25.9	109.4	0.00
2/11/1989	1,017.35	44.4	29.3	0.00
2/12/1989	1,017.43	37.3	10.0	0.00
2/13/1989	1,017.61	59.8	10.0	0.47
2/14/1989	1,017.51	57.3	71.1	0.51
2/15/1989	1,018.52	332.3	80.8	0.26
2/16/1989	1,019.27	316.0	75.1	0.25
2/17/1989	1,020.27	376.1	76.0	0.30
2/18/1989	1,020.17	252.6	230.8	0.13
2/19/1989	1,019.69	148.4	287.6	0.55
2/20/1989	1,019.12	115.9	286.3	0.76
2/21/1989	1,019.25	252.4	285.0	0.36
2/22/1989	1,021.88	1,009.6	193.8	0.07
2/23/1989	1,022.11	349.4	205.8	0.04
2/24/1989	1,020.67	112.9	516.4	0.11
2/25/1989	1,018.85	25.1	579.9	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/1989	1,018.05	49.8	361.6	0.02
2/27/1989	1,017.83	72.6	149.4	0.05
2/28/1989	1,017.57	77.8	149.0	0.01
3/1/1989	1,017.43	66.9	110.4	0.00
3/2/1989	1,017.19	28.3	94.0	0.00
3/3/1989	1,017.34	53.5	27.5	0.00
3/4/1989	1,017.50	56.1	10.0	0.00
3/5/1989	1,017.33	35.8	59.5	1.88
3/6/1989	1,020.03	494.6	76.1	0.77
3/7/1989	1,024.43	1,833.4	79.5	0.02
3/8/1989	1,024.06	326.3	337.8	0.00
3/9/1989	1,022.80	65.9	449.0	0.00
3/10/1989	1,021.81	101.0	445.0	0.00
3/11/1989	1,021.46	52.1	214.1	0.00
3/12/1989	1,021.20	64.6	145.9	0.00
3/13/1989	1,020.88	44.8	145.0	0.41
3/14/1989	1,020.71	87.1	145.0	0.00
3/15/1989	1,020.45	64.1	144.6	0.00
3/16/1989	1,020.30	58.1	110.9	0.00
3/17/1989	1,020.12	43.1	97.0	0.00
3/18/1989	1,020.26	61.4	31.9	0.17
3/19/1989	1,020.47	75.9	10.0	0.00
3/20/1989	1,020.64	65.4	10.0	0.57
3/21/1989	1,020.99	112.9	10.0	0.28
3/22/1989	1,022.09	340.0	10.0	0.00
3/23/1989	1,022.00	218.3	10.0	0.29
3/24/1989	1,023.27	206.0	10.0	0.00
3/25/1989	1,023.75	176.6	10.0	0.00
3/26/1989	1,024.15	142.3	10.0	0.00
3/27/1989	1,024.38	72.8	10.0	0.00
3/28/1989	1,024.64	126.0	10.0	0.00
3/29/1989	1,024.84	84.1	10.0	0.00
3/30/1989	1,025.09	92.3	10.0	0.23
3/31/1989	1,025.30	81.9	10.0	0.18
4/1/1989	1,025.54	94.1	9.3	0.06
4/2/1989	1,025.71	73.6	10.0	0.12
4/3/1989	1,025.91	69.5	10.0	0.60
4/4/1989	1,026.20	128.4	10.0	0.27
4/5/1989	1,027.35	402.4	10.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/6/1989	1,027.55	204.5	126.4	0.03
4/7/1989	1,027.48	149.9	163.3	0.07
4/8/1989	1,027.39	136.8	165.0	0.18
4/9/1989	1,027.28	122.1	164.4	0.06
4/10/1989	1,027.17	77.4	119.0	0.00
4/11/1989	1,027.27	71.8	44.6	0.00
4/12/1989	1,027.39	69.5	25.0	0.00
4/13/1989	1,027.36	48.8	54.4	0.00
4/14/1989	1,027.28	36.8	62.0	0.25
4/15/1989	1,027.39	56.1	32.0	0.25
4/16/1989	1,027.37	60.0	52.5	0.00
4/17/1989	1,027.29	33.4	62.0	0.00
4/18/1989	1,027.31	39.6	38.3	0.00
4/19/1989	1,027.32	38.1	32.0	0.02
4/20/1989	1,027.32	31.6	32.0	0.00
4/21/1989	1,027.30	24.8	32.0	0.00
4/22/1989	1,027.26	20.5	32.0	0.00
4/23/1989	1,027.32	30.3	15.5	0.03
4/24/1989	1,027.37	27.4	10.0	0.00
4/25/1989	1,027.33	19.0	27.5	0.00
4/26/1989	1,027.26	11.5	32.0	0.45
4/27/1989	1,027.46	54.5	11.1	0.32
4/28/1989	1,027.54	103.6	50.9	0.25
4/29/1989	1,027.55	87.9	77.8	0.68
4/30/1989	1,028.01	223.0	94.4	0.60
5/1/1989	1,028.44	318.3	150.6	0.76
5/2/1989	1,029.00	405.5	329.5	0.06
5/3/1989	1,028.26	425.1	497.0	0.00
5/4/1989	1,028.00	160.1	288.9	0.14
5/5/1989	1,027.77	178.8	198.5	1.89
5/6/1989	1,031.61	1,289.3	197.6	0.35
5/7/1989	1,032.86	1,020.0	307.0	0.16
5/8/1989	1,032.28	296.0	434.1	0.01
5/9/1989	1,032.02	474.0	589.8	0.50
5/10/1989	1,030.13	32.6	624.5	0.19
5/11/1989	1,029.00	220.1	619.0	0.07
5/12/1989	1,028.01	158.3	541.9	0.00
5/13/1989	1,027.54	92.5	301.6	0.00
5/14/1989	1,027.39	116.0	165.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/15/1989	1,027.25	84.9	136.6	0.60
5/16/1989	1,027.44	186.5	126.0	0.00
5/17/1989	1,027.38	136.6	149.6	0.00
5/18/1989	1,027.20	95.3	156.4	0.00
5/19/1989	1,027.15	66.6	90.4	0.00
5/20/1989	1,027.30	76.8	40.6	0.97
5/21/1989	1,027.53	164.0	71.0	0.00
5/22/1989	1,027.38	75.9	114.8	0.12
5/23/1989	1,027.21	61.5	125.4	0.16
5/24/1989	1,027.12	87.6	113.4	0.00
5/25/1989	1,027.24	58.9	36.5	0.00
5/26/1989	1,027.36	56.3	12.0	0.22
5/27/1989	1,027.33	36.0	43.3	0.25
5/28/1989	1,027.28	50.1	62.0	0.00
5/29/1989	1,027.25	19.6	33.5	0.00
5/30/1989	1,027.23	16.4	24.0	0.00
5/31/1989	1,027.19	12.0	24.0	0.00
6/1/1989	1,027.22	14.9	10.6	0.00
6/2/1989	1,027.26	22.1	5.0	0.13
6/3/1989	1,027.32	25.9	5.0	0.00
6/4/1989	1,027.38	19.6	5.0	0.24
6/5/1989	1,027.36	26.6	19.6	0.17
6/6/1989	1,027.36	38.5	32.0	1.68
6/7/1989	1,027.99	220.0	32.0	0.00
6/8/1989	1,027.90	140.1	137.4	0.21
6/9/1989	1,027.62	72.3	165.0	0.41
6/10/1989	1,027.43	151.1	219.6	0.00
6/11/1989	1,027.18	90.3	188.0	0.00
6/12/1989	1,027.19	51.6	48.5	0.85
6/13/1989	1,027.88	204.0	24.0	0.28
6/14/1989	1,027.60	219.0	233.8	0.31
6/15/1989	1,027.54	162.5	182.3	1.84
6/16/1989	1,033.73	1,430.8	180.5	1.81
6/17/1989	1,035.15	2,036.9	460.9	0.04
6/18/1989	1,033.80	554.5	899.8	0.00
6/19/1989	1,031.67	100.5	948.1	0.06
6/20/1989	1,029.29	163.1	935.0	0.06
6/21/1989	1,028.11	8.8	628.3	0.00
6/22/1989	1,027.65	34.4	251.6	0.16

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/23/1989	1,027.55	66.5	110.3	0.00
6/24/1989	1,027.40	34.4	83.0	0.00
6/25/1989	1,027.30	30.1	68.1	0.00
6/26/1989	1,027.22	17.0	47.0	0.00
6/27/1989	1,027.22	21.0	24.1	0.32
6/28/1989	1,027.29	34.9	17.0	0.44
6/29/1989	1,027.35	42.6	17.0	0.00
6/30/1989	1,027.35	19.1	17.0	0.00
7/1/1989	1,027.33	10.0	17.0	0.19
7/2/1989	1,027.35	19.3	17.0	0.00
7/3/1989	1,027.35	22.4	17.0	0.22
7/4/1989	1,027.33	19.6	24.6	0.12
7/5/1989	1,027.32	26.9	28.0	0.21
7/6/1989	1,027.64	115.1	28.0	0.42
7/7/1989	1,027.50	80.0	95.5	0.39
7/8/1989	1,027.31	54.3	126.0	0.00
7/9/1989	1,027.28	41.3	61.5	0.00
7/10/1989	1,027.27	18.1	25.0	0.00
7/11/1989	1,027.29	19.6	10.0	0.00
7/12/1989	1,027.30	15.9	10.0	0.00
7/13/1989	1,027.29	6.3	10.0	0.00
7/14/1989	1,027.28	5.3	10.0	0.00
7/15/1989	1,027.25	0.6	10.0	0.00
7/16/1989	1,027.22	2.5	10.0	0.00
7/17/1989	1,027.23	7.5	6.1	0.00
7/18/1989	1,027.24	8.5	5.0	0.00
7/19/1989	1,027.24	5.3	5.0	0.05
7/20/1989	1,027.25	8.5	5.0	0.00
7/21/1989	1,027.25	5.0	5.0	0.00
7/22/1989	1,027.25	5.0	5.0	0.00
7/23/1989	1,027.25	5.3	5.0	0.04
7/24/1989	1,027.26	8.1	5.0	0.04
7/25/1989	1,027.25	1.4	5.0	0.00
7/26/1989	1,027.24	1.3	4.8	0.00
7/27/1989	1,027.25	7.0	4.3	0.74
7/28/1989	1,027.32	29.8	5.0	0.00
7/29/1989	1,027.35	17.3	5.0	0.00
7/30/1989	1,027.35	6.8	5.0	0.80
7/31/1989	1,027.53	44.4	5.0	0.82

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
8/1/1989	1,027.23	48.0	111.6	0.00
8/2/1989	1,027.26	22.5	34.9	0.00
8/3/1989	1,027.27	11.1	5.0	0.00
8/4/1989	1,027.27	4.6	5.0	0.00
8/5/1989	1,027.24	6.0	5.0	1.86
8/6/1989	1,027.52	102.4	23.9	0.45
8/7/1989	1,027.27	25.0	90.8	0.00
8/8/1989	1,027.26	7.1	23.6	0.00
8/9/1989	1,027.27	8.0	4.0	0.00
8/10/1989	1,027.26	13.5	17.8	0.00
8/11/1989	1,027.25	1.9	5.0	0.00
8/12/1989	1,027.25	4.6	5.0	0.00
8/13/1989	1,027.24	1.9	5.0	0.00
8/14/1989	1,027.23	4.4	5.0	0.00
8/15/1989	1,027.22	1.1	5.0	0.11
8/16/1989	1,027.24	12.0	5.0	0.00
8/17/1989	1,027.24	7.9	5.0	1.79
8/18/1989	1,027.38	53.0	5.0	2.00
8/19/1989	1,027.46	55.3	32.9	0.02
8/20/1989	1,027.23	8.9	70.6	0.00
8/21/1989	1,027.24	13.1	21.3	0.72
8/22/1989	1,027.42	59.0	5.0	0.00
8/23/1989	1,027.33	12.5	31.4	0.11
8/24/1989	1,027.29	9.3	28.6	0.08
8/25/1989	1,027.34	29.9	17.0	0.05
8/26/1989	1,027.26	5.8	22.6	0.00
8/27/1989	1,027.26	2.8	10.6	0.00
8/28/1989	1,027.27	8.8	5.0	0.00
8/29/1989	1,027.28	8.5	5.0	0.00
8/30/1989	1,027.30	7.8	5.0	0.28
8/31/1989	1,027.32	16.1	5.0	0.00
9/1/1989	1,027.31	2.5	5.0	0.25
9/2/1989	1,027.35	16.3	5.0	0.00
9/3/1989	1,027.32	7.5	14.3	0.00
9/4/1989	1,027.26	0.0	17.0	0.00
9/5/1989	1,027.22	0.0	10.3	0.00
9/6/1989	1,027.21	0.6	5.5	0.22
9/7/1989	1,027.21	5.0	5.0	0.00
9/8/1989	1,027.21	5.0	5.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/9/1989	1,027.21	4.6	5.0	0.00
9/10/1989	1,027.20	1.5	5.0	0.00
9/11/1989	1,027.19	2.1	5.0	0.03
9/12/1989	1,027.20	8.1	5.0	0.01
9/13/1989	1,027.19	1.3	5.0	0.00
9/14/1989	1,027.17	0.6	5.0	0.18
9/15/1989	1,027.04	13.9	32.8	1.66
9/16/1989	1,027.91	243.4	51.0	0.67
9/17/1989	1,027.87	200.6	108.5	0.00
9/18/1989	1,027.82	41.9	82.6	0.00
9/19/1989	1,027.89	26.6	0.0	0.00
9/20/1989	1,027.55	2.8	92.9	0.00
9/21/1989	1,027.42	10.8	75.6	0.00
9/22/1989	1,026.99	6.1	128.3	1.27
9/23/1989	1,026.93	110.6	164.0	0.48
9/24/1989	1,026.85	162.3	164.0	0.00
9/25/1989	1,026.55	54.8	163.6	0.27
9/26/1989	1,026.59	61.4	81.6	0.25
9/27/1989	1,026.85	97.3	0.0	0.00
9/28/1989	1,026.98	74.5	0.0	0.00
9/29/1989	1,027.65	360.4	120.1	0.17
9/30/1989	1,026.22	3.1	163.5	0.84
10/1/1989	1,026.08	68.1	162.6	0.33
10/2/1989	1,026.51	335.9	162.9	0.00
10/3/1989	1,026.31	105.1	163.0	0.00
10/4/1989	1,025.97	55.5	162.9	0.00
10/5/1989	1,025.56	11.9	162.0	0.00
10/6/1989	1,025.12	5.6	161.1	0.00
10/7/1989	1,024.65	7.9	160.6	0.11
10/8/1989	1,024.18	2.4	159.9	0.00
10/9/1989	1,023.82	0.4	113.0	0.00
10/10/1989	1,023.66	6.1	66.0	0.11
10/11/1989	1,023.53	0.0	39.0	0.00
10/12/1989	1,023.41	0.0	39.0	0.00
10/13/1989	1,023.26	0.0	39.0	0.00
10/14/1989	1,023.12	0.0	39.0	0.00
10/15/1989	1,022.97	0.0	39.0	0.00
10/16/1989	1,022.85	2.6	35.0	0.00
10/17/1989	1,024.42	381.5	31.0	1.22



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/18/1989	1,033.18	3,301.8	32.9	0.98
10/19/1989	1,034.79	771.0	190.0	0.21
10/20/1989	1,035.49	797.9	313.1	0.04
10/21/1989	1,034.31	190.0	611.6	0.01
10/22/1989	1,032.89	76.6	638.9	0.00
10/23/1989	1,031.24	2.9	631.0	0.00
10/24/1989	1,029.53	0.0	623.0	0.00
10/25/1989	1,027.76	0.0	616.3	0.00
10/26/1989	1,025.93	0.0	609.9	0.00
10/27/1989	1,024.03	0.0	602.9	0.00
10/28/1989	1,021.94	0.0	594.4	0.00
10/29/1989	1,021.49	1.3	229.8	0.00
10/30/1989	1,021.34	11.9	58.0	0.00
10/31/1989	1,021.18	4.9	58.0	0.25
11/1/1989	1,021.06	20.9	58.0	0.00
11/2/1989	1,020.91	4.1	58.0	0.00
11/3/1989	1,020.71	3.4	58.0	0.02
11/4/1989	1,020.60	3.9	43.0	0.00
11/5/1989	1,020.47	0.0	38.0	0.00
11/6/1989	1,020.34	0.0	38.0	0.01
11/7/1989	1,020.21	1.1	38.0	0.21
11/8/1989	1,020.15	20.0	38.0	0.94
11/9/1989	1,020.04	44.5	79.9	0.15
11/10/1989	1,020.00	84.3	97.0	0.00
11/11/1989	1,019.83	44.3	97.0	0.00
11/12/1989	1,019.58	21.3	97.0	0.00
11/13/1989	1,019.31	15.5	96.4	0.00
11/14/1989	1,019.24	20.4	50.0	0.04
11/15/1989	1,019.19	26.8	38.0	0.91
11/16/1989	1,020.53	257.9	38.0	0.61
11/17/1989	1,021.73	751.6	191.3	0.10
11/18/1989	1,021.42	223.0	291.6	0.00
11/19/1989	1,020.78	87.3	290.6	0.00
11/20/1989	1,020.00	55.4	288.8	0.00
11/21/1989	1,019.16	22.0	286.8	0.00
11/22/1989	1,018.23	9.8	284.4	0.26
11/23/1989	1,018.20	55.0	104.0	0.14
11/24/1989	1,018.05	35.5	72.6	0.01
11/25/1989	1,017.85	25.3	86.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/26/1989	1,017.65	22.6	85.9	0.09
11/27/1989	1,017.51	36.9	79.1	0.00
11/28/1989	1,017.42	35.6	76.0	0.41
11/29/1989	1,017.42	86.3	76.0	0.00
11/30/1989	1,017.37	65.6	76.0	0.00
12/1/1989	1,017.30	58.5	76.0	0.00
12/2/1989	1,017.19	39.6	76.0	0.00
12/3/1989	1,017.15	46.4	61.6	0.02
12/4/1989	1,017.11	36.8	47.0	0.01
12/5/1989	1,017.02	22.9	47.0	0.00
12/6/1989	1,017.08	34.9	23.9	0.00
12/7/1989	1,017.13	33.3	16.0	0.00
12/8/1989	1,017.27	39.6	8.1	1.27
12/9/1989	1,017.46	66.3	5.0	0.08
12/10/1989	1,017.36	27.8	43.4	0.10
12/11/1989	1,017.33	20.9	34.3	0.15
12/12/1989	1,017.33	28.0	30.0	0.06
12/13/1989	1,017.31	24.0	30.0	0.01
12/14/1989	1,017.28	22.9	30.0	0.00
12/15/1989	1,017.24	19.1	30.0	0.19
12/16/1989	1,017.34	37.8	16.3	0.00
12/17/1989	1,017.38	25.8	10.0	0.03
12/18/1989	1,017.35	16.8	22.5	0.00
12/19/1989	1,017.29	12.9	30.0	0.10
12/20/1989	1,017.35	27.4	15.5	0.03
12/21/1989	1,017.40	24.5	10.0	0.00
12/22/1989	1,017.44	23.0	10.0	0.00
12/23/1989	1,017.44	11.8	10.0	0.00
12/24/1989	1,017.43	7.4	10.0	0.00
12/25/1989	1,017.40	6.4	15.0	0.00
12/26/1989	1,017.38	12.9	16.0	0.11
12/27/1989	1,017.39	16.8	16.0	0.06
12/28/1989	1,017.39	16.0	16.0	0.12
12/29/1989	1,017.39	16.1	16.0	0.25
12/30/1989	1,017.43	24.0	16.0	0.27
12/31/1989	1,017.55	87.8	32.5	0.51