



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/1990	1,019.02	413.0	38.0	0.20
1/2/1990	1,019.70	297.5	65.6	0.01
1/3/1990	1,019.34	125.0	186.8	0.01
1/4/1990	1,018.85	77.1	222.6	0.12
1/5/1990	1,018.38	76.3	221.8	0.00
1/6/1990	1,017.83	56.6	220.8	0.00
1/7/1990	1,017.51	60.5	163.9	0.00
1/8/1990	1,017.48	56.3	79.1	0.40
1/9/1990	1,017.44	97.1	109.1	0.01
1/10/1990	1,017.32	97.0	129.0	0.00
1/11/1990	1,017.30	88.0	96.9	0.00
1/12/1990	1,017.27	64.6	76.0	0.02
1/13/1990	1,017.20	59.5	76.0	0.01
1/14/1990	1,017.27	53.3	37.8	0.00
1/15/1990	1,017.36	50.6	22.0	0.00
1/16/1990	1,017.37	41.9	38.6	0.00
1/17/1990	1,017.32	34.1	47.0	0.05

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/1990	1,017.27	32.5	47.0	0.06
1/19/1990	1,017.22	32.4	47.0	0.07
1/20/1990	1,017.24	31.4	27.6	0.20
1/21/1990	1,017.33	44.0	22.0	0.06
1/22/1990	1,017.38	40.6	22.0	0.00
1/23/1990	1,017.40	34.8	27.3	0.00
1/24/1990	1,017.39	28.1	30.0	0.00
1/25/1990	1,017.42	38.0	30.0	0.07
1/26/1990	1,017.42	30.0	30.0	0.00
1/27/1990	1,017.40	27.4	30.0	0.00
1/28/1990	1,017.35	13.1	30.0	0.11
1/29/1990	1,017.33	33.4	30.0	0.85
1/30/1990	1,018.28	259.9	30.0	0.00
1/31/1990	1,018.53	233.6	115.0	0.00
2/1/1990	1,018.44	127.6	150.0	0.00
2/2/1990	1,018.24	94.9	150.0	0.00
2/3/1990	1,017.97	155.3	150.0	1.28
2/4/1990	1,023.04	1,424.4	106.5	0.53
2/5/1990	1,024.35	741.5	127.6	0.00
2/6/1990	1,024.14	226.4	251.9	0.00
2/7/1990	1,023.56	95.5	297.4	0.12
2/8/1990	1,022.14	80.6	518.1	0.00
2/9/1990	1,020.29	19.4	586.9	0.32
2/10/1990	1,020.35	261.3	508.8	1.13
2/11/1990	1,023.10	1,408.0	368.8	0.01
2/12/1990	1,022.30	321.4	493.8	0.00
2/13/1990	1,020.80	120.3	588.3	0.00
2/14/1990	1,019.16	56.0	581.0	0.00
2/15/1990	1,017.99	42.0	425.8	0.93
2/16/1990	1,018.66	224.1	226.4	0.34
2/17/1990	1,020.62	981.4	216.4	0.00
2/18/1990	1,019.47	228.8	507.9	0.02
2/19/1990	1,017.90	102.3	574.6	0.07
2/20/1990	1,017.52	106.9	287.3	0.00
2/21/1990	1,017.38	109.8	149.0	0.00
2/22/1990	1,017.16	84.5	148.4	0.05
2/23/1990	1,017.18	79.3	82.3	0.09
2/24/1990	1,017.20	72.0	66.0	0.15
2/25/1990	1,017.22	71.1	66.0	0.04

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/1990	1,017.16	55.8	66.0	0.01
2/27/1990	1,017.29	67.8	37.3	0.21
2/28/1990	1,017.49	73.3	22.0	0.09
3/1/1990	1,017.40	69.5	79.0	0.07
3/2/1990	1,017.29	61.8	94.0	0.36
3/3/1990	1,017.41	115.4	94.0	0.00
3/4/1990	1,017.48	156.8	127.1	0.00
3/5/1990	1,017.39	127.6	149.0	0.00
3/6/1990	1,017.32	85.4	111.1	0.00
3/7/1990	1,017.19	61.5	94.0	0.00
3/8/1990	1,017.27	62.4	49.8	0.11
3/9/1990	1,017.39	73.5	38.0	0.07
3/10/1990	1,017.45	65.1	45.6	0.45
3/11/1990	1,017.45	68.1	70.1	0.00
3/12/1990	1,017.38	60.9	76.0	0.00
3/13/1990	1,017.28	48.9	76.0	0.00
3/14/1990	1,017.29	51.0	52.3	0.00
3/15/1990	1,017.32	46.4	38.0	0.00
3/16/1990	1,017.33	45.1	38.0	0.93
3/17/1990	1,017.84	146.1	38.0	0.43
3/18/1990	1,020.18	732.3	38.0	0.00
3/19/1990	1,020.49	285.8	123.1	0.16
3/20/1990	1,020.38	165.4	185.6	0.18
3/21/1990	1,020.07	102.6	196.0	0.01
3/22/1990	1,019.65	69.9	195.4	0.00
3/23/1990	1,019.21	58.6	194.6	0.00
3/24/1990	1,019.22	71.3	97.6	0.42
3/25/1990	1,019.64	121.1	5.0	0.20
3/26/1990	1,019.78	139.6	75.8	0.00
3/27/1990	1,019.83	113.3	97.0	0.00
3/28/1990	1,019.80	91.4	97.0	0.00
3/29/1990	1,019.94	85.4	52.1	0.00
3/30/1990	1,020.06	82.3	38.0	0.23
3/31/1990	1,020.22	80.1	34.0	0.08
4/1/1990	1,020.34	77.3	38.0	0.00
4/2/1990	1,020.40	59.8	38.0	0.00
4/3/1990	1,020.58	65.9	16.4	0.03
4/4/1990	1,020.77	65.4	5.0	0.00
4/5/1990	1,020.93	60.3	5.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/6/1990	1,021.11	65.4	5.0	0.87
4/7/1990	1,021.51	189.0	80.0	0.00
4/8/1990	1,021.32	181.6	206.5	0.00
4/9/1990	1,021.32	117.1	130.4	0.00
4/10/1990	1,021.26	85.9	98.0	0.15
4/11/1990	1,021.32	88.3	82.8	0.15
4/12/1990	1,021.07	69.9	128.4	0.00
4/13/1990	1,021.06	75.0	91.6	0.00
4/14/1990	1,021.00	62.6	78.0	0.44
4/15/1990	1,021.30	102.8	33.9	0.00
4/16/1990	1,021.71	146.0	5.0	0.00
4/17/1990	1,022.07	123.1	5.0	0.30
4/18/1990	1,022.50	142.3	5.0	0.00
4/19/1990	1,022.84	116.4	5.0	0.00
4/20/1990	1,023.13	107.4	5.0	0.00
4/21/1990	1,023.40	101.1	5.0	0.25
4/22/1990	1,023.87	152.0	5.0	0.00
4/23/1990	1,024.35	167.1	5.0	0.00
4/24/1990	1,024.67	118.5	5.0	0.00
4/25/1990	1,024.95	104.4	5.0	0.00
4/26/1990	1,025.17	83.0	5.0	0.00
4/27/1990	1,025.37	76.0	5.0	0.00
4/28/1990	1,025.55	67.5	5.0	0.67
4/29/1990	1,025.87	110.4	5.0	0.00
4/30/1990	1,026.11	92.9	5.0	0.22
5/1/1990	1,026.31	76.9	5.0	0.40
5/2/1990	1,026.56	90.3	5.0	0.09
5/3/1990	1,026.77	78.3	5.0	0.00
5/4/1990	1,026.87	63.0	12.5	0.83
5/5/1990	1,027.35	135.5	17.0	0.06
5/6/1990	1,027.64	222.6	67.9	0.32
5/7/1990	1,027.75	141.1	104.0	0.00
5/8/1990	1,027.68	132.5	147.4	0.00
5/9/1990	1,027.49	99.0	165.0	0.16
5/10/1990	1,027.37	63.5	117.9	0.13
5/11/1990	1,027.27	56.4	84.0	0.00
5/12/1990	1,027.22	23.1	47.3	0.06
5/13/1990	1,027.26	42.5	30.8	0.02
5/14/1990	1,027.28	39.8	31.3	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/15/1990	1,027.24	20.0	32.0	0.08
5/16/1990	1,027.24	21.0	22.9	0.05
5/17/1990	1,027.28	22.6	17.0	0.41
5/18/1990	1,027.33	41.5	17.0	0.00
5/19/1990	1,027.28	1.6	17.0	0.00
5/20/1990	1,027.26	10.9	17.0	0.42
5/21/1990	1,027.31	32.6	17.0	0.23
5/22/1990	1,027.39	40.1	17.0	0.37
5/23/1990	1,027.25	33.9	70.1	0.03
5/24/1990	1,027.24	25.5	34.0	0.00
5/25/1990	1,027.21	13.3	24.0	0.05
5/26/1990	1,027.18	15.0	24.0	0.69
5/27/1990	1,027.28	46.3	14.1	0.17
5/28/1990	1,027.48	77.6	5.0	0.67
5/29/1990	1,028.71	360.0	4.1	0.21
5/30/1990	1,029.15	355.8	112.6	0.00
5/31/1990	1,028.51	94.4	289.3	0.00
6/1/1990	1,027.69	32.6	320.6	0.00
6/2/1990	1,027.38	92.3	253.4	0.24
6/3/1990	1,027.39	88.8	73.6	0.29
6/4/1990	1,027.44	51.8	40.0	0.00
6/5/1990	1,027.40	30.0	40.0	0.00
6/6/1990	1,027.33	16.4	40.0	0.02
6/7/1990	1,027.23	6.6	40.0	0.50
6/8/1990	1,027.22	35.1	40.0	0.00
6/9/1990	1,027.20	19.9	27.3	0.81
6/10/1990	1,027.58	105.9	13.8	0.38
6/11/1990	1,027.73	152.8	55.0	0.00
6/12/1990	1,027.41	43.1	146.4	0.00
6/13/1990	1,027.28	49.8	111.6	0.00
6/14/1990	1,027.26	17.3	24.0	0.19
6/15/1990	1,027.34	36.8	24.0	0.59
6/16/1990	1,027.36	62.0	36.5	0.00
6/17/1990	1,027.31	24.0	40.0	0.00
6/18/1990	1,027.26	11.5	32.3	0.16
6/19/1990	1,027.30	32.4	24.0	0.00
6/20/1990	1,027.26	16.9	24.0	0.00
6/21/1990	1,027.40	30.1	20.4	0.59
6/22/1990	1,027.34	106.8	81.9	0.12

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/23/1990	1,027.33	28.1	42.3	0.03
6/24/1990	1,027.30	15.6	24.0	0.06
6/25/1990	1,027.27	13.8	24.0	0.00
6/26/1990	1,027.30	24.6	14.0	0.00
6/27/1990	1,027.30	9.8	10.0	0.00
6/28/1990	1,027.29	6.3	10.0	0.00
6/29/1990	1,027.27	5.3	10.0	0.00
6/30/1990	1,027.25	0.6	10.0	0.00
7/1/1990	1,027.24	5.4	7.4	0.00
7/2/1990	1,027.30	23.0	5.0	0.00
7/3/1990	1,027.31	10.8	5.0	0.00
7/4/1990	1,027.30	1.9	5.0	0.00
7/5/1990	1,027.30	5.0	5.0	0.00
7/6/1990	1,027.64	43.6	5.0	2.08
7/7/1990	1,027.39	94.5	85.9	0.00
7/8/1990	1,027.28	0.0	40.8	0.00
7/9/1990	1,027.27	2.6	10.6	0.00
7/10/1990	1,027.27	5.0	5.0	0.00
7/11/1990	1,027.27	5.0	5.0	0.03
7/12/1990	1,027.27	5.0	5.0	0.12
7/13/1990	1,027.28	11.5	5.0	1.33
7/14/1990	1,027.30	111.4	84.9	1.76
7/15/1990	1,028.01	322.3	129.6	0.32
7/16/1990	1,028.17	279.0	174.0	0.00
7/17/1990	1,027.68	44.9	210.5	0.00
7/18/1990	1,027.36	3.4	121.1	0.00
7/19/1990	1,027.29	2.3	43.6	0.00
7/20/1990	1,027.33	16.6	5.0	0.00
7/21/1990	1,027.29	9.5	13.6	0.04
7/22/1990	1,027.30	6.6	7.6	0.38
7/23/1990	1,027.36	20.9	5.0	0.01
7/24/1990	1,027.34	13.5	14.0	0.00
7/25/1990	1,027.29	2.4	17.0	0.00
7/26/1990	1,027.27	0.3	9.3	0.00
7/27/1990	1,027.26	1.5	5.0	0.00
7/28/1990	1,027.25	1.9	5.0	0.00
7/29/1990	1,027.24	4.5	5.0	0.00
7/30/1990	1,027.22	4.9	5.0	0.23
7/31/1990	1,027.24	1.8	5.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
8/1/1990	1,027.24	7.0	5.0	0.00
8/2/1990	1,027.22	0.3	5.0	0.01
8/3/1990	1,027.21	1.3	5.0	0.00
8/4/1990	1,027.19	0.9	5.0	0.19
8/5/1990	1,027.21	10.8	5.0	0.70
8/6/1990	1,027.28	26.5	5.0	0.00
8/7/1990	1,027.28	9.9	5.0	0.00
8/8/1990	1,027.27	1.5	5.0	0.00
8/9/1990	1,027.26	1.3	5.0	0.03
8/10/1990	1,027.24	0.0	5.0	0.00
8/11/1990	1,027.22	0.3	5.0	0.02
8/12/1990	1,027.21	1.5	5.0	0.00
8/13/1990	1,027.20	3.0	5.0	0.59
8/14/1990	1,027.25	21.9	5.0	0.00
8/15/1990	1,027.25	4.6	5.0	0.00
8/16/1990	1,027.24	1.5	5.0	0.00
8/17/1990	1,027.23	1.3	5.0	0.00
8/18/1990	1,027.21	0.0	5.0	0.00
8/19/1990	1,027.19	0.0	5.0	0.00
8/20/1990	1,027.17	0.0	5.0	0.00
8/21/1990	1,027.15	6.9	5.0	1.62
8/22/1990	1,027.47	105.0	4.3	0.34
8/23/1990	1,027.42	45.5	51.6	0.66
8/24/1990	1,027.32	31.4	64.0	0.00
8/25/1990	1,027.27	2.8	25.4	0.00
8/26/1990	1,027.28	5.3	6.5	0.00
8/27/1990	1,027.28	7.6	5.0	0.00
8/28/1990	1,027.28	4.6	5.0	0.00
8/29/1990	1,027.27	4.1	5.0	0.65
8/30/1990	1,027.37	39.0	5.0	0.00
8/31/1990	1,027.38	8.5	5.0	0.00
9/1/1990	1,027.90	4.4	6.5	0.00
9/2/1990	1,027.37	0.6	9.5	0.00
9/3/1990	1,027.36	4.4	5.0	0.00
9/4/1990	1,027.35	0.3	5.0	0.00
9/5/1990	1,027.33	1.3	5.0	0.00
9/6/1990	1,027.32	0.0	5.0	0.00
9/7/1990	1,027.30	0.3	5.0	0.05
9/8/1990	1,027.29	1.3	5.0	0.09

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/9/1990	1,027.27	1.0	5.0	0.15
9/10/1990	1,027.28	8.0	5.0	0.00
9/11/1990	1,027.26	1.3	5.0	0.00
9/12/1990	1,027.24	0.5	5.0	0.16
9/13/1990	1,027.23	8.5	9.8	0.11
9/14/1990	1,027.21	0.0	11.0	0.06
9/15/1990	1,027.15	0.0	11.0	0.00
9/16/1990	1,027.10	0.0	11.0	0.00
9/17/1990	1,027.04	0.0	11.0	0.00
9/18/1990	1,026.98	0.0	11.0	0.00
9/19/1990	1,026.94	2.5	11.0	0.44
9/20/1990	1,026.94	12.4	11.0	0.00
9/21/1990	1,026.90	0.5	11.0	0.48
9/22/1990	1,027.04	23.9	11.0	0.99
9/23/1990	1,027.15	84.6	11.0	0.00
9/24/1990	1,027.14	6.1	11.0	0.00
9/25/1990	1,026.89	0.0	51.4	0.00
9/26/1990	1,026.54	0.0	84.0	0.00
9/27/1990	1,026.22	0.0	83.1	0.00
9/28/1990	1,025.89	0.0	83.0	0.00
9/29/1990	1,025.56	0.0	83.0	0.00
9/30/1990	1,025.22	0.0	82.4	0.00
10/1/1990	1,024.89	0.0	82.0	0.00
10/2/1990	1,024.70	0.0	46.3	0.00
10/3/1990	1,024.59	0.0	26.4	0.00
10/4/1990	1,024.47	1.5	23.0	0.91
10/5/1990	1,024.50	25.0	23.0	0.00
10/6/1990	1,024.40	0.0	23.0	0.00
10/7/1990	1,024.29	0.0	23.0	0.00
10/8/1990	1,024.20	3.8	23.0	0.70
10/9/1990	1,024.23	33.4	23.0	0.00
10/10/1990	1,024.16	2.4	23.0	0.05
10/11/1990	1,023.99	0.0	34.3	0.20
10/12/1990	1,023.85	0.0	39.0	0.08
10/13/1990	1,023.71	0.0	39.0	0.02
10/14/1990	1,023.57	0.0	39.0	0.00
10/15/1990	1,023.41	0.0	39.0	0.00
10/16/1990	1,023.25	0.0	39.0	0.00
10/17/1990	1,023.08	0.0	39.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/18/1990	1,022.94	2.6	39.0	0.41
10/19/1990	1,022.84	13.1	39.0	0.00
10/20/1990	1,022.69	0.0	39.0	0.00
10/21/1990	1,022.53	0.0	39.0	0.00
10/22/1990	1,022.36	0.1	38.4	0.58
10/23/1990	1,022.32	17.9	38.0	0.20
10/24/1990	1,022.14	16.8	67.1	0.00
10/25/1990	1,021.86	0.0	79.0	0.07
10/26/1990	1,021.73	0.0	40.1	0.00
10/27/1990	1,021.61	0.0	30.0	0.00
10/28/1990	1,021.47	0.0	30.0	0.00
10/29/1990	1,021.34	0.0	30.0	0.00
10/30/1990	1,021.19	0.0	30.0	0.00
10/31/1990	1,021.07	0.0	24.0	0.00
11/1/1990	1,020.97	0.0	22.0	0.00
11/2/1990	1,020.85	0.0	22.0	0.00
11/3/1990	1,020.74	0.0	22.0	0.00
11/4/1990	1,020.62	0.0	22.0	0.00
11/5/1990	1,020.51	0.0	22.0	0.31
11/6/1990	1,020.41	0.0	22.0	0.00
11/7/1990	1,020.26	0.0	32.8	0.00
11/8/1990	1,020.08	0.0	38.0	0.00
11/9/1990	1,019.91	0.0	32.0	0.39
11/10/1990	1,019.83	0.6	30.0	0.27
11/11/1990	1,019.75	4.4	30.0	0.00
11/12/1990	1,019.64	0.0	30.0	0.00
11/13/1990	1,019.50	0.0	30.0	0.00
11/14/1990	1,019.36	0.0	30.0	0.00
11/15/1990	1,019.22	0.0	30.0	0.00
11/16/1990	1,019.07	0.0	30.0	0.13
11/17/1990	1,018.91	0.0	30.0	0.00
11/18/1990	1,018.76	0.0	30.0	0.00
11/19/1990	1,018.62	0.0	30.0	0.00
11/20/1990	1,018.46	0.0	30.0	0.00
11/21/1990	1,018.33	0.0	30.0	0.00
11/22/1990	1,018.17	0.0	30.0	0.33
11/23/1990	1,018.09	1.1	30.0	0.09
11/24/1990	1,017.99	4.9	30.0	0.00
11/25/1990	1,017.85	0.0	30.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/26/1990	1,017.72	0.0	17.5	0.00
11/27/1990	1,017.58	0.0	30.0	0.00
11/28/1990	1,017.45	0.0	30.0	0.17
11/29/1990	1,017.33	0.0	30.0	0.00
11/30/1990	1,017.18	0.0	30.0	0.00
12/1/1990	1,017.14	0.0	14.3	0.00
12/2/1990	1,017.10	0.4	10.0	0.37
12/3/1990	1,017.12	15.3	10.0	0.86
12/4/1990	1,017.59	114.4	10.0	0.01
12/5/1990	1,017.43	107.1	104.6	0.01
12/6/1990	1,017.26	28.1	91.1	0.00
12/7/1990	1,017.17	15.9	38.0	0.00
12/8/1990	1,017.17	8.3	12.6	0.00
12/9/1990	1,017.27	27.3	5.0	0.00
12/10/1990	1,017.30	16.0	5.0	0.00
12/11/1990	1,017.33	13.5	5.0	0.00
12/12/1990	1,017.35	12.6	5.0	0.01
12/13/1990	1,017.36	7.5	5.0	0.00
12/14/1990	1,017.38	8.4	5.0	0.00
12/15/1990	1,017.38	10.9	7.6	0.51
12/16/1990	1,017.49	35.9	10.0	0.00
12/17/1990	1,017.56	42.5	10.0	1.07
12/18/1990	1,018.26	221.6	70.1	0.57
12/19/1990	1,019.39	429.4	95.6	0.00
12/20/1990	1,018.37	179.6	347.4	0.31
12/21/1990	1,018.13	95.4	265.5	0.25
12/22/1990	1,018.37	157.9	71.0	0.88
12/23/1990	1,019.47	306.1	71.0	0.59
12/24/1990	1,021.18	650.6	72.0	0.10
12/25/1990	1,020.53	201.8	302.3	0.01
12/26/1990	1,019.17	38.9	436.4	0.00
12/27/1990	1,018.79	47.9	210.6	1.42
12/28/1990	1,020.82	538.9	191.6	0.03
12/29/1990	1,021.73	851.0	291.0	0.00
12/30/1990	1,021.24	166.8	291.4	0.87
12/31/1990	1,021.78	339.4	290.3	