



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/1991	1,021.40	408.0	386.1	0.00
1/2/1991	1,020.36	110.5	440.0	0.00
1/3/1991	1,019.06	30.8	435.9	0.00
1/4/1991	1,018.65	42.6	211.6	0.00
1/5/1991	1,018.26	23.9	142.0	0.00
1/6/1991	1,017.84	12.8	141.4	0.00
1/7/1991	1,017.69	90.3	141.0	0.92
1/8/1991	1,019.83	743.1	142.0	0.31
1/9/1991	1,019.87	280.3	218.5	0.00
1/10/1991	1,019.33	142.6	286.6	0.00
1/11/1991	1,019.33	136.1	180.9	0.33
1/12/1991	1,018.99	144.4	200.0	0.10
1/13/1991	1,018.42	102.8	284.4	0.05
1/14/1991	1,017.67	64.6	282.8	0.01
1/15/1991	1,017.60	78.5	136.3	0.00
1/16/1991	1,017.43	63.3	102.8	0.01
1/17/1991	1,017.42	72.4	86.5	0.16

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/1991	1,017.49	80.9	56.0	0.00
1/19/1991	1,017.52	64.9	56.0	0.00
1/20/1991	1,017.47	54.8	65.5	0.02
1/21/1991	1,017.43	57.6	70.0	0.16
1/22/1991	1,017.36	50.5	70.0	0.02
1/23/1991	1,017.35	37.6	44.3	0.01
1/24/1991	1,017.41	28.1	14.0	0.00
1/25/1991	1,017.46	33.0	14.0	0.00
1/26/1991	1,017.48	20.0	14.0	0.00
1/27/1991	1,017.50	20.3	14.0	0.00
1/28/1991	1,017.51	25.1	22.3	0.17
1/29/1991	1,017.52	30.9	28.0	0.01
1/30/1991	1,017.49	62.4	28.0	0.00
1/31/1991	1,020.04	720.6	101.6	1.20
2/1/1991	1,019.68	398.3	351.0	0.00
2/2/1991	1,019.26	128.3	285.6	0.00
2/3/1991	1,018.80	78.5	213.9	0.00
2/4/1991	1,018.24	45.5	212.9	0.00
2/5/1991	1,017.63	32.0	211.9	0.00
2/6/1991	1,017.50	59.0	130.4	0.51
2/7/1991	1,017.77	197.1	117.9	0.63
2/8/1991	1,017.88	180.9	141.0	0.07
2/9/1991	1,017.87	184.5	185.4	0.00
2/10/1991	1,017.74	135.0	167.6	0.00
2/11/1991	1,017.50	69.1	141.0	0.00
2/12/1991	1,017.43	72.1	104.1	0.02
2/13/1991	1,017.43	75.8	70.0	0.00
2/14/1991	1,017.75	134.3	74.8	0.83
2/15/1991	1,018.63	399.3	127.0	0.32
2/16/1991	1,018.85	237.1	150.6	0.20
2/17/1991	1,018.81	152.1	151.0	0.16
2/18/1991	1,018.90	214.9	151.0	0.62
2/19/1991	1,022.15	1,119.4	153.1	0.63
2/20/1991	1,025.62	1,354.6	88.5	0.92
2/21/1991	1,026.91	467.4	116.0	0.01
2/22/1991	1,026.44	272.8	366.8	0.00
2/23/1991	1,025.47	129.0	456.9	0.00
2/24/1991	1,024.34	77.1	453.6	0.00
2/25/1991	1,023.10	21.0	449.9	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/1991	1,021.90	30.6	445.0	0.22
2/27/1991	1,020.45	1.6	441.0	0.01
2/28/1991	1,018.93	0.0	435.8	0.00
3/1/1991	1,018.37	4.9	226.6	0.00
3/2/1991	1,018.26	47.4	94.6	0.10
3/3/1991	1,018.19	52.9	71.0	0.02
3/4/1991	1,018.47	123.9	71.0	0.66
3/5/1991	1,018.25	193.8	217.3	0.01
3/6/1991	1,017.60	98.6	282.4	0.00
3/7/1991	1,017.91	199.4	155.1	0.46
3/8/1991	1,017.88	204.9	189.4	0.00
3/9/1991	1,017.58	128.9	211.4	0.00
3/10/1991	1,017.45	98.4	152.9	0.00
3/11/1991	1,017.37	77.9	94.5	0.01
3/12/1991	1,017.23	61.1	98.0	0.00
3/13/1991	1,017.36	76.8	52.5	0.31
3/14/1991	1,017.56	100.8	42.0	0.24
3/15/1991	1,017.77	106.5	42.0	0.05
3/16/1991	1,017.96	95.6	39.3	0.00
3/17/1991	1,018.10	85.4	38.0	0.00
3/18/1991	1,018.38	108.6	38.0	0.40
3/19/1991	1,018.89	190.5	38.0	0.04
3/20/1991	1,019.00	165.0	110.9	0.00
3/21/1991	1,018.90	126.5	151.0	0.15
3/22/1991	1,019.04	133.9	100.0	0.40
3/23/1991	1,020.50	443.8	77.1	1.19
3/24/1991	1,024.74	1,489.3	80.0	0.00
3/25/1991	1,025.46	393.6	82.0	0.00
3/26/1991	1,025.14	171.1	232.6	0.00
3/27/1991	1,024.58	110.8	300.0	0.05
3/28/1991	1,023.97	85.9	298.4	0.20
3/29/1991	1,023.27	97.6	322.0	0.76
3/30/1991	1,024.50	620.6	297.0	0.36
3/31/1991	1,024.33	426.6	407.1	0.01
4/1/1991	1,023.45	167.5	450.0	0.00
4/2/1991	1,022.38	98.6	447.0	0.00
4/3/1991	1,021.59	75.8	352.4	0.00
4/4/1991	1,021.76	99.5	79.0	0.00
4/5/1991	1,022.05	102.4	12.9	0.02

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/6/1991	1,022.38	116.6	5.0	0.07
4/7/1991	1,022.62	88.3	5.0	0.00
4/8/1991	1,022.86	80.9	5.0	0.00
4/9/1991	1,023.05	73.4	5.0	0.00
4/10/1991	1,023.30	85.4	5.0	0.25
4/11/1991	1,023.48	67.5	5.0	0.00
4/12/1991	1,023.63	58.4	5.0	0.00
4/13/1991	1,023.83	66.0	5.0	0.45
4/14/1991	1,024.06	81.5	5.0	0.02
4/15/1991	1,024.24	86.5	5.0	0.31
4/16/1991	1,025.39	352.9	5.0	0.30
4/17/1991	1,025.94	214.9	5.0	0.00
4/18/1991	1,026.33	142.5	5.0	0.00
4/19/1991	1,026.59	108.5	8.6	0.04
4/20/1991	1,026.89	114.5	10.0	0.34
4/21/1991	1,027.15	95.1	10.0	0.01
4/22/1991	1,027.36	96.9	10.0	0.00
4/23/1991	1,027.35	64.4	61.0	0.00
4/24/1991	1,027.18	31.1	84.0	0.01
4/25/1991	1,027.18	34.9	41.5	0.00
4/26/1991	1,027.20	33.4	24.0	0.00
4/27/1991	1,027.20	25.1	24.0	0.00
4/28/1991	1,027.25	40.6	24.0	0.17
4/29/1991	1,027.25	24.4	24.0	0.00
4/30/1991	1,027.27	28.5	19.8	0.01
5/1/1991	1,027.25	13.8	24.0	0.01
5/2/1991	1,027.20	9.9	24.0	0.00
5/3/1991	1,027.26	26.4	8.9	0.00
5/4/1991	1,027.31	22.8	5.0	0.00
5/5/1991	1,027.34	21.1	8.6	0.00
5/6/1991	1,027.35	14.1	10.0	0.00
5/7/1991	1,027.39	21.5	10.0	0.00
5/8/1991	1,027.39	12.9	10.0	0.00
5/9/1991	1,027.43	17.5	10.0	0.00
5/10/1991	1,027.38	25.0	33.8	0.00
5/11/1991	1,027.25	0.5	40.0	0.00
5/12/1991	1,027.29	15.8	10.9	0.00
5/13/1991	1,027.41	40.8	5.0	0.00
5/14/1991	1,027.48	42.3	8.6	0.81

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/15/1991	1,027.45	13.0	20.5	0.00
5/16/1991	1,027.39	2.0	24.0	0.00
5/17/1991	1,027.32	0.0	24.0	0.00
5/18/1991	1,027.24	2.4	24.0	0.00
5/19/1991	1,027.39	53.3	8.1	0.00
5/20/1991	1,027.84	142.3	5.0	0.97
5/21/1991	1,027.70	115.1	128.3	0.25
5/22/1991	1,027.37	54.5	165.0	0.00
5/23/1991	1,027.25	24.1	85.4	0.00
5/24/1991	1,027.28	21.0	12.3	0.00
5/25/1991	1,027.28	12.9	10.0	0.00
5/26/1991	1,027.29	12.9	10.0	0.00
5/27/1991	1,027.27	4.3	10.0	0.00
5/28/1991	1,027.31	21.5	10.0	0.36
5/29/1991	1,027.31	14.4	10.0	0.00
5/30/1991	1,027.39	37.0	10.0	1.12
5/31/1991	1,027.39	9.8	10.0	0.01
6/1/1991	1,027.39	8.8	10.0	0.39
6/2/1991	1,027.45	31.5	10.0	0.09
6/3/1991	1,027.55	39.4	10.0	0.36
6/4/1991	1,027.56	87.0	68.8	0.62
6/5/1991	1,027.35	13.1	84.0	0.00
6/6/1991	1,027.27	1.1	39.6	0.00
6/7/1991	1,027.30	13.1	5.0	0.00
6/8/1991	1,027.30	7.6	5.0	0.00
6/9/1991	1,027.30	4.6	5.0	0.00
6/10/1991	1,027.29	1.3	5.0	0.00
6/11/1991	1,027.27	1.1	5.0	0.00
6/12/1991	1,027.32	15.4	5.0	0.01
6/13/1991	1,027.33	13.0	5.0	0.02
6/14/1991	1,027.31	3.6	8.9	0.00
6/15/1991	1,027.28	2.4	10.0	0.00
6/16/1991	1,027.27	2.0	6.6	0.00
6/17/1991	1,027.34	27.9	5.0	0.51
6/18/1991	1,027.44	33.1	5.0	0.01
6/19/1991	1,027.27	26.4	65.8	0.61
6/20/1991	1,027.35	31.1	18.8	0.05
6/21/1991	1,027.39	25.3	9.1	0.30
6/22/1991	1,027.36	14.5	20.8	0.18

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/23/1991	1,027.32	9.8	24.0	0.13
6/24/1991	1,027.26	5.4	24.0	0.00
6/25/1991	1,027.27	7.8	8.1	0.01
6/26/1991	1,027.42	53.9	5.0	0.28
6/27/1991	1,027.28	15.8	51.4	0.00
6/28/1991	1,027.28	4.9	14.6	0.00
6/29/1991	1,027.30	12.0	5.0	0.00
6/30/1991	1,027.30	5.3	5.0	0.02
7/1/1991	1,027.31	15.8	5.0	0.00
7/2/1991	1,027.63	112.6	5.0	0.00
7/3/1991	1,027.34	0.3	5.0	0.00
7/4/1991	1,027.33	1.3	5.0	0.00
7/5/1991	1,027.33	1.9	5.0	0.00
7/6/1991	1,027.32	6.9	5.0	0.00
7/7/1991	1,027.30	0.0	5.0	0.00
7/8/1991	1,027.28	0.0	5.0	0.00
7/9/1991	1,027.26	0.3	5.0	0.00
7/10/1991	1,027.25	4.1	5.0	0.00
7/11/1991	1,027.36	40.1	5.0	0.00
7/12/1991	1,027.42	20.9	5.0	0.00
7/13/1991	1,027.55	90.6	45.4	0.00
7/14/1991	1,027.55	74.3	79.0	0.00
7/15/1991	1,027.39	49.5	84.0	0.00
7/16/1991	1,027.29	1.1	40.3	0.00
7/17/1991	1,027.30	7.5	8.1	0.00
7/18/1991	1,027.31	6.1	5.0	0.00
7/19/1991	1,027.32	9.0	5.0	0.00
7/20/1991	1,027.33	11.1	5.0	0.00
7/21/1991	1,027.33	5.0	5.0	0.00
7/22/1991	1,027.33	4.6	5.0	0.00
7/23/1991	1,027.32	2.5	5.0	0.00
7/24/1991	1,027.41	23.3	5.0	0.58
7/25/1991	1,027.47	54.8	9.5	0.18
7/26/1991	1,028.25	206.5	11.0	0.51
7/27/1991	1,028.03	148.1	136.8	0.00
7/28/1991	1,027.60	15.8	165.0	0.00
7/29/1991	1,027.59	33.8	76.4	0.21
7/30/1991	1,027.36	36.9	85.5	0.00
7/31/1991	1,027.30	1.1	36.1	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
8/1/1991	1,027.28	6.1	11.0	0.00
8/2/1991	1,027.27	0.5	6.8	0.00
8/3/1991	1,027.26	3.0	3.1	0.00
8/4/1991	1,027.25	0.3	3.9	0.00
8/5/1991	1,027.24	1.3	5.0	0.00
8/6/1991	1,027.22	0.6	5.0	0.00
8/7/1991	1,027.22	5.6	5.0	0.39
8/8/1991	1,027.25	15.6	5.0	0.01
8/9/1991	1,027.28	22.5	5.0	0.26
8/10/1991	1,027.35	151.9	121.5	1.52
8/11/1991	1,027.25	12.4	59.1	0.00
8/12/1991	1,027.24	4.3	8.9	0.00
8/13/1991	1,027.25	6.8	5.0	0.00
8/14/1991	1,027.29	18.5	4.3	0.00
8/15/1991	1,027.33	18.6	5.0	0.00
8/16/1991	1,027.31	7.0	9.5	0.00
8/17/1991	1,027.27	0.0	11.0	0.00
8/18/1991	1,027.25	0.6	6.0	0.00
8/19/1991	1,027.25	6.1	5.0	0.00
8/20/1991	1,027.32	24.4	5.0	0.00
8/21/1991	1,027.33	12.9	5.0	0.00
8/22/1991	1,027.32	1.5	5.0	0.00
8/23/1991	1,027.31	1.5	5.0	0.00
8/24/1991	1,027.30	1.5	5.0	0.00
8/25/1991	1,027.29	1.3	5.0	0.00
8/26/1991	1,027.27	0.3	5.0	0.00
8/27/1991	1,027.26	1.5	5.0	0.00
8/28/1991	1,027.25	1.5	5.0	0.00
8/29/1991	1,027.25	4.1	5.0	1.02
8/30/1991	1,027.37	33.0	5.0	0.36
8/31/1991	1,027.40	32.3	5.0	0.00
9/1/1991	1,027.40	5.0	5.0	0.00
9/2/1991	1,027.40	4.4	5.0	0.00
9/3/1991	1,027.40	3.1	5.0	0.00
9/4/1991	1,027.41	12.9	5.0	0.01
9/5/1991	1,027.38	1.4	9.1	0.00
9/6/1991	1,027.36	3.1	10.6	0.00
9/7/1991	1,027.34	1.4	11.0	0.00
9/8/1991	1,027.33	9.6	11.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/9/1991	1,027.28	0.0	11.0	0.00
9/10/1991	1,027.23	0.0	11.0	0.00
9/11/1991	1,027.20	0.3	11.0	0.06
9/12/1991	1,027.16	0.0	9.5	0.00
9/13/1991	1,027.12	0.0	11.0	0.00
9/14/1991	1,027.07	0.0	11.0	0.00
9/15/1991	1,027.01	0.0	11.0	0.00
9/16/1991	1,026.96	0.0	11.0	0.00
9/17/1991	1,026.80	0.9	33.8	0.00
9/18/1991	1,026.78	18.4	32.3	0.13
9/19/1991	1,026.69	9.8	43.0	0.62
9/20/1991	1,026.55	0.0	43.0	0.05
9/21/1991	1,026.39	0.0	43.0	0.00
9/22/1991	1,026.21	0.0	43.0	0.00
9/23/1991	1,026.03	0.0	43.0	0.02
9/24/1991	1,025.87	0.0	42.4	0.06
9/25/1991	1,025.79	5.5	42.0	0.69
9/26/1991	1,025.72	26.3	42.0	0.01
9/27/1991	1,025.57	0.0	42.0	0.00
9/28/1991	1,025.41	0.0	42.0	0.00
9/29/1991	1,025.24	0.0	42.0	0.00
9/30/1991	1,025.06	0.0	42.0	0.00
10/1/1991	1,024.88	0.0	42.0	0.00
10/2/1991	1,024.71	0.0	42.0	0.00
10/3/1991	1,024.54	0.0	42.0	0.00
10/4/1991	1,024.35	0.0	42.0	0.00
10/5/1991	1,024.18	0.0	42.0	0.00
10/6/1991	1,024.02	0.0	42.0	0.27
10/7/1991	1,023.83	0.0	41.1	0.00
10/8/1991	1,023.65	0.0	41.0	0.00
10/9/1991	1,023.46	0.0	41.0	0.00
10/10/1991	1,023.27	0.0	41.0	0.00
10/11/1991	1,023.09	0.0	41.0	0.00
10/12/1991	1,022.91	0.0	41.0	0.00
10/13/1991	1,022.71	0.0	41.0	0.00
10/14/1991	1,022.54	0.0	41.0	0.00
10/15/1991	1,022.39	5.1	41.0	0.00
10/16/1991	1,022.35	35.6	41.0	0.00
10/17/1991	1,022.20	0.0	41.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/18/1991	1,022.03	0.0	41.0	0.00
10/19/1991	1,021.84	0.0	40.1	0.00
10/20/1991	1,021.66	0.0	40.0	0.00
10/21/1991	1,021.49	0.0	40.0	0.00
10/22/1991	1,021.31	0.0	40.0	0.00
10/23/1991	1,021.13	0.0	40.0	0.00
10/24/1991	1,020.95	0.0	40.0	0.00
10/25/1991	1,020.78	0.0	40.0	0.00
10/26/1991	1,020.60	0.0	40.0	0.00
10/27/1991	1,020.40	0.0	40.0	0.00
10/28/1991	1,020.22	0.0	40.0	0.00
10/29/1991	1,020.04	0.0	40.0	0.00
10/30/1991	1,019.85	0.0	40.0	0.00
10/31/1991	1,019.65	0.0	40.0	0.00
11/1/1991	1,019.45	0.0	40.0	0.00
11/2/1991	1,019.25	0.0	40.0	0.00
11/3/1991	1,019.05	0.0	40.0	0.00
11/4/1991	1,018.83	0.0	39.4	0.00
11/5/1991	1,018.68	0.0	31.9	0.00
11/6/1991	1,018.54	0.0	28.0	0.00
11/7/1991	1,018.40	0.0	28.0	0.00
11/8/1991	1,018.26	0.0	28.0	0.01
11/9/1991	1,018.13	0.0	28.0	0.00
11/10/1991	1,017.99	0.0	28.0	0.01
11/11/1991	1,017.88	0.0	28.0	0.21
11/12/1991	1,017.76	0.0	28.0	0.00
11/13/1991	1,017.70	0.0	14.3	0.01
11/14/1991	1,017.65	0.0	10.0	0.00
11/15/1991	1,017.60	0.0	10.0	0.00
11/16/1991	1,017.55	0.0	10.0	0.00
11/17/1991	1,017.51	0.0	10.0	0.08
11/18/1991	1,017.47	0.0	10.0	0.00
11/19/1991	1,017.43	0.0	10.0	0.00
11/20/1991	1,017.37	0.0	10.0	0.00
11/21/1991	1,017.31	1.5	13.5	0.10
11/22/1991	1,017.54	77.4	16.0	0.00
11/23/1991	1,019.35	535.8	16.0	0.00
11/24/1991	1,019.26	87.5	76.0	0.00
11/25/1991	1,018.93	7.1	96.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/26/1991	1,018.53	0.0	96.0	0.00
11/27/1991	1,018.12	0.0	95.1	0.00
11/28/1991	1,017.70	0.0	95.0	0.00
11/29/1991	1,017.54	0.0	43.1	0.00
11/30/1991	1,017.43	0.3	22.0	0.00
12/1/1991	1,017.68	61.0	9.9	0.00
12/2/1991	1,018.54	398.9	64.0	0.00
12/3/1991	1,024.82	1,679.3	38.0	0.00
12/4/1991	1,028.40	1,569.6	5.0	0.00
12/5/1991	1,028.02	148.1	225.3	0.00
12/6/1991	1,026.33	0.4	534.9	0.00
12/7/1991	1,024.73	0.0	496.1	0.00
12/8/1991	1,023.08	0.0	450.4	0.00
12/9/1991	1,021.36	5.8	444.8	0.00
12/10/1991	1,021.68	280.5	334.6	1.01
12/11/1991	1,021.55	333.8	291.9	0.00
12/12/1991	1,020.88	88.9	290.8	0.00
12/13/1991	1,020.05	34.1	288.8	0.01
12/14/1991	1,020.05	129.3	197.4	0.72
12/15/1991	1,020.69	313.3	101.0	0.00
12/16/1991	1,019.71	91.3	313.6	0.00
12/17/1991	1,018.34	0.1	433.4	0.00
12/18/1991	1,017.83	12.3	213.5	0.00
12/19/1991	1,017.62	24.3	94.9	0.00
12/20/1991	1,017.39	9.8	76.0	0.00
12/21/1991	1,017.33	20.8	44.5	0.17
12/22/1991	1,017.28	51.4	59.3	0.24
12/23/1991	1,017.39	52.9	29.3	0.07
12/24/1991	1,017.73	159.9	76.9	0.55
12/25/1991	1,017.78	167.5	133.3	0.01
12/26/1991	1,017.61	105.1	149.0	0.00
12/27/1991	1,017.54	68.3	92.9	0.00
12/28/1991	1,017.46	68.5	76.0	0.37
12/29/1991	1,018.73	379.3	76.4	0.69
12/30/1991	1,019.59	431.6	128.1	0.24
12/31/1991	1,019.34	209.4	247.0	0.01