



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/1992	1,018.71	99.4	285.3	0.00
1/2/1992	1,017.97	63.5	283.6	0.00
1/3/1992	1,017.63	51.4	170.5	0.00
1/4/1992	1,017.45	81.0	141.0	0.00
1/5/1992	1,017.44	97.5	108.6	0.00
1/6/1992	1,017.38	89.0	101.3	0.00
1/7/1992	1,017.36	75.8	83.0	0.00
1/8/1992	1,017.30	60.8	76.0	0.00
1/9/1992	1,017.42	63.0	40.6	0.00
1/10/1992	1,017.42	58.4	47.9	0.00
1/11/1992	1,017.46	47.0	38.0	0.00
1/12/1992	1,017.47	41.0	36.3	0.00
1/13/1992	1,017.49	37.4	34.0	0.00
1/14/1992	1,017.57	63.4	34.0	0.00
1/15/1992	1,017.75	79.0	34.0	0.00
1/16/1992	1,017.65	47.8	66.5	0.00
1/17/1992	1,017.70	49.1	37.8	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/1992	1,017.81	49.5	22.0	0.00
1/19/1992	1,017.82	39.1	33.3	0.00
1/20/1992	1,017.78	28.8	38.0	0.00
1/21/1992	1,017.75	29.3	38.0	0.00
1/22/1992	1,017.70	25.5	38.0	0.00
1/23/1992	1,017.70	38.0	38.0	0.00
1/24/1992	1,018.08	134.6	38.0	0.00
1/25/1992	1,018.00	102.1	103.3	0.00
1/26/1992	1,017.80	64.1	129.1	0.00
1/27/1992	1,017.52	53.4	129.0	0.00
1/28/1992	1,017.48	47.8	74.1	0.00
1/29/1992	1,017.51	48.6	38.0	0.00
1/30/1992	1,017.52	40.3	38.0	0.00
1/31/1992	1,017.50	34.4	38.0	0.00
2/1/1992	1,017.48	30.3	38.0	0.00
2/2/1992	1,017.44	28.0	38.0	0.00
2/3/1992	1,017.36	16.9	38.0	0.00
2/4/1992	1,017.34	20.5	30.0	0.00
2/5/1992	1,017.33	19.5	22.0	0.00
2/6/1992	1,017.32	19.3	22.0	0.00
2/7/1992	1,017.30	16.4	22.0	0.00
2/8/1992	1,017.33	21.5	13.8	0.00
2/9/1992	1,017.37	21.8	10.0	0.00
2/10/1992	1,017.38	17.6	13.3	0.00
2/11/1992	1,017.37	13.5	16.0	0.00
2/12/1992	1,017.36	14.0	16.0	0.00
2/13/1992	1,017.40	24.0	16.0	0.00
2/14/1992	1,017.44	29.6	16.0	0.00
2/15/1992	1,017.51	30.5	11.5	0.00
2/16/1992	1,017.68	58.8	10.0	0.00
2/17/1992	1,017.84	57.4	10.0	0.00
2/18/1992	1,017.97	48.6	10.0	0.00
2/19/1992	1,018.10	49.0	10.0	0.00
2/20/1992	1,018.19	39.8	10.0	0.00
2/21/1992	1,018.29	39.9	10.0	0.00
2/22/1992	1,018.35	30.8	10.0	0.00
2/23/1992	1,018.42	32.0	10.0	0.00
2/24/1992	1,018.52	40.1	10.0	0.00
2/25/1992	1,018.61	40.8	10.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/1992	1,019.19	134.4	10.0	0.00
2/27/1992	1,020.41	397.5	10.0	0.00
2/28/1992	1,021.09	248.4	10.0	0.00
2/29/1992	1,021.53	157.9	10.0	0.00
3/1/1992	1,021.87	127.1	10.0	0.00
3/2/1992	1,022.12	92.9	10.0	0.00
3/3/1992	1,022.32	77.5	10.0	0.00
3/4/1992	1,022.48	67.0	10.0	0.00
3/5/1992	1,022.64	62.4	10.0	0.00
3/6/1992	1,022.80	61.0	10.0	0.00
3/7/1992	1,023.36	165.5	10.0	0.00
3/8/1992	1,024.03	247.8	10.0	0.00
3/9/1992	1,024.47	171.6	10.0	0.00
3/10/1992	1,024.83	142.8	10.0	0.00
3/11/1992	1,026.08	384.3	10.0	0.00
3/12/1992	1,026.11	316.1	235.9	0.00
3/13/1992	1,025.71	178.0	302.4	0.00
3/14/1992	1,025.38	93.5	221.8	0.00
3/15/1992	1,025.15	76.8	152.0	0.00
3/16/1992	1,025.11	67.4	95.6	0.00
3/17/1992	1,025.18	63.4	39.0	0.00
3/18/1992	1,025.23	61.8	39.0	0.00
3/19/1992	1,025.63	154.6	39.1	0.00
3/20/1992	1,026.27	254.1	40.0	0.00
3/21/1992	1,026.48	225.5	124.0	0.00
3/22/1992	1,026.44	153.4	154.0	0.00
3/23/1992	1,026.67	212.0	154.0	0.00
3/24/1992	1,026.90	242.1	154.9	0.00
3/25/1992	1,026.63	166.0	231.1	0.00
3/26/1992	1,026.03	91.6	303.4	0.00
3/27/1992	1,025.71	89.3	215.3	0.00
3/28/1992	1,025.53	90.6	153.0	0.00
3/29/1992	1,025.26	63.1	152.1	0.00
3/30/1992	1,025.28	65.6	72.1	0.00
3/31/1992	1,025.72	164.5	39.1	0.00
4/1/1992	1,026.41	281.6	40.0	0.00
4/2/1992	1,026.97	243.6	40.0	0.00
4/3/1992	1,027.02	165.6	121.4	0.00
4/4/1992	1,026.90	115.5	155.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/5/1992	1,026.83	126.8	155.0	0.00
4/6/1992	1,026.72	116.8	155.0	0.00
4/7/1992	1,026.54	89.9	154.1	0.00
4/8/1992	1,026.31	79.0	154.0	0.00
4/9/1992	1,026.30	88.1	101.1	0.00
4/10/1992	1,026.30	76.4	77.0	0.00
4/11/1992	1,026.27	66.3	77.0	0.00
4/12/1992	1,026.20	57.0	77.0	0.00
4/13/1992	1,026.13	51.3	77.0	0.00
4/14/1992	1,026.09	42.4	56.9	0.00
4/15/1992	1,026.22	47.1	11.6	0.00
4/16/1992	1,026.35	54.3	5.0	0.00
4/17/1992	1,026.54	79.6	5.0	0.00
4/18/1992	1,027.58	305.9	5.0	0.00
4/19/1992	1,028.04	331.8	108.0	0.00
4/20/1992	1,027.92	129.0	155.0	0.00
4/21/1992	1,027.67	75.9	155.0	0.00
4/22/1992	1,027.78	166.6	155.0	0.80
4/23/1992	1,027.41	170.6	274.6	0.00
4/24/1992	1,027.24	106.4	184.0	0.00
4/25/1992	1,027.34	104.5	83.0	0.00
4/26/1992	1,027.38	91.4	68.0	0.01
4/27/1992	1,027.37	61.4	62.0	0.00
4/28/1992	1,027.39	66.3	62.0	0.30
4/29/1992	1,027.36	55.5	62.0	0.00
4/30/1992	1,027.30	40.4	62.0	0.00
5/1/1992	1,027.36	40.3	27.6	0.00
5/2/1992	1,027.50	54.9	5.0	0.00
5/3/1992	1,027.48	44.8	45.4	0.36
5/4/1992	1,027.37	30.0	62.0	0.00
5/5/1992	1,027.33	22.0	42.3	0.10
5/6/1992	1,027.32	20.3	24.0	0.05
5/7/1992	1,027.31	20.0	24.0	0.00
5/8/1992	1,027.30	22.9	24.0	0.34
5/9/1992	1,027.58	102.1	24.0	0.48
5/10/1992	1,027.54	35.1	14.8	0.17
5/11/1992	1,027.33	27.0	106.8	0.00
5/12/1992	1,027.45	70.0	42.0	0.00
5/13/1992	1,027.59	59.0	10.0	0.05

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/14/1992	1,027.43	32.3	67.0	0.04
5/15/1992	1,027.17	11.5	104.0	0.00
5/16/1992	1,027.30	45.0	21.6	0.32
5/17/1992	1,027.39	39.6	5.0	0.00
5/18/1992	1,027.47	33.3	5.0	0.00
5/19/1992	1,027.41	18.8	29.4	0.01
5/20/1992	1,027.35	12.4	40.0	0.15
5/21/1992	1,027.31	29.6	40.0	0.14
5/22/1992	1,027.30	9.0	19.9	0.00
5/23/1992	1,027.34	21.5	5.0	0.00
5/24/1992	1,027.37	16.4	5.0	0.00
5/25/1992	1,027.41	21.5	5.0	0.01
5/26/1992	1,027.44	13.5	5.0	0.01
5/27/1992	1,027.45	14.6	8.9	0.03
5/28/1992	1,027.45	11.6	10.0	0.00
5/29/1992	1,027.56	41.6	10.0	0.70
5/30/1992	1,027.38	80.9	129.4	0.64
5/31/1992	1,027.08	60.5	164.1	0.03
6/1/1992	1,027.16	42.6	31.6	0.00
6/2/1992	1,027.24	33.5	5.0	0.00
6/3/1992	1,027.30	26.8	5.0	0.00
6/4/1992	1,027.37	31.9	5.0	0.30
6/5/1992	1,027.53	49.9	5.0	0.27
6/6/1992	1,027.36	0.0	5.0	0.00
6/7/1992	1,027.31	1.0	20.4	0.00
6/8/1992	1,027.26	6.9	24.0	0.00
6/9/1992	1,027.24	19.6	24.0	0.07
6/10/1992	1,027.40	69.5	24.0	0.39
6/11/1992	1,027.44	45.0	24.0	0.00
6/12/1992	1,027.44	23.4	24.0	0.00
6/13/1992	1,027.40	11.9	24.0	0.01
6/14/1992	1,027.36	10.6	24.0	0.21
6/15/1992	1,027.36	29.3	24.0	0.19
6/16/1992	1,027.80	154.6	24.0	1.07
6/17/1992	1,027.63	78.5	107.3	0.02
6/18/1992	1,027.33	25.6	126.0	0.09
6/19/1992	1,027.54	96.6	53.8	0.72
6/20/1992	1,027.34	61.4	107.0	0.00
6/21/1992	1,027.37	27.9	31.8	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/22/1992	1,027.40	22.5	10.0	0.00
6/23/1992	1,027.41	13.5	10.0	0.00
6/24/1992	1,027.41	10.9	10.0	0.00
6/25/1992	1,027.46	24.8	10.0	0.58
6/26/1992	1,027.46	15.5	10.0	0.05
6/27/1992	1,027.58	56.3	20.8	0.40
6/28/1992	1,027.44	20.4	55.0	0.00
6/29/1992	1,027.32	1.1	44.3	0.00
6/30/1992	1,027.30	7.6	18.3	0.00
7/1/1992	1,027.36	40.9	10.0	1.11
7/2/1992	1,028.38	453.5	120.0	0.63
7/3/1992	1,027.93	158.9	265.9	0.11
7/4/1992	1,027.75	106.5	205.5	0.74
7/5/1992	1,027.51	89.1	155.0	0.00
7/6/1992	1,027.46	83.1	116.6	0.60
7/7/1992	1,027.38	58.5	84.0	0.00
7/8/1992	1,027.20	25.0	84.0	0.03
7/9/1992	1,027.27	29.5	18.1	0.00
7/10/1992	1,027.33	28.6	5.0	0.00
7/11/1992	1,027.37	18.9	5.0	0.00
7/12/1992	1,027.40	16.0	5.0	0.00
7/13/1992	1,027.43	15.8	5.0	0.00
7/14/1992	1,027.44	11.8	5.0	0.00
7/15/1992	1,027.47	15.4	5.0	0.12
7/16/1992	1,027.49	9.6	5.0	0.00
7/17/1992	1,027.47	6.9	8.6	0.00
7/18/1992	1,027.50	15.5	10.0	0.54
7/19/1992	1,027.50	12.4	10.0	0.00
7/20/1992	1,027.48	5.3	10.0	0.00
7/21/1992	1,027.45	2.4	10.0	0.00
7/22/1992	1,027.45	19.6	20.0	0.93
7/23/1992	1,027.37	0.0	24.9	0.19
7/24/1992	1,027.29	0.0	25.0	0.15
7/25/1992	1,027.22	1.0	25.0	0.02
7/26/1992	1,027.27	23.1	9.3	0.24
7/27/1992	1,027.32	71.8	54.4	0.16
7/28/1992	1,027.60	120.8	34.6	0.56
7/29/1992	1,027.36	19.4	77.4	0.00
7/30/1992	1,027.31	4.6	29.3	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
7/31/1992	1,027.75	104.6	10.0	1.31
8/1/1992	1,027.97	267.5	129.4	0.44
8/2/1992	1,027.69	81.5	165.0	0.00
8/3/1992	1,027.44	17.6	107.6	0.00
8/4/1992	1,027.37	2.3	37.8	0.00
8/5/1992	1,027.31	2.4	24.0	0.00
8/6/1992	1,027.29	1.5	14.6	0.00
8/7/1992	1,027.30	13.0	5.0	0.00
8/8/1992	1,027.39	32.3	5.0	0.00
8/9/1992	1,027.60	51.3	5.0	1.01
8/10/1992	1,027.42	103.9	118.3	0.00
8/11/1992	1,027.30	11.4	66.1	0.00
8/12/1992	1,027.33	12.8	17.5	0.05
8/13/1992	1,027.35	27.3	10.0	0.00
8/14/1992	1,027.37	17.0	10.0	0.30
8/15/1992	1,027.65	50.4	10.0	0.61
8/16/1992	1,027.74	218.8	114.4	0.00
8/17/1992	1,027.50	36.1	125.4	0.00
8/18/1992	1,027.28	6.0	84.0	0.26
8/19/1992	1,027.28	15.0	24.0	0.00
8/20/1992	1,027.28	10.9	10.9	0.00
8/21/1992	1,027.28	11.0	11.0	0.00
8/22/1992	1,027.27	10.5	11.0	0.02
8/23/1992	1,027.31	19.9	11.0	0.25
8/24/1992	1,027.31	13.1	11.0	0.00
8/25/1992	1,027.29	3.8	11.0	0.00
8/26/1992	1,027.29	6.7	6.5	0.00
8/27/1992	1,027.32	12.6	5.0	0.00
8/28/1992	1,027.38	34.8	5.0	1.38
8/29/1992	1,028.03	302.1	75.9	0.36
8/30/1992	1,027.72	55.2	150.1	0.00
8/31/1992	1,027.46	11.2	107.9	0.00
9/1/1992	1,027.45	13.2	28.6	0.00
9/2/1992	1,027.45	10.0	10.0	0.00
9/3/1992	1,027.45	9.3	10.0	0.00
9/4/1992	1,027.43	4.4	10.0	0.00
9/5/1992	1,027.52	29.1	10.0	0.36
9/6/1992	1,027.45	22.0	29.0	0.00
9/7/1992	1,027.43	5.4	19.2	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/8/1992	1,027.41	3.4	10.0	0.00
9/9/1992	1,027.40	5.9	10.0	0.01
9/10/1992	1,027.38	2.7	10.0	0.00
9/11/1992	1,027.36	2.9	10.0	0.06
9/12/1992	1,027.34	2.2	10.0	0.00
9/13/1992	1,027.29	0.1	10.0	0.00
9/14/1992	1,027.29	3.6	5.9	0.00
9/15/1992	1,027.30	6.9	4.1	0.00
9/16/1992	1,027.16	0.0	32.8	0.00
9/17/1992	1,026.99	0.0	42.4	0.00
9/18/1992	1,026.83	2.3	43.0	0.00
9/19/1992	1,026.82	34.2	42.9	1.04
9/20/1992	1,026.69	3.4	42.9	0.04
9/21/1992	1,026.53	0.0	42.8	0.00
9/22/1992	1,026.37	0.2	42.7	0.00
9/23/1992	1,026.26	3.6	42.7	0.42
9/24/1992	1,026.11	0.0	40.7	0.01
9/25/1992	1,025.94	0.0	39.7	0.00
9/26/1992	1,025.78	0.0	39.6	0.00
9/27/1992	1,025.64	1.0	39.6	0.40
9/28/1992	1,025.52	3.7	39.5	0.01
9/29/1992	1,025.36	0.0	39.5	0.00
9/30/1992	1,025.20	0.0	39.4	0.00
10/1/1992	1,025.03	0.0	39.4	0.00
10/2/1992	1,024.89	0.0	31.1	0.00
10/3/1992	1,024.71	0.0	39.3	0.00
10/4/1992	1,024.54	0.5	39.2	0.00
10/5/1992	1,024.51	13.8	39.2	1.01
10/6/1992	1,024.49	33.5	27.9	0.01
10/7/1992	1,024.35	0.0	25.6	0.00
10/8/1992	1,024.20	0.0	39.1	0.00
10/9/1992	1,024.06	0.0	39.0	0.34
10/10/1992	1,023.92	0.0	39.0	0.00
10/11/1992	1,023.76	0.0	39.0	0.00
10/12/1992	1,023.61	0.0	38.9	0.00
10/13/1992	1,023.44	0.0	38.8	0.00
10/14/1992	1,023.28	0.0	38.8	0.00
10/15/1992	1,023.11	0.0	38.7	0.00
10/16/1992	1,022.95	0.0	38.7	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/17/1992	1,022.79	0.0	38.6	0.06
10/18/1992	1,022.59	0.0	38.6	0.00
10/19/1992	1,022.43	0.0	38.5	0.00
10/20/1992	1,022.26	0.0	38.5	0.00
10/21/1992	1,022.07	0.0	38.4	0.00
10/22/1992	1,021.89	0.0	38.3	0.00
10/23/1992	1,021.72	0.0	38.3	0.00
10/24/1992	1,021.55	0.0	38.2	0.00
10/25/1992	1,021.38	0.0	38.2	0.00
10/26/1992	1,021.20	0.0	38.1	0.00
10/27/1992	1,021.04	0.0	38.0	0.00
10/28/1992	1,020.87	0.0	38.0	0.27
10/29/1992	1,020.70	0.0	38.0	0.00
10/30/1992	1,020.49	0.5	38.0	0.00
10/31/1992	1,020.35	2.6	38.0	0.38
11/1/1992	1,020.21	0.0	38.0	0.03
11/2/1992	1,020.05	0.0	38.0	0.05
11/3/1992	1,019.88	0.0	38.0	0.05
11/4/1992	1,019.71	0.0	38.0	0.01
11/5/1992	1,019.53	0.0	38.0	0.10
11/6/1992	1,019.41	0.0	38.0	0.23
11/7/1992	1,019.26	0.0	38.0	0.00
11/8/1992	1,019.10	0.0	38.0	0.00
11/9/1992	1,018.92	0.0	38.0	0.00
11/10/1992	1,018.72	0.0	38.0	0.00
11/11/1992	1,018.56	0.0	38.0	0.00
11/12/1992	1,018.38	0.0	38.0	0.01
11/13/1992	1,018.25	0.0	38.0	0.30
11/14/1992	1,018.09	0.0	38.0	0.00
11/15/1992	1,017.92	0.0	38.0	0.19
11/16/1992	1,017.74	0.0	38.0	0.00
11/17/1992	1,017.55	0.0	38.0	0.00
11/18/1992	1,017.46	0.0	21.5	0.00
11/19/1992	1,017.38	0.0	16.0	0.00
11/20/1992	1,017.30	0.0	16.0	0.00
11/21/1992	1,017.29	1.0	6.8	0.00
11/22/1992	1,017.32	14.2	5.0	0.10
11/23/1992	1,017.52	52.0	5.0	0.38
11/24/1992	1,017.29	16.5	58.4	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/25/1992	1,017.38	26.6	16.9	0.18
11/26/1992	1,017.48	33.7	5.0	0.00
11/27/1992	1,017.41	12.9	28.4	0.00
11/28/1992	1,017.28	2.1	38.0	0.00
11/29/1992	1,017.29	8.2	13.7	0.00
11/30/1992	1,017.32	16.0	5.0	0.00
12/1/1992	1,017.35	14.0	5.0	0.04
12/2/1992	1,017.38	14.0	5.0	0.04
12/3/1992	1,017.41	13.6	5.0	0.09
12/4/1992	1,017.41	7.6	5.0	0.00
12/5/1992	1,017.46	15.3	5.0	0.18
12/6/1992	1,017.48	11.4	5.0	0.00
12/7/1992	1,017.51	14.1	5.0	0.00
12/8/1992	1,017.42	0.0	18.2	0.01
12/9/1992	1,017.32	0.0	22.0	0.01
12/10/1992	1,017.32	4.2	12.5	0.26
12/11/1992	1,017.46	42.4	10.0	0.72
12/12/1992	1,017.74	93.8	10.0	0.14
12/13/1992	1,017.64	52.7	62.5	0.03
12/14/1992	1,017.44	16.0	76.3	0.00
12/15/1992	1,017.22	11.3	76.2	0.00
12/16/1992	1,017.30	28.6	16.9	0.17
12/17/1992	1,017.72	95.7	5.0	0.95
12/18/1992	1,018.69	454.1	113.8	0.03
12/19/1992	1,018.65	139.5	150.6	0.00
12/20/1992	1,018.38	78.7	150.3	0.57
12/21/1992	1,018.70	220.8	150.3	0.07
12/22/1992	1,018.07	102.5	254.2	0.02
12/23/1992	1,017.88	105.8	166.5	0.84
12/24/1992	1,019.77	674.3	142.3	0.20
12/25/1992	1,019.34	169.6	256.8	0.00
12/26/1992	1,018.58	90.6	284.8	0.20
12/27/1992	1,018.17	31.7	205.7	0.00
12/28/1992	1,017.90	59.9	149.6	0.25
12/29/1992	1,017.65	77.9	149.2	0.01
12/30/1992	1,017.37	64.7	148.8	0.00
12/31/1992	1,017.40	58.7	61.0	0.00