



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/1994	1,017.29	52.6	106.4	0.00
1/2/1994	1,017.35	57.7	49.6	0.02
1/3/1994	1,017.43	85.2	48.6	0.02
1/4/1994	1,018.24	285.6	72.0	1.16
1/5/1994	1,019.25	438.5	132.3	0.23
1/6/1994	1,019.37	211.7	151.4	0.00
1/7/1994	1,019.68	305.4	151.7	0.57
1/8/1994	1,024.76	1,551.2	115.8	1.12
1/9/1994	1,025.96	670.9	102.3	0.01
1/10/1994	1,026.30	215.7	103.1	0.00
1/11/1994	1,025.35	78.4	346.7	0.00
1/12/1994	1,024.93	177.2	378.1	0.70
1/13/1994	1,024.72	331.1	373.8	0.01
1/14/1994	1,024.00	229.2	451.5	0.00
1/15/1994	1,022.93	108.5	448.6	0.07
1/16/1994	1,021.63	20.5	444.7	0.02
1/17/1994	1,020.27	20.8	440.4	0.04

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/1994	1,019.00	38.4	435.6	1.06
1/19/1994	1,018.40	10.8	230.3	0.01
1/20/1994	1,018.00	15.3	141.6	0.00
1/21/1994	1,017.59	20.1	141.1	0.01
1/22/1994	1,017.39	21.3	90.5	0.00
1/23/1994	1,017.20	23.7	76.2	0.00
1/24/1994	1,017.36	76.8	42.0	0.01
1/25/1994	1,018.40	304.8	31.6	0.04
1/26/1994	1,020.42	642.5	84.3	0.36
1/27/1994	1,021.38	497.1	122.7	0.09
1/28/1994	1,021.85	303.6	126.3	0.22
1/29/1994	1,021.64	217.4	249.4	0.01
1/30/1994	1,021.11	132.1	291.2	0.00
1/31/1994	1,020.48	73.8	289.6	0.00
2/1/1994	1,019.73	64.8	288.0	0.01
2/2/1994	1,018.90	58.1	286.1	0.01
2/3/1994	1,018.66	22.9	169.5	0.00
2/4/1994	1,018.90	79.9	0.0	0.00
2/5/1994	1,019.15	75.0	0.0	0.03
2/6/1994	1,018.86	44.3	111.4	0.06
2/7/1994	1,018.48	36.4	150.6	0.00
2/8/1994	1,018.09	29.9	150.0	0.00
2/9/1994	1,018.01	108.7	149.5	1.03
2/10/1994	1,021.32	984.7	105.3	0.81
2/11/1994	1,023.10	837.9	99.0	1.40
2/12/1994	1,029.16	1,812.2	33.6	0.38
2/13/1994	1,030.77	890.8	10.0	0.03
2/14/1994	1,031.15	402.1	186.3	0.01
2/15/1994	1,030.06	210.5	554.7	0.00
2/16/1994	1,028.65	100.3	618.5	0.00
2/17/1994	1,027.11	54.6	613.6	0.00
2/18/1994	1,025.44	21.4	607.8	0.00
2/19/1994	1,023.64	1.8	600.8	0.00
2/20/1994	1,021.84	0.4	593.2	0.00
2/21/1994	1,020.10	27.7	585.6	0.77
2/22/1994	1,019.32	293.0	579.1	0.26
2/23/1994	1,019.86	460.1	439.3	1.27
2/24/1994	1,024.20	1,512.5	102.3	0.45
2/25/1994	1,023.92	479.5	388.7	0.39

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/1994	1,022.71	190.5	595.5	0.00
2/27/1994	1,021.14	95.7	589.9	0.00
2/28/1994	1,019.42	24.7	582.5	0.00
3/1/1994	1,017.46	6.0	573.4	0.00
3/2/1994	1,017.72	156.2	165.2	0.64
3/3/1994	1,019.55	567.6	71.1	0.82
3/4/1994	1,019.43	450.7	389.5	0.01
3/5/1994	1,018.17	240.5	575.2	0.00
3/6/1994	1,017.89	216.0	390.4	0.00
3/7/1994	1,017.41	191.6	318.1	0.00
3/8/1994	1,017.66	256.9	173.0	0.65
3/9/1994	1,020.90	1,144.7	131.8	0.81
3/10/1994	1,025.03	1,230.8	105.5	0.77
3/11/1994	1,027.35	1,087.8	103.2	0.01
3/12/1994	1,026.67	329.5	464.5	0.00
3/13/1994	1,025.42	181.9	606.8	0.00
3/14/1994	1,024.04	128.6	601.5	0.21
3/15/1994	1,022.61	96.0	595.4	0.00
3/16/1994	1,021.01	78.7	589.1	0.00
3/17/1994	1,019.94	42.5	403.0	0.00
3/18/1994	1,019.16	46.1	286.6	0.01
3/19/1994	1,018.40	49.7	284.7	0.03
3/20/1994	1,017.55	30.1	282.7	0.00
3/21/1994	1,017.38	46.7	134.7	0.07
3/22/1994	1,017.50	95.3	58.3	0.30
3/23/1994	1,017.51	83.9	76.3	0.00
3/24/1994	1,017.76	91.4	29.3	0.00
3/25/1994	1,018.09	108.7	10.0	0.11
3/26/1994	1,018.52	141.8	10.0	0.00
3/27/1994	1,019.29	295.6	10.0	1.41
3/28/1994	1,026.02	1,866.7	10.0	1.38
3/29/1994	1,030.09	1,580.2	10.0	0.18
3/30/1994	1,029.17	633.0	627.8	0.00
3/31/1994	1,028.26	291.0	693.0	0.68
4/1/1994	1,027.94	480.5	614.0	0.02
4/2/1994	1,026.95	290.4	612.1	0.00
4/3/1994	1,025.73	179.3	608.0	0.00
4/4/1994	1,025.54	191.2	326.7	0.05
4/5/1994	1,025.55	174.8	161.6	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/6/1994	1,025.51	130.7	147.2	0.32
4/7/1994	1,025.55	151.8	140.0	0.36
4/8/1994	1,025.59	155.5	140.1	0.00
4/9/1994	1,025.57	137.1	140.1	0.00
4/10/1994	1,025.48	128.8	140.1	0.00
4/11/1994	1,026.66	385.6	94.7	1.16
4/12/1994	1,028.20	667.9	84.1	0.48
4/13/1994	1,029.29	610.2	398.1	1.28
4/14/1994	1,030.37	1,425.5	728.7	0.01
4/15/1994	1,029.04	386.4	774.8	0.00
4/16/1994	1,028.49	443.5	769.3	1.11
4/17/1994	1,027.48	441.5	765.8	0.00
4/18/1994	1,026.27	238.7	666.4	0.00
4/19/1994	1,025.70	174.8	420.1	0.00
4/20/1994	1,025.58	155.7	212.9	0.00
4/21/1994	1,025.52	109.5	124.1	0.00
4/22/1994	1,025.58	88.3	74.2	0.09
4/23/1994	1,025.64	83.0	61.1	0.01
4/24/1994	1,025.63	59.9	61.1	0.00
4/25/1994	1,025.63	54.8	54.5	0.00
4/26/1994	1,025.62	49.0	50.3	0.00
4/27/1994	1,025.60	45.3	50.3	0.00
4/28/1994	1,025.93	69.1	17.2	0.32
4/29/1994	1,025.93	16.4	10.0	0.00
4/30/1994	1,026.19	84.8	10.0	0.72
5/1/1994	1,026.40	103.5	10.0	0.39
5/2/1994	1,026.75	121.1	10.0	0.01
5/3/1994	1,026.94	85.4	10.0	0.00
5/4/1994	1,027.21	95.2	6.5	0.29
5/5/1994	1,027.44	88.1	5.0	0.03
5/6/1994	1,027.26	52.4	87.7	0.00
5/7/1994	1,027.64	157.1	25.7	0.80
5/8/1994	1,030.11	830.1	133.4	1.38
5/9/1994	1,030.35	716.1	401.5	0.01
5/10/1994	1,029.25	198.5	573.3	0.00
5/11/1994	1,027.60	26.5	615.4	0.00
5/12/1994	1,027.39	54.0	201.4	0.01
5/13/1994	1,027.29	55.1	84.2	0.10
5/14/1994	1,027.27	41.8	58.8	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/15/1994	1,027.33	50.1	32.1	0.16
5/16/1994	1,027.46	94.4	53.5	0.69
5/17/1994	1,027.49	83.0	62.3	0.00
5/18/1994	1,027.40	32.2	62.3	0.00
5/19/1994	1,027.29	25.9	62.2	0.00
5/20/1994	1,027.35	36.9	25.1	0.00
5/21/1994	1,027.44	37.2	5.0	0.00
5/22/1994	1,027.51	31.7	5.0	0.00
5/23/1994	1,027.44	13.9	32.0	0.00
5/24/1994	1,027.31	5.3	51.3	0.00
5/25/1994	1,027.31	17.0	24.3	0.00
5/26/1994	1,027.37	33.8	5.0	0.07
5/27/1994	1,027.67	144.2	54.6	1.26
5/28/1994	1,027.59	46.1	59.7	0.00
5/29/1994	1,027.46	6.9	51.4	0.00
5/30/1994	1,027.32	3.9	51.3	0.00
5/31/1994	1,027.29	3.7	24.1	0.00
6/1/1994	1,027.24	3.2	17.0	0.00
6/2/1994	1,027.28	16.8	7.0	0.00
6/3/1994	1,027.31	15.6	5.0	0.00
6/4/1994	1,027.33	12.2	5.0	0.00
6/5/1994	1,027.35	12.4	5.0	0.00
6/6/1994	1,027.37	15.1	5.0	0.00
6/7/1994	1,027.42	21.0	5.0	0.18
6/8/1994	1,027.50	31.2	5.0	0.27
6/9/1994	1,027.34	27.3	60.2	0.22
6/10/1994	1,027.36	2.7	7.1	0.06
6/11/1994	1,027.47	40.4	7.5	0.09
6/12/1994	1,027.50	58.0	44.8	0.00
6/13/1994	1,027.42	20.7	43.8	0.00
6/14/1994	1,027.31	0.0	32.1	0.00
6/15/1994	1,027.20	0.1	32.1	0.00
6/16/1994	1,027.22	13.3	13.7	0.11
6/17/1994	1,027.19	2.6	10.0	0.00
6/18/1994	1,027.21	10.3	5.8	0.00
6/19/1994	1,027.21	5.2	5.0	0.00
6/20/1994	1,027.22	8.0	5.0	0.00
6/21/1994	1,027.21	2.7	5.0	0.00
6/22/1994	1,027.25	19.6	5.0	0.86

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/23/1994	1,027.35	31.5	5.0	0.46
6/24/1994	1,027.38	86.9	67.7	0.00
6/25/1994	1,027.39	83.9	84.3	0.06
6/26/1994	1,027.37	81.4	84.6	0.00
6/27/1994	1,027.44	56.3	34.7	0.54
6/28/1994	1,027.48	23.7	5.0	0.00
6/29/1994	1,027.48	7.5	5.0	0.00
6/30/1994	1,027.48	5.0	5.0	0.02
7/1/1994	1,027.48	5.0	5.0	0.00
7/2/1994	1,027.47	4.4	5.0	0.00
7/3/1994	1,027.45	1.3	5.0	0.00
7/4/1994	1,027.48	15.1	5.0	0.16
7/5/1994	1,027.47	4.4	5.0	0.00
7/6/1994	1,027.47	1.4	5.0	0.00
7/7/1994	1,027.45	0.2	5.0	0.00
7/8/1994	1,027.44	4.7	5.0	0.00
7/9/1994	1,027.45	57.9	54.6	0.32
7/10/1994	1,027.46	83.4	84.3	0.35
7/11/1994	1,027.50	47.2	34.7	0.00
7/12/1994	1,027.48	1.8	5.0	0.00
7/13/1994	1,027.49	9.3	5.0	0.26
7/14/1994	1,027.55	23.2	5.0	0.41
7/15/1994	1,027.69	53.8	9.2	1.04
7/16/1994	1,027.66	45.8	50.9	0.28
7/17/1994	1,027.48	6.7	62.4	0.00
7/18/1994	1,027.33	0.0	43.1	0.00
7/19/1994	1,027.24	0.0	24.0	0.00
7/20/1994	1,027.23	0.2	8.2	0.06
7/21/1994	1,027.22	2.7	5.0	0.00
7/22/1994	1,027.28	26.2	5.0	0.42
7/23/1994	1,027.55	95.4	5.0	1.10
7/24/1994	1,027.62	30.2	5.0	0.00
7/25/1994	1,027.53	3.3	26.2	0.00
7/26/1994	1,027.42	0.0	32.2	0.00
7/27/1994	1,027.30	0.2	32.1	0.18
7/28/1994	1,027.27	3.9	19.7	0.24
7/29/1994	1,027.27	5.5	7.0	0.00
7/30/1994	1,027.31	14.5	5.0	0.28
7/31/1994	1,027.33	16.9	5.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
8/1/1994	1,027.34	8.4	5.0	0.00
8/2/1994	1,027.34	4.6	5.0	0.25
8/3/1994	1,027.33	1.4	5.0	0.00
8/4/1994	1,027.32	2.1	5.0	0.00
8/5/1994	1,027.39	17.9	5.0	0.67
8/6/1994	1,027.53	64.9	5.0	0.24
8/7/1994	1,027.53	7.5	5.0	0.00
8/8/1994	1,027.53	4.6	5.0	0.00
8/9/1994	1,027.50	1.1	9.1	0.00
8/10/1994	1,027.47	0.0	10.0	0.00
8/11/1994		0.0	8.8	0.00
8/12/1994	1,027.41	1,996.7	0.0	0.00
8/13/1994				0.00
8/14/1994				0.00
8/15/1994	1,027.40			0.48
8/16/1994	1,027.38	1.1	5.0	0.00
8/17/1994	1,027.42	15.8	5.0	0.48
8/18/1994	1,027.51	38.1	5.0	0.07
8/19/1994	1,027.52	8.6	5.0	0.00
8/20/1994	1,027.52	7.9	5.0	0.00
8/21/1994	1,027.59	21.7	5.0	0.59
8/22/1994	1,027.56	82.5	75.4	0.23
8/23/1994	1,027.27	6.0	104.3	0.00
8/24/1994	1,027.27	3.2	21.5	0.00
8/25/1994	1,027.27	7.5	5.0	0.00
8/26/1994	1,027.27	4.6	5.0	0.00
8/27/1994	1,027.26	1.8	5.0	0.00
8/28/1994	1,027.26	4.4	5.0	0.00
8/29/1994	1,027.24	0.9	5.0	0.01
8/30/1994	1,027.25	8.6	5.0	0.04
8/31/1994	1,027.27	10.4	5.0	0.00
9/1/1994	1,027.32	22.6	5.0	0.33
9/2/1994	1,027.34	13.8	5.0	0.06
9/3/1994	1,027.33	1.8	5.0	0.00
9/4/1994	1,027.31	4.4	5.0	0.00
9/5/1994	1,027.29	0.2	5.0	0.00
9/6/1994	1,027.30	4.8	5.0	0.25
9/7/1994	1,027.28	0.2	5.0	0.00
9/8/1994	1,027.27	1.2	5.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/9/1994	1,027.25	0.0	5.0	0.00
9/10/1994	1,027.23	0.0	5.0	0.00
9/11/1994	1,027.21	0.0	5.0	0.17
9/12/1994	1,027.19	0.0	5.0	0.00
9/13/1994	1,027.16	0.0	5.0	0.00
9/14/1994	1,027.12	0.0	5.0	0.00
9/15/1994	1,027.10	0.0	5.0	0.00
9/16/1994	1,026.98	0.0	20.0	0.00
9/17/1994	1,026.86	0.0	24.0	0.01
9/18/1994	1,026.78	6.3	24.0	0.37
9/19/1994	1,026.68	0.0	23.9	0.00
9/20/1994	1,026.56	0.0	23.9	0.00
9/21/1994	1,026.43	0.0	23.8	0.00
9/22/1994	1,026.30	0.0	23.8	0.00
9/23/1994	1,026.17	0.0	23.8	0.00
9/24/1994	1,026.05	0.0	23.7	0.00
9/25/1994	1,025.93	0.0	23.7	0.00
9/26/1994	1,025.82	0.0	23.6	0.07
9/27/1994	1,025.69	0.0	23.6	0.00
9/28/1994	1,025.57	0.0	23.5	0.00
9/29/1994	1,025.44	0.0	23.5	0.00
9/30/1994	1,025.30	0.0	23.5	0.00
10/1/1994	1,025.17	0.0	23.4	0.00
10/2/1994	1,025.04	0.0	23.4	0.00
10/3/1994	1,024.92	0.0	23.3	0.00
10/4/1994	1,024.79	0.0	23.3	0.00
10/5/1994	1,024.65	0.0	23.2	0.00
10/6/1994	1,024.52	0.0	23.2	0.00
10/7/1994	1,024.39	0.0	23.2	0.00
10/8/1994	1,024.25	0.0	23.1	0.00
10/9/1994	1,024.12	0.0	23.1	0.00
10/10/1994	1,024.03	0.0	23.0	0.35
10/11/1994	1,023.90	0.0	23.0	0.00
10/12/1994	1,023.76	0.0	22.9	0.00
10/13/1994	1,023.66	0.0	22.9	0.40
10/14/1994	1,023.55	0.0	35.3	0.34
10/15/1994	1,023.40	0.0	38.8	0.01
10/16/1994	1,023.23	0.0	38.8	0.00
10/17/1994	1,023.05	0.0	38.7	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/18/1994	1,022.87	0.0	38.7	0.00
10/19/1994	1,022.71	0.1	38.6	0.04
10/20/1994	1,022.65	9.2	38.6	0.95
10/21/1994	1,022.57	15.2	38.5	0.00
10/22/1994	1,022.41	0.7	38.5	0.00
10/23/1994	1,022.37	11.5	38.5	0.23
10/24/1994	1,022.13	0.0	38.4	0.00
10/25/1994	1,021.96	0.0	38.4	0.00
10/26/1994	1,021.78	0.0	38.3	0.00
10/27/1994	1,021.60	0.0	38.2	0.00
10/28/1994	1,021.41	0.0	38.2	0.00
10/29/1994	1,021.23	0.0	38.1	0.00
10/30/1994	1,021.06	0.0	38.1	0.00
10/31/1994	1,020.92	0.0	38.0	0.00
11/1/1994	1,020.79	0.0	33.0	0.21
11/2/1994	1,020.63	0.0	30.0	0.01
11/3/1994	1,020.48	0.0	30.0	0.00
11/4/1994	1,020.33	0.0	30.0	0.00
11/5/1994	1,020.17	0.0	30.0	0.00
11/6/1994	1,020.03	0.0	26.0	0.00
11/7/1994	1,019.91	0.0	22.0	0.00
11/8/1994	1,019.78	0.0	22.0	0.00
11/9/1994	1,019.65	0.0	22.0	0.00
11/10/1994	1,019.54	0.0	22.0	0.16
11/11/1994	1,019.42	0.0	22.0	0.00
11/12/1994	1,019.29	0.0	22.0	0.00
11/13/1994	1,019.20	0.0	15.5	0.00
11/14/1994	1,019.14	0.0	10.0	0.00
11/15/1994	1,019.07	0.0	10.0	0.00
11/16/1994	1,019.00	0.2	10.0	0.01
11/17/1994	1,018.93	2.3	16.4	0.15
11/18/1994	1,018.80	0.0	22.0	0.00
11/19/1994	1,018.68	0.0	22.0	0.00
11/20/1994	1,018.54	0.0	22.0	0.00
11/21/1994	1,018.42	0.0	22.0	0.03
11/22/1994	1,018.29	0.0	22.0	0.00
11/23/1994	1,018.15	0.0	22.0	0.00
11/24/1994	1,018.01	0.0	22.0	0.00
11/25/1994	1,017.87	0.0	22.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/26/1994	1,017.73	0.0	22.0	0.00
11/27/1994	1,017.63	1.8	22.0	0.25
11/28/1994	1,017.70	35.5	22.0	1.18
11/29/1994	1,017.82	59.0	26.7	0.01
11/30/1994	1,017.54	11.6	62.2	0.00
12/1/1994	1,017.19	0.0	76.2	0.00
12/2/1994	1,017.19	0.6	17.7	0.00
12/3/1994	1,017.19	5.0	5.0	0.00
12/4/1994	1,017.19	5.0	5.0	0.18
12/5/1994	1,017.36	50.9	5.0	0.55
12/6/1994	1,017.49	150.1	118.7	0.13
12/7/1994	1,017.54	83.0	62.0	0.00
12/8/1994	1,017.56	17.9	10.0	0.00
12/9/1994	1,017.56	11.6	10.0	0.05
12/10/1994	1,017.56	7.4	10.0	0.04
12/11/1994	1,017.69	58.8	17.0	0.65
12/12/1994	1,017.76	43.5	22.0	0.00
12/13/1994	1,017.73	16.6	22.0	0.00
12/14/1994	1,017.66	3.2	22.0	0.00
12/15/1994	1,017.57	0.0	22.0	0.00
12/16/1994	1,017.48	0.0	22.0	0.01
12/17/1994	1,017.39	0.0	22.0	0.07
12/18/1994	1,017.30	0.0	22.0	0.08
12/19/1994	1,017.29	1.7	10.0	0.00
12/20/1994	1,017.30	9.9	5.0	0.00
12/21/1994	1,017.30	5.2	5.0	0.00
12/22/1994	1,017.31	7.5	5.0	0.00
12/23/1994	1,017.30	2.3	5.0	0.00
12/24/1994	1,017.30	5.0	5.0	0.00
12/25/1994	1,017.30	5.0	5.0	0.00
12/26/1994	1,017.30	4.7	5.0	0.00
12/27/1994	1,017.29	2.0	5.0	0.00
12/28/1994	1,017.28	2.3	5.0	0.00
12/29/1994	1,017.27	2.3	5.0	0.00
12/30/1994	1,017.26	2.3	5.0	0.00
12/31/1994	1,017.26	4.4	5.0	0.00