



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/1995	1,017.24	0.6	5.0	0.02
1/2/1995	1,017.24	5.0	5.0	0.13
1/3/1995	1,017.24	4.7	5.0	0.01
1/4/1995	1,017.23	1.7	5.0	0.02
1/5/1995	1,017.21	0.3	5.0	0.01
1/6/1995	1,017.20	14.9	5.0	0.00
1/7/1995	1,018.32	248.0	5.0	1.75
1/8/1995	1,018.88	296.7	58.0	0.03
1/9/1995	1,018.62	75.0	134.7	0.00
1/10/1995	1,018.28	20.3	121.3	0.00
1/11/1995	1,017.93	7.8	95.2	0.00
1/12/1995	1,017.66	1.9	94.8	0.43
1/13/1995	1,017.39	9.4	94.6	0.01
1/14/1995	1,017.34	29.6	50.0	0.00
1/15/1995	1,018.05	217.7	22.0	1.20
1/16/1995	1,021.13	925.6	77.1	0.88
1/17/1995	1,021.95	461.1	98.5	0.01

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/1995	1,022.06	157.0	99.0	0.00
1/19/1995	1,020.57	51.1	407.7	0.00
1/20/1995	1,018.50	0.0	579.5	0.39
1/21/1995	1,017.92	1.5	280.8	0.05
1/22/1995	1,017.51	26.3	141.0	0.03
1/23/1995	1,017.36	18.7	93.7	0.01
1/24/1995	1,017.43	38.4	24.0	0.03
1/25/1995	1,017.55	44.0	5.0	0.01
1/26/1995	1,017.50	21.9	28.4	0.00
1/27/1995	1,017.41	12.5	38.0	0.00
1/28/1995	1,017.30	5.4	38.0	0.05
1/29/1995	1,017.36	48.7	38.0	0.50
1/30/1995	1,017.49	71.7	38.0	0.10
1/31/1995	1,017.36	55.7	78.0	0.04
2/1/1995	1,017.42	60.1	54.1	0.00
2/2/1995	1,017.50	54.0	30.0	0.00
2/3/1995	1,017.59	56.9	30.0	0.15
2/4/1995	1,017.87	106.1	35.5	0.58
2/5/1995	1,018.60	243.1	38.0	0.07
2/6/1995	1,018.59	153.6	127.0	0.01
2/7/1995	1,018.45	117.7	150.3	0.10
2/8/1995	1,018.16	64.2	150.0	0.17
2/9/1995	1,017.91	38.3	119.1	0.01
2/10/1995	1,017.62	29.4	112.8	0.30
2/11/1995	1,017.26	4.0	112.5	0.00
2/12/1995	1,016.86	5.2	112.1	0.00
2/13/1995	1,016.82	120.6	150.5	0.00
2/14/1995	1,016.83	31.1	28.0	0.00
2/15/1995	1,017.07	116.1	28.0	0.88
2/16/1995	1,019.36	762.9	154.6	0.58
2/17/1995	1,020.10	546.1	286.6	0.17
2/18/1995	1,019.45	260.4	393.9	0.00
2/19/1995	1,018.19	67.3	432.7	0.00
2/20/1995	1,017.75	92.1	274.8	0.00
2/21/1995	1,017.62	76.0	112.7	0.13
2/22/1995	1,017.50	75.1	112.6	0.03
2/23/1995	1,017.29	52.4	112.4	0.00
2/24/1995	1,017.28	61.6	72.4	0.04
2/25/1995	1,017.30	52.4	47.1	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/1995	1,017.26	39.7	47.1	0.00
2/27/1995	1,017.25	41.9	47.1	0.00
2/28/1995	1,017.23	41.5	47.1	0.35
3/1/1995	1,017.23	46.9	47.1	0.03
3/2/1995	1,017.21	43.2	47.1	0.01
3/3/1995	1,017.26	43.0	33.1	0.14
3/4/1995	1,017.29	47.7	35.6	0.02
3/5/1995	1,017.31	40.1	38.1	0.07
3/6/1995	1,017.32	47.3	38.1	0.03
3/7/1995	1,017.48	78.3	38.1	0.14
3/8/1995	1,017.59	110.7	66.4	0.59
3/9/1995	1,018.60	324.6	74.7	0.79
3/10/1995	1,018.64	211.5	145.7	0.00
3/11/1995	1,018.71	232.8	213.1	0.00
3/12/1995	1,019.09	291.1	213.4	0.00
3/13/1995	1,019.29	300.3	214.0	0.00
3/14/1995	1,019.14	180.3	214.2	0.00
3/15/1995	1,019.00	125.4	166.4	0.00
3/16/1995	1,019.04	98.2	89.1	0.00
3/17/1995	1,019.26	89.2	29.2	0.00
3/18/1995	1,019.47	80.2	14.3	0.00
3/19/1995	1,019.60	56.1	14.3	0.00
3/20/1995	1,019.80	76.7	14.3	0.00
3/21/1995	1,020.14	94.9	14.4	0.56
3/22/1995	1,020.50	148.2	14.4	0.00
3/23/1995	1,020.86	127.6	14.5	0.10
3/24/1995	1,021.15	108.6	14.5	0.00
3/25/1995	1,021.37	91.6	14.5	0.00
3/26/1995	1,021.54	71.2	14.6	0.00
3/27/1995	1,021.68	60.3	14.6	0.00
3/28/1995	1,021.84	65.6	14.6	0.01
3/29/1995	1,021.96	53.1	14.6	0.00
3/30/1995	1,022.05	46.2	14.7	0.00
3/31/1995	1,022.13	42.8	14.7	0.00
4/1/1995	1,022.19	34.4	14.7	0.00
4/2/1995	1,022.24	33.0	14.7	0.00
4/3/1995	1,022.26	23.8	14.7	0.00
4/4/1995	1,022.32	25.2	7.1	0.03
4/5/1995	1,022.40	28.6	5.0	0.01

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/6/1995	1,022.46	24.9	5.0	0.00
4/7/1995	1,022.53	27.8	5.0	0.00
4/8/1995	1,022.59	24.7	5.0	0.00
4/9/1995	1,022.64	23.9	5.0	0.00
4/10/1995	1,022.70	24.3	5.0	0.00
4/11/1995	1,022.74	18.1	5.0	0.00
4/12/1995	1,022.78	19.6	5.0	0.00
4/13/1995	1,022.90	41.2	5.0	0.09
4/14/1995	1,022.96	26.8	5.0	0.00
4/15/1995	1,023.01	21.3	5.0	0.00
4/16/1995	1,023.06	19.9	5.0	0.00
4/17/1995	1,023.12	27.9	5.0	0.01
4/18/1995	1,023.21	32.3	5.0	0.32
4/19/1995	1,023.26	24.1	5.0	0.00
4/20/1995	1,023.32	26.4	5.0	0.00
4/21/1995	1,023.63	89.3	5.0	0.79
4/22/1995	1,023.84	82.8	5.0	0.02
4/23/1995	1,024.04	78.3	5.0	0.00
4/24/1995	1,024.34	100.7	5.0	0.56
4/25/1995	1,024.78	150.9	5.0	0.07
4/26/1995	1,025.11	121.2	5.0	0.01
4/27/1995	1,025.35	92.6	5.0	0.00
4/28/1995	1,025.55	76.3	5.0	0.00
4/29/1995	1,025.71	62.4	5.0	0.00
4/30/1995	1,025.86	54.4	5.0	0.02
5/1/1995	1,026.03	70.8	5.0	0.27
5/2/1995	1,026.25	78.7	5.0	0.51
5/3/1995	1,026.51	96.0	5.0	0.04
5/4/1995	1,026.73	83.0	5.0	0.00
5/5/1995	1,026.96	86.5	5.0	0.28
5/6/1995	1,027.19	87.0	5.0	0.04
5/7/1995	1,027.39	78.8	5.0	0.00
5/8/1995	1,027.54	63.1	5.0	0.00
5/9/1995	1,027.63	46.6	10.0	0.00
5/10/1995	1,027.74	93.0	42.2	0.66
5/11/1995	1,028.29	322.1	192.6	0.80
5/12/1995	1,028.10	268.1	260.4	0.00
5/13/1995	1,027.46	91.5	306.4	0.00
5/14/1995	1,027.78	217.4	184.7	1.10

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/15/1995	1,030.05	837.3	83.1	0.40
5/16/1995	1,029.55	366.5	380.7	0.00
5/17/1995	1,028.49	118.1	467.3	0.00
5/18/1995	1,029.94	282.4	154.2	0.27
5/19/1995	1,032.65	1,057.2	124.2	2.42
5/20/1995	1,034.74	1,596.6	136.5	0.00
5/21/1995	1,033.54	193.5	535.5	0.00
5/22/1995	1,031.64	43.2	790.4	0.00
5/23/1995	1,029.64	23.4	779.6	0.00
5/24/1995	1,028.25	14.2	536.0	0.00
5/25/1995	1,028.12	72.1	164.6	0.00
5/26/1995	1,027.81	23.9	115.1	0.00
5/27/1995	1,027.47	0.9	124.0	0.00
5/28/1995	1,027.48	27.2	50.4	0.35
5/29/1995	1,027.52	48.0	20.2	0.00
5/30/1995	1,027.46	101.4	123.6	0.00
5/31/1995	1,027.39	136.6	166.1	0.00
6/1/1995	1,027.33	59.9	78.5	0.00
6/2/1995	1,027.33	18.8	20.1	0.15
6/3/1995	1,027.39	38.6	20.1	0.28
6/4/1995	1,027.42	30.3	20.1	0.00
6/5/1995	1,027.41	18.8	20.1	0.00
6/6/1995	1,027.39	13.1	20.1	0.00
6/7/1995	1,027.38	15.5	19.5	0.04
6/8/1995	1,027.33	6.8	19.3	0.00
6/9/1995	1,027.29	2.4	19.3	0.00
6/10/1995	1,027.31	13.5	8.2	0.00
6/11/1995	1,027.34	16.9	5.0	0.26
6/12/1995	1,027.58	77.0	5.0	1.34
6/13/1995	1,027.43	53.3	85.6	0.20
6/14/1995	1,027.35	32.0	68.6	0.00
6/15/1995	1,027.32	22.9	35.2	0.00
6/16/1995	1,027.29	11.2	20.1	0.00
6/17/1995	1,027.24	2.4	20.1	0.00
6/18/1995	1,027.24	5.8	10.0	0.00
6/19/1995	1,027.24	7.5	5.0	0.00
6/20/1995	1,027.25	7.3	5.0	0.21
6/21/1995	1,027.31	25.7	5.0	0.31
6/22/1995	1,027.32	10.8	5.0	0.03

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/23/1995	1,027.32	7.5	5.0	0.00
6/24/1995	1,027.45	43.8	5.0	1.02
6/25/1995	1,027.49	19.5	5.0	0.07
6/26/1995	1,027.55	27.6	5.0	0.00
6/27/1995	1,027.56	17.4	7.0	0.00
6/28/1995	1,027.54	4.2	8.5	0.00
6/29/1995	1,027.52	0.3	8.5	0.00
6/30/1995	1,027.50	1.7	8.5	0.00
7/1/1995	1,027.49	4.4	8.5	0.46
7/2/1995	1,027.47	1.3	8.5	0.00
7/3/1995	1,027.45	1.0	8.5	0.00
7/4/1995	1,027.41	0.3	8.5	0.00
7/5/1995	1,027.38	1.0	8.5	0.00
7/6/1995	1,027.36	0.2	6.2	0.01
7/7/1995	1,027.35	1.2	5.0	0.25
7/8/1995	1,027.32	0.0	5.0	0.00
7/9/1995	1,027.30	0.0	5.0	0.00
7/10/1995	1,027.27	0.0	5.0	0.00
7/11/1995	1,027.24	0.0	5.0	0.00
7/12/1995	1,027.22	0.0	5.0	0.00
7/13/1995	1,027.19	0.0	5.0	0.00
7/14/1995	1,027.15	0.0	5.0	0.00
7/15/1995	1,027.13	0.0	5.0	0.00
7/16/1995	1,027.10	0.0	5.0	0.00
7/17/1995	1,027.09	2.0	5.0	0.31
7/18/1995	1,027.19	29.3	5.0	0.81
7/19/1995	1,027.17	7.5	5.0	0.00
7/20/1995	1,027.14	0.0	5.0	0.00
7/21/1995	1,027.10	0.0	5.0	0.00
7/22/1995	1,027.07	0.0	5.0	0.00
7/23/1995	1,027.05	0.0	5.0	0.00
7/24/1995	1,027.02	0.2	5.0	0.04
7/25/1995	1,027.03	4.8	5.0	0.21
7/26/1995	1,027.01	0.0	5.0	0.05
7/27/1995	1,026.98	0.0	5.0	0.02
7/28/1995	1,026.95	0.0	5.0	0.00
7/29/1995	1,026.92	0.0	5.0	0.00
7/30/1995	1,026.88	0.0	5.0	0.00
7/31/1995	1,026.85	0.0	5.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
8/1/1995	1,026.83	1.0	5.0	0.18
8/2/1995	1,026.85	9.3	5.0	0.32
8/3/1995	1,026.84	6.8	5.0	0.00
8/4/1995	1,026.82	0.0	5.0	0.00
8/5/1995	1,026.81	0.2	5.0	0.00
8/6/1995	1,026.80	1.5	5.0	0.08
8/7/1995	1,026.79	2.5	5.0	0.11
8/8/1995	1,026.83	16.2	5.0	1.21
8/9/1995	1,026.84	10.4	5.0	0.01
8/10/1995	1,026.83	1.8	5.0	0.00
8/11/1995	1,026.83	5.0	5.0	0.00
8/12/1995	1,026.82	4.4	5.0	0.00
8/13/1995	1,026.81	0.2	5.0	0.00
8/14/1995	1,026.80	1.2	5.0	0.00
8/15/1995	1,026.78	0.0	5.0	0.00
8/16/1995	1,026.76	0.0	5.0	0.00
8/17/1995	1,026.73	0.0	5.0	0.00
8/18/1995	1,026.70	0.0	5.0	0.00
8/19/1995	1,026.70	2.3	5.0	0.50
8/20/1995	1,026.71	7.7	5.0	0.00
8/21/1995	1,026.70	0.5	5.0	0.20
8/22/1995	1,026.68	1.0	5.0	0.00
8/23/1995	1,026.65	0.0	5.0	0.00
8/24/1995	1,026.62	0.0	4.4	0.00
8/25/1995	1,026.60	0.0	5.0	0.00
8/26/1995	1,026.57	0.0	5.0	0.00
8/27/1995	1,026.54	0.0	5.0	0.00
8/28/1995	1,026.52	0.0	5.0	0.00
8/29/1995	1,026.48	0.0	5.0	0.00
8/30/1995	1,026.44	0.0	4.7	0.00
8/31/1995	1,026.41	0.0	5.0	0.00
9/1/1995	1,026.37	0.4	5.0	0.00
9/2/1995	1,026.43	15.9	5.0	0.69
9/3/1995	1,026.40	0.8	5.0	0.00
9/4/1995	1,026.35	0.0	5.0	0.00
9/5/1995	1,026.31	0.0	5.0	0.00
9/6/1995	1,026.27	0.0	5.0	0.00
9/7/1995	1,026.23	0.0	5.0	0.00
9/8/1995	1,026.19	0.0	5.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/9/1995	1,026.16	0.0	5.0	0.00
9/10/1995	1,026.12	0.0	5.0	0.00
9/11/1995	1,026.09	0.2	5.0	0.00
9/12/1995	1,026.15	14.2	5.0	0.00
9/13/1995	1,026.12	6.4	5.0	0.00
9/14/1995	1,026.16	13.0	5.0	0.58
9/15/1995	1,026.14	3.9	5.0	0.00
9/16/1995	1,026.09	0.2	5.0	0.00
9/17/1995	1,026.09	5.8	9.3	1.00
9/18/1995	1,026.06	3.7	11.8	0.10
9/19/1995	1,026.00	0.0	11.8	0.00
9/20/1995	1,025.95	0.0	11.8	0.00
9/21/1995	1,025.89	0.0	11.8	0.00
9/22/1995	1,025.86	2.1	11.8	0.31
9/23/1995	1,025.89	20.4	11.8	0.46
9/24/1995	1,025.84	1.1	11.8	0.00
9/25/1995	1,025.79	0.6	11.8	0.01
9/26/1995	1,025.81	14.0	11.8	0.55
9/27/1995	1,025.82	17.0	11.8	0.11
9/28/1995	1,025.79	3.9	11.8	0.00
9/29/1995	1,025.76	1.3	11.8	0.00
9/30/1995	1,025.71	0.0	11.8	0.00
10/1/1995	1,025.67	0.0	11.8	0.00
10/2/1995	1,025.62	0.0	11.8	0.00
10/3/1995	1,025.58	0.5	11.8	0.02
10/4/1995	1,025.56	5.4	11.8	0.39
10/5/1995	1,025.60	20.0	11.8	0.71
10/6/1995	1,025.59	10.5	11.8	0.05
10/7/1995	1,025.55	3.8	11.8	0.00
10/8/1995	1,025.51	0.1	11.8	0.00
10/9/1995	1,025.48	1.3	11.8	0.00
10/10/1995	1,025.41	0.0	11.7	0.00
10/11/1995	1,025.36	0.0	11.7	0.00
10/12/1995	1,025.31	0.0	11.7	0.00
10/13/1995	1,025.25	0.0	11.7	0.00
10/14/1995	1,025.25	5.1	11.7	0.60
10/15/1995	1,025.27	20.2	11.7	0.38
10/16/1995	1,025.23	2.8	11.7	0.00
10/17/1995	1,025.06	0.0	41.2	0.00



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/18/1995	1,024.85	0.0	51.0	0.00
10/19/1995	1,024.65	0.0	50.9	0.00
10/20/1995	1,024.46	0.0	50.8	0.00
10/21/1995	1,024.29	0.0	50.7	0.20
10/22/1995	1,024.08	0.0	50.6	0.00
10/23/1995	1,023.89	0.0	50.5	0.00
10/24/1995	1,023.70	0.0	50.4	0.00
10/25/1995	1,023.50	0.0	50.3	0.01
10/26/1995	1,023.31	0.0	50.2	0.00
10/27/1995	1,023.12	0.6	50.1	0.01
10/28/1995	1,023.03	14.2	50.0	0.65
10/29/1995	1,022.86	1.9	50.0	0.12
10/30/1995	1,022.68	0.0	49.9	0.00
10/31/1995	1,022.50	0.0	49.8	0.00
11/1/1995	1,022.31	0.0	49.7	0.00
11/2/1995	1,022.11	1.1	49.6	0.01
11/3/1995	1,022.11	37.2	49.6	1.08
11/4/1995	1,022.02	28.0	49.5	0.01
11/5/1995	1,021.89	4.9	49.5	0.00
11/6/1995	1,021.85	9.1	29.6	0.00
11/7/1995	1,022.07	61.7	5.0	1.21
11/8/1995	1,022.90	292.5	28.7	0.55
11/9/1995	1,022.62	73.4	123.5	0.00
11/10/1995	1,022.17	2.3	147.4	0.00
11/11/1995	1,021.67	0.9	146.6	0.06
11/12/1995	1,021.33	14.1	145.8	0.57
11/13/1995	1,020.92	21.8	145.3	0.00
11/14/1995	1,020.47	10.1	144.7	0.15
11/15/1995	1,019.96	0.0	144.1	0.90
11/16/1995	1,019.47	0.0	143.5	0.00
11/17/1995	1,019.10	0.0	114.3	0.00
11/18/1995	1,018.89	1.2	71.7	0.00
11/19/1995	1,018.79	8.1	38.5	0.00
11/20/1995	1,018.68	6.7	38.4	0.00
11/21/1995	1,018.56	1.5	38.4	0.00
11/22/1995	1,018.40	0.0	38.4	0.00
11/23/1995	1,018.25	0.0	38.3	0.01
11/24/1995	1,018.11	0.0	38.3	0.15
11/25/1995	1,017.97	0.6	38.3	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/26/1995	1,017.81	19.6	38.2	0.00
11/27/1995	1,017.64	0.0	38.2	0.00
11/28/1995	1,017.51	0.3	38.1	0.06
11/29/1995	1,017.41	4.1	38.1	0.45
11/30/1995	1,017.29	6.6	38.1	0.01
12/1/1995	1,017.26	7.2	18.9	0.00
12/2/1995	1,017.28	9.5	7.5	0.00
12/3/1995	1,017.30	11.4	5.0	0.00
12/4/1995	1,017.40	30.1	5.0	0.00
12/5/1995	1,017.47	33.8	9.5	0.00
12/6/1995	1,017.51	23.2	11.0	0.00
12/7/1995	1,017.55	27.0	15.7	0.38
12/8/1995	1,017.56	24.1	19.0	0.00
12/9/1995	1,017.57	21.8	19.0	0.16
12/10/1995	1,017.59	24.1	19.0	0.01
12/11/1995	1,017.58	16.2	19.0	0.00
12/12/1995	1,017.58	18.8	19.0	0.00
12/13/1995	1,017.57	16.4	19.0	0.01
12/14/1995	1,017.58	21.6	19.0	0.01
12/15/1995	1,017.54	15.2	23.5	0.00
12/16/1995	1,017.55	19.5	28.1	0.37
12/17/1995	1,017.57	40.3	28.1	0.00
12/18/1995	1,017.61	37.6	28.1	0.18
12/19/1995	1,017.72	75.1	41.7	0.51
12/20/1995	1,017.82	181.4	113.8	0.54
12/21/1995	1,018.92	443.7	142.1	0.01
12/22/1995	1,018.66	69.1	142.3	0.01
12/23/1995	1,018.24	22.8	141.9	0.01
12/24/1995	1,017.76	0.0	141.3	0.03
12/25/1995	1,017.50	1.5	88.0	0.01
12/26/1995	1,017.36	10.5	57.4	0.05
12/27/1995	1,017.25	14.8	47.2	0.00
12/28/1995	1,017.26	23.6	26.0	0.03
12/29/1995	1,017.25	16.0	19.0	0.00
12/30/1995	1,017.24	16.0	19.0	0.00
12/31/1995	1,017.25	16.4	14.3	0.00