



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/1996	1,017.31	29.7	11.0	0.26
1/2/1996	1,017.44	58.8	11.0	0.52
1/3/1996	1,018.60	318.0	39.4	0.06
1/4/1996	1,019.00	278.6	105.7	0.00
1/5/1996	1,018.58	99.8	198.6	0.00
1/6/1996	1,017.94	29.3	212.5	0.15
1/7/1996	1,017.62	46.7	158.7	1.35
1/8/1996	1,017.50	43.4	88.0	0.30
1/9/1996	1,017.30	17.8	70.3	0.00
1/10/1996	1,017.50	64.4	19.4	0.00
1/11/1996	1,017.68	51.1	3.1	0.01
1/12/1996	1,017.74	57.5	30.7	0.33
1/13/1996	1,017.75	55.4	49.4	0.05
1/14/1996	1,017.72	53.3	57.4	0.00
1/15/1996	1,017.92	108.6	57.4	0.00
1/16/1996	1,018.55	265.2	106.5	0.00
1/17/1996	1,018.49	356.1	330.9	0.01

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/1996	1,018.73	498.7	431.0	0.00
1/19/1996	1,019.34	600.4	432.4	1.13
1/20/1996	1,020.38	664.6	324.3	0.01
1/21/1996	1,020.00	236.7	288.3	0.01
1/22/1996	1,019.36	42.6	287.0	0.01
1/23/1996	1,019.10	80.5	178.6	0.00
1/24/1996	1,019.00	99.0	142.5	0.35
1/25/1996	1,019.67	318.3	142.8	0.00
1/26/1996	1,018.68	147.1	369.3	0.00
1/27/1996	1,018.41	73.6	207.2	0.18
1/28/1996	1,017.76	80.9	236.9	0.00
1/29/1996	1,017.50	35.7	144.4	0.00
1/30/1996	1,017.29	39.2	98.4	0.01
1/31/1996	1,017.38	63.5	48.9	0.05
2/1/1996	1,017.37	57.6	57.7	0.01
2/2/1996	1,017.34	57.2	64.3	0.44
2/3/1996	1,017.30	52.1	64.2	0.42
2/4/1996	1,017.38	48.4	29.0	0.00
2/5/1996	1,017.45	39.8	19.0	0.00
2/6/1996	1,017.50	36.2	19.0	0.00
2/7/1996	1,017.56	37.3	19.0	0.00
2/8/1996	1,017.61	75.2	33.1	0.18
2/9/1996	1,020.89	723.5	110.2	0.10
2/10/1996	1,021.84	974.6	281.7	0.00
2/11/1996	1,021.01	197.5	441.8	0.00
2/12/1996	1,019.90	102.1	438.5	0.08
2/13/1996	1,018.62	44.0	434.1	0.03
2/14/1996	1,017.64	28.7	338.1	0.00
2/15/1996	1,017.83	107.9	99.1	0.39
2/16/1996	1,018.02	134.1	74.9	0.01
2/17/1996	1,017.59	97.2	199.1	0.00
2/18/1996	1,017.44	75.1	137.9	0.02
2/19/1996	1,017.36	65.0	84.3	0.00
2/20/1996	1,017.32	69.2	84.3	0.10
2/21/1996	1,017.28	56.0	70.5	0.01
2/22/1996	1,017.28	57.9	56.1	0.01
2/23/1996	1,017.36	53.6	38.0	0.00
2/24/1996	1,017.48	58.1	19.0	0.00
2/25/1996	1,017.50	39.9	30.7	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/1996	1,017.49	37.4	38.1	0.00
2/27/1996	1,017.49	38.9	38.1	0.00
2/28/1996	1,017.88	92.8	38.1	0.81
2/29/1996	1,018.30	290.4	118.6	0.01
3/1/1996	1,018.26	147.9	141.6	0.00
3/2/1996	1,018.05	83.5	141.5	0.00
3/3/1996	1,017.72	41.8	141.1	0.01
3/4/1996	1,017.35	39.3	140.7	0.00
3/5/1996	1,017.39	55.8	59.4	0.00
3/6/1996	1,017.87	150.8	38.1	0.58
3/7/1996	1,019.52	573.8	107.6	0.68
3/8/1996	1,021.48	889.1	253.2	0.14
3/9/1996	1,021.43	293.7	291.1	0.02
3/10/1996	1,020.87	136.0	290.5	0.01
3/11/1996	1,020.30	104.1	289.1	0.00
3/12/1996	1,019.59	74.0	287.6	0.00
3/13/1996	1,018.82	47.9	285.8	0.00
3/14/1996	1,017.98	31.2	283.8	0.00
3/15/1996	1,017.54	29.6	182.1	0.08
3/16/1996	1,017.41	72.3	116.0	0.25
3/17/1996	1,017.58	135.5	98.4	0.53
3/18/1996	1,017.88	177.0	98.6	0.00
3/19/1996	1,018.03	153.4	98.8	0.23
3/20/1996	1,018.30	170.7	99.0	0.20
3/21/1996	1,018.54	176.0	99.2	0.33
3/22/1996	1,018.69	155.3	99.4	0.03
3/23/1996	1,018.85	143.1	99.5	0.00
3/24/1996	1,019.05	162.8	99.7	0.00
3/25/1996	1,019.23	156.0	99.9	0.00
3/26/1996	1,019.36	128.9	99.9	0.06
3/27/1996	1,019.36	118.7	100.1	0.00
3/28/1996	1,019.33	100.7	100.1	0.57
3/29/1996	1,019.97	263.1	100.3	0.31
3/30/1996	1,020.46	260.9	100.8	0.00
3/31/1996	1,020.72	196.4	101.1	0.00
4/1/1996	1,021.89	356.8	101.7	0.32
4/2/1996	1,021.22	21.4	102.2	0.76
4/3/1996	1,021.71	170.7	69.2	0.00
4/4/1996	1,021.74	126.4	90.8	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/5/1996	1,022.11	165.3	67.7	0.18
4/6/1996	1,022.31	138.9	58.8	0.00
4/7/1996	1,022.44	101.0	58.9	0.00
4/8/1996	1,022.52	90.2	59.0	0.00
4/9/1996	1,022.64	93.1	59.0	0.12
4/10/1996	1,022.69	82.8	59.1	0.00
4/11/1996	1,022.87	79.9	23.9	0.00
4/12/1996	1,023.04	64.9	11.3	0.00
4/13/1996	1,023.20	57.0	11.3	0.00
4/14/1996	1,022.38	28.8	11.3	0.14
4/15/1996	1,023.55	377.5	11.4	0.00
4/16/1996	1,023.75	78.7	11.4	0.39
4/17/1996	1,023.94	77.5	11.5	0.01
4/18/1996	1,024.12	72.1	11.5	0.00
4/19/1996	1,024.27	65.1	11.5	0.03
4/20/1996	1,024.43	65.5	11.6	0.00
4/21/1996	1,024.70	96.1	11.6	0.32
4/22/1996	1,024.91	89.3	11.6	0.00
4/23/1996	1,025.07	66.6	11.7	0.00
4/24/1996	1,025.23	66.9	11.7	0.00
4/25/1996	1,025.36	59.8	11.7	0.00
4/26/1996	1,025.51	65.4	11.7	0.55
4/27/1996	1,025.77	91.6	11.8	0.01
4/28/1996	1,025.96	82.3	11.8	0.00
4/29/1996	1,026.11	69.3	11.8	0.00
4/30/1996	1,026.28	67.1	11.9	0.43
5/1/1996	1,026.45	71.8	11.9	0.01
5/2/1996	1,026.65	74.4	11.9	0.43
5/3/1996	1,026.89	103.6	12.0	0.00
5/4/1996	1,027.10	88.2	12.0	0.00
5/5/1996	1,027.27	76.4	12.0	0.00
5/6/1996	1,027.61	138.5	34.2	0.85
5/7/1996	1,027.96	210.5	70.3	0.10
5/8/1996	1,028.50	285.7	82.8	0.31
5/9/1996	1,030.14	595.2	83.4	0.58
5/10/1996	1,030.79	394.9	84.3	0.00
5/11/1996	1,031.04	204.1	84.7	0.00
5/12/1996	1,031.21	153.2	84.9	0.24
5/13/1996	1,031.25	103.9	85.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/14/1996	1,030.17	22.0	364.0	0.01
5/15/1996	1,028.71	0.5	468.5	0.32
5/16/1996	1,027.55	36.5	464.3	0.12
5/17/1996	1,027.48	123.0	205.8	0.00
5/18/1996	1,027.47	47.9	52.2	0.00
5/19/1996	1,027.42	36.4	52.2	0.00
5/20/1996	1,027.35	29.4	52.1	0.00
5/21/1996	1,027.31	30.7	44.2	0.00
5/22/1996	1,027.53	86.9	42.1	1.30
5/23/1996	1,027.53	71.6	42.2	0.00
5/24/1996	1,027.51	37.0	42.2	0.00
5/25/1996	1,027.57	41.7	42.2	0.28
5/26/1996	1,027.69	143.3	42.2	0.05
5/27/1996	1,028.82	847.8	615.2	0.60
5/28/1996	1,028.43	430.1	413.6	0.80
5/29/1996	1,030.53	729.7	93.0	1.25
5/30/1996	1,031.64	585.0	93.6	0.00
5/31/1996	1,031.00	198.6	336.7	0.00
6/1/1996	1,029.11	38.5	685.1	0.00
6/2/1996	1,027.43	103.8	767.0	0.00
6/3/1996	1,027.38	159.2	237.1	0.08
6/4/1996	1,027.48	78.9	62.0	0.60
6/5/1996	1,027.41	61.8	62.0	0.00
6/6/1996	1,027.48	79.5	62.0	0.00
6/7/1996	1,027.41	42.2	62.0	0.00
6/8/1996	1,027.38	48.4	62.0	0.67
6/9/1996	1,027.51	101.1	56.3	1.07
6/10/1996	1,028.28	275.7	52.3	0.89
6/11/1996	1,028.09	185.6	190.5	0.00
6/12/1996	1,027.57	60.7	230.7	0.03
6/13/1996	1,027.87	142.9	109.9	0.95
6/14/1996	1,027.94	351.7	259.2	0.00
6/15/1996	1,027.26	121.9	337.1	0.00
6/16/1996	1,027.20	57.6	115.4	0.00
6/17/1996	1,027.17	43.8	52.1	0.00
6/18/1996	1,027.16	43.3	52.1	0.10
6/19/1996	1,027.17	42.4	35.4	0.00
6/20/1996	1,027.25	34.6	9.7	0.06
6/21/1996	1,027.34	34.3	5.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/22/1996	1,027.39	25.5	5.0	0.00
6/23/1996	1,027.43	21.7	5.0	0.00
6/24/1996	1,027.46	17.1	5.0	0.00
6/25/1996	1,027.57	38.3	5.0	0.10
6/26/1996	1,027.56	19.6	14.5	0.00
6/27/1996	1,027.52	5.4	20.2	0.00
6/28/1996	1,027.47	2.2	20.2	0.00
6/29/1996	1,027.42	2.8	20.1	0.00
6/30/1996	1,027.43	9.7	8.2	0.00
7/1/1996	1,027.43	5.2	5.0	0.00
7/2/1996	1,027.44	9.5	5.0	0.01
7/3/1996	1,027.53	26.6	5.0	0.90
7/4/1996	1,027.54	18.0	5.0	0.00
7/5/1996	1,027.51	2.0	10.5	0.00
7/6/1996	1,027.48	1.2	12.0	0.00
7/7/1996	1,027.44	0.0	12.0	0.00
7/8/1996	1,027.41	3.3	12.0	0.00
7/9/1996	1,027.52	42.1	12.0	0.80
7/10/1996	1,027.51	15.8	12.0	0.00
7/11/1996	1,027.49	7.2	12.0	0.00
7/12/1996	1,027.46	1.2	12.0	0.00
7/13/1996	1,027.43	1.2	12.0	0.00
7/14/1996	1,027.42	2.4	7.9	0.01
7/15/1996	1,027.44	9.9	5.0	0.22
7/16/1996	1,027.47	15.3	5.0	0.33
7/17/1996	1,027.47	7.5	5.0	0.00
7/18/1996	1,027.47	4.6	5.0	0.03
7/19/1996	1,027.46	2.9	5.0	0.00
7/20/1996	1,027.55	26.6	5.0	0.21
7/21/1996	1,027.55	17.0	8.8	0.00
7/22/1996	1,027.43	0.0	34.6	0.00
7/23/1996	1,027.35	0.7	25.7	0.00
7/24/1996	1,027.33	4.2	8.5	0.01
7/25/1996	1,027.30	0.2	8.5	0.00
7/26/1996	1,027.33	10.6	5.7	0.31
7/27/1996	1,027.32	3.9	5.0	0.00
7/28/1996	1,027.30	0.2	5.0	0.00
7/29/1996	1,027.29	2.2	5.0	0.00
7/30/1996	1,027.32	13.1	5.0	0.20

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
7/31/1996	1,027.36	28.2	5.0	0.39
8/1/1996	1,028.28	258.4	5.0	1.54
8/2/1996	1,028.33	122.1	34.6	0.00
8/3/1996	1,028.18	22.0	65.7	0.00
8/4/1996	1,028.00	11.6	71.7	0.00
8/5/1996	1,027.81	0.8	71.6	0.00
8/6/1996	1,027.60	2.3	71.5	0.00
8/7/1996	1,027.40	0.3	71.4	0.00
8/8/1996	1,027.34	8.4	34.2	0.00
8/9/1996	1,027.59	66.7	12.0	0.87
8/10/1996	1,027.71	77.7	12.0	0.00
8/11/1996	1,027.61	17.0	35.0	0.00
8/12/1996	1,027.64	56.2	52.2	0.55
8/13/1996	1,027.84	151.9	91.4	0.39
8/14/1996	1,027.51	55.9	142.8	0.01
8/15/1996	1,027.38	8.6	73.6	0.00
8/16/1996	1,027.34	14.7	32.1	0.00
8/17/1996	1,027.36	22.6	20.1	0.47
8/18/1996	1,027.40	33.0	20.1	0.30
8/19/1996	1,027.37	17.9	20.1	0.00
8/20/1996	1,027.31	1.8	20.1	0.00
8/21/1996	1,027.25	0.8	20.1	0.00
8/22/1996	1,027.26	7.4	8.1	0.38
8/23/1996	1,027.26	7.5	5.0	0.00
8/24/1996	1,027.26	5.5	5.0	0.00
8/25/1996	1,027.30	14.0	5.0	0.17
8/26/1996	1,027.30	9.6	5.0	0.00
8/27/1996	1,027.29	2.0	5.0	0.00
8/28/1996	1,027.30	8.0	5.0	0.17
8/29/1996	1,027.29	1.4	5.0	0.00
8/30/1996	1,027.28	1.2	5.0	0.00
8/31/1996	1,027.26	0.6	5.0	0.00
9/1/1996	1,027.24	1.6	5.0	0.00
9/2/1996	1,027.24	0.9	5.0	0.00
9/3/1996	1,027.26	10.2	5.0	0.32
9/4/1996	1,027.31	20.1	5.0	0.22
9/5/1996	1,027.32	13.3	5.0	0.01
9/6/1996	1,027.32	5.0	5.0	0.00
9/7/1996	1,027.32	5.3	5.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/8/1996	1,027.33	7.9	5.0	0.05
9/9/1996	1,027.32	1.4	5.0	0.00
9/10/1996	1,027.31	1.2	5.0	0.00
9/11/1996	1,027.17	0.0	34.4	0.00
9/12/1996	1,027.01	1.2	42.0	0.00
9/13/1996	1,026.94	19.5	42.0	1.07
9/14/1996	1,026.79	6.5	42.0	0.00
9/15/1996	1,026.63	0.0	41.9	0.00
9/16/1996	1,026.53	2.8	41.8	0.42
9/17/1996	1,026.44	14.5	41.7	0.20
9/18/1996	1,026.32	2.5	41.7	0.07
9/19/1996	1,026.19	0.1	41.6	0.00
9/20/1996	1,026.16	16.8	41.6	0.00
9/21/1996	1,025.92	0.0	41.5	0.00
9/22/1996	1,025.78	0.0	38.3	0.00
9/23/1996	1,025.65	0.0	36.0	0.00
9/24/1996	1,025.51	0.0	35.9	0.00
9/25/1996	1,025.38	0.0	35.9	0.30
9/26/1996	1,025.26	0.0	35.8	0.00
9/27/1996	1,025.13	0.0	35.8	0.00
9/28/1996	1,025.02	10.8	35.7	0.22
9/29/1996	1,025.49	167.1	35.8	1.57
9/30/1996	1,025.50	56.7	35.9	0.00
10/1/1996	1,025.41	8.8	35.9	0.00
10/2/1996	1,025.49	62.1	35.8	1.26
10/3/1996	1,027.43	695.8	59.9	1.30
10/4/1996	1,026.95	136.3	237.6	0.01
10/5/1996	1,026.05	0.0	304.0	0.00
10/6/1996	1,025.08	0.0	301.7	0.00
10/7/1996	1,024.08	0.0	299.3	0.00
10/8/1996	1,023.94	1.9	89.1	0.00
10/9/1996	1,023.96	12.8	13.5	0.00
10/10/1996	1,023.78	2.9	51.6	0.00
10/11/1996	1,023.60	1.3	60.8	0.00
10/12/1996	1,023.45	9.2	60.7	0.00
10/13/1996	1,023.29	0.0	46.1	0.00
10/14/1996	1,023.17	0.0	40.1	0.00
10/15/1996	1,023.04	0.0	40.1	0.00
10/16/1996	1,022.91	0.0	40.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/17/1996	1,022.77	0.0	39.9	0.00
10/18/1996	1,022.63	2.3	39.9	0.10
10/19/1996	1,022.65	38.0	39.8	0.74
10/20/1996	1,022.55	16.5	39.8	0.00
10/21/1996	1,022.45	3.8	39.8	0.00
10/22/1996	1,022.35	6.8	39.7	0.00
10/23/1996	1,022.26	7.4	39.7	0.26
10/24/1996	1,022.15	3.4	39.6	0.01
10/25/1996	1,022.04	2.4	39.6	0.00
10/26/1996	1,021.90	0.6	39.5	0.60
10/27/1996	1,021.80	7.1	39.4	0.25
10/28/1996	1,021.71	7.2	39.4	0.01
10/29/1996	1,021.62	7.6	39.3	0.05
10/30/1996	1,021.50	2.7	39.3	0.00
10/31/1996	1,021.38	0.3	39.2	0.00
11/1/1996	1,021.25	0.0	39.2	0.10
11/2/1996	1,021.12	0.0	39.1	0.03
11/3/1996	1,020.97	0.0	39.0	0.00
11/4/1996	1,020.84	0.0	39.0	0.00
11/5/1996	1,020.70	0.0	38.9	0.00
11/6/1996	1,020.56	0.0	38.9	0.00
11/7/1996	1,020.43	6.2	38.9	0.01
11/8/1996	1,021.25	189.5	38.9	1.74
11/9/1996	1,022.00	547.6	228.9	0.15
11/10/1996	1,021.00	153.2	409.0	0.10
11/11/1996	1,020.01	16.2	339.0	0.01
11/12/1996	1,019.71	24.7	143.9	0.00
11/13/1996	1,019.62	40.0	77.9	0.00
11/14/1996	1,019.49	35.2	71.9	0.02
11/15/1996	1,019.34	19.3	71.8	0.00
11/16/1996	1,019.16	9.1	71.7	0.00
11/17/1996	1,018.97	31.2	71.6	0.00
11/18/1996	1,018.92	53.0	71.5	0.45
11/19/1996	1,019.53	219.5	71.6	0.18
11/20/1996	1,019.76	162.9	59.9	0.00
11/21/1996	1,019.63	89.0	100.4	0.00
11/22/1996	1,020.30	360.0	188.7	0.33
11/23/1996	1,021.58	570.8	198.9	0.00
11/24/1996	1,021.49	215.1	145.9	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/25/1996	1,021.26	78.5	145.7	0.00
11/26/1996	1,021.11	72.1	145.3	0.41
11/27/1996	1,019.88	3.7	328.1	0.03
11/28/1996	1,019.25	41.5	281.9	0.00
11/29/1996	1,018.97	42.8	128.4	0.00
11/30/1996	1,018.64	89.3	128.1	0.14
12/1/1996	1,022.49	1,113.4	226.2	1.80
12/2/1996	1,024.04	925.2	203.5	0.10
12/3/1996	1,023.45	212.3	299.8	0.00
12/4/1996	1,022.21	161.5	513.5	0.00
12/5/1996	1,020.39	0.0	587.3	0.00
12/6/1996	1,018.74	5.5	507.1	0.11
12/7/1996	1,018.21	49.1	250.3	0.01
12/8/1996	1,017.89	47.0	141.4	0.01
12/9/1996	1,017.51	27.1	140.9	0.01
12/10/1996	1,017.33	25.5	86.1	0.01
12/11/1996	1,017.33	30.2	38.6	0.00
12/12/1996	1,017.33	30.5	28.1	0.01
12/13/1996	1,017.35	33.5	28.1	0.12
12/14/1996	1,017.34	24.9	28.1	0.01
12/15/1996	1,017.31	21.0	28.1	0.00
12/16/1996	1,017.27	16.3	28.1	0.00
12/17/1996	1,017.24	19.4	28.1	0.12
12/18/1996	1,017.27	21.8	16.5	0.00
12/19/1996	1,017.21	2.5	14.0	0.05
12/20/1996	1,017.32	40.2	14.0	0.00
12/21/1996	1,017.30			0.00
12/22/1996	1,017.29			0.00
12/23/1996	1,017.32	22.3	14.0	0.18
12/24/1996	1,017.44	48.3	14.0	0.34
12/25/1996	1,017.76	93.2	14.1	0.10
12/26/1996	1,017.50	66.8	112.8	0.00
12/27/1996	1,017.46	63.8	89.2	0.06
12/28/1996	1,017.43	63.0	70.3	0.00
12/29/1996	1,017.37	55.5	70.3	0.17
12/30/1996	1,017.40	73.0	70.2	0.23
12/31/1996	1,017.43	80.2	70.3	0.20