



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/1997	1,017.52	94.4	70.3	0.00
1/2/1997	1,017.56	83.6	70.3	0.00
1/3/1997	1,017.55	69.2	70.3	0.02
1/4/1997	1,017.52	62.7	70.3	0.00
1/5/1997	1,017.49	58.1	70.3	0.41
1/6/1997	1,017.75	140.5	70.4	0.00
1/7/1997	1,017.59	82.7	112.0	0.00
1/8/1997	1,017.32	49.7	126.6	0.00
1/9/1997	1,017.37	82.9	81.9	0.38
1/10/1997	1,017.57	122.2	70.3	0.10
1/11/1997	1,017.47	97.0	114.9	0.12
1/12/1997	1,017.22	60.4	126.4	0.00
1/13/1997	1,017.20	63.7	81.8	0.00
1/14/1997	1,017.23	61.6	56.1	0.90
1/15/1997	1,017.24	50.9	42.1	0.00
1/16/1997	1,017.47	87.9	42.1	0.52
1/17/1997	1,017.79	164.8	63.3	0.03

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/1997	1,017.85	102.5	70.5	0.00
1/19/1997	1,017.87	79.3	70.5	0.00
1/20/1997	1,017.82	55.7	70.5	0.00
1/21/1997	1,017.74	48.8	70.5	0.00
1/22/1997	1,017.63	41.4	70.4	0.00
1/23/1997	1,017.66	71.7	70.4	0.42
1/24/1997	1,017.72	88.5	70.4	0.02
1/25/1997	1,017.66	90.7	103.9	0.30
1/26/1997	1,017.64	100.9	112.6	0.00
1/27/1997	1,017.50	82.3	112.6	0.00
1/28/1997	1,017.75	188.0	112.6	0.90
1/29/1997	1,018.93	533.2	231.9	0.02
1/30/1997	1,018.68	262.8	284.6	0.00
1/31/1997	1,018.13	130.1	283.7	0.00
2/1/1997	1,017.41	74.2	282.2	0.00
2/2/1997	1,017.39	77.7	114.2	0.00
2/3/1997	1,017.34	59.2	70.2	0.00
2/4/1997	1,017.42	74.7	70.2	0.53
2/5/1997	1,018.04	250.0	70.4	0.45
2/6/1997	1,018.36	286.0	182.8	0.00
2/7/1997	1,018.20	184.4	212.4	0.01
2/8/1997	1,017.90	127.6	212.0	0.31
2/9/1997	1,017.77	163.9	211.6	0.12
2/10/1997	1,017.31	126.5	244.6	0.01
2/11/1997	1,017.48	128.1	108.3	0.01
2/12/1997	1,017.39	90.3	103.7	0.00
2/13/1997	1,017.23	67.2	112.3	0.00
2/14/1997	1,017.26	76.5	78.9	0.04
2/15/1997	1,017.23	65.0	70.2	0.02
2/16/1997	1,017.23	53.8	53.0	0.00
2/17/1997	1,017.23	42.3	42.1	0.00
2/18/1997	1,017.25	45.8	42.1	0.00
2/19/1997	1,017.25	44.2	42.1	0.00
2/20/1997	1,017.25	41.9	42.1	0.01
2/21/1997	1,017.23	39.1	42.1	0.00
2/22/1997	1,017.30	53.7	42.1	0.38
2/23/1997	1,017.28	42.3	42.1	0.00
2/24/1997	1,017.29	35.4	34.5	0.00
2/25/1997	1,017.26	23.4	28.1	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/1997	1,017.25	25.1	28.1	0.00
2/27/1997	1,017.38	60.0	28.1	0.37
2/28/1997	1,017.31	52.8	62.7	0.02
3/1/1997	1,017.36	68.7	70.2	0.41
3/2/1997	1,017.67	154.5	70.3	0.65
3/3/1997	1,019.47	665.7	70.8	0.98
3/4/1997	1,026.82	2,334.3	29.9	0.58
3/5/1997	1,027.66	485.3	81.4	0.00
3/6/1997	1,029.55	671.1	90.8	0.00
3/7/1997	1,029.48	472.7	340.8	0.01
3/8/1997	1,028.22	183.9	616.8	0.01
3/9/1997	1,026.76	95.3	612.2	0.00
3/10/1997	1,025.14	52.5	606.6	0.15
3/11/1997	1,023.46	21.4	600.2	0.00
3/12/1997	1,021.62	0.0	592.4	0.00
3/13/1997	1,019.68	1.4	584.3	0.00
3/14/1997	1,018.79	23.4	346.7	0.07
3/15/1997	1,017.88	19.9	283.6	0.07
3/16/1997	1,017.75	33.0	114.7	0.00
3/17/1997	1,017.64	39.5	70.4	0.00
3/18/1997	1,017.76	82.4	44.0	0.03
3/19/1997	1,018.67	276.3	28.3	1.37
3/20/1997	1,020.54	528.7	28.6	0.21
3/21/1997	1,021.55	599.7	235.6	0.00
3/22/1997	1,021.12	227.4	290.9	0.00
3/23/1997	1,021.26	146.1	118.0	0.00
3/24/1997	1,021.34	103.5	72.7	0.00
3/25/1997	1,021.36	83.7	72.8	0.00
3/26/1997	1,021.41	82.9	72.8	0.36
3/27/1997	1,021.47	95.9	72.9	0.00
3/28/1997	1,021.48	77.5	72.9	0.00
3/29/1997	1,021.92	103.7	28.4	0.92
3/30/1997	1,022.41	295.8	87.1	0.00
3/31/1997	1,022.63	192.9	118.0	0.38
4/1/1997	1,022.22	149.9	247.6	0.00
4/2/1997	1,021.59	94.4	292.5	0.00
4/3/1997	1,020.85	57.8	290.8	0.00
4/4/1997	1,020.06	41.2	288.9	0.00
4/5/1997	1,019.21	20.7	286.9	0.01

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/6/1997	1,018.33	12.1	284.7	0.01
4/7/1997	1,017.38	2.9	282.5	0.01
4/8/1997	1,017.34	44.5	93.7	0.00
4/9/1997	1,017.30	46.2	56.2	0.00
4/10/1997	1,017.26	43.4	56.1	0.00
4/11/1997	1,017.16	30.4	56.1	0.00
4/12/1997	1,017.21	30.3	22.8	0.13
4/13/1997	1,017.33	47.0	14.0	0.23
4/14/1997	1,017.39	33.9	14.0	0.00
4/15/1997	1,017.43	27.7	14.1	0.00
4/16/1997	1,017.45	19.9	14.1	0.00
4/17/1997	1,017.46	17.1	14.1	0.02
4/18/1997	1,017.47	18.4	14.1	0.01
4/19/1997	1,017.56	39.1	14.1	0.02
4/20/1997	1,017.66	44.2	14.1	0.06
4/21/1997	1,017.77	47.7	14.1	0.01
4/22/1997	1,017.94	57.8	8.4	0.35
4/23/1997	1,018.15	64.1	5.0	0.35
4/24/1997	1,018.49	100.7	5.0	0.18
4/25/1997	1,018.84	111.2	5.0	0.00
4/26/1997	1,019.11	95.9	5.0	0.00
4/27/1997	1,019.36	83.0	5.0	0.01
4/28/1997	1,019.64	89.4	5.0	0.19
4/29/1997	1,020.02	118.3	5.0	0.24
4/30/1997	1,020.34	110.5	5.0	0.00
5/1/1997	1,020.61	98.5	5.0	0.22
5/2/1997	1,020.85	76.9	5.0	0.00
5/3/1997	1,021.08	80.0	5.0	0.27
5/4/1997	1,021.28	69.7	5.0	0.09
5/5/1997	1,021.44	57.8	5.0	0.01
5/6/1997	1,021.59	57.8	5.0	0.03
5/7/1997	1,021.73	50.1	5.0	0.00
5/8/1997	1,021.86	46.9	5.0	0.00
5/9/1997	1,021.95	42.3	5.0	0.01
5/10/1997	1,022.15	60.0	5.0	0.32
5/11/1997	1,022.27	46.7	5.0	0.00
5/12/1997	1,022.38	43.6	5.0	0.00
5/13/1997	1,022.52	46.3	5.0	0.22
5/14/1997	1,022.63	46.9	5.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/15/1997	1,022.81	60.7	5.0	0.31
5/16/1997	1,022.94	45.5	5.0	0.05
5/17/1997	1,023.05	46.0	5.0	0.00
5/18/1997	1,023.16	41.8	5.0	0.01
5/19/1997	1,023.26	40.9	5.0	0.00
5/20/1997	1,023.52	83.0	5.0	1.09
5/21/1997	1,023.91	126.9	5.0	0.03
5/22/1997	1,024.15	94.5	5.0	0.00
5/23/1997	1,024.32	66.4	5.0	0.00
5/24/1997	1,024.41	40.6	5.0	0.00
5/25/1997	1,024.51	43.6	5.0	0.00
5/26/1997	1,024.90	138.6	5.0	1.27
5/27/1997	1,026.40	455.7	5.0	0.26
5/28/1997	1,026.95	246.5	5.0	0.01
5/29/1997	1,027.29	132.8	5.0	0.10
5/30/1997	1,027.39	104.6	53.3	0.18
5/31/1997	1,027.39	84.3	82.3	0.06
6/1/1997	1,027.36	74.1	82.3	0.18
6/2/1997	1,027.34	73.9	82.2	0.12
6/3/1997	1,027.25	54.4	82.2	0.00
6/4/1997	1,027.23	43.7	57.1	0.00
6/5/1997	1,027.26	36.0	30.8	0.00
6/6/1997	1,027.34	42.6	12.0	0.00
6/7/1997	1,027.37	27.8	12.0	0.00
6/8/1997	1,027.41	24.8	12.0	0.09
6/9/1997	1,027.49	40.1	12.0	0.55
6/10/1997	1,027.50	30.3	25.6	0.02
6/11/1997	1,027.47	22.6	31.2	0.02
6/12/1997	1,027.43	16.8	31.2	0.05
6/13/1997	1,027.39	22.4	31.1	0.01
6/14/1997	1,028.03	167.5	31.2	1.52
6/15/1997	1,028.67	424.7	138.7	0.07
6/16/1997	1,028.53	153.9	167.0	0.00
6/17/1997	1,028.35	141.9	231.2	1.07
6/18/1997	1,031.18	1,059.7	115.9	0.58
6/19/1997	1,030.89	404.8	341.9	0.06
6/20/1997	1,029.84	81.6	471.5	0.08
6/21/1997	1,028.61	28.7	467.9	0.02
6/22/1997	1,027.61	70.0	464.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/23/1997	1,027.39	96.1	205.8	0.00
6/24/1997	1,027.38	31.1	36.4	0.00
6/25/1997	1,027.36	26.3	31.1	0.00
6/26/1997	1,027.39	24.3	16.8	0.00
6/27/1997	1,027.48	38.4	12.0	0.68
6/28/1997	1,027.48	25.3	18.5	0.00
6/29/1997	1,027.46	19.0	20.2	0.00
6/30/1997	1,027.80	94.3	20.2	0.66
7/1/1997	1,027.30	144.5	234.6	0.78
7/2/1997	1,027.67	172.4	104.7	0.00
7/3/1997	1,027.47	78.1	105.2	0.00
7/4/1997	1,027.46	31.7	50.4	0.00
7/5/1997	1,027.46	29.3	27.9	0.07
7/6/1997	1,027.43	20.2	31.1	0.00
7/7/1997	1,027.40	15.0	22.9	0.00
7/8/1997	1,027.39	9.5	15.4	0.00
7/9/1997	1,027.38	8.4	12.0	0.00
7/10/1997	1,027.37	8.4	12.0	0.03
7/11/1997	1,027.36	8.2	12.0	0.00
7/12/1997	1,027.34	4.8	12.0	0.00
7/13/1997	1,027.32	5.0	12.0	0.00
7/14/1997	1,027.31	8.2	12.0	0.00
7/15/1997	1,027.29	4.4	12.0	0.00
7/16/1997	1,027.28	3.0	6.2	0.00
7/17/1997	1,027.27	1.4	5.0	0.00
7/18/1997	1,027.26	1.4	5.0	0.00
7/19/1997	1,027.24	1.2	5.0	0.00
7/20/1997	1,027.24	2.0	5.0	0.00
7/21/1997	1,027.25	5.5	5.0	0.00
7/22/1997	1,027.24	9.7	5.0	0.00
7/23/1997	1,027.51	91.5	5.0	0.97
7/24/1997	1,027.71	92.4	36.0	1.60
7/25/1997	1,027.64	38.6	42.2	0.06
7/26/1997	1,027.52	4.1	42.2	0.00
7/27/1997	1,027.41	2.5	42.2	0.44
7/28/1997	1,027.44	24.6	18.9	0.34
7/29/1997	1,027.42	0.0	5.0	0.00
7/30/1997	1,027.40	0.0	5.0	0.00
7/31/1997	1,027.38	0.0	5.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
8/1/1997	1,027.34	0.0	5.0	0.00
8/2/1997	1,027.31	0.0	5.0	0.00
8/3/1997	1,027.29	0.2	5.0	0.00
8/4/1997	1,027.28	2.5	5.0	0.00
8/5/1997	1,027.35	20.5	5.0	0.24
8/6/1997	1,027.39	30.5	9.4	0.00
8/7/1997	1,027.40	17.4	12.0	0.00
8/8/1997	1,027.38	5.0	12.0	0.00
8/9/1997	1,027.37	8.6	12.0	0.01
8/10/1997	1,027.37	12.0	12.0	0.11
8/11/1997	1,027.38	12.9	12.0	0.11
8/12/1997	1,027.37	9.8	11.1	0.00
8/13/1997	1,027.36	2.2	5.0	0.02
8/14/1997	1,027.41	15.1	5.0	0.45
8/15/1997	1,027.41	12.9	5.0	0.03
8/16/1997	1,027.43	11.8	5.0	0.03
8/17/1997	1,027.43	4.6	5.0	0.00
8/18/1997	1,027.76	41.2	5.0	1.42
8/19/1997	1,027.60	107.1	68.6	0.00
8/20/1997	1,027.50	37.8	82.4	1.08
8/21/1997	1,027.47	66.3	82.3	0.36
8/22/1997	1,027.26	22.3	82.3	0.00
8/23/1997	1,027.26	3.5	18.8	0.00
8/24/1997	1,027.25	1.8	5.0	0.00
8/25/1997	1,027.24	4.4	5.0	0.00
8/26/1997	1,027.23	1.4	5.0	0.02
8/27/1997	1,027.22	1.4	5.0	0.00
8/28/1997	1,027.21	1.4	5.0	0.00
8/29/1997	1,027.20	1.4	5.0	0.00
8/30/1997	1,027.19	1.4	5.0	0.00
8/31/1997	1,027.18	1.4	5.0	0.00
9/1/1997	1,027.17	1.4	5.0	0.00
9/2/1997	1,027.16	1.4	5.0	0.00
9/3/1997	1,027.16	2.0	5.0	0.08
9/4/1997	1,027.16	4.4	5.0	0.08
9/5/1997	1,027.14	0.2	5.0	0.00
9/6/1997	1,027.12	1.2	5.0	0.00
9/7/1997	1,027.11	1.4	5.0	0.00
9/8/1997	1,027.10	1.4	5.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/9/1997	1,027.09	2.5	5.0	0.06
9/10/1997	1,027.18	28.9	5.0	0.61
9/11/1997	1,027.13	17.5	28.2	0.25
9/12/1997	1,027.01	1.5	42.0	0.00
9/13/1997	1,026.95	0.0	18.2	0.00
9/14/1997	1,026.94	0.2	6.5	0.00
9/15/1997	1,026.93	1.5	5.0	0.00
9/16/1997	1,026.92	1.2	5.0	0.00
9/17/1997	1,026.83	0.0	17.4	0.00
9/18/1997	1,026.69	0.0	31.9	0.01
9/19/1997	1,026.54	0.0	31.9	0.00
9/20/1997	1,026.39	0.0	31.8	0.00
9/21/1997	1,026.31	0.0	31.8	0.59
9/22/1997	1,026.17	0.0	31.8	0.00
9/23/1997	1,026.02	0.0	31.7	0.00
9/24/1997	1,025.90	0.0	31.7	0.23
9/25/1997	1,025.76	0.0	31.6	0.05
9/26/1997	1,025.63	0.0	31.6	0.00
9/27/1997	1,025.48	0.0	31.5	0.00
9/28/1997	1,025.32	0.0	31.5	0.00
9/29/1997	1,025.23	0.0	31.4	0.35
9/30/1997	1,025.10	0.0	31.4	0.00
10/1/1997	1,024.94	0.0	31.3	0.00
10/2/1997	1,024.79	0.0	31.3	0.00
10/3/1997	1,024.64	0.0	31.2	0.00
10/4/1997	1,024.49	0.0	31.2	0.00
10/5/1997	1,024.33	0.0	31.1	0.00
10/6/1997	1,024.18	0.0	31.1	0.00
10/7/1997	1,024.04	0.0	31.0	0.00
10/8/1997	1,023.88	0.0	31.0	0.00
10/9/1997	1,023.73	0.0	30.9	0.00
10/10/1997	1,023.57	0.0	30.9	0.00
10/11/1997	1,023.46	0.0	30.8	0.21
10/12/1997	1,023.32	0.0	30.8	0.00
10/13/1997	1,023.17	0.0	30.8	0.00
10/14/1997	1,023.03	0.7	30.7	0.19
10/15/1997	1,023.02	7.0	14.6	0.10
10/16/1997	1,022.87	0.0	25.3	0.00
10/17/1997	1,022.70	0.0	30.6	0.00



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/18/1997	1,022.55	0.0	30.5	0.02
10/19/1997	1,022.39	0.0	30.5	0.00
10/20/1997	1,022.23	0.0	30.4	0.00
10/21/1997	1,022.08	0.0	30.4	0.00
10/22/1997	1,021.92	0.0	30.3	0.00
10/23/1997	1,021.76	0.0	30.3	0.00
10/24/1997	1,021.59	0.0	30.2	0.00
10/25/1997	1,021.46	0.0	30.2	0.25
10/26/1997	1,021.32	0.0	30.1	0.00
10/27/1997	1,021.17	0.0	30.1	0.18
10/28/1997	1,021.01	0.0	30.0	0.03
10/29/1997	1,020.85	0.0	30.0	0.00
10/30/1997	1,020.69	0.0	30.0	0.00
10/31/1997	1,020.52	0.0	30.0	0.00
11/1/1997	1,020.37	0.0	30.0	0.20
11/2/1997	1,020.22	0.0	30.0	0.20
11/3/1997	1,020.11	0.6	30.0	0.40
11/4/1997	1,020.03	4.0	30.0	0.36
11/5/1997	1,019.90	0.0	30.0	0.00
11/6/1997	1,019.77	0.2	29.2	0.00
11/7/1997	1,019.78	4.4	7.2	0.07
11/8/1997	1,019.69	0.0	16.4	0.00
11/9/1997	1,019.58	0.0	28.7	0.00
11/10/1997	1,019.44	0.0	28.6	0.43
11/11/1997	1,019.32	0.0	28.6	0.13
11/12/1997	1,019.18	0.0	29.7	0.01
11/13/1997	1,019.02	0.0	30.0	0.00
11/14/1997	1,018.90	0.0	30.0	0.30
11/15/1997	1,018.78	0.0	30.0	0.00
11/16/1997	1,018.66	0.0	30.0	0.00
11/17/1997	1,018.54	0.0	30.0	0.35
11/18/1997	1,018.39	0.0	30.0	0.00
11/19/1997	1,018.23	0.0	30.0	0.00
11/20/1997	1,018.08	0.0	30.0	0.00
11/21/1997	1,017.92	0.0	30.0	0.01
11/22/1997	1,017.88	11.2	30.0	0.71
11/23/1997	1,017.86	43.5	30.0	0.00
11/24/1997	1,017.78	5.3	30.0	0.00
11/25/1997	1,017.64	0.0	30.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/26/1997	1,017.50	0.0	30.0	0.00
11/27/1997	1,017.35	0.0	30.0	0.00
11/28/1997	1,017.21	0.0	30.0	0.00
11/29/1997	1,017.18	3.1	11.3	0.00
11/30/1997	1,017.35	47.5	5.0	0.30
12/1/1997	1,017.48	46.9	5.0	0.49
12/2/1997	1,017.65	52.4	5.0	0.00
12/3/1997	1,017.72	28.1	5.0	0.00
12/4/1997	1,017.61	6.3	31.1	0.33
12/5/1997	1,017.53	12.3	38.0	0.20
12/6/1997	1,017.41	0.0	30.0	0.00
12/7/1997	1,017.33	0.0	22.0	0.00
12/8/1997	1,017.24	0.5	22.0	0.06
12/9/1997	1,017.27	11.8	8.0	0.12
12/10/1997	1,017.31	19.1	5.0	0.27
12/11/1997	1,017.46	51.0	13.1	0.01
12/12/1997	1,017.37	17.6	33.4	0.00
12/13/1997	1,017.33	5.4	20.6	0.00
12/14/1997	1,017.29	3.5	16.0	0.00
12/15/1997	1,017.23	0.8	16.0	0.00
12/16/1997	1,017.25	9.4	7.3	0.00
12/17/1997	1,017.26	8.2	5.0	0.00
12/18/1997	1,017.27	9.9	5.0	0.00
12/19/1997	1,017.27	5.2	5.0	0.00
12/20/1997	1,017.28	8.0	5.0	0.00
12/21/1997	1,017.29	7.8	5.0	0.00
12/22/1997	1,017.32	9.9	5.0	0.24
12/23/1997	1,017.34	14.9	5.0	0.00
12/24/1997	1,017.35	8.5	5.0	0.00
12/25/1997	1,017.40	18.1	5.0	0.00
12/26/1997	1,017.47	24.1	5.0	0.00
12/27/1997	1,017.55	29.0	5.0	0.52
12/28/1997	1,017.63	28.4	5.0	0.13
12/29/1997	1,017.67	18.8	5.0	0.00
12/30/1997	1,017.62	10.8	17.8	0.00
12/31/1997	1,017.56	1.1	22.0	0.00