



| | ELEVATION OBS (FEET) INST-VAL | INFLOW OBS (CFS) 24-HR AVG | OUTFLOW OBS (CFS) 24-HR AVG | PRECIP OBS (INCHES) 24-HR CUM |
|-----------|-------------------------------------|----------------------------------|-----------------------------------|-------------------------------------|
| 1/1/1998 | 1,017.50 | 3.9 | 22.0 | 0.00 |
| 1/2/1998 | 1,017.41 | 0.0 | 22.0 | 0.00 |
| 1/3/1998 | 1,017.35 | 1.8 | 22.0 | 0.00 |
| 1/4/1998 | 1,017.36 | 21.4 | 22.0 | 0.00 |
| 1/5/1998 | 1,017.40 | 33.2 | 22.0 | 0.00 |
| 1/6/1998 | 1,017.38 | 19.9 | 22.0 | 0.00 |
| 1/7/1998 | 1,017.35 | 14.5 | 22.0 | 0.04 |
| 1/8/1998 | 1,017.43 | 41.1 | 22.0 | 0.40 |
| 1/9/1998 | 1,017.62 | 69.5 | 22.0 | 0.08 |
| 1/10/1998 | 1,017.71 | 55.9 | 22.0 | 0.00 |
| 1/11/1998 | 1,017.72 | 27.6 | 22.0 | 0.00 |
| 1/12/1998 | 1,017.70 | 19.0 | 22.0 | 0.05 |
| 1/13/1998 | 1,017.67 | 14.9 | 22.0 | 0.06 |
| 1/14/1998 | 1,017.63 | 9.8 | 22.0 | 0.02 |
| 1/15/1998 | 1,017.58 | 8.0 | 22.0 | 0.23 |
| 1/16/1998 | 1,017.60 | 23.9 | 22.0 | 0.12 |
| 1/17/1998 | 1,017.61 | 27.2 | 22.0 | 0.00 |

| | ELEVATION OBS (FEET) INST-VAL | INFLOW OBS (CFS) 24-HR AVG | OUTFLOW OBS (CFS) 24-HR AVG | PRECIP OBS (INCHES) 24-HR CUM |
|-----------|-------------------------------------|----------------------------------|-----------------------------------|-------------------------------------|
| 1/18/1998 | 1,017.63 | 28.0 | 22.0 | 0.00 |
| 1/19/1998 | 1,017.65 | 27.6 | 22.0 | 0.00 |
| 1/20/1998 | 1,017.67 | 27.2 | 22.0 | 0.00 |
| 1/21/1998 | 1,017.67 | 21.8 | 22.0 | 0.00 |
| 1/22/1998 | 1,017.66 | 20.5 | 22.0 | 0.00 |
| 1/23/1998 | 1,017.78 | 48.6 | 22.0 | 0.42 |
| 1/24/1998 | 1,017.94 | 72.8 | 22.0 | 0.12 |
| 1/25/1998 | 1,018.18 | 87.9 | 22.0 | 0.00 |
| 1/26/1998 | 1,018.34 | 78.8 | 22.0 | 0.00 |
| 1/27/1998 | 1,017.94 | 25.4 | 121.5 | 0.00 |
| 1/28/1998 | 1,017.66 | 62.1 | 149.3 | 0.60 |
| 1/29/1998 | 1,017.60 | 116.8 | 149.0 | 0.00 |
| 1/30/1998 | 1,017.40 | 95.9 | 148.8 | 0.00 |
| 1/31/1998 | 1,017.32 | 63.8 | 90.8 | 0.00 |
| 2/1/1998 | 1,017.26 | 36.5 | 56.1 | 0.00 |
| 2/2/1998 | 1,017.22 | 42.9 | 56.1 | 0.00 |
| 2/3/1998 | 1,017.17 | 27.2 | 35.4 | 0.01 |
| 2/4/1998 | 1,017.55 | 119.0 | 23.8 | 1.22 |
| 2/5/1998 | 1,017.81 | 200.9 | 122.6 | 0.35 |
| 2/6/1998 | 1,017.91 | 185.0 | 149.3 | 0.08 |
| 2/7/1998 | 1,017.98 | 172.2 | 149.4 | 0.00 |
| 2/8/1998 | 1,018.04 | 168.0 | 149.5 | 0.00 |
| 2/9/1998 | 1,018.10 | 172.1 | 149.6 | 0.00 |
| 2/10/1998 | 1,018.45 | 235.1 | 149.8 | 0.00 |
| 2/11/1998 | 1,018.16 | 201.2 | 259.4 | 0.00 |
| 2/12/1998 | 1,017.62 | 130.0 | 282.4 | 0.06 |
| 2/13/1998 | 1,017.52 | 119.0 | 172.6 | 0.07 |
| 2/14/1998 | 1,017.22 | 35.1 | 108.8 | 0.00 |
| 2/15/1998 | 1,017.26 | 36.9 | 37.9 | 0.00 |
| 2/16/1998 | 1,017.32 | 39.6 | 22.0 | 0.00 |
| 2/17/1998 | 1,017.40 | 45.0 | 22.0 | 0.00 |
| 2/18/1998 | 1,017.60 | 75.7 | 22.0 | 0.42 |
| 2/19/1998 | 1,017.63 | 81.6 | 65.0 | 0.02 |
| 2/20/1998 | 1,017.64 | 78.8 | 76.3 | 0.03 |
| 2/21/1998 | 1,017.60 | 67.9 | 76.3 | 0.00 |
| 2/22/1998 | 1,017.53 | 54.8 | 76.3 | 0.00 |
| 2/23/1998 | 1,017.49 | 56.0 | 76.2 | 0.39 |
| 2/24/1998 | 1,017.69 | 131.7 | 76.3 | 0.04 |
| 2/25/1998 | 1,017.85 | 127.1 | 76.4 | 0.00 |

| | ELEVATION OBS (FEET) INST-VAL | INFLOW OBS (CFS) 24-HR AVG | OUTFLOW OBS (CFS) 24-HR AVG | PRECIP OBS (INCHES) 24-HR CUM |
|-----------|-------------------------------------|----------------------------------|-----------------------------------|-------------------------------------|
| 2/26/1998 | 1,017.92 | 99.8 | 76.4 | 0.00 |
| 2/27/1998 | 1,017.87 | 66.7 | 76.5 | 0.03 |
| 2/28/1998 | 1,017.74 | 44.0 | 76.4 | 0.00 |
| 3/1/1998 | 1,017.64 | 44.0 | 76.4 | 0.00 |
| 3/2/1998 | 1,017.52 | 41.3 | 76.3 | 0.14 |
| 3/3/1998 | 1,017.46 | 55.8 | 76.3 | 0.29 |
| 3/4/1998 | 1,017.38 | 53.1 | 76.2 | 0.07 |
| 3/5/1998 | 1,017.43 | 68.9 | 60.4 | 0.10 |
| 3/6/1998 | 1,017.53 | 84.7 | 56.2 | 0.00 |
| 3/7/1998 | 1,017.53 | 60.8 | 56.3 | 0.00 |
| 3/8/1998 | 1,017.57 | 64.9 | 56.3 | 0.00 |
| 3/9/1998 | 1,017.63 | 73.7 | 56.3 | 0.30 |
| 3/10/1998 | 1,017.75 | 89.1 | 56.3 | 0.04 |
| 3/11/1998 | 1,017.77 | 69.9 | 56.4 | 0.01 |
| 3/12/1998 | 1,017.74 | 49.1 | 56.4 | 0.02 |
| 3/13/1998 | 1,017.69 | 41.2 | 56.4 | 0.00 |
| 3/14/1998 | 1,017.68 | 37.6 | 41.8 | 0.00 |
| 3/15/1998 | 1,017.69 | 34.9 | 31.8 | 0.00 |
| 3/16/1998 | 1,017.76 | 36.4 | 18.9 | 0.15 |
| 3/17/1998 | 1,017.85 | 42.7 | 16.0 | 0.06 |
| 3/18/1998 | 1,017.94 | 44.0 | 11.5 | 0.01 |
| 3/19/1998 | 1,018.48 | 162.8 | 5.9 | 0.96 |
| 3/20/1998 | 1,019.59 | 568.4 | 204.5 | 0.08 |
| 3/21/1998 | 1,020.14 | 366.6 | 233.4 | 0.20 |
| 3/22/1998 | 1,019.93 | 254.8 | 287.7 | 0.15 |
| 3/23/1998 | 1,019.39 | 136.6 | 286.8 | 0.01 |
| 3/24/1998 | 1,019.34 | 100.7 | 138.8 | 0.00 |
| 3/25/1998 | 1,019.24 | 76.7 | 100.0 | 0.00 |
| 3/26/1998 | 1,019.46 | 92.0 | 36.2 | 0.21 |
| 3/27/1998 | 1,019.69 | 79.9 | 11.5 | 0.00 |
| 3/28/1998 | 1,019.94 | 79.9 | 5.0 | 0.00 |
| 3/29/1998 | 1,020.12 | 68.2 | 5.0 | 0.00 |
| 3/30/1998 | 1,020.31 | 65.2 | 5.0 | 0.00 |
| 3/31/1998 | 1,020.49 | 62.8 | 5.0 | 0.00 |
| 4/1/1998 | 1,020.73 | 77.1 | 5.0 | 0.69 |
| 4/2/1998 | 1,021.10 | 118.9 | 5.0 | 0.00 |
| 4/3/1998 | 1,021.37 | 97.0 | 5.0 | 0.00 |
| 4/4/1998 | 1,021.93 | 164.0 | 5.0 | 0.90 |
| 4/5/1998 | 1,023.00 | 444.5 | 97.9 | 0.03 |

| | ELEVATION OBS (FEET) INST-VAL | INFLOW OBS (CFS) 24-HR AVG | OUTFLOW OBS (CFS) 24-HR AVG | PRECIP OBS (INCHES) 24-HR CUM |
|-----------|-------------------------------------|----------------------------------|-----------------------------------|-------------------------------------|
| 4/6/1998 | 1,023.19 | 270.2 | 157.5 | 0.00 |
| 4/7/1998 | 1,023.26 | 145.3 | 116.7 | 0.00 |
| 4/8/1998 | 1,023.25 | 81.6 | 80.3 | 0.01 |
| 4/9/1998 | 1,023.40 | 118.1 | 73.8 | 0.44 |
| 4/10/1998 | 1,023.67 | 133.4 | 45.7 | 0.42 |
| 4/11/1998 | 1,024.25 | 215.3 | 39.0 | 0.11 |
| 4/12/1998 | 1,024.75 | 213.9 | 39.2 | 0.00 |
| 4/13/1998 | 1,025.05 | 154.0 | 39.3 | 0.00 |
| 4/14/1998 | 1,025.25 | 110.6 | 39.4 | 0.03 |
| 4/15/1998 | 1,025.40 | 115.7 | 39.4 | 0.02 |
| 4/16/1998 | 1,026.79 | 496.5 | 39.6 | 1.18 |
| 4/17/1998 | 1,034.02 | 1,874.7 | 163.6 | 3.24 |
| 4/18/1998 | 1,035.86 | 2,156.1 | 343.4 | 0.00 |
| 4/19/1998 | 1,041.05 | 1,477.5 | 364.5 | 2.50 |
| 4/20/1998 | 1,046.35 | 3,443.1 | 84.3 | 0.55 |
| 4/21/1998 | 1,046.38 | 647.9 | 393.2 | 0.00 |
| 4/22/1998 | 1,045.23 | 279.1 | 809.8 | 0.48 |
| 4/23/1998 | 1,043.64 | 220.2 | 914.7 | 0.11 |
| 4/24/1998 | 1,041.42 | 130.6 | 1,122.3 | 0.00 |
| 4/25/1998 | 1,039.62 | 108.1 | 951.5 | 0.00 |
| 4/26/1998 | 1,037.84 | 85.7 | 820.1 | 0.02 |
| 4/27/1998 | 1,035.91 | 0.0 | 810.7 | 0.03 |
| 4/28/1998 | 1,033.93 | 0.0 | 800.9 | 0.02 |
| 4/29/1998 | 1,031.84 | 0.0 | 790.7 | 0.00 |
| 4/30/1998 | 1,029.70 | 1.2 | 780.3 | 0.08 |
| 5/1/1998 | 1,028.51 | 51.7 | 547.4 | 0.87 |
| 5/2/1998 | 1,027.96 | 230.0 | 464.5 | 0.10 |
| 5/3/1998 | 1,027.55 | 171.4 | 339.9 | 0.02 |
| 5/4/1998 | 1,027.39 | 176.9 | 230.4 | 0.40 |
| 5/5/1998 | 1,027.35 | 202.4 | 230.3 | 0.36 |
| 5/6/1998 | 1,027.20 | 188.6 | 230.3 | 0.00 |
| 5/7/1998 | 1,027.29 | 136.3 | 114.6 | 0.00 |
| 5/8/1998 | 1,027.48 | 174.6 | 115.7 | 0.56 |
| 5/9/1998 | 1,027.70 | 232.8 | 156.7 | 0.26 |
| 5/10/1998 | 1,027.91 | 263.0 | 165.1 | 0.00 |
| 5/11/1998 | 1,028.59 | 407.8 | 200.2 | 0.47 |
| 5/12/1998 | 1,028.43 | 276.9 | 291.7 | 0.00 |
| 5/13/1998 | 1,027.91 | 139.9 | 307.1 | 0.00 |
| 5/14/1998 | 1,027.52 | 81.6 | 243.3 | 0.00 |

| | ELEVATION OBS (FEET) INST-VAL | INFLOW OBS (CFS) 24-HR AVG | OUTFLOW OBS (CFS) 24-HR AVG | PRECIP OBS (INCHES) 24-HR CUM |
|-----------|-------------------------------------|----------------------------------|-----------------------------------|-------------------------------------|
| 5/15/1998 | 1,027.39 | 69.5 | 125.5 | 0.00 |
| 5/16/1998 | 1,027.38 | 64.9 | 70.5 | 0.00 |
| 5/17/1998 | 1,027.36 | 54.6 | 62.2 | 0.00 |
| 5/18/1998 | 1,027.31 | 45.9 | 62.2 | 0.00 |
| 5/19/1998 | 1,027.32 | 30.7 | 30.4 | 0.00 |
| 5/20/1998 | 1,027.34 | 29.4 | 24.0 | 0.05 |
| 5/21/1998 | 1,027.42 | 45.6 | 24.0 | 0.32 |
| 5/22/1998 | 1,027.47 | 52.1 | 24.0 | 0.00 |
| 5/23/1998 | 1,027.63 | 65.0 | 24.0 | 0.73 |
| 5/24/1998 | 1,028.00 | 213.2 | 74.1 | 0.49 |
| 5/25/1998 | 1,028.19 | 204.3 | 124.1 | 0.00 |
| 5/26/1998 | 1,028.06 | 118.0 | 160.0 | 0.32 |
| 5/27/1998 | 1,027.85 | 96.0 | 165.3 | 0.04 |
| 5/28/1998 | 1,027.62 | 78.3 | 165.0 | 0.05 |
| 5/29/1998 | 1,027.42 | 54.4 | 125.9 | 0.00 |
| 5/30/1998 | 1,027.42 | 37.5 | 44.8 | 0.00 |
| 5/31/1998 | 1,027.42 | 31.5 | 32.1 | 0.00 |
| 6/1/1998 | 1,027.39 | 21.6 | 32.1 | 0.13 |
| 6/2/1998 | 1,027.35 | 21.8 | 32.1 | 0.00 |
| 6/3/1998 | 1,027.36 | 26.8 | 17.8 | 0.17 |
| 6/4/1998 | 1,028.48 | 345.2 | 5.0 | 1.52 |
| 6/5/1998 | 1,028.99 | 322.4 | 130.0 | 0.49 |
| 6/6/1998 | 1,029.37 | 246.6 | 77.5 | 0.30 |
| 6/7/1998 | 1,028.38 | 86.4 | 372.3 | 0.01 |
| 6/8/1998 | 1,027.74 | 35.9 | 314.6 | 0.00 |
| 6/9/1998 | 1,027.57 | 53.7 | 114.6 | 0.00 |
| 6/10/1998 | 1,027.69 | 138.8 | 84.4 | 0.70 |
| 6/11/1998 | 1,029.05 | 534.6 | 85.0 | 0.84 |
| 6/12/1998 | 1,029.26 | 238.8 | 149.9 | 0.01 |
| 6/13/1998 | 1,029.26 | 181.9 | 167.0 | 0.55 |
| 6/14/1998 | 1,029.23 | 158.1 | 167.0 | 0.00 |
| 6/15/1998 | 1,029.08 | 118.6 | 166.9 | 0.38 |
| 6/16/1998 | 1,028.51 | 72.4 | 255.1 | 0.02 |
| 6/17/1998 | 1,027.70 | 28.4 | 307.1 | 0.12 |
| 6/18/1998 | 1,027.51 | 11.2 | 129.8 | 0.00 |
| 6/19/1998 | 1,027.49 | 34.0 | 37.6 | 0.00 |
| 6/20/1998 | 1,027.44 | 22.5 | 40.3 | 0.30 |
| 6/21/1998 | 1,027.41 | 26.6 | 40.3 | 0.00 |
| 6/22/1998 | 1,027.34 | 25.1 | 40.3 | 0.09 |

| | ELEVATION OBS (FEET) INST-VAL | INFLOW OBS (CFS) 24-HR AVG | OUTFLOW OBS (CFS) 24-HR AVG | PRECIP OBS (INCHES) 24-HR CUM |
|-----------|-------------------------------------|----------------------------------|-----------------------------------|-------------------------------------|
| 6/23/1998 | 1,027.67 | 108.1 | 26.7 | 1.28 |
| 6/24/1998 | 1,027.30 | 73.2 | 149.0 | 0.00 |
| 6/25/1998 | 1,027.20 | 45.0 | 104.2 | 0.00 |
| 6/26/1998 | 1,027.20 | 25.6 | 31.9 | 0.00 |
| 6/27/1998 | 1,027.20 | 13.8 | 13.5 | 0.00 |
| 6/28/1998 | 1,027.20 | 6.3 | 6.0 | 0.00 |
| 6/29/1998 | 1,027.20 | 9.1 | 5.0 | 0.00 |
| 6/30/1998 | 1,027.47 | 79.3 | 5.0 | 0.38 |
| 7/1/1998 | 1,027.64 | 80.3 | 5.0 | 0.45 |
| 7/2/1998 | 1,027.60 | 12.8 | 20.8 | 0.00 |
| 7/3/1998 | 1,027.55 | 5.1 | 24.0 | 0.00 |
| 7/4/1998 | 1,027.47 | 0.7 | 24.0 | 0.00 |
| 7/5/1998 | 1,027.48 | 19.7 | 24.0 | 0.17 |
| 7/6/1998 | 1,027.45 | 17.7 | 24.0 | 0.00 |
| 7/7/1998 | 1,027.39 | 5.1 | 24.0 | 0.00 |
| 7/8/1998 | 1,027.33 | 16.2 | 24.0 | 0.11 |
| 7/9/1998 | 1,028.14 | 251.2 | 9.0 | 1.62 |
| 7/10/1998 | 1,027.87 | 69.4 | 120.3 | 0.00 |
| 7/11/1998 | 1,027.50 | 14.8 | 143.0 | 0.00 |
| 7/12/1998 | 1,027.36 | 6.5 | 72.0 | 0.00 |
| 7/13/1998 | 1,027.38 | 14.9 | 10.9 | 0.00 |
| 7/14/1998 | 1,027.54 | 55.4 | 5.0 | 0.89 |
| 7/15/1998 | 1,027.48 | 23.0 | 34.5 | 0.03 |
| 7/16/1998 | 1,027.38 | 10.6 | 40.3 | 0.00 |
| 7/17/1998 | 1,027.59 | 67.8 | 10.9 | 0.26 |
| 7/18/1998 | 1,027.55 | 30.9 | 34.5 | 0.00 |
| 7/19/1998 | 1,027.50 | 27.3 | 40.3 | 0.41 |
| 7/20/1998 | 1,027.96 | 194.0 | 40.5 | 0.62 |
| 7/21/1998 | 1,028.32 | 164.8 | 40.8 | 0.19 |
| 7/22/1998 | 1,027.73 | 47.1 | 207.1 | 0.00 |
| 7/23/1998 | 1,027.41 | 23.4 | 176.8 | 0.00 |
| 7/24/1998 | 1,027.45 | 35.2 | 24.0 | 0.03 |
| 7/25/1998 | 1,027.44 | 24.7 | 24.0 | 0.00 |
| 7/26/1998 | 1,027.40 | 9.6 | 24.0 | 0.00 |
| 7/27/1998 | 1,027.41 | 11.7 | 12.1 | 0.00 |
| 7/28/1998 | 1,027.44 | 15.6 | 5.0 | 0.00 |
| 7/29/1998 | 1,027.45 | 11.7 | 6.0 | 0.00 |
| 7/30/1998 | 1,027.45 | 8.0 | 7.3 | 0.00 |
| 7/31/1998 | 1,027.56 | 26.4 | 8.1 | 0.62 |

| | ELEVATION OBS (FEET) INST-VAL | INFLOW OBS (CFS) 24-HR AVG | OUTFLOW OBS (CFS) 24-HR AVG | PRECIP OBS (INCHES) 24-HR CUM |
|-----------|-------------------------------------|----------------------------------|-----------------------------------|-------------------------------------|
| 8/1/1998 | 1,027.47 | 56.4 | 65.9 | 0.01 |
| 8/2/1998 | 1,027.36 | 7.8 | 47.0 | 0.00 |
| 8/3/1998 | 1,027.33 | 2.6 | 16.3 | 0.00 |
| 8/4/1998 | 1,027.34 | 7.9 | 6.3 | 0.00 |
| 8/5/1998 | 1,027.35 | 11.1 | 5.0 | 0.00 |
| 8/6/1998 | 1,027.36 | 8.4 | 5.0 | 0.00 |
| 8/7/1998 | 1,027.36 | 5.0 | 5.0 | 0.00 |
| 8/8/1998 | 1,027.36 | 8.2 | 5.0 | 0.00 |
| 8/9/1998 | 1,027.64 | 77.5 | 5.0 | 0.06 |
| 8/10/1998 | 1,027.56 | 51.7 | 33.0 | 0.25 |
| 8/11/1998 | 1,027.48 | 10.4 | 40.4 | 0.12 |
| 8/12/1998 | 1,027.36 | 0.5 | 40.3 | 0.00 |
| 8/13/1998 | 1,027.31 | 1.1 | 22.6 | 0.00 |
| 8/14/1998 | 1,027.40 | 14.6 | 6.0 | 0.03 |
| 8/15/1998 | 1,027.57 | 76.7 | 5.0 | 0.54 |
| 8/16/1998 | 1,027.58 | 34.7 | 16.9 | 0.01 |
| 8/17/1998 | 1,027.74 | 70.7 | 24.0 | 1.47 |
| 8/18/1998 | 1,027.68 | 57.2 | 61.8 | 0.04 |
| 8/19/1998 | 1,027.48 | 9.6 | 84.4 | 0.02 |
| 8/20/1998 | 1,027.38 | 6.2 | 46.6 | 0.00 |
| 8/21/1998 | 1,027.38 | 7.9 | 12.1 | 0.00 |
| 8/22/1998 | 1,027.34 | 4.3 | 14.5 | 0.00 |
| 8/23/1998 | 1,027.30 | 0.5 | 13.8 | 0.00 |
| 8/24/1998 | 1,027.30 | 3.9 | 6.9 | 0.00 |
| 8/25/1998 | 1,027.29 | 1.4 | 5.0 | 0.00 |
| 8/26/1998 | 1,027.28 | 1.4 | 5.0 | 0.00 |
| 8/27/1998 | 1,027.27 | 1.4 | 5.0 | 0.00 |
| 8/28/1998 | 1,027.26 | 1.2 | 5.0 | 0.00 |
| 8/29/1998 | 1,027.24 | 0.9 | 5.0 | 0.00 |
| 8/30/1998 | 1,027.25 | 8.4 | 5.0 | 0.23 |
| 8/31/1998 | 1,027.23 | 0.6 | 5.0 | 0.00 |
| 9/1/1998 | 1,027.20 | 0.0 | 5.0 | 0.00 |
| 9/2/1998 | 1,027.16 | 0.0 | 9.4 | 0.00 |
| 9/3/1998 | 1,027.11 | 0.0 | 12.0 | 0.00 |
| 9/4/1998 | 1,027.05 | 0.0 | 12.0 | 0.00 |
| 9/5/1998 | 1,027.01 | 0.0 | 12.0 | 0.00 |
| 9/6/1998 | 1,026.97 | 0.6 | 8.9 | 0.00 |
| 9/7/1998 | 1,026.94 | 0.6 | 5.0 | 0.00 |
| 9/8/1998 | 1,026.90 | 0.0 | 5.0 | 0.00 |

| | ELEVATION OBS (FEET) INST-VAL | INFLOW OBS (CFS) 24-HR AVG | OUTFLOW OBS (CFS) 24-HR AVG | PRECIP OBS (INCHES) 24-HR CUM |
|------------|-------------------------------------|----------------------------------|-----------------------------------|-------------------------------------|
| 9/9/1998 | 1,026.87 | 0.0 | 5.0 | 0.00 |
| 9/10/1998 | 1,026.83 | 0.0 | 5.0 | 0.00 |
| 9/11/1998 | 1,026.80 | 0.0 | 5.0 | 0.00 |
| 9/12/1998 | 1,026.78 | 0.0 | 5.0 | 0.00 |
| 9/13/1998 | 1,026.76 | 0.0 | 5.0 | 0.00 |
| 9/14/1998 | 1,026.74 | 0.0 | 5.0 | 0.00 |
| 9/15/1998 | 1,026.71 | 0.6 | 8.8 | 0.00 |
| 9/16/1998 | 1,026.68 | 2.3 | 10.0 | 0.00 |
| 9/17/1998 | 1,026.63 | 1.4 | 19.7 | 0.00 |
| 9/18/1998 | 1,026.57 | 5.3 | 23.9 | 0.00 |
| 9/19/1998 | 1,026.52 | 6.2 | 23.9 | 0.00 |
| 9/20/1998 | 1,026.46 | 2.5 | 23.8 | 0.00 |
| 9/21/1998 | 1,026.36 | 0.0 | 23.8 | 0.00 |
| 9/22/1998 | 1,026.24 | 0.0 | 23.8 | 0.08 |
| 9/23/1998 | 1,026.13 | 0.0 | 23.7 | 0.01 |
| 9/24/1998 | 1,026.00 | 0.0 | 23.7 | 0.00 |
| 9/25/1998 | 1,025.87 | 0.0 | 23.6 | 0.00 |
| 9/26/1998 | 1,025.74 | 0.0 | 23.6 | 0.00 |
| 9/27/1998 | 1,025.58 | 0.0 | 28.8 | 0.00 |
| 9/28/1998 | 1,025.43 | 0.0 | 31.5 | 0.00 |
| 9/29/1998 | 1,025.30 | 0.0 | 25.1 | 0.00 |
| 9/30/1998 | 1,025.19 | 0.0 | 23.4 | 0.04 |
| 10/1/1998 | 1,025.06 | 0.0 | 23.4 | 0.03 |
| 10/2/1998 | 1,024.93 | 0.0 | 23.3 | 0.00 |
| 10/3/1998 | 1,024.78 | 0.0 | 23.3 | 0.00 |
| 10/4/1998 | 1,024.66 | 0.0 | 23.2 | 0.04 |
| 10/5/1998 | 1,024.54 | 0.0 | 23.2 | 0.00 |
| 10/6/1998 | 1,024.41 | 0.0 | 23.2 | 0.00 |
| 10/7/1998 | 1,024.28 | 0.0 | 23.1 | 0.00 |
| 10/8/1998 | 1,024.23 | 3.0 | 23.1 | 0.80 |
| 10/9/1998 | 1,024.11 | 3.0 | 23.1 | 0.01 |
| 10/10/1998 | 1,023.99 | 0.0 | 23.0 | 0.00 |
| 10/11/1998 | 1,023.86 | 0.0 | 23.0 | 0.00 |
| 10/12/1998 | 1,023.73 | 0.0 | 22.9 | 0.00 |
| 10/13/1998 | 1,023.59 | 0.0 | 22.9 | 0.00 |
| 10/14/1998 | 1,023.46 | 0.0 | 22.8 | 0.00 |
| 10/15/1998 | 1,023.33 | 0.0 | 22.8 | 0.00 |
| 10/16/1998 | 1,023.20 | 0.0 | 22.8 | 0.00 |
| 10/17/1998 | 1,023.10 | 0.0 | 22.7 | 0.00 |

| | ELEVATION OBS (FEET) INST-VAL | INFLOW OBS (CFS) 24-HR AVG | OUTFLOW OBS (CFS) 24-HR AVG | PRECIP OBS (INCHES) 24-HR CUM |
|------------|-------------------------------------|----------------------------------|-----------------------------------|-------------------------------------|
| 10/18/1998 | 1,022.94 | 0.0 | 22.7 | 0.00 |
| 10/19/1998 | 1,022.73 | 0.0 | 39.4 | 0.00 |
| 10/20/1998 | 1,022.48 | 0.0 | 59.1 | 0.05 |
| 10/21/1998 | 1,022.21 | 0.0 | 58.9 | 0.00 |
| 10/22/1998 | 1,021.95 | 0.0 | 58.7 | 0.01 |
| 10/23/1998 | 1,021.68 | 0.0 | 58.6 | 0.00 |
| 10/24/1998 | 1,021.42 | 0.0 | 58.4 | 0.00 |
| 10/25/1998 | 1,021.14 | 0.0 | 58.2 | 0.00 |
| 10/26/1998 | 1,020.88 | 0.0 | 57.9 | 0.00 |
| 10/27/1998 | 1,020.72 | 0.0 | 34.7 | 0.00 |
| 10/28/1998 | 1,020.58 | 0.0 | 21.1 | 0.00 |
| 10/29/1998 | 1,020.49 | 0.0 | 20.7 | 0.27 |
| 10/30/1998 | 1,020.38 | 0.0 | 20.5 | 0.00 |
| 10/31/1998 | 1,020.25 | 0.0 | 20.1 | 0.00 |
| 11/1/1998 | 1,020.12 | 0.0 | 19.8 | 0.01 |
| 11/2/1998 | 1,020.01 | 0.0 | 19.5 | 0.00 |
| 11/3/1998 | 1,019.92 | 0.0 | 19.2 | 0.20 |
| 11/4/1998 | 1,019.78 | 0.0 | 18.8 | 0.02 |
| 11/5/1998 | 1,019.65 | 0.0 | 18.5 | 0.00 |
| 11/6/1998 | 1,019.51 | 0.0 | 18.1 | 0.00 |
| 11/7/1998 | 1,019.38 | 0.0 | 17.8 | 0.00 |
| 11/8/1998 | 1,019.24 | 0.0 | 17.4 | 0.00 |
| 11/9/1998 | 1,019.12 | 0.0 | 17.0 | 0.06 |
| 11/10/1998 | 1,018.99 | 0.0 | 16.7 | 0.00 |
| 11/11/1998 | 1,018.93 | 0.0 | 16.4 | 0.60 |
| 11/12/1998 | 1,018.83 | 0.0 | 16.2 | 0.00 |
| 11/13/1998 | 1,018.70 | 0.0 | 15.9 | 0.00 |
| 11/14/1998 | 1,018.58 | 0.0 | 15.6 | 0.00 |
| 11/15/1998 | 1,018.46 | 0.0 | 15.2 | 0.01 |
| 11/16/1998 | 1,018.34 | 0.0 | 14.9 | 0.00 |
| 11/17/1998 | 1,018.20 | 0.0 | 14.5 | 0.00 |
| 11/18/1998 | 1,018.07 | 0.0 | 14.1 | 0.00 |
| 11/19/1998 | 1,017.94 | 0.0 | 13.8 | 0.00 |
| 11/20/1998 | 1,017.81 | 0.0 | 13.4 | 0.00 |
| 11/21/1998 | 1,017.70 | 0.0 | 13.1 | 0.18 |
| 11/22/1998 | 1,017.57 | 0.0 | 12.8 | 0.00 |
| 11/23/1998 | 1,017.43 | 0.0 | 12.4 | 0.00 |
| 11/24/1998 | 1,017.40 | 0.6 | 7.7 | 0.11 |
| 11/25/1998 | 1,017.40 | 5.0 | 5.0 | 0.00 |

| | ELEVATION OBS (FEET) INST-VAL | INFLOW OBS (CFS) 24-HR AVG | OUTFLOW OBS (CFS) 24-HR AVG | PRECIP OBS (INCHES) 24-HR CUM |
|------------|-------------------------------------|----------------------------------|-----------------------------------|-------------------------------------|
| 11/26/1998 | 1,017.43 | 9.5 | 5.0 | 0.31 |
| 11/27/1998 | 1,017.45 | 18.3 | 5.0 | 0.00 |
| 11/28/1998 | 1,017.46 | 7.8 | 5.0 | 0.00 |
| 11/29/1998 | 1,017.46 | 5.0 | 5.0 | 0.00 |
| 11/30/1998 | 1,017.46 | 4.4 | 5.0 | 0.00 |
| 12/1/1998 | 1,017.45 | 1.7 | 5.0 | 0.05 |
| 12/2/1998 | 1,017.46 | 9.5 | 5.0 | 0.00 |
| 12/3/1998 | 1,017.44 | 1.7 | 5.0 | 0.00 |
| 12/4/1998 | 1,017.43 | 0.3 | 5.0 | 0.00 |
| 12/5/1998 | 1,017.43 | 4.8 | 5.0 | 0.00 |
| 12/6/1998 | 1,017.52 | 31.0 | 5.0 | 0.00 |
| 12/7/1998 | 1,017.54 | 10.8 | 5.0 | 0.60 |
| 12/8/1998 | 1,017.62 | 43.7 | 5.6 | 0.68 |
| 12/9/1998 | 1,018.48 | 224.4 | 6.2 | 1.34 |
| 12/10/1998 | 1,018.32 | 46.8 | 48.4 | 0.00 |
| 12/11/1998 | 1,017.93 | 0.0 | 61.9 | 0.00 |
| 12/12/1998 | 1,017.72 | 0.3 | 36.6 | 0.00 |
| 12/13/1998 | 1,018.44 | 122.3 | 22.6 | 1.91 |
| 12/14/1998 | 1,020.12 | 644.9 | 29.6 | 0.00 |
| 12/15/1998 | 1,020.12 | 127.6 | 74.1 | 0.00 |
| 12/16/1998 | 1,019.85 | 6.0 | 85.6 | 0.00 |
| 12/17/1998 | 1,019.51 | 0.0 | 81.7 | 0.22 |
| 12/18/1998 | 1,019.17 | 0.0 | 77.4 | 0.00 |
| 12/19/1998 | 1,018.78 | 0.0 | 72.8 | 0.00 |
| 12/20/1998 | 1,018.39 | 0.0 | 67.8 | 0.08 |
| 12/21/1998 | 1,017.98 | 0.0 | 62.7 | 0.00 |
| 12/22/1998 | 1,017.77 | 9.7 | 45.1 | 0.48 |
| 12/23/1998 | 1,017.92 | 65.7 | 13.3 | 0.00 |
| 12/24/1998 | 1,018.03 | 45.0 | 13.6 | 0.44 |
| 12/25/1998 | 1,018.04 | 18.4 | 13.8 | 0.00 |
| 12/26/1998 | 1,018.00 | 6.1 | 13.8 | 0.00 |
| 12/27/1998 | 1,017.97 | 4.4 | 13.7 | 0.00 |
| 12/28/1998 | 1,017.93 | 1.7 | 13.6 | 0.01 |
| 12/29/1998 | 1,017.93 | 12.1 | 13.6 | 0.08 |
| 12/30/1998 | 1,018.04 | 36.6 | 13.6 | 0.00 |
| 12/31/1998 | 1,018.13 | 47.1 | 13.9 | 0.00 |