



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/1999	1,018.18	30.8	14.2	0.00
1/2/1999	1,018.18	17.1	14.2	0.00
1/3/1999	1,018.29	36.5	14.3	0.28
1/4/1999	1,018.57	99.7	14.9	0.00
1/5/1999	1,018.38	21.5	55.6	0.01
1/6/1999	1,018.06	0.0	63.2	0.00
1/7/1999	1,017.75	0.0	59.1	0.04
1/8/1999	1,017.44	2.7	55.0	0.10
1/9/1999	1,018.02	152.3	27.6	0.00
1/10/1999	1,020.92	914.6	18.1	0.00
1/11/1999	1,021.46	225.2	22.0	0.00
1/12/1999	1,021.39	87.7	82.5	0.00
1/13/1999	1,020.69	33.4	226.2	0.00
1/14/1999	1,019.84	22.1	288.4	0.14
1/15/1999	1,019.65	153.4	286.6	0.73
1/16/1999	1,020.14	349.5	182.1	0.00
1/17/1999	1,020.39	171.5	77.6	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/1999	1,020.54	119.4	77.7	0.40
1/19/1999	1,022.09	494.8	78.3	0.47
1/20/1999	1,021.39	218.5	345.6	0.03
1/21/1999	1,020.17	60.9	439.7	0.01
1/22/1999	1,018.75	2.2	434.9	0.00
1/23/1999	1,018.13	38.1	253.7	0.00
1/24/1999	1,020.11	582.1	76.9	1.67
1/25/1999	1,021.18	483.2	77.8	0.00
1/26/1999	1,020.23	130.8	348.9	0.00
1/27/1999	1,018.88	23.5	435.3	0.00
1/28/1999	1,017.37	0.6	430.0	0.00
1/29/1999	1,017.39	57.1	119.9	0.00
1/30/1999	1,017.27	47.2	72.0	0.00
1/31/1999	1,017.13	33.8	76.1	0.00
2/1/1999	1,017.17	72.0	76.1	0.54
2/2/1999	1,017.34	128.2	76.1	0.05
2/3/1999	1,017.50	117.0	76.2	0.03
2/4/1999	1,017.40	75.5	90.7	0.04
2/5/1999	1,017.22	47.5	94.3	0.00
2/6/1999	1,017.34	57.3	37.0	0.00
2/7/1999	1,017.45	55.1	22.0	0.00
2/8/1999	1,017.55	51.3	22.0	0.03
2/9/1999	1,017.47	34.2	49.1	0.00
2/10/1999	1,017.41	35.6	56.2	0.04
2/11/1999	1,017.30	27.0	56.2	0.00
2/12/1999	1,017.24	23.0	37.7	0.20
2/13/1999	1,017.63	116.1	22.0	0.50
2/14/1999	1,017.87	100.8	22.0	0.00
2/15/1999	1,018.02	70.5	22.0	0.00
2/16/1999	1,018.17	64.0	22.0	0.00
2/17/1999	1,018.02	44.8	76.8	0.04
2/18/1999	1,017.85	45.1	95.0	0.06
2/19/1999	1,017.63	31.8	94.8	0.00
2/20/1999	1,017.56	44.0	73.9	0.00
2/21/1999	1,017.50	40.0	56.3	0.00
2/22/1999	1,017.42	31.9	56.2	0.01
2/23/1999	1,017.30	24.8	56.2	0.00
2/24/1999	1,017.29	28.5	40.5	0.01
2/25/1999	1,017.30	28.5	22.0	0.03

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/1999	1,017.41	49.9	22.0	0.27
2/27/1999	1,017.46	40.0	22.0	0.00
2/28/1999	1,017.76	80.8	22.0	0.00
3/1/1999	1,019.18	418.2	22.0	1.10
3/2/1999	1,018.98	224.5	219.6	0.00
3/3/1999	1,018.31	120.5	284.4	0.22
3/4/1999	1,019.46	549.5	284.4	0.80
3/5/1999	1,019.43	312.4	286.2	0.00
3/6/1999	1,019.38	192.3	220.4	0.00
3/7/1999	1,019.48	179.2	143.0	0.09
3/8/1999	1,019.37	112.7	143.1	0.00
3/9/1999	1,018.72	71.2	249.6	0.35
3/10/1999	1,018.23	129.1	283.9	0.12
3/11/1999	1,017.66	115.2	282.6	0.12
3/12/1999	1,017.33	93.1	211.0	0.00
3/13/1999	1,017.24	78.7	111.6	0.00
3/14/1999	1,017.20	87.3	94.2	0.00
3/15/1999	1,017.71	201.7	94.3	1.85
3/16/1999	1,018.31	446.1	227.9	0.00
3/17/1999	1,019.19	514.8	284.0	0.00
3/18/1999	1,019.15	422.2	396.3	0.00
3/19/1999	1,018.35	222.1	431.9	0.00
3/20/1999	1,018.34	177.7	213.8	0.00
3/21/1999	1,018.30	133.6	141.7	0.05
3/22/1999	1,018.45	123.1	85.7	0.01
3/23/1999	1,018.52	95.2	67.4	0.01
3/24/1999	1,018.77	86.7	20.0	0.03
3/25/1999	1,019.05	89.7	5.0	0.00
3/26/1999	1,019.27	76.5	5.0	0.00
3/27/1999	1,019.54	88.0	5.0	0.28
3/28/1999	1,019.75	72.5	5.0	0.00
3/29/1999	1,019.96	70.0	5.0	0.00
3/30/1999	1,020.14	63.7	5.0	0.00
3/31/1999	1,020.31	59.2	5.0	0.00
4/1/1999	1,020.49	62.4	5.0	0.14
4/2/1999	1,020.68	65.0	5.0	0.05
4/3/1999	1,020.85	58.6	5.0	0.01
4/4/1999	1,020.99	51.7	5.0	0.00
4/5/1999	1,021.13	49.9	5.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/6/1999	1,021.27	47.5	5.0	0.00
4/7/1999	1,021.38	40.1	5.0	0.01
4/8/1999	1,021.48	40.9	5.0	0.00
4/9/1999	1,021.63	53.4	5.0	0.09
4/10/1999	1,021.91	88.0	5.0	0.38
4/11/1999	1,022.19	101.6	5.0	0.56
4/12/1999	1,023.33	357.0	5.0	0.32
4/13/1999	1,023.87	198.8	5.0	0.00
4/14/1999	1,024.06	118.7	39.4	0.00
4/15/1999	1,024.26	103.6	45.2	0.55
4/16/1999	1,024.29	122.5	98.1	0.05
4/17/1999	1,024.46	106.9	56.5	0.00
4/18/1999	1,024.56	82.7	39.2	0.10
4/19/1999	1,024.63	60.7	39.2	0.01
4/20/1999	1,024.80	70.1	17.8	0.09
4/21/1999	1,024.98	66.3	5.0	0.00
4/22/1999	1,025.13	61.2	5.0	0.00
4/23/1999	1,025.27	52.6	5.0	0.00
4/24/1999	1,025.46	72.0	5.0	0.41
4/25/1999	1,025.58	46.7	5.0	0.00
4/26/1999	1,025.68	42.2	5.0	0.03
4/27/1999	1,025.87	70.6	5.0	0.35
4/28/1999	1,026.06	66.1	5.0	0.04
4/29/1999	1,026.22	63.5	5.0	0.10
4/30/1999	1,026.35	53.1	5.0	0.01
5/1/1999	1,026.46	45.9	5.0	0.00
5/2/1999	1,026.55	36.6	5.0	0.00
5/3/1999	1,026.63	33.0	5.0	0.00
5/4/1999	1,026.70	29.8	5.0	0.00
5/5/1999	1,026.76	28.8	5.0	0.00
5/6/1999	1,026.93	43.9	5.0	0.85
5/7/1999	1,027.18	108.4	5.0	0.02
5/8/1999	1,027.42	86.8	8.1	0.48
5/9/1999	1,027.41	48.2	34.0	0.00
5/10/1999	1,027.37	26.0	40.3	0.00
5/11/1999	1,027.39	27.0	21.3	0.00
5/12/1999	1,027.42	18.6	10.0	0.00
5/13/1999	1,027.45	22.8	10.0	0.22
5/14/1999	1,027.45	14.3	15.0	0.11

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/15/1999	1,027.43	9.6	17.0	0.06
5/16/1999	1,027.39	4.7	17.0	0.00
5/17/1999	1,027.36	1.4	17.0	0.00
5/18/1999	1,027.36	14.6	10.5	0.00
5/19/1999	1,027.63	88.9	5.0	0.56
5/20/1999	1,027.53	40.8	54.6	0.00
5/21/1999	1,027.41	6.7	56.7	0.00
5/22/1999	1,027.42	12.0	12.1	0.03
5/23/1999	1,027.46	19.4	5.0	0.02
5/24/1999	1,027.50	23.5	14.5	0.50
5/25/1999	1,027.51	27.4	17.0	0.01
5/26/1999	1,027.48	8.4	17.0	0.01
5/27/1999	1,027.44	2.6	17.0	0.00
5/28/1999	1,027.40	2.6	17.0	0.00
5/29/1999	1,027.36	2.7	17.0	0.00
5/30/1999	1,027.35	4.0	9.5	0.00
5/31/1999	1,027.36	6.1	5.0	0.00
6/1/1999	1,027.37	8.3	5.0	0.00
6/2/1999	1,027.37	9.2	5.0	0.00
6/3/1999	1,027.43	20.3	5.0	0.45
6/4/1999	1,027.44	10.4	5.0	0.00
6/5/1999	1,027.43	4.6	5.0	0.00
6/6/1999	1,027.43	4.6	5.0	0.00
6/7/1999	1,027.43	2.2	5.0	0.00
6/8/1999	1,027.41	3.9	5.0	0.00
6/9/1999	1,027.41	2.0	5.0	0.03
6/10/1999	1,027.40	4.5	5.0	0.05
6/11/1999	1,027.44	14.0	5.0	0.28
6/12/1999	1,027.45	10.4	5.0	0.21
6/13/1999	1,027.44	1.4	5.0	0.00
6/14/1999	1,027.43	1.8	5.0	0.00
6/15/1999	1,027.42	4.4	5.0	0.09
6/16/1999	1,027.41	0.2	5.0	0.00
6/17/1999	1,027.39	1.2	5.0	0.00
6/18/1999	1,027.37	0.0	5.0	0.00
6/19/1999	1,027.35	0.6	5.0	0.00
6/20/1999	1,027.34	2.2	5.0	0.00
6/21/1999	1,027.33	1.6	5.0	0.00
6/22/1999	1,027.31	0.2	5.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/23/1999	1,027.30	1.4	5.0	0.00
6/24/1999	1,027.29	2.5	5.0	0.00
6/25/1999	1,027.31	14.5	5.0	0.38
6/26/1999	1,027.32	3.8	5.0	0.01
6/27/1999	1,027.35	17.6	5.0	0.27
6/28/1999	1,027.35	7.5	5.0	0.12
6/29/1999	1,027.48	45.5	5.0	0.75
6/30/1999	1,027.53	26.8	5.0	0.04
7/1/1999	1,027.54	5.5	5.0	0.00
7/2/1999	1,027.56	8.4	5.0	0.30
7/3/1999	1,027.58	19.1	5.0	0.08
7/4/1999	1,027.58	2.6	5.0	0.00
7/5/1999	1,027.57	4.2	5.0	0.00
7/6/1999	1,027.56	1.2	5.0	0.00
7/7/1999	1,027.53	0.0	5.0	0.00
7/8/1999	1,027.51	0.0	5.0	0.00
7/9/1999	1,027.49	0.0	5.0	0.00
7/10/1999	1,027.46	0.6	5.0	0.00
7/11/1999	1,027.46	4.4	5.0	0.12
7/12/1999	1,027.43	0.0	5.0	0.01
7/13/1999	1,027.41	0.0	5.0	0.15
7/14/1999	1,027.39	0.6	5.0	0.00
7/15/1999	1,027.38	4.4	5.0	0.00
7/16/1999	1,027.36	0.0	5.0	0.00
7/17/1999	1,027.34	0.0	5.0	0.00
7/18/1999	1,027.32	0.6	5.0	0.03
7/19/1999	1,027.31	7.4	5.0	0.05
7/20/1999	1,027.32	1.9	5.0	0.05
7/21/1999	1,027.31	4.4	5.0	0.14
7/22/1999	1,027.29	1.4	5.0	0.00
7/23/1999	1,027.27	0.5	5.0	0.00
7/24/1999	1,027.29	8.9	5.0	0.17
7/25/1999	1,027.29	7.8	5.0	0.15
7/26/1999	1,027.27	0.0	5.0	0.00
7/27/1999	1,027.25	0.2	5.0	0.00
7/28/1999	1,027.28	12.7	5.0	0.51
7/29/1999	1,027.28	4.6	5.0	0.10
7/30/1999	1,027.26	1.6	5.0	0.00
7/31/1999	1,027.30	16.0	5.0	0.75

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
8/1/1999	1,027.28	1.3	5.0	0.00
8/2/1999	1,027.27	4.4	5.0	0.03
8/3/1999	1,027.25	0.0	5.0	0.00
8/4/1999	1,027.22	0.0	5.0	0.00
8/5/1999	1,027.18	0.0	5.0	0.00
8/6/1999	1,027.15	0.0	5.0	0.00
8/7/1999	1,027.11	0.0	5.0	0.00
8/8/1999	1,027.07	0.0	5.0	0.00
8/9/1999	1,027.06	1.4	5.0	0.11
8/10/1999	1,027.04	0.0	5.0	0.00
8/11/1999	1,027.00	0.0	5.0	0.00
8/12/1999	1,026.97	0.0	5.0	0.00
8/13/1999	1,026.94	0.0	5.0	0.00
8/14/1999	1,026.91	0.0	5.0	0.18
8/15/1999	1,026.90	0.0	5.0	0.02
8/16/1999	1,026.87	0.0	5.0	0.00
8/17/1999	1,026.84	0.0	5.0	0.00
8/18/1999	1,026.81	0.0	5.0	0.00
8/19/1999	1,026.77	0.1	5.0	0.00
8/20/1999	1,026.79	2.8	5.0	0.45
8/21/1999	1,026.77	3.7	5.0	0.00
8/22/1999	1,026.75	1.2	5.0	0.00
8/23/1999	1,026.71	0.0	5.0	0.00
8/24/1999	1,026.69	0.0	5.0	0.00
8/25/1999	1,026.74	9.9	5.0	0.73
8/26/1999	1,026.76	30.7	5.0	0.01
8/27/1999	1,026.74	1.2	5.0	0.00
8/28/1999	1,026.71	0.0	5.0	0.00
8/29/1999	1,026.68	1.4	5.0	0.00
8/30/1999	1,026.64	0.0	5.0	0.00
8/31/1999	1,026.60	0.0	5.0	0.00
9/1/1999	1,026.56	0.0	5.0	0.00
9/2/1999	1,026.51	0.0	5.0	0.00
9/3/1999	1,026.47	0.0	5.0	0.00
9/4/1999	1,026.43	0.0	5.0	0.00
9/5/1999	1,026.39	0.0	5.0	0.00
9/6/1999	1,026.36	0.0	5.0	0.01
9/7/1999	1,026.33	0.0	5.0	0.01
9/8/1999	1,026.30	0.0	5.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/9/1999	1,026.26	0.0	5.0	0.00
9/10/1999	1,026.22	0.0	5.0	0.00
9/11/1999	1,026.17	0.0	5.0	0.00
9/12/1999	1,026.13	0.0	5.0	0.00
9/13/1999	1,026.09	0.0	5.0	0.00
9/14/1999	1,026.06	0.0	5.0	0.02
9/15/1999	1,026.02	0.0	5.0	0.00
9/16/1999	1,025.97	0.0	5.0	0.00
9/17/1999	1,025.92	0.0	5.0	0.00
9/18/1999	1,025.88	0.0	5.0	0.00
9/19/1999	1,025.84	0.0	5.0	0.00
9/20/1999	1,025.80	0.0	5.0	0.00
9/21/1999	1,025.78	0.0	5.0	0.10
9/22/1999	1,025.75	0.0	5.0	0.00
9/23/1999	1,025.71	0.0	5.0	0.00
9/24/1999	1,025.67	0.0	5.0	0.00
9/25/1999	1,025.63	0.0	5.0	0.00
9/26/1999	1,025.59	0.0	5.0	0.00
9/27/1999	1,025.55	0.0	5.0	0.00
9/28/1999	1,025.52	3.3	15.7	0.13
9/29/1999	1,025.48	1.5	10.0	0.05
9/30/1999	1,025.56	31.3	5.0	0.92
10/1/1999	1,025.52	0.0	5.0	0.00
10/2/1999	1,025.48	0.0	5.0	0.00
10/3/1999	1,025.44	0.0	5.0	0.00
10/4/1999	1,025.40	0.0	5.0	0.00
10/5/1999	1,025.36	0.0	5.0	0.01
10/6/1999	1,025.32	0.0	5.0	0.00
10/7/1999	1,025.27	0.0	5.0	0.00
10/8/1999	1,025.23	0.0	5.0	0.00
10/9/1999	1,025.19	3.0	5.0	0.00
10/10/1999	1,025.41	65.2	5.0	1.80
10/11/1999	1,025.55	64.6	5.0	0.50
10/12/1999	1,025.57	13.7	5.0	0.00
10/13/1999	1,025.56	1.6	5.0	0.00
10/14/1999	1,025.54	3.8	14.5	0.18
10/15/1999	1,025.49	7.7	20.1	0.00
10/16/1999	1,025.43	0.0	20.1	0.00
10/17/1999	1,025.36	0.0	20.1	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/18/1999	1,025.30	0.4	20.1	0.00
10/19/1999	1,025.23	2.4	20.1	0.00
10/20/1999	1,025.21	3.4	20.1	0.35
10/21/1999	1,025.14	1.8	20.0	0.00
10/22/1999	1,025.08	0.0	20.0	0.00
10/23/1999	1,025.01	0.0	20.0	0.00
10/24/1999	1,024.94	0.0	20.0	0.00
10/25/1999	1,024.88	0.0	20.0	0.00
10/26/1999	1,024.81	0.0	20.0	0.00
10/27/1999	1,024.74	0.0	19.9	0.00
10/28/1999	1,024.68	0.0	19.9	0.00
10/29/1999	1,024.58	0.0	19.9	0.00
10/30/1999	1,024.50	0.0	13.7	0.00
10/31/1999	1,024.42	0.0	10.0	0.00
11/1/1999	1,024.35	0.0	10.0	0.00
11/2/1999	1,024.32	1.9	10.0	0.34
11/3/1999	1,024.35	18.5	10.0	0.85
11/4/1999	1,024.27	0.5	19.3	0.00
11/5/1999	1,024.20	0.0	13.3	0.00
11/6/1999	1,024.13	0.0	10.0	0.00
11/7/1999	1,024.06	0.0	10.0	0.00
11/8/1999	1,023.99	0.0	10.0	0.00
11/9/1999	1,023.92	0.0	10.0	0.00
11/10/1999	1,023.88	0.2	7.5	0.00
11/11/1999	1,023.87	2.0	5.0	0.00
11/12/1999	1,023.87	4.4	5.0	0.00
11/13/1999	1,023.85	0.0	5.0	0.00
11/14/1999	1,023.83	0.6	5.0	0.00
11/15/1999	1,023.81	0.6	5.0	0.00
11/16/1999	1,023.78	0.0	5.0	0.00
11/17/1999	1,023.73	0.0	8.8	0.00
11/18/1999	1,023.68	0.0	10.0	0.00
11/19/1999	1,023.64	0.0	10.0	0.00
11/20/1999	1,023.57	0.0	10.0	0.00
11/21/1999	1,023.53	0.0	10.0	0.00
11/22/1999	1,023.49	0.0	10.0	0.00
11/23/1999	1,023.44	0.0	10.0	0.00
11/24/1999	1,023.39	0.1	10.0	0.00
11/25/1999	1,023.47	19.6	10.0	0.90

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/26/1999	1,023.98	153.5	10.0	1.10
11/27/1999	1,023.96	118.3	78.3	0.00
11/28/1999	1,023.65	7.3	100.9	0.00
11/29/1999	1,023.28	0.0	100.5	0.00
11/30/1999	1,022.89	0.0	100.1	0.00
12/1/1999	1,022.80	0.0	32.5	0.00
12/2/1999	1,022.75	0.0	10.0	0.00
12/3/1999	1,022.68	0.0	10.0	0.00
12/4/1999	1,022.63	0.0	10.0	0.00
12/5/1999	1,022.58	0.0	10.0	0.00
12/6/1999	1,022.54	0.0	10.0	0.29
12/7/1999	1,022.50	0.0	10.0	0.01
12/8/1999	1,022.44	0.0	10.0	0.00
12/9/1999	1,022.38	0.0	10.0	0.01
12/10/1999	1,022.31	1.2	10.0	0.27
12/11/1999	1,022.37	23.8	10.0	0.00
12/12/1999	1,022.33	5.2	14.4	0.00
12/13/1999	1,022.28	3.9	16.2	0.18
12/14/1999	1,022.57	79.0	16.2	1.34
12/15/1999	1,022.74	155.1	75.4	0.06
12/16/1999	1,022.47	34.8	99.6	0.00
12/17/1999	1,022.14	0.0	99.3	0.00
12/18/1999	1,022.03	0.0	43.4	0.00
12/19/1999	1,022.01	3.4	10.0	0.00
12/20/1999	1,021.98	0.2	10.0	0.00
12/21/1999	1,021.92	0.0	13.8	0.00
12/22/1999	1,021.87	0.0	16.2	0.10
12/23/1999	1,021.80	0.0	16.1	0.00
12/24/1999	1,021.72	0.0	16.1	0.00
12/25/1999	1,021.66	0.0	16.1	0.00
12/26/1999	1,021.57	0.0	16.1	0.00
12/27/1999	1,021.49	0.0	16.1	0.00
12/28/1999	1,021.42	0.0	16.1	0.00
12/29/1999	1,021.34	0.0	16.1	0.00
12/30/1999	1,021.26	0.0	16.1	0.00
12/31/1999	1,021.19	0.0	16.0	0.00