



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/2002	1,017.19	22.2	17.4	0.00
1/2/2002	1,017.22	11.8	5.0	0.00
1/3/2002	1,017.23	16.4	11.9	0.00
1/4/2002	1,017.24	18.9	16.0	0.00
1/5/2002	1,017.25	18.7	16.0	0.00
1/6/2002	1,017.25	16.0	16.0	0.00
1/7/2002	1,017.36	41.3	16.0	0.18
1/8/2002	1,017.30	31.9	41.1	0.02
1/9/2002	1,017.20	28.7	56.1	0.00
1/10/2002	1,017.21	26.2	27.3	0.00
1/11/2002	1,017.72	142.0	13.8	0.54
1/12/2002	1,018.81	334.0	41.4	0.00
1/13/2002	1,019.06	172.9	69.5	0.00
1/14/2002	1,019.13	103.5	77.0	0.00
1/15/2002	1,018.81	44.6	123.3	0.00
1/16/2002	1,018.35	22.8	150.5	0.00
1/17/2002	1,017.85	8.0	149.7	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/2002	1,017.43	20.5	149.1	0.15
1/19/2002	1,017.44	21.7	38.9	0.17
1/20/2002	1,017.87	113.7	10.0	0.45
1/21/2002	1,017.79	126.2	120.3	0.00
1/22/2002	1,017.71	116.4	149.1	0.00
1/23/2002	1,017.93	238.7	149.0	1.26
1/24/2002	1,022.70	1,527.8	93.1	0.71
1/25/2002	1,028.04	1,596.7	81.4	1.17
1/26/2002	1,029.46	850.4	85.1	0.00
1/27/2002	1,029.93	273.8	85.8	0.00
1/28/2002	1,028.41	126.9	561.9	0.00
1/29/2002	1,025.36	7.3	1,020.5	0.00
1/30/2002	1,022.55	0.0	928.3	0.00
1/31/2002	1,019.62	0.0	872.9	0.03
2/1/2002	1,017.49	3.1	629.2	0.30
2/2/2002	1,017.52	51.7	89.1	0.15
2/3/2002	1,017.67	75.3	27.5	0.00
2/4/2002	1,017.76	71.0	43.7	0.02
2/5/2002	1,017.80	65.8	52.9	0.00
2/6/2002	1,017.81	62.2	56.4	0.00
2/7/2002	1,017.91	80.7	56.4	0.38
2/8/2002	1,018.21	144.2	69.0	0.10
2/9/2002	1,018.19	138.4	122.4	0.00
2/10/2002	1,017.95	81.7	149.7	0.00
2/11/2002	1,017.67	71.0	149.3	0.08
2/12/2002	1,017.59	81.3	115.0	0.00
2/13/2002	1,017.59	95.7	94.6	0.00
2/14/2002	1,017.54	79.8	94.6	0.00
2/15/2002	1,017.46	72.7	94.5	0.00
2/16/2002	1,017.48	60.3	61.5	0.01
2/17/2002	1,017.56	63.1	38.0	0.00
2/18/2002	1,017.59	58.7	45.9	0.00
2/19/2002	1,017.53	49.6	65.3	0.00
2/20/2002	1,017.45	53.3	76.2	0.00
2/21/2002	1,017.39	56.5	76.2	0.09
2/22/2002	1,017.38	50.4	55.5	0.00
2/23/2002	1,017.41	46.7	38.0	0.00
2/24/2002	1,017.43	45.6	38.0	0.00
2/25/2002	1,017.45	41.7	38.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/2002	1,017.43	42.0	43.7	0.90
2/27/2002	1,017.44	47.5	47.1	0.03
2/28/2002	1,017.41	40.2	47.1	0.00
3/1/2002	1,017.38	36.4	47.1	0.00
3/2/2002	1,017.36	38.1	39.9	0.09
3/3/2002	1,017.45	59.3	38.0	0.33
3/4/2002	1,017.47	51.7	44.8	0.01
3/5/2002	1,017.45	43.3	47.1	0.00
3/6/2002	1,017.43	41.1	47.1	0.00
3/7/2002	1,017.41	39.2	47.1	0.00
3/8/2002	1,017.40	38.9	41.4	0.00
3/9/2002	1,017.44	36.4	28.0	0.00
3/10/2002	1,017.50	39.2	22.0	0.16
3/11/2002	1,017.54	35.5	22.0	0.00
3/12/2002	1,017.58	33.7	22.0	0.00
3/13/2002	1,017.63	36.3	22.0	0.00
3/14/2002	1,017.68	34.1	22.0	0.00
3/15/2002	1,017.71	31.1	22.0	0.00
3/16/2002	1,017.79	47.9	12.4	0.52
3/17/2002	1,018.74	259.7	5.0	0.57
3/18/2002	1,022.68	867.6	5.0	1.33
3/19/2002	1,027.10	1,858.2	75.0	0.04
3/20/2002	1,027.93	440.2	87.8	0.00
3/21/2002	1,029.26	502.3	84.9	0.50
3/22/2002	1,027.99	373.4	667.4	0.01
3/23/2002	1,025.63	96.2	910.8	0.00
3/24/2002	1,024.00	151.9	767.5	0.00
3/25/2002	1,023.03	41.9	353.7	0.00
3/26/2002	1,023.19	72.5	65.5	0.00
3/27/2002	1,023.55	139.5	32.6	0.38
3/28/2002	1,023.68	134.7	89.9	0.00
3/29/2002	1,023.48	102.6	146.3	0.00
3/30/2002	1,023.49	101.6	122.5	0.26
3/31/2002	1,023.73	177.8	92.2	0.43
4/1/2002	1,027.71	1,164.9	92.7	0.84
4/2/2002	1,027.20	625.0	540.6	0.00
4/3/2002	1,025.41	124.1	757.3	0.00
4/4/2002	1,025.43	138.9	240.1	0.00
4/5/2002	1,025.53	163.4	115.3	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/6/2002	1,025.54	132.2	124.0	0.00
4/7/2002	1,025.52	118.6	124.0	0.00
4/8/2002	1,025.46	104.0	124.0	0.00
4/9/2002	1,025.66	92.8	29.8	0.01
4/10/2002	1,026.02	125.1	5.0	0.29
4/11/2002	1,026.19	119.5	47.3	0.00
4/12/2002	1,026.38	99.3	34.3	0.00
4/13/2002	1,026.61	89.0	5.0	0.02
4/14/2002	1,026.85	92.1	5.0	0.15
4/15/2002	1,027.08	87.6	5.0	0.09
4/16/2002	1,027.28	77.5	5.0	0.00
4/17/2002	1,027.34	73.7	45.5	0.00
4/18/2002	1,027.39	77.2	62.2	0.00
4/19/2002	1,027.39	77.6	73.3	0.00
4/20/2002	1,027.36	80.4	84.3	0.00
4/21/2002	1,027.35	66.7	77.4	0.02
4/22/2002	1,027.39	73.9	73.2	0.53
4/23/2002	1,027.43	98.4	73.3	0.00
4/24/2002	1,027.40	72.3	80.1	0.00
4/25/2002	1,027.58	108.6	84.3	0.71
4/26/2002	1,027.27	202.0	241.3	0.00
4/27/2002	1,027.45	162.5	139.6	0.00
4/28/2002	1,027.25	109.1	147.8	0.07
4/29/2002	1,027.77	305.5	164.6	0.43
4/30/2002	1,027.38	131.5	222.1	0.00
5/1/2002	1,027.49	129.1	123.0	0.01
5/2/2002	1,027.56	206.7	104.3	0.10
5/3/2002	1,032.01	1,367.0	95.2	2.01
5/4/2002	1,031.48	687.4	555.8	0.00
5/5/2002	1,030.10	193.2	708.6	0.14
5/6/2002	1,028.63	103.1	618.6	0.00
5/7/2002	1,028.08	89.0	346.6	0.24
5/8/2002	1,028.05	141.0	155.0	0.14
5/9/2002	1,027.95	123.7	155.0	0.01
5/10/2002	1,027.80	97.9	145.3	0.14
5/11/2002	1,027.50	58.0	155.0	0.00
5/12/2002	1,027.46	74.0	110.8	0.00
5/13/2002	1,027.47	95.5	84.3	0.03
5/14/2002	1,027.59	131.9	93.3	0.68

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/15/2002	1,027.52	96.6	118.1	0.00
5/16/2002	1,027.38	81.7	126.3	0.00
5/17/2002	1,027.34	72.6	93.1	0.00
5/18/2002	1,027.46	94.1	73.2	0.54
5/19/2002	1,027.45	114.4	100.1	0.00
5/20/2002	1,027.39	80.9	96.0	0.00
5/21/2002	1,027.29	71.1	104.2	0.11
5/22/2002	1,027.31	61.8	62.2	0.00
5/23/2002	1,027.32	57.1	51.2	0.00
5/24/2002	1,027.33	54.3	51.2	0.00
5/25/2002	1,027.32	47.4	51.2	0.00
5/26/2002	1,027.32	42.5	44.3	0.00
5/27/2002	1,027.32	42.6	40.2	0.00
5/28/2002	1,027.32	40.0	40.2	0.00
5/29/2002	1,027.33	36.3	35.1	0.00
5/30/2002	1,027.33	32.3	32.1	0.00
5/31/2002	1,027.32	33.4	32.1	0.00
6/1/2002	1,027.32	29.5	32.1	0.00
6/2/2002	1,027.31	28.9	32.1	0.00
6/3/2002	1,027.32	33.0	32.1	0.11
6/4/2002	1,027.31	30.8	32.1	0.00
6/5/2002	1,027.30	24.0	27.0	0.00
6/6/2002	1,027.30	27.5	24.0	0.00
6/7/2002	1,027.48	79.6	24.0	1.26
6/8/2002	1,027.46	43.0	44.5	0.00
6/9/2002	1,027.40	32.5	51.3	0.00
6/10/2002	1,027.36	28.2	44.4	0.00
6/11/2002	1,027.34	25.6	35.2	0.00
6/12/2002	1,027.32	19.7	25.7	0.00
6/13/2002	1,027.33	28.4	24.0	0.08
6/14/2002	1,027.38	40.9	24.0	0.27
6/15/2002	1,027.41	31.5	24.0	0.12
6/16/2002	1,027.40	23.8	24.0	0.00
6/17/2002	1,027.43	33.9	24.0	0.25
6/18/2002	1,027.43	23.8	24.0	0.00
6/19/2002	1,027.41	20.5	24.0	0.00
6/20/2002	1,027.46	35.9	24.0	0.03
6/21/2002	1,027.43	27.8	34.2	0.00
6/22/2002	1,027.39	25.9	40.3	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/23/2002	1,027.36	20.4	32.8	0.00
6/24/2002	1,027.34	17.4	24.0	0.00
6/25/2002	1,027.42	30.0	15.3	0.58
6/26/2002	1,027.48	42.4	10.0	0.02
6/27/2002	1,027.50	20.8	10.0	0.00
6/28/2002	1,027.60	43.5	14.4	0.71
6/29/2002	1,027.73	74.7	29.1	0.22
6/30/2002	1,027.70	48.8	53.7	0.00
7/1/2002	1,027.65	44.5	62.5	0.00
7/2/2002	1,027.57	37.4	62.4	0.00
7/3/2002	1,027.53	46.2	62.4	0.62
7/4/2002	1,027.52	53.1	62.3	0.27
7/5/2002	1,027.44	41.4	62.3	0.00
7/6/2002	1,027.44	32.6	38.4	0.00
7/7/2002	1,027.44	25.9	24.0	0.00
7/8/2002	1,027.41	15.9	24.0	0.00
7/9/2002	1,027.39	14.8	24.0	0.00
7/10/2002	1,027.38	21.1	24.0	0.00
7/11/2002	1,027.41	31.5	24.0	0.37
7/12/2002	1,027.40	22.9	24.0	0.00
7/13/2002	1,027.38	26.0	24.0	0.02
7/14/2002	1,027.71	121.9	24.0	1.00
7/15/2002	1,027.52	43.5	90.8	0.00
7/16/2002	1,027.38	38.9	97.0	0.00
7/17/2002	1,027.31	39.2	62.2	0.00
7/18/2002	1,027.33	24.1	20.9	0.22
7/19/2002	1,027.42	39.4	10.0	0.20
7/20/2002	1,027.53	54.3	21.8	1.74
7/21/2002	1,027.60	126.4	89.1	0.23
7/22/2002	1,027.40	54.5	115.3	0.00
7/23/2002	1,027.40	46.5	55.9	0.01
7/24/2002	1,027.42	31.5	25.7	0.00
7/25/2002	1,027.46	30.9	17.0	0.00
7/26/2002	1,027.48	29.7	23.5	0.20
7/27/2002	1,027.47	24.1	25.2	0.00
7/28/2002	1,027.46	21.4	25.2	0.00
7/29/2002	1,027.44	18.1	25.1	0.00
7/30/2002	1,027.41	18.4	25.1	0.00
7/31/2002	1,027.45	35.9	25.1	0.39

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
8/1/2002	1,027.45	24.7	25.1	0.00
8/2/2002	1,027.43	18.2	25.1	0.00
8/3/2002	1,027.40	16.9	25.1	0.00
8/4/2002	1,027.39	12.4	18.0	0.00
8/5/2002	1,027.38	8.7	12.0	0.00
8/6/2002	1,027.37	10.7	12.0	0.00
8/7/2002	1,027.36	5.9	12.0	0.00
8/8/2002	1,027.34	4.3	12.0	0.00
8/9/2002	1,027.32	1.4	7.6	0.00
8/10/2002	1,027.31	1.5	5.0	0.00
8/11/2002	1,027.30	1.9	5.0	0.00
8/12/2002	1,027.30	5.0	5.0	0.01
8/13/2002	1,027.30	4.6	5.0	0.00
8/14/2002	1,027.29	1.5	5.0	0.00
8/15/2002	1,027.28	2.3	5.0	0.00
8/16/2002	1,027.30	12.0	5.0	0.20
8/17/2002	1,027.32	12.2	5.0	0.19
8/18/2002	1,027.35	15.2	5.0	0.28
8/19/2002	1,027.37	9.5	5.0	0.12
8/20/2002	1,027.39	12.0	5.0	0.29
8/21/2002	1,027.40	10.7	5.0	0.00
8/22/2002	1,027.40	4.6	5.0	0.00
8/23/2002	1,027.39	1.9	5.0	0.00
8/24/2002	1,027.40	6.3	5.0	0.00
8/25/2002	1,027.42	11.1	5.0	0.24
8/26/2002	1,027.42	7.6	5.0	0.08
8/27/2002	1,027.51	37.4	5.0	1.41
8/28/2002	1,027.50	12.3	16.9	0.01
8/29/2002	1,027.47	13.5	24.0	0.00
8/30/2002	1,027.43	12.4	24.0	0.00
8/31/2002	1,027.40	10.2	24.0	0.00
9/1/2002	1,027.38	6.6	12.1	0.00
9/2/2002	1,027.38	4.6	5.0	0.00
9/3/2002	1,027.37	1.9	5.0	0.00
9/4/2002	1,027.37	5.0	5.0	0.00
9/5/2002	1,027.37	4.6	5.0	0.00
9/6/2002	1,027.36	1.8	5.0	0.00
9/7/2002	1,027.35	4.4	8.1	0.00
9/8/2002	1,027.32	3.5	11.6	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/9/2002	1,027.30	2.5	12.0	0.00
9/10/2002	1,027.28	5.0	12.0	0.00
9/11/2002	1,027.26	5.0	12.0	0.00
9/12/2002	1,027.23	4.1	12.0	0.00
9/13/2002	1,027.21	2.4	12.0	0.00
9/14/2002	1,027.19	5.2	12.0	0.07
9/15/2002	1,027.18	9.2	12.0	0.60
9/16/2002	1,027.10	20.2	43.3	0.07
9/17/2002	1,026.99	23.1	62.0	0.00
9/18/2002	1,026.86	19.8	67.5	0.00
9/19/2002	1,026.72	21.9	72.8	0.08
9/20/2002	1,026.58	21.5	72.7	0.06
9/21/2002	1,026.45	20.5	72.6	0.13
9/22/2002	1,026.31	30.4	72.5	0.01
9/23/2002	1,026.36	82.2	72.4	1.71
9/24/2002	1,026.24	33.3	72.4	0.00
9/25/2002	1,026.10	21.8	72.3	0.00
9/26/2002	1,025.99	33.8	72.2	0.19
9/27/2002	1,026.09	98.2	72.2	0.89
9/28/2002	1,025.98	58.9	91.5	0.21
9/29/2002	1,025.78	34.9	102.9	0.00
9/30/2002	1,025.56	24.9	102.7	0.00
10/1/2002	1,025.34	20.1	102.5	0.00
10/2/2002	1,025.11	23.5	102.3	0.00
10/3/2002	1,024.96	21.0	82.9	0.00
10/4/2002	1,024.82	29.8	71.3	0.00
10/5/2002	1,024.68	27.6	71.1	0.03
10/6/2002	1,024.54	27.1	71.0	0.00
10/7/2002	1,024.39	22.5	70.9	0.00
10/8/2002	1,024.26	30.0	70.8	0.10
10/9/2002	1,024.10	23.6	70.7	0.00
10/10/2002	1,023.99	32.4	70.5	0.42
10/11/2002	1,023.90	42.8	70.5	0.51
10/12/2002	1,023.83	47.8	70.4	0.00
10/13/2002	1,023.71	35.5	70.3	0.00
10/14/2002	1,023.60	37.8	70.2	0.00
10/15/2002	1,023.48	31.6	70.1	0.00
10/16/2002	1,023.41	57.2	89.0	0.93
10/17/2002	1,023.31	92.2	110.8	0.05

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/18/2002	1,023.05	41.2	121.0	0.00
10/19/2002	1,022.77	31.5	120.6	0.00
10/20/2002	1,022.58	30.6	98.3	0.13
10/21/2002	1,022.45	37.5	79.5	0.05
10/22/2002	1,022.30	32.6	79.4	0.00
10/23/2002	1,022.24	19.9	44.0	0.00
10/24/2002	1,022.13	20.9	54.1	0.00
10/25/2002	1,021.99	25.4	68.9	0.00
10/26/2002	1,021.87	27.4	68.8	0.16
10/27/2002	1,021.74	26.8	68.7	0.01
10/28/2002	1,021.60	35.2	68.6	0.57
10/29/2002	1,022.09	210.4	68.7	1.02
10/30/2002	1,022.18	158.7	123.4	0.16
10/31/2002	1,021.85	59.3	155.8	0.00
11/1/2002	1,021.41	14.3	155.1	0.00
11/2/2002	1,020.93	2.2	154.4	0.00
11/3/2002	1,020.74	11.1	87.7	0.00
11/4/2002	1,020.65	34.1	63.7	0.09
11/5/2002	1,020.53	38.0	72.8	0.00
11/6/2002	1,020.52	67.0	77.8	0.47
11/7/2002	1,020.48	89.5	96.4	0.06
11/8/2002	1,020.33	61.2	107.4	0.00
11/9/2002	1,020.13	45.7	107.3	0.00
11/10/2002	1,019.91	39.7	107.0	0.02
11/11/2002	1,019.84	59.4	106.8	0.61
11/12/2002	1,020.02	176.6	106.9	0.11
11/13/2002	1,019.91	99.9	122.9	0.00
11/14/2002	1,019.64	49.4	132.2	0.00
11/15/2002	1,019.31	32.5	131.8	0.00
11/16/2002	1,019.36	53.6	55.4	0.29
11/17/2002	1,019.53	84.8	35.0	0.16
11/18/2002	1,019.56	114.9	100.5	0.02
11/19/2002	1,019.43	92.3	124.1	0.10
11/20/2002	1,019.31	83.5	124.0	0.03
11/21/2002	1,019.31	69.0	73.8	0.01
11/22/2002	1,019.34	75.4	64.7	0.12
11/23/2002	1,019.34	68.9	67.2	0.01
11/24/2002	1,019.32	60.6	67.2	0.00
11/25/2002	1,019.28	54.4	67.2	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/26/2002	1,019.23	48.4	63.4	0.02
11/27/2002	1,019.24	49.0	49.9	0.11
11/28/2002	1,019.23	46.8	47.6	0.01
11/29/2002	1,019.19	37.6	47.6	0.00
11/30/2002	1,019.21	31.5	28.4	0.00
12/1/2002	1,019.23	30.0	22.0	0.00
12/2/2002	1,019.22	23.4	27.0	0.00
12/3/2002	1,019.20	23.9	30.0	0.00
12/4/2002	1,019.22	27.0	21.3	0.00
12/5/2002	1,019.44	72.3	22.0	1.23
12/6/2002	1,019.93	264.9	98.4	0.10
12/7/2002	1,019.72	93.9	144.3	0.02
12/8/2002	1,019.38	43.0	143.9	0.00
12/9/2002	1,019.24	51.1	108.0	0.00
12/10/2002	1,019.20	73.7	86.7	0.00
12/11/2002	1,019.29	86.0	65.7	0.49
12/12/2002	1,019.95	283.8	91.9	0.00
12/13/2002	1,019.91	161.0	142.1	0.00
12/14/2002	1,020.25	213.1	152.4	0.77
12/15/2002	1,019.97	323.7	348.1	0.00
12/16/2002	1,019.51	171.9	330.3	0.00
12/17/2002	1,019.59	126.1	126.1	0.00
12/18/2002	1,019.63	108.5	84.2	0.00
12/19/2002	1,019.52	86.4	116.6	0.00
12/20/2002	1,019.51	93.9	116.5	0.00
12/21/2002	1,019.14	164.4	236.6	0.00
12/22/2002	1,019.34	104.1	83.2	0.00
12/23/2002	1,019.57	113.3	36.3	0.00
12/24/2002	1,019.52	99.6	100.2	0.05
12/25/2002	1,019.57	124.5	116.5	0.41
12/26/2002	1,019.65	144.8	120.5	0.00
12/27/2002	1,019.58	105.8	124.3	0.00
12/28/2002	1,019.45	85.3	124.2	0.00
12/29/2002	1,019.31	76.2	121.5	0.00
12/30/2002	1,019.26	82.3	98.8	0.00
12/31/2002	1,019.21	71.4	86.7	0.00