



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/2003	1,019.21	78.5	80.7	0.19
1/2/2003	1,019.31	105.5	77.1	0.03
1/3/2003	1,019.37	98.1	77.2	0.07
1/4/2003	1,019.42	97.8	83.2	0.00
1/5/2003	1,019.40	90.4	92.8	0.00
1/6/2003	1,019.37	87.0	96.4	0.01
1/7/2003	1,019.36	84.8	90.4	0.02
1/8/2003	1,019.31	73.7	86.8	0.00
1/9/2003	1,019.32	76.1	74.5	0.00
1/10/2003	1,019.33	70.1	67.2	0.00
1/11/2003	1,019.32	63.9	67.2	0.00
1/12/2003	1,019.29	57.8	67.2	0.00
1/13/2003	1,019.25	56.6	67.1	0.00
1/14/2003	1,019.25	51.6	54.9	0.00
1/15/2003	1,019.25	51.6	47.6	0.03
1/16/2003	1,019.25	45.6	47.6	0.00
1/17/2003	1,019.27	51.6	47.6	0.21

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/2003	1,019.25	50.9	53.5	0.00
1/19/2003	1,019.22	45.9	57.1	0.00
1/20/2003	1,019.22	52.4	52.3	0.00
1/21/2003	1,019.25	53.0	45.2	0.00
1/22/2003	1,019.28	46.8	38.0	0.00
1/23/2003	1,019.28	38.0	38.0	0.12
1/24/2003	1,019.27	36.8	38.0	0.00
1/25/2003	1,019.24	31.0	38.0	0.00
1/26/2003	1,019.22	32.0	38.0	0.00
1/27/2003	1,019.22	35.7	38.0	0.01
1/28/2003	1,019.21	34.9	38.0	0.00
1/29/2003	1,019.22	40.3	38.0	0.19
1/30/2003	1,019.49	106.2	38.0	0.11
1/31/2003	1,019.63	139.0	80.9	0.00
2/1/2003	1,019.57	105.8	117.7	0.02
2/2/2003	1,019.44	85.4	124.2	0.00
2/3/2003	1,019.44	78.6	88.5	0.00
2/4/2003	1,019.47	96.4	85.5	0.45
2/5/2003	1,019.89	212.5	96.6	0.00
2/6/2003	1,019.55	116.8	185.6	0.00
2/7/2003	1,019.51	98.4	140.8	0.20
2/8/2003	1,019.49	122.5	118.4	0.01
2/9/2003	1,019.38	93.8	124.1	0.00
2/10/2003	1,019.33	86.6	106.7	0.05
2/11/2003	1,019.34	97.1	96.3	0.03
2/12/2003	1,019.33	95.7	96.3	0.00
2/13/2003	1,019.33	97.5	96.3	0.00
2/14/2003	1,019.28	81.5	96.3	0.00
2/15/2003	1,019.44	171.9	96.3	0.67
2/16/2003	1,025.24	1,483.1	104.2	2.23
2/17/2003	1,031.64	2,808.2	109.0	0.39
2/18/2003	1,032.93	699.7	108.6	0.00
2/19/2003	1,031.81	273.5	572.5	0.00
2/20/2003	1,029.54	52.5	890.1	0.06
2/21/2003	1,027.01	9.6	920.7	0.00
2/22/2003	1,026.59	129.7	355.6	1.14
2/23/2003	1,030.61	1,393.8	85.0	0.54
2/24/2003	1,031.81	609.2	86.9	0.03
2/25/2003	1,030.65	280.3	582.6	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/2003	1,028.77	74.6	774.8	0.00
2/27/2003	1,026.73	33.4	765.0	0.10
2/28/2003	1,024.66	23.9	753.8	0.19
3/1/2003	1,022.57	40.6	741.8	0.00
3/2/2003	1,020.35	17.9	729.4	0.00
3/3/2003	1,019.36	33.6	438.3	0.02
3/4/2003	1,019.41	146.7	131.1	0.00
3/5/2003	1,019.42	128.5	124.0	0.01
3/6/2003	1,019.39	114.5	124.0	0.04
3/7/2003	1,019.33	109.2	124.0	0.00
3/8/2003	1,019.34	99.7	102.1	0.00
3/9/2003	1,019.33	95.6	96.3	0.00
3/10/2003	1,019.32	95.0	96.3	0.00
3/11/2003	1,019.28	85.6	96.3	0.00
3/12/2003	1,019.23	78.4	96.3	0.00
3/13/2003	1,019.22	79.2	84.3	0.00
3/14/2003	1,019.31	102.0	77.1	0.34
3/15/2003	1,019.29	88.7	89.1	0.00
3/16/2003	1,019.28	90.8	96.3	0.00
3/17/2003	1,019.29	87.8	84.3	0.00
3/18/2003	1,019.30	78.1	77.1	0.00
3/19/2003	1,019.30	79.1	77.1	0.00
3/20/2003	1,019.29	74.0	77.1	0.07
3/21/2003	1,019.27	72.8	77.1	0.00
3/22/2003	1,019.25	65.4	71.3	0.00
3/23/2003	1,019.24	61.7	67.1	0.00
3/24/2003	1,019.22	60.1	67.1	0.00
3/25/2003	1,019.30	46.0	22.7	0.00
3/26/2003	1,019.40	42.9	11.0	0.03
3/27/2003	1,019.56	55.7	11.0	0.15
3/28/2003	1,019.66	46.4	11.0	0.00
3/29/2003	1,019.76	43.5	11.0	0.00
3/30/2003	1,019.98	74.0	11.0	0.65
3/31/2003	1,020.43	157.9	11.0	0.06
4/1/2003	1,020.82	123.2	11.0	0.00
4/2/2003	1,021.16	120.5	11.0	0.00
4/3/2003	1,021.42	96.8	11.0	0.00
4/4/2003	1,021.63	83.3	11.1	0.00
4/5/2003	1,021.84	81.0	11.1	0.54

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/6/2003	1,022.27	148.7	11.2	0.00
4/7/2003	1,024.00	356.4	11.3	1.78
4/8/2003	1,026.71	1,230.2	17.8	0.00
4/9/2003	1,028.71	774.3	295.4	1.20
4/10/2003	1,031.10	1,276.2	168.0	0.34
4/11/2003	1,036.12	1,839.1	109.5	1.09
4/12/2003	1,036.90	935.8	326.5	0.07
4/13/2003	1,035.36	175.0	740.4	0.00
4/14/2003	1,033.36	12.2	798.1	0.00
4/15/2003	1,031.15	0.0	787.7	0.00
4/16/2003	1,028.82	0.0	776.4	0.00
4/17/2003	1,027.37	8.3	549.7	0.00
4/18/2003	1,026.21	119.7	305.1	1.45
4/19/2003	1,027.37	678.1	490.5	0.00
4/20/2003	1,026.80	197.1	419.7	0.00
4/21/2003	1,026.59	124.8	210.7	0.02
4/22/2003	1,026.38	85.7	154.2	0.00
4/23/2003	1,026.09	56.0	153.8	0.00
4/24/2003	1,026.12	94.5	106.5	0.00
4/25/2003	1,026.22	120.6	83.2	0.00
4/26/2003	1,026.31	122.4	102.5	0.42
4/27/2003	1,026.39	155.9	114.2	0.06
4/28/2003	1,026.50	120.1	83.0	0.00
4/29/2003	1,026.72	95.0	22.0	0.00
4/30/2003	1,026.93	85.5	12.0	0.01
5/1/2003	1,027.10	75.9	12.0	0.00
5/2/2003	1,027.23	89.9	43.3	0.34
5/3/2003	1,027.30	89.3	62.2	0.00
5/4/2003	1,027.32	77.3	68.6	0.00
5/5/2003	1,027.31	73.7	73.2	0.34
5/6/2003	1,027.46	138.0	92.6	0.00
5/7/2003	1,027.45	116.2	104.3	0.17
5/8/2003	1,027.97	219.4	104.4	0.73
5/9/2003	1,027.85	297.6	351.8	0.67
5/10/2003	1,027.82	561.6	463.4	0.00
5/11/2003	1,027.62	114.4	221.3	0.00
5/12/2003	1,027.35	323.6	392.9	0.14
5/13/2003	1,027.27	91.1	149.7	0.00
5/14/2003	1,027.24	97.5	104.2	0.01

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/15/2003	1,027.26	99.9	74.1	0.01
5/16/2003	1,028.49	433.6	84.4	1.51
5/17/2003	1,029.06	359.7	85.2	0.05
5/18/2003	1,029.14	279.1	331.6	0.58
5/19/2003	1,028.17	428.9	624.5	0.00
5/20/2003	1,027.53	110.6	396.7	0.19
5/21/2003	1,027.72	136.5	155.0	1.18
5/22/2003	1,027.51	713.7	650.6	1.21
5/23/2003	1,027.25	253.1	411.6	0.00
5/24/2003	1,027.39	165.6	124.1	0.00
5/25/2003	1,027.32	130.7	139.1	0.00
5/26/2003	1,027.35	100.7	99.3	0.03
5/27/2003	1,027.35	84.9	82.2	0.00
5/28/2003	1,027.48	87.7	51.3	0.24
5/29/2003	1,027.47	94.5	85.7	0.03
5/30/2003	1,027.46	135.2	134.5	0.65
5/31/2003	1,027.40	82.4	114.6	0.00
6/1/2003	1,027.39	92.2	89.9	0.08
6/2/2003	1,027.34	78.0	94.2	0.00
6/3/2003	1,027.32	66.8	76.7	0.08
6/4/2003	1,027.43	97.4	73.2	0.16
6/5/2003	1,027.52	136.5	92.7	0.00
6/6/2003	1,027.48	94.0	104.3	0.00
6/7/2003	1,027.35	93.2	119.4	0.86
6/8/2003	1,028.08	350.7	134.7	0.23
6/9/2003	1,027.41	140.0	305.3	0.10
6/10/2003	1,027.47	81.0	120.5	0.00
6/11/2003	1,027.50	100.2	78.2	0.00
6/12/2003	1,027.52	108.1	102.3	0.32
6/13/2003	1,027.46	95.5	113.0	0.01
6/14/2003	1,027.38	124.1	115.3	0.01
6/15/2003	1,029.59	771.4	113.0	1.59
6/16/2003	1,031.41	1,065.3	395.9	1.56
6/17/2003	1,031.06	780.8	562.6	0.30
6/18/2003	1,039.41	3,298.9	227.1	2.10
6/19/2003	1,039.15	625.0	589.0	1.31
6/20/2003	1,037.43	413.0	1,057.0	0.00
6/21/2003	1,034.91	105.3	1,125.6	0.00
6/22/2003	1,032.10	3.0	1,107.1	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/23/2003	1,029.12	0.0	1,086.7	0.00
6/24/2003	1,027.92	5.7	537.1	0.00
6/25/2003	1,027.81	54.4	107.2	0.00
6/26/2003	1,027.70	66.9	103.3	0.00
6/27/2003	1,027.55	60.8	109.6	0.00
6/28/2003	1,027.42	60.1	109.5	0.03
6/29/2003	1,027.40	62.5	79.9	0.00
6/30/2003	1,027.39	63.4	62.3	0.00
7/1/2003	1,027.38	56.0	62.3	0.07
7/2/2003	1,027.35	54.1	62.2	0.00
7/3/2003	1,027.43	53.9	30.8	0.30
7/4/2003	1,027.45	43.8	30.9	0.00
7/5/2003	1,027.43	54.9	62.3	0.00
7/6/2003	1,027.41	53.3	62.3	0.00
7/7/2003	1,027.41	62.9	62.3	0.33
7/8/2003	1,027.30	30.2	62.3	0.00
7/9/2003	1,027.28	27.7	41.0	0.00
7/10/2003	1,027.40	64.7	24.0	0.34
7/11/2003	1,027.61	110.5	45.6	0.87
7/12/2003	1,027.51	96.4	98.3	0.00
7/13/2003	1,027.91	237.0	126.4	1.75
7/14/2003	1,027.64	79.8	151.0	0.00
7/15/2003	1,027.25	23.5	160.7	0.00
7/16/2003	1,027.30	36.4	42.9	0.07
7/17/2003	1,027.29	54.1	50.3	0.01
7/18/2003	1,027.32	69.4	67.7	0.00
7/19/2003	1,027.28	54.6	52.6	0.00
7/20/2003	1,027.28	40.0	40.2	0.16
7/21/2003	1,027.27	36.5	40.2	0.00
7/22/2003	1,027.29	34.4	25.3	0.28
7/23/2003	1,027.39	45.6	17.0	0.50
7/24/2003	1,027.41	51.3	34.0	0.26
7/25/2003	1,027.36	43.6	62.3	0.00
7/26/2003	1,027.32	32.4	48.5	0.00
7/27/2003	1,027.32	28.3	30.1	0.00
7/28/2003	1,027.33	29.9	24.0	0.00
7/29/2003	1,027.54	76.2	24.0	1.20
7/30/2003	1,027.50	108.3	95.0	0.15
7/31/2003	1,027.33	49.2	104.3	0.03

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
8/1/2003	1,027.66	178.6	79.8	0.91
8/2/2003	1,027.53	82.9	113.5	0.00
8/3/2003	1,027.38	62.7	116.2	0.02
8/4/2003	1,027.46	109.4	104.3	1.10
8/5/2003	1,027.46	157.5	161.6	0.61
8/6/2003	1,027.30	152.5	185.1	0.00
8/7/2003	1,027.22	87.3	121.0	0.00
8/8/2003	1,027.21	61.2	70.8	0.00
8/9/2003	1,027.27	49.9	26.4	0.00
8/10/2003	1,027.34	39.8	17.0	0.00
8/11/2003	1,027.34	45.2	41.2	0.00
8/12/2003	1,027.35	53.6	51.2	0.01
8/13/2003	1,027.36	36.2	32.0	0.00
8/14/2003	1,027.34	43.9	51.2	0.00
8/15/2003	1,027.31	41.0	49.4	0.00
8/16/2003	1,027.30	36.7	42.5	0.00
8/17/2003	1,027.30	42.4	35.1	0.04
8/18/2003	1,027.75	179.2	32.2	0.89
8/19/2003	1,027.71	70.1	71.2	0.00
8/20/2003	1,027.58	47.6	94.4	0.00
8/21/2003	1,027.44	46.0	94.4	0.00
8/22/2003	1,027.37	37.7	71.0	0.00
8/23/2003	1,027.31	34.3	51.2	0.00
8/24/2003	1,027.30	25.5	33.1	0.00
8/25/2003	1,027.32	21.1	16.0	0.00
8/26/2003	1,027.33	18.0	12.0	0.00
8/27/2003	1,027.35	16.7	12.0	0.00
8/28/2003	1,027.36	17.9	12.0	0.00
8/29/2003	1,027.36	12.2	12.0	0.00
8/30/2003	1,027.36	15.6	12.0	0.07
8/31/2003	1,027.43	38.7	12.0	0.71
9/1/2003	1,027.73	135.4	32.8	0.50
9/2/2003	1,027.68	80.5	83.8	0.01
9/3/2003	1,027.55	46.0	94.4	0.14
9/4/2003	1,027.50	76.0	94.3	0.89
9/5/2003	1,027.39	211.6	219.2	0.28
9/6/2003	1,027.30	47.6	114.8	0.00
9/7/2003	1,027.30	53.0	51.2	0.00
9/8/2003	1,027.30	40.2	42.5	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/9/2003	1,027.29	36.6	40.2	0.00
9/10/2003	1,027.28	36.2	40.2	0.00
9/11/2003	1,027.29	29.6	28.0	0.00
9/12/2003	1,027.29	23.7	24.0	0.00
9/13/2003	1,027.31	17.3	9.0	0.00
9/14/2003	1,027.32	18.1	12.7	0.00
9/15/2003	1,027.35	21.1	17.0	0.35
9/16/2003	1,027.27	37.7	56.8	0.01
9/17/2003	1,027.15	32.2	73.1	0.00
9/18/2003	1,027.02	26.3	73.1	0.00
9/19/2003	1,026.89	27.0	73.0	0.00
9/20/2003	1,026.76	29.4	72.9	0.00
9/21/2003	1,026.64	27.6	72.8	0.00
9/22/2003	1,026.59	31.4	49.4	0.11
9/23/2003	1,026.73	108.8	69.1	1.29
9/24/2003	1,025.92	11.2	245.2	0.00
9/25/2003	1,025.72	5.8	118.3	0.00
9/26/2003	1,025.65	36.6	61.1	0.00
9/27/2003	1,025.57	34.8	61.1	0.00
9/28/2003	1,025.54	56.6	69.6	0.45
9/29/2003	1,025.37	31.7	94.4	0.00
9/30/2003	1,025.16	38.8	102.3	0.00
10/1/2003	1,024.99	33.7	102.1	0.24
10/2/2003	1,024.79	42.9	101.9	0.00
10/3/2003	1,024.66	30.7	78.8	0.00
10/4/2003	1,024.52	23.7	71.0	0.00
10/5/2003	1,024.40	29.9	70.9	0.00
10/6/2003	1,024.28	29.6	70.8	0.00
10/7/2003	1,024.17	28.7	70.7	0.00
10/8/2003	1,024.05	34.3	70.6	0.00
10/9/2003	1,023.93	29.8	70.5	0.00
10/10/2003	1,023.84	32.6	70.4	0.00
10/11/2003	1,023.68	27.2	70.3	0.00
10/12/2003	1,023.61	41.0	70.2	0.00
10/13/2003	1,023.43	29.0	84.1	0.00
10/14/2003	1,023.20	28.3	100.3	0.00
10/15/2003	1,023.14	71.3	100.2	0.78
10/16/2003	1,023.00	49.0	93.8	0.00
10/17/2003	1,022.83	36.1	89.9	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/18/2003	1,022.66	33.7	89.8	0.02
10/19/2003	1,022.52	30.3	77.8	0.00
10/20/2003	1,022.40	27.4	69.2	0.00
10/21/2003	1,022.28	26.4	65.3	0.00
10/22/2003	1,022.19	27.0	58.8	0.00
10/23/2003	1,022.09	28.2	58.8	0.00
10/24/2003	1,021.99	25.7	58.7	0.00
10/25/2003	1,021.85	22.4	66.2	0.00
10/26/2003	1,021.68	21.0	75.8	0.00
10/27/2003	1,021.55	35.6	78.6	0.48
10/28/2003	1,021.49	55.5	78.5	0.13
10/29/2003	1,021.35	35.6	78.4	0.10
10/30/2003	1,021.24	37.3	78.2	0.00
10/31/2003	1,021.10	45.2	78.2	0.00
11/1/2003	1,020.93	34.3	85.4	0.00
11/2/2003	1,020.78	28.5	80.1	0.00
11/3/2003	1,020.63	30.2	77.9	0.00
11/4/2003	1,020.47	29.4	77.8	0.00
11/5/2003	1,020.32	33.8	77.7	0.11
11/6/2003	1,020.44	101.3	77.7	0.72
11/7/2003	1,020.59	155.2	104.5	1.24
11/8/2003	1,020.35	49.5	115.5	0.00
11/9/2003	1,019.96	4.1	115.2	0.00
11/10/2003	1,019.78	24.8	95.7	0.00
11/11/2003	1,019.64	43.3	87.0	0.02
11/12/2003	1,019.48	42.0	86.9	0.00
11/13/2003	1,019.56	90.1	86.9	0.65
11/14/2003	1,019.54	99.8	92.9	0.00
11/15/2003	1,019.44	65.2	96.5	0.19
11/16/2003	1,019.16	57.8	133.2	0.22
11/17/2003	1,018.80	34.0	142.5	0.07
11/18/2003	1,018.78	49.0	77.1	0.00
11/19/2003	1,019.22	193.1	72.3	1.43
11/20/2003	1,022.50	1,080.7	88.0	0.25
11/21/2003	1,021.25	206.7	446.3	0.00
11/22/2003	1,018.96	9.3	582.1	0.00
11/23/2003	1,018.21	33.1	249.8	0.00
11/24/2003	1,017.80	22.3	141.3	0.02
11/25/2003	1,017.82	79.3	95.2	0.33

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/26/2003	1,017.82	87.7	84.9	0.00
11/27/2003	1,017.77	77.8	94.8	0.00
11/28/2003	1,017.41	45.2	131.2	0.12
11/29/2003	1,017.45	88.2	104.0	0.36
11/30/2003	1,017.12	54.4	130.8	0.00
12/1/2003	1,017.12	72.2	89.4	0.00
12/2/2003	1,017.10	86.8	90.4	0.00
12/3/2003	1,017.01	71.1	94.1	0.00
12/4/2003	1,017.02	69.6	73.3	0.16
12/5/2003	1,017.17	110.0	66.0	0.13
12/6/2003	1,017.33	127.4	83.7	0.24
12/7/2003	1,017.13	93.2	121.2	0.00
12/8/2003	1,017.11	285.3	318.4	0.00
12/9/2003	1,017.09	410.6	425.4	0.00
12/10/2003	1,017.01	180.6	185.8	0.06
12/11/2003	1,017.30	102.2	39.2	0.30
12/12/2003	1,017.31	94.0	70.8	0.00
12/13/2003	1,017.15	42.8	84.2	0.00
12/14/2003	1,017.28	82.8	61.9	0.40
12/15/2003	1,017.42	132.3	89.5	0.01
12/16/2003	1,017.25	96.0	131.7	0.00
12/17/2003	1,017.10	78.6	140.2	0.52
12/18/2003	1,017.11	151.6	140.2	0.00
12/19/2003	1,017.02	115.9	140.1	0.16
12/20/2003	1,017.33	151.8	70.5	0.07
12/21/2003	1,017.08	73.8	124.9	0.00
12/22/2003	1,017.14	76.5	87.6	0.00
12/23/2003	1,017.14	104.1	96.4	0.00
12/24/2003	1,017.32	176.9	94.6	0.26
12/25/2003	1,017.56	895.9	93.4	0.00
12/26/2003	1,017.13	391.7	150.0	0.00
12/27/2003	1,017.10	79.9	105.0	0.00
12/28/2003	1,017.25	108.8	83.6	0.00
12/29/2003	1,016.99	70.5	122.8	0.00
12/30/2003	1,017.18	86.9	63.5	0.41
12/31/2003	1,017.45	166.5	75.7	0.00