



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/2005	1,017.09	59.9	60.0	0.03
1/2/2005	1,017.07	55.9	60.0	0.02
1/3/2005	1,017.04	51.6	60.0	0.00
1/4/2005	1,017.04	61.1	60.0	0.00
1/5/2005	1,017.17	84.4	60.0	0.47
1/6/2005	1,017.13	93.9	88.3	0.00
1/7/2005	1,017.15	104.8	105.1	0.16
1/8/2005	1,017.24	123.8	105.2	0.46
1/9/2005	1,017.80	260.9	105.5	0.00
1/10/2005	1,017.42	167.6	230.5	0.00
1/11/2005	1,017.20	100.3	181.4	0.00
1/12/2005	1,017.73	190.3	88.5	0.48
1/13/2005	1,017.50	195.5	220.4	0.00
1/14/2005	1,017.58	180.6	164.8	0.45
1/15/2005	1,017.11	219.0	318.4	0.00
1/16/2005	1,017.05	133.2	187.7	0.00
1/17/2005	1,017.05	119.4	120.8	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/2005	1,017.02	92.1	98.0	0.00
1/19/2005	1,017.02	69.9	71.8	0.00
1/20/2005	1,017.08	72.3	56.0	0.00
1/21/2005	1,017.12	80.4	67.3	0.09
1/22/2005	1,017.12	76.7	73.1	0.00
1/23/2005	1,017.11	69.3	75.1	0.09
1/24/2005	1,017.02	57.0	75.1	0.00
1/25/2005	1,017.12	61.9	47.3	0.00
1/26/2005	1,017.09	64.6	63.6	0.04
1/27/2005	1,017.13	78.1	71.1	0.03
1/28/2005	1,017.13	68.6	66.7	0.00
1/29/2005	1,017.11	63.9	64.1	0.03
1/30/2005	1,017.60	172.8	64.1	0.55
1/31/2005	1,017.26	243.7	276.5	0.00
2/1/2005	1,017.11	130.3	210.8	0.00
2/2/2005	1,017.00	119.2	146.2	0.00
2/3/2005	1,017.24	112.8	62.9	0.04
2/4/2005	1,017.37	116.8	66.7	0.00
2/5/2005	1,017.14	82.9	134.8	0.00
2/6/2005	1,017.21	74.0	70.9	0.00
2/7/2005	1,017.13	78.8	93.7	0.00
2/8/2005	1,017.10	65.3	78.6	0.04
2/9/2005	1,017.08	68.4	71.1	0.00
2/10/2005	1,017.21	89.4	62.4	0.35
2/11/2005	1,017.10	95.4	110.2	0.05
2/12/2005	1,017.19	77.0	65.0	0.00
2/13/2005	1,017.32	94.0	54.3	0.00
2/14/2005	1,017.19	95.3	121.8	0.26
2/15/2005	1,017.15	124.4	142.3	0.07
2/16/2005	1,017.12	134.9	142.2	0.11
2/17/2005	1,017.20	160.9	142.2	0.09
2/18/2005	1,017.20	145.1	142.3	0.00
2/19/2005	1,017.11	118.1	142.3	0.00
2/20/2005	1,017.04	92.3	112.8	0.00
2/21/2005	1,017.14	107.5	90.0	0.36
2/22/2005	1,017.27	171.9	136.9	0.11
2/23/2005	1,017.08	161.6	195.9	0.00
2/24/2005	1,017.17	133.3	122.1	0.00
2/25/2005	1,017.08	122.6	140.8	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/2005	1,017.17	93.6	80.7	0.00
2/27/2005	1,017.23	90.4	60.7	0.00
2/28/2005	1,017.21	101.1	95.2	0.46
3/1/2005	1,018.19	410.3	137.1	0.28
3/2/2005	1,018.24	278.4	245.0	0.02
3/3/2005	1,017.77	154.9	282.7	0.00
3/4/2005	1,017.17	104.2	281.4	0.00
3/5/2005	1,017.18	111.6	149.1	0.45
3/6/2005	1,017.29	187.1	138.9	0.00
3/7/2005	1,017.24	136.6	150.4	0.00
3/8/2005	1,017.23	133.7	150.3	0.51
3/9/2005	1,017.25	215.6	193.0	0.03
3/10/2005	1,017.04	153.0	210.3	0.00
3/11/2005	1,017.01	135.3	154.6	0.11
3/12/2005	1,017.05	149.3	140.0	0.35
3/13/2005	1,017.05	141.7	140.1	0.00
3/14/2005	1,017.01	182.8	140.1	0.03
3/15/2005	1,017.07	885.4	926.2	0.00
3/16/2005	1,017.35	111.3	45.7	0.09
3/17/2005	1,017.44	148.2	98.9	0.09
3/18/2005	1,017.63	127.8	78.6	0.00
3/19/2005	1,017.89	122.4	46.2	0.00
3/20/2005	1,018.11	111.0	45.4	0.00
3/21/2005	1,018.30	87.1	24.5	0.00
3/22/2005	1,018.55	81.4	11.3	0.00
3/23/2005	1,018.81	92.8	11.4	0.21
3/24/2005	1,019.22	131.8	16.8	0.27
3/25/2005	1,019.53	146.0	45.2	0.00
3/26/2005	1,019.93	145.7	20.0	0.05
3/27/2005	1,020.27	132.4	20.0	0.00
3/28/2005	1,020.63	139.6	20.0	0.87
3/29/2005	1,021.88	473.4	142.4	0.29
3/30/2005	1,021.78	480.0	415.2	0.00
3/31/2005	1,020.81	203.9	499.6	0.23
4/1/2005	1,020.53	159.7	287.5	0.02
4/2/2005	1,021.30	248.1	69.7	0.88
4/3/2005	1,022.94	757.6	240.2	0.35
4/4/2005	1,022.48	478.3	506.0	0.00
4/5/2005	1,022.47	234.3	288.2	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/6/2005	1,022.15	161.0	238.6	0.00
4/7/2005	1,022.05	119.4	170.8	0.00
4/8/2005	1,022.13	119.5	96.6	0.00
4/9/2005	1,022.41	115.6	36.2	0.00
4/10/2005	1,022.72	108.2	5.0	0.00
4/11/2005	1,022.98	94.6	5.0	0.00
4/12/2005	1,023.23	89.8	5.0	0.00
4/13/2005	1,023.46	119.0	41.4	0.47
4/14/2005	1,023.86	138.7	19.5	0.31
4/15/2005	1,024.05	134.7	55.3	0.00
4/16/2005	1,024.12	106.4	80.6	0.00
4/17/2005	1,024.24	100.1	63.4	0.00
4/18/2005	1,024.45	87.6	19.0	0.00
4/19/2005	1,024.66	78.4	5.0	0.00
4/20/2005	1,024.86	72.4	5.0	0.00
4/21/2005	1,025.03	65.1	5.0	0.00
4/22/2005	1,025.20	63.7	5.0	0.04
4/23/2005	1,025.38	65.2	5.0	0.09
4/24/2005	1,025.58	73.7	5.0	0.26
4/25/2005	1,025.71	62.0	5.0	0.02
4/26/2005	1,025.89	57.2	5.0	0.00
4/27/2005	1,026.05	60.0	5.0	0.12
4/28/2005	1,026.18	53.3	5.0	0.01
4/29/2005	1,026.36	64.5	5.0	0.49
4/30/2005	1,027.12	269.0	5.0	0.93
5/1/2005	1,030.07	1,352.9	289.8	0.24
5/2/2005	1,028.79	320.1	695.0	0.00
5/3/2005	1,027.58	123.8	587.6	0.01
5/4/2005	1,027.53	117.5	187.0	0.00
5/5/2005	1,027.51	108.9	110.6	0.00
5/6/2005	1,027.46	99.9	116.5	0.24
5/7/2005	1,027.42	77.9	93.3	0.00
5/8/2005	1,027.45	74.8	67.6	0.00
5/9/2005	1,027.51	73.6	55.2	0.00
5/10/2005	1,027.51	66.3	62.6	0.00
5/11/2005	1,027.41	50.6	79.6	0.00
5/12/2005	1,027.41	50.0	55.4	0.00
5/13/2005	1,027.43	53.5	46.1	0.00
5/14/2005	1,027.47	57.7	46.1	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/15/2005	1,027.50	56.7	46.2	0.20
5/16/2005	1,027.48	52.2	55.4	0.00
5/17/2005	1,027.44	44.6	59.2	0.00
5/18/2005	1,027.38	39.7	59.1	0.00
5/19/2005	1,027.40	31.2	28.7	0.00
5/20/2005	1,027.60	63.0	22.0	0.56
5/21/2005	1,027.58	102.8	74.1	0.04
5/22/2005	1,027.39	41.9	105.3	0.00
5/23/2005	1,027.51	47.4	46.5	0.64
5/24/2005	1,027.61	111.0	45.2	0.66
5/25/2005	1,027.46	43.2	83.8	0.00
5/26/2005	1,027.43	37.9	56.4	0.00
5/27/2005	1,027.40	35.5	46.1	0.00
5/28/2005	1,027.37	35.2	46.1	0.00
5/29/2005	1,027.33	31.8	46.1	0.00
5/30/2005	1,027.32	30.6	36.4	0.00
5/31/2005	1,027.30	25.6	33.1	0.00
6/1/2005	1,027.32	19.6	13.2	0.00
6/2/2005	1,027.39	25.3	5.0	0.35
6/3/2005	1,027.45	31.7	5.0	0.09
6/4/2005	1,027.48	34.0	22.6	0.16
6/5/2005	1,027.47	29.4	33.2	0.00
6/6/2005	1,027.45	26.0	33.2	0.00
6/7/2005	1,027.43	26.3	33.1	0.13
6/8/2005	1,027.41	28.5	33.1	0.00
6/9/2005	1,027.40	27.1	33.1	0.28
6/10/2005	1,027.40	30.5	33.1	0.00
6/11/2005	1,027.37	27.8	33.1	0.00
6/12/2005	1,027.36	28.9	33.1	0.27
6/13/2005	1,027.34	16.0	24.8	0.00
6/14/2005	1,027.37	17.9	8.0	0.00
6/15/2005	1,027.47	32.9	5.0	0.37
6/16/2005	1,027.52	29.5	5.0	0.00
6/17/2005	1,027.53	11.3	5.0	0.00
6/18/2005	1,027.51	12.9	18.8	0.00
6/19/2005	1,027.48	13.8	27.0	0.00
6/20/2005	1,027.44	15.4	27.0	0.00
6/21/2005	1,027.41	15.9	27.0	0.23
6/22/2005	1,027.37	9.5	27.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/23/2005	1,027.37	9.9	10.5	0.00
6/24/2005	1,027.38	10.4	5.0	0.00
6/25/2005	1,027.39	2.6	5.0	0.00
6/26/2005	1,027.39	8.0	5.0	0.00
6/27/2005	1,027.40	9.5	5.0	0.00
6/28/2005	1,027.47	24.8	5.0	0.50
6/29/2005	1,027.52	25.3	5.0	0.64
6/30/2005	1,027.57	22.6	5.0	0.45
7/1/2005	1,027.60	18.8	5.0	0.00
7/2/2005	1,027.64	27.8	15.1	0.50
7/3/2005	1,027.62	22.8	27.0	0.00
7/4/2005	1,027.64	30.0	27.0	0.03
7/5/2005	1,027.59	46.5	59.8	0.73
7/6/2005	1,027.48	41.3	79.4	0.14
7/7/2005	1,027.45	26.3	34.7	0.00
7/8/2005	1,027.81	130.4	22.0	0.76
7/9/2005	1,027.67	56.4	84.6	0.00
7/10/2005	1,027.43	22.1	105.4	0.00
7/11/2005	1,027.38	16.9	42.8	0.00
7/12/2005	1,027.38	19.1	22.0	0.17
7/13/2005	1,027.36	16.0	22.0	0.00
7/14/2005	1,027.44	34.5	9.3	0.52
7/15/2005	1,027.51	49.8	27.3	0.11
7/16/2005	1,027.38	32.2	64.5	0.00
7/17/2005	1,027.39	15.3	24.6	0.07
7/18/2005	1,027.46	33.8	5.0	0.34
7/19/2005	1,027.73	92.4	5.0	0.19
7/20/2005	1,027.60	71.2	98.5	0.06
7/21/2005	1,027.43	33.5	98.7	0.00
7/22/2005	1,027.40	28.5	45.6	0.00
7/23/2005	1,027.36	20.9	33.1	0.00
7/24/2005	1,027.34	12.1	21.1	0.00
7/25/2005	1,027.33	8.2	11.5	0.00
7/26/2005	1,027.34	7.2	6.3	0.00
7/27/2005	1,027.34	8.2	5.0	0.00
7/28/2005	1,027.37	13.0	5.0	0.06
7/29/2005	1,027.38	11.0	5.0	0.00
7/30/2005	1,027.39	8.4	5.0	0.00
7/31/2005	1,027.39	5.0	5.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
8/1/2005	1,027.39	4.6	5.0	0.00
8/2/2005	1,027.39	2.3	5.0	0.00
8/3/2005	1,027.38	4.2	5.0	0.00
8/4/2005	1,027.36	1.2	5.0	0.00
8/5/2005	1,027.36	1.4	5.0	0.00
8/6/2005	1,027.34	0.2	5.0	0.12
8/7/2005	1,027.33	1.8	5.0	0.00
8/8/2005	1,027.33	4.6	5.0	0.00
8/9/2005	1,027.33	2.6	5.0	0.00
8/10/2005	1,027.33	7.4	5.0	0.00
8/11/2005	1,027.32	1.4	5.0	0.00
8/12/2005	1,027.31	1.5	5.0	0.00
8/13/2005	1,027.29	1.6	5.0	0.00
8/14/2005	1,027.33	15.9	5.0	0.22
8/15/2005	1,027.33	4.6	5.0	0.00
8/16/2005	1,027.32	1.8	5.0	0.00
8/17/2005	1,027.32	5.0	5.0	0.05
8/18/2005	1,027.31	4.6	5.0	0.15
8/19/2005	1,027.32	6.8	5.0	0.26
8/20/2005	1,027.39	25.9	5.0	0.63
8/21/2005	1,027.39	7.4	5.0	0.00
8/22/2005	1,027.38	1.4	5.0	0.00
8/23/2005	1,027.37	1.2	5.0	0.00
8/24/2005	1,027.35	0.0	5.0	0.00
8/25/2005	1,027.33	0.2	5.0	0.00
8/26/2005	1,027.32	2.2	5.0	0.00
8/27/2005	1,027.33	7.8	5.0	0.19
8/28/2005	1,027.32	2.3	5.0	0.00
8/29/2005	1,027.35	13.0	5.0	0.41
8/30/2005	1,027.36	10.4	5.0	0.20
8/31/2005	1,027.34	1.4	5.0	0.04
9/1/2005	1,027.35	5.1	5.0	0.00
9/2/2005	1,027.33	1.2	5.0	0.00
9/3/2005	1,027.32	0.0	5.0	0.00
9/4/2005	1,027.29	0.0	5.0	0.00
9/5/2005	1,027.27	0.0	5.0	0.00
9/6/2005	1,027.25	0.2	5.0	0.00
9/7/2005	1,027.24	1.2	5.0	0.00
9/8/2005	1,027.20	0.0	5.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/9/2005	1,027.18	0.0	5.0	0.00
9/10/2005	1,027.16	0.0	5.0	0.00
9/11/2005	1,027.14	0.0	5.0	0.00
9/12/2005	1,027.12	0.0	5.0	0.00
9/13/2005	1,027.10	0.0	5.0	0.00
9/14/2005	1,027.08	0.0	5.0	0.00
9/15/2005	1,027.06	0.0	5.0	0.00
9/16/2005	1,027.04	0.2	5.0	0.00
9/17/2005	1,027.03	1.4	5.0	0.07
9/18/2005	1,027.02	1.2	5.0	0.00
9/19/2005	1,027.00	0.0	5.0	0.00
9/20/2005	1,026.98	0.0	4.3	0.00
9/21/2005	1,026.96	0.2	5.0	0.00
9/22/2005	1,026.94	1.2	5.0	0.00
9/23/2005	1,026.92	1.7	5.0	0.00
9/24/2005	1,026.90	20.5	25.7	0.00
9/25/2005	1,026.89	0.0	5.0	0.00
9/26/2005	1,026.87	1.3	5.0	0.23
9/27/2005	1,026.90	14.5	5.0	0.48
9/28/2005	1,026.89	1.2	5.0	0.00
9/29/2005	1,026.87	1.0	5.0	0.23
9/30/2005	1,026.88	7.8	5.0	0.00
10/1/2005	1,026.86	1.2	5.0	0.00
10/2/2005	1,026.85	0.2	5.0	0.00
10/3/2005	1,026.84	1.8	6.7	0.00
10/4/2005	1,026.74	4.2	42.5	0.00
10/5/2005	1,026.62	3.9	45.8	0.00
10/6/2005	1,026.51	7.4	45.8	0.00
10/7/2005	1,026.42	11.7	45.7	0.08
10/8/2005	1,026.32	12.7	45.7	0.02
10/9/2005	1,026.21	7.0	45.6	0.00
10/10/2005	1,026.10	6.9	45.6	0.00
10/11/2005	1,025.99	6.9	45.5	0.00
10/12/2005	1,025.88	7.4	45.5	0.00
10/13/2005	1,025.76	7.1	45.4	0.00
10/14/2005	1,025.66	7.5	45.3	0.00
10/15/2005	1,025.54	3.9	45.3	0.00
10/16/2005	1,025.43	4.2	45.2	0.00
10/17/2005	1,025.30	3.3	45.2	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/18/2005	1,025.19	4.4	45.1	0.00
10/19/2005	1,025.07	6.5	45.1	0.00
10/20/2005	1,024.96	7.0	45.0	0.00
10/21/2005	1,024.85	5.7	44.9	0.00
10/22/2005	1,024.75	13.3	44.9	0.16
10/23/2005	1,024.65	10.0	46.4	0.20
10/24/2005	1,024.41	0.0	81.3	0.16
10/25/2005	1,023.93	0.0	154.5	0.09
10/26/2005	1,023.43	0.0	160.4	0.11
10/27/2005	1,022.90	0.0	159.5	0.00
10/28/2005	1,022.35	0.0	158.6	0.00
10/29/2005	1,021.80	0.0	157.7	0.00
10/30/2005	1,021.25	0.0	150.3	0.00
10/31/2005	1,021.04	0.1	51.9	0.00
11/1/2005	1,020.95	2.2	31.4	0.00
11/2/2005	1,020.82	4.0	48.9	0.02
11/3/2005	1,020.68	3.9	50.9	0.00
11/4/2005	1,020.53	3.5	50.9	0.00
11/5/2005	1,020.38	3.4	50.9	0.00
11/6/2005	1,020.22	3.9	50.8	0.00
11/7/2005	1,020.12	16.4	50.8	0.34
11/8/2005	1,019.98	9.0	50.8	0.00
11/9/2005	1,019.85	10.3	50.7	0.00
11/10/2005	1,019.73	11.4	50.7	0.13
11/11/2005	1,019.60	12.3	50.7	0.00
11/12/2005	1,019.47	8.0	50.6	0.00
11/13/2005	1,019.32	6.2	50.2	0.00
11/14/2005	1,019.23	8.6	41.8	0.61
11/15/2005	1,019.15	34.8	59.3	0.09
11/16/2005	1,019.18	40.5	65.1	1.55
11/17/2005	1,018.93	116.2	139.2	0.06
11/18/2005	1,018.84	1.6	46.4	0.00
11/19/2005	1,018.62	7.9	73.3	0.00
11/20/2005	1,018.45	1.6	50.5	0.00
11/21/2005	1,018.35	9.7	40.0	0.00
11/22/2005	1,018.22	10.1	50.1	0.01
11/23/2005	1,017.97	1.1	72.0	0.01
11/24/2005	1,017.89	6.9	38.6	0.00
11/25/2005	1,017.80	19.9	41.5	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/26/2005	1,017.62	7.2	58.4	0.00
11/27/2005	1,017.53	7.6	33.7	0.00
11/28/2005	1,017.42	7.6	41.3	0.00
11/29/2005	1,017.35	15.9	52.2	0.70
11/30/2005	1,017.32	54.5	54.1	0.06
12/1/2005	1,017.09	9.7	70.5	0.00
12/2/2005	1,016.99	5.4	42.9	0.00
12/3/2005	1,016.98	19.5	12.2	0.00
12/4/2005	1,017.06	18.6	5.7	0.67
12/5/2005	1,017.01	49.5	60.3	0.00
12/6/2005	1,017.00	17.9	16.0	0.00
12/7/2005	1,017.00	13.0	11.0	0.00
12/8/2005	1,017.00	11.4	11.0	0.00
12/9/2005	1,017.03	18.4	11.0	0.38
12/10/2005	1,017.06	26.6	19.7	0.00
12/11/2005	1,017.03	11.9	16.8	0.00
12/12/2005	1,017.03	14.0	16.0	0.01
12/13/2005	1,017.03	15.8	16.0	0.04
12/14/2005	1,017.01	12.1	16.0	0.00
12/15/2005	1,017.00	11.7	16.0	0.06
12/16/2005	1,017.04	25.7	16.0	0.20
12/17/2005	1,017.07	25.1	16.0	0.00
12/18/2005	1,017.03	17.5	29.1	0.00
12/19/2005	1,017.00	13.2	17.9	0.00
12/20/2005	1,016.98	7.9	16.0	0.00
12/21/2005	1,016.96	7.0	11.1	0.00
12/22/2005	1,016.96	7.4	5.7	0.00
12/23/2005	1,016.97	7.7	5.0	0.00
12/24/2005	1,016.97	5.4	5.0	0.00
12/25/2005	1,016.99	11.7	5.1	0.11
12/26/2005	1,017.09	28.6	9.9	0.30
12/27/2005	1,017.03	36.7	54.0	0.01
12/28/2005	1,017.03	30.0	23.3	0.00
12/29/2005	1,017.11	38.2	20.0	0.39
12/30/2005	1,017.18	49.9	28.8	0.00
12/31/2005	1,017.12	31.4	47.5	0.00