



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/2006	1,017.08	20.6	33.4	0.00
1/2/2006	1,017.03	19.5	31.0	0.00
1/3/2006	1,017.18	48.2	19.3	0.65
1/4/2006	1,017.29	84.6	47.2	0.00
1/5/2006	1,017.31	56.8	50.1	0.00
1/6/2006	1,017.16	31.8	72.0	0.03
1/7/2006	1,017.06	19.8	47.3	0.13
1/8/2006	1,017.04	22.6	23.0	0.00
1/9/2006	1,017.04	30.3	37.0	0.00
1/10/2006	1,017.04	39.8	40.0	0.00
1/11/2006	1,017.03	36.5	38.8	0.15
1/12/2006	1,017.06	26.5	12.5	0.00
1/13/2006	1,017.05	14.7	15.3	0.00
1/14/2006	1,017.06	15.5	16.0	0.18
1/15/2006	1,017.10	27.4	16.0	0.04
1/16/2006	1,017.10	18.1	16.0	0.00
1/17/2006	1,017.12	22.9	17.0	0.19

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/2006	1,017.71	140.0	48.1	1.00
1/19/2006	1,017.45	230.9	261.6	0.00
1/20/2006	1,017.19	31.2	87.7	0.00
1/21/2006	1,017.04	52.1	87.0	0.00
1/22/2006	1,017.06	45.7	33.2	0.05
1/23/2006	1,017.42	138.3	50.3	1.60
1/24/2006	1,018.47	537.6	263.3	0.04
1/25/2006	1,017.80	105.1	268.6	0.00
1/26/2006	1,017.71	55.2	71.1	0.00
1/27/2006	1,017.62	48.4	70.4	0.00
1/28/2006	1,017.55	22.7	75.1	0.00
1/29/2006	1,017.26	19.5	75.3	0.05
1/30/2006	1,017.12	26.9	69.9	0.03
1/31/2006	1,017.10	30.1	33.4	0.07
2/1/2006	1,017.11	34.7	30.0	0.00
2/2/2006	1,017.10	26.9	30.0	0.00
2/3/2006	1,017.08	24.4	30.0	0.10
2/4/2006	1,017.08	30.4	30.0	0.03
2/5/2006	1,017.11	37.1	30.0	0.20
2/6/2006	1,017.11	32.5	30.0	0.00
2/7/2006	1,017.10	26.9	30.0	0.00
2/8/2006	1,017.08	24.1	30.0	0.00
2/9/2006	1,017.06	24.0	30.0	0.00
2/10/2006	1,017.03	23.1	30.0	0.00
2/11/2006	1,017.01	22.9	30.0	0.11
2/12/2006	1,017.05	39.7	30.0	0.26
2/13/2006	1,017.07	37.7	30.0	0.00
2/14/2006	1,017.07	30.0	30.0	0.00
2/15/2006	1,017.08	31.1	30.0	0.00
2/16/2006	1,017.11	37.1	30.0	0.00
2/17/2006	1,017.16	44.2	31.3	0.24
2/18/2006	1,017.18	63.3	57.6	0.00
2/19/2006	1,017.15	48.5	60.1	0.02
2/20/2006	1,017.09	43.3	60.1	0.09
2/21/2006	1,017.09	42.0	33.8	0.00
2/22/2006	1,017.15	44.9	30.9	0.18
2/23/2006	1,017.22	65.9	50.0	0.04
2/24/2006	1,017.17	60.3	73.6	0.00
2/25/2006	1,017.06	44.5	75.1	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/2006	1,017.13	48.0	26.9	0.00
2/27/2006	1,017.23	55.4	20.8	0.00
2/28/2006	1,017.24	40.1	38.3	0.00
3/1/2006	1,017.23	37.0	40.0	0.00
3/2/2006	1,017.21	35.7	40.0	0.00
3/3/2006	1,017.18	28.8	40.0	0.00
3/4/2006	1,017.13	27.1	40.0	0.00
3/5/2006	1,017.08	24.9	39.4	0.00
3/6/2006	1,017.07	23.6	26.3	0.14
3/7/2006	1,017.10	33.9	25.8	0.11
3/8/2006	1,017.06	32.1	41.8	0.00
3/9/2006	1,017.06	23.3	21.6	0.00
3/10/2006	1,017.08	24.1	20.0	0.00
3/11/2006	1,017.10	27.9	20.0	0.00
3/12/2006	1,017.07	24.6	37.5	0.00
3/13/2006	1,017.02	25.8	39.2	0.07
3/14/2006	1,017.10	41.3	21.7	0.60
3/15/2006	1,017.24	61.1	19.7	0.00
3/16/2006	1,017.37	49.3	6.6	0.00
3/17/2006	1,017.50	43.6	5.0	0.03
3/18/2006	1,017.61	39.5	5.0	0.00
3/19/2006	1,017.70	31.9	5.0	0.00
3/20/2006	1,017.77	30.4	5.0	0.00
3/21/2006	1,017.88	34.1	5.0	0.29
3/22/2006	1,018.01	43.1	5.0	0.03
3/23/2006	1,018.09	31.4	5.0	0.00
3/24/2006	1,018.19	31.8	5.0	0.14
3/25/2006	1,018.33	46.5	5.0	0.10
3/26/2006	1,018.53	64.6	5.0	0.03
3/27/2006	1,018.72	67.2	5.0	0.00
3/28/2006	1,018.89	56.4	5.0	0.00
3/29/2006	1,019.05	51.4	5.0	0.00
3/30/2006	1,019.17	44.4	5.0	0.00
3/31/2006	1,019.17	20.0	5.0	0.00
4/1/2006	1,019.42	67.4	5.0	0.26
4/2/2006	1,019.54	44.5	5.0	0.00
4/3/2006	1,019.73	55.8	5.0	0.53
4/4/2006	1,020.18	139.0	5.0	0.05
4/5/2006	1,020.49	110.7	5.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/6/2006	1,020.73	84.4	5.0	0.00
4/7/2006	1,020.82	62.8	5.0	0.01
4/8/2006	1,021.86	217.4	5.0	1.48
4/9/2006	1,024.40	941.1	92.7	0.00
4/10/2006	1,024.44	239.5	192.3	0.00
4/11/2006	1,024.32	119.6	154.3	0.00
4/12/2006	1,024.05	66.9	150.3	0.00
4/13/2006	1,023.71	38.9	149.7	0.00
4/14/2006	1,023.75	50.1	23.1	0.12
4/15/2006	1,023.83	61.9	37.3	0.00
4/16/2006	1,023.92	54.7	22.2	0.00
4/17/2006	1,024.07	56.2	5.7	0.44
4/18/2006	1,024.54	154.3	5.0	0.66
4/19/2006	1,024.83	122.7	5.0	0.00
4/20/2006	1,025.81	305.5	11.6	0.39
4/21/2006	1,025.93	197.2	159.0	0.00
4/22/2006	1,025.90	146.9	154.8	1.04
4/23/2006	1,027.06	501.5	116.4	0.00
4/24/2006	1,026.83	215.8	288.5	0.14
4/25/2006	1,026.25	115.1	299.3	0.00
4/26/2006	1,026.17	157.6	207.0	0.83
4/27/2006	1,026.07	183.4	187.3	0.00
4/28/2006	1,026.32	173.5	76.2	0.00
4/29/2006	1,026.60	112.6	6.4	0.00
4/30/2006	1,026.81	83.0	5.0	0.00
5/1/2006	1,026.99	67.4	5.0	0.04
5/2/2006	1,027.12	53.4	5.0	0.00
5/3/2006	1,027.24	47.6	5.0	0.00
5/4/2006	1,027.34	43.0	6.4	0.00
5/5/2006	1,027.41	40.8	21.3	0.04
5/6/2006	1,027.44	52.0	41.3	0.00
5/7/2006	1,027.42	37.8	44.0	0.00
5/8/2006	1,027.44	50.4	44.0	0.24
5/9/2006	1,027.43	40.0	44.0	0.00
5/10/2006	1,027.39	32.4	44.0	0.00
5/11/2006	1,027.37	35.5	44.0	0.31
5/12/2006	1,027.41	54.7	44.0	0.20
5/13/2006	1,027.39	38.9	44.0	0.00
5/14/2006	1,027.36	31.0	44.0	0.09

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/15/2006	1,027.32	34.4	43.5	0.04
5/16/2006	1,027.30	27.3	34.0	0.05
5/17/2006	1,027.28	27.8	31.3	0.00
5/18/2006	1,027.30	17.8	13.0	0.06
5/19/2006	1,027.34	28.6	12.1	0.12
5/20/2006	1,027.48	37.5	13.9	0.99
5/21/2006	1,027.44	87.1	83.5	0.00
5/22/2006	1,027.39	37.1	56.8	0.00
5/23/2006	1,027.36	28.9	33.2	0.00
5/24/2006	1,027.34	19.5	24.2	0.00
5/25/2006	1,027.31	16.2	23.7	0.02
5/26/2006	1,027.43	34.3	13.1	0.93
5/27/2006	1,027.58	121.6	65.6	0.03
5/28/2006	1,027.40	52.3	105.4	0.00
5/29/2006	1,027.38	32.5	36.6	0.00
5/30/2006	1,027.37	29.3	33.1	0.00
5/31/2006	1,027.34	22.3	31.9	0.00
6/1/2006	1,027.36	20.7	7.3	0.00
6/2/2006	1,027.48	43.7	5.0	0.33
6/3/2006	1,027.56	59.5	40.8	0.34
6/4/2006	1,027.42	34.4	80.0	0.00
6/5/2006	1,027.39	21.7	25.4	0.05
6/6/2006	1,027.39	17.4	17.1	0.00
6/7/2006	1,027.40	20.3	17.1	0.00
6/8/2006	1,027.39	13.6	17.1	0.00
6/9/2006	1,027.38	13.6	17.1	0.00
6/10/2006	1,027.37	13.8	17.1	0.00
6/11/2006	1,027.46	28.0	17.1	0.91
6/12/2006	1,027.67	101.4	40.6	1.11
6/13/2006	1,027.42	77.1	151.4	0.00
6/14/2006	1,027.33	42.7	56.9	0.00
6/15/2006	1,027.35	22.5	13.6	0.00
6/16/2006	1,027.35	14.6	12.1	0.00
6/17/2006	1,027.35	12.1	12.1	0.00
6/18/2006	1,027.35	12.0	12.1	0.00
6/19/2006	1,027.35	9.9	7.4	0.00
6/20/2006	1,027.38	15.5	5.0	0.14
6/21/2006	1,027.41	12.8	5.0	0.12
6/22/2006	1,027.42	8.6	5.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/23/2006	1,027.47	16.0	10.1	0.98
6/24/2006	1,027.46	65.3	63.8	0.01
6/25/2006	1,027.39	52.6	66.3	0.16
6/26/2006	1,028.09	312.5	91.4	0.90
6/27/2006	1,028.56	341.6	219.5	0.87
6/28/2006	1,027.99	96.3	300.7	0.00
6/29/2006	1,027.67	65.0	120.6	0.00
6/30/2006	1,027.53	33.2	83.4	0.00
7/1/2006	1,027.48	29.0	39.4	0.00
7/2/2006	1,027.46	25.6	33.2	0.00
7/3/2006	1,027.42	18.7	33.1	0.00
7/4/2006	1,027.37	17.4	32.5	0.00
7/5/2006	1,027.53	57.3	6.7	0.64
7/6/2006	1,028.33	300.8	83.2	0.71
7/7/2006	1,027.77	108.2	288.1	0.00
7/8/2006	1,027.43	24.5	119.3	0.00
7/9/2006	1,027.37	40.2	54.7	0.00
7/10/2006	1,027.38	28.9	23.6	0.00
7/11/2006	1,027.38	25.3	27.1	0.00
7/12/2006	1,027.36	20.4	27.6	0.00
7/13/2006	1,027.34	21.4	26.6	0.05
7/14/2006	1,027.42	35.8	6.9	0.51
7/15/2006	1,027.48	35.9	29.6	0.43
7/16/2006	1,027.38	47.7	72.2	0.00
7/17/2006	1,027.37	14.2	12.0	0.00
7/18/2006	1,027.39	14.4	5.0	0.00
7/19/2006	1,027.40	8.8	5.0	0.00
7/20/2006	1,027.42	9.3	5.3	0.00
7/21/2006	1,027.41	10.0	11.5	0.00
7/22/2006	1,027.47	30.5	15.1	0.58
7/23/2006	1,027.32	28.8	91.6	0.00
7/24/2006	1,027.32	24.1	8.3	0.00
7/25/2006	1,027.33	6.1	5.0	0.00
7/26/2006	1,027.33	7.5	5.0	0.00
7/27/2006	1,027.33	5.0	5.0	0.00
7/28/2006	1,027.33	5.4	5.0	0.00
7/29/2006	1,027.36	13.3	5.0	0.19
7/30/2006	1,027.39	15.5	5.0	0.00
7/31/2006	1,027.40	10.7	5.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
8/1/2006	1,027.37	3.7	15.6	0.00
8/2/2006	1,027.37	5.9	6.5	0.00
8/3/2006	1,027.36	1.8	5.0	0.00
8/4/2006	1,027.35	4.4	5.0	0.00
8/5/2006	1,027.35	1.7	5.0	0.00
8/6/2006	1,027.34	1.8	5.0	0.00
8/7/2006	1,027.33	2.2	5.0	0.00
8/8/2006	1,027.33	5.4	5.0	0.00
8/9/2006	1,027.36	12.1	5.0	0.41
8/10/2006	1,027.35	5.0	5.0	0.00
8/11/2006	1,027.37	11.7	5.0	0.27
8/12/2006	1,027.37	5.0	5.0	0.01
8/13/2006	1,027.37	4.6	5.0	0.00
8/14/2006	1,027.36	1.8	5.0	0.00
8/15/2006	1,027.36	5.2	5.0	0.02
8/16/2006	1,027.37	8.0	5.0	0.17
8/17/2006	1,027.36	1.4	5.0	0.00
8/18/2006	1,027.35	1.2	5.0	0.00
8/19/2006	1,027.33	0.6	5.0	0.00
8/20/2006	1,027.34	10.7	5.0	0.58
8/21/2006	1,027.45	77.7	47.6	0.27
8/22/2006	1,027.41	14.4	24.1	0.00
8/23/2006	1,027.37	7.3	22.0	0.00
8/24/2006	1,027.34	3.6	8.5	0.00
8/25/2006	1,027.33	0.2	5.0	0.00
8/26/2006	1,027.32	1.4	5.0	0.00
8/27/2006	1,027.31	1.2	5.0	0.00
8/28/2006	1,027.29	0.6	5.0	0.00
8/29/2006	1,027.30	7.9	5.0	0.14
8/30/2006	1,027.39	35.6	5.0	0.64
8/31/2006	1,027.40	11.7	5.0	0.00
9/1/2006	1,027.47	25.8	7.8	0.38
9/2/2006	1,027.49	75.9	74.9	0.51
9/3/2006	1,027.30	5.7	61.9	0.00
9/4/2006	1,027.30	13.9	7.5	0.00
9/5/2006	1,027.67	107.5	11.7	1.55
9/6/2006	1,027.46	83.9	151.5	0.15
9/7/2006	1,027.24	26.0	85.4	0.00
9/8/2006	1,027.25	13.0	8.3	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/9/2006	1,027.26	9.1	5.0	0.00
9/10/2006	1,027.28	11.6	5.0	0.00
9/11/2006	1,027.28	9.8	5.0	0.00
9/12/2006	1,027.40	40.0	6.7	0.69
9/13/2006	1,027.40	39.6	42.7	0.20
9/14/2006	1,027.37	37.2	46.1	0.32
9/15/2006	1,027.30	22.8	47.6	0.00
9/16/2006	1,027.03	7.9	108.6	0.00
9/17/2006	1,026.73	3.6	100.1	0.00
9/18/2006	1,026.63	2.5	38.2	0.00
9/19/2006	1,026.50	15.1	64.8	0.25
9/20/2006	1,026.35	12.2	67.5	0.00
9/21/2006	1,026.18	8.9	67.4	0.00
9/22/2006	1,026.07	4.0	37.9	0.00
9/23/2006	1,026.05	42.4	33.7	1.24
9/24/2006	1,026.64	243.7	87.0	0.78
9/25/2006	1,026.13	98.9	287.6	0.16
9/26/2006	1,025.58	28.6	172.6	0.00
9/27/2006	1,025.54	21.7	38.3	0.00
9/28/2006	1,025.55	20.9	11.9	0.10
9/29/2006	1,025.70	53.1	5.0	0.47
9/30/2006	1,025.78	35.4	5.0	0.00
10/1/2006	1,025.93	46.3	9.6	0.00
10/2/2006	1,025.84	72.9	105.6	0.00
10/3/2006	1,025.58	29.1	114.5	0.00
10/4/2006	1,025.29	16.1	109.4	0.00
10/5/2006	1,024.89	7.4	151.9	0.00
10/6/2006	1,024.44	3.3	162.0	0.22
10/7/2006	1,024.22	25.4	90.8	0.00
10/8/2006	1,024.01	12.0	75.8	0.00
10/9/2006	1,023.94	13.8	42.0	0.00
10/10/2006	1,023.68	5.0	90.8	0.00
10/11/2006	1,023.54	12.4	54.4	0.00
10/12/2006	1,023.56	30.8	25.3	0.36
10/13/2006	1,023.46	21.8	62.1	0.00
10/14/2006	1,023.16	6.8	101.4	0.00
10/15/2006	1,023.11	5.2	19.5	0.00
10/16/2006	1,022.98	12.6	58.2	0.00
10/17/2006	1,022.98	76.4	105.3	0.78

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/18/2006	1,022.92	107.0	114.3	0.01
10/19/2006	1,022.54	42.7	150.9	0.00
10/20/2006	1,022.48	32.0	50.8	0.15
10/21/2006	1,022.32	42.2	106.2	0.10
10/22/2006	1,022.28	28.9	56.8	0.00
10/23/2006	1,022.02	16.9	91.2	0.00
10/24/2006	1,021.96	14.5	34.9	0.00
10/25/2006	1,021.87	17.8	51.7	0.00
10/26/2006	1,021.61	9.4	93.3	0.00
10/27/2006	1,021.44	39.9	79.7	0.82
10/28/2006	1,023.20	536.9	80.8	1.26
10/29/2006	1,023.54	340.7	151.8	0.03
10/30/2006	1,023.32	99.9	164.8	0.00
10/31/2006	1,022.53	35.4	279.5	0.00
11/1/2006	1,021.77	0.0	261.5	0.11
11/2/2006	1,020.89	7.5	275.7	0.60
11/3/2006	1,020.71	59.1	107.0	0.00
11/4/2006	1,020.56	51.7	97.7	0.00
11/5/2006	1,020.36	36.8	96.1	0.00
11/6/2006	1,020.27	37.9	68.2	0.00
11/7/2006	1,020.09	24.9	76.2	0.02
11/8/2006	1,020.24	78.4	73.6	1.04
11/9/2006	1,020.42	304.6	269.7	1.23
11/10/2006	1,019.87	137.6	275.8	0.00
11/11/2006	1,019.66	67.4	125.6	0.00
11/12/2006	1,019.45	77.7	137.8	0.35
11/13/2006	1,019.38	77.9	101.1	0.00
11/14/2006	1,019.12	68.3	145.4	0.00
11/15/2006	1,019.03	59.6	82.9	0.00
11/16/2006	1,019.07	90.4	79.7	0.82
11/17/2006	1,020.05	408.4	153.4	0.01
11/18/2006	1,019.43	115.8	275.8	0.00
11/19/2006	1,018.66	40.6	280.8	0.07
11/20/2006	1,018.49	69.0	110.2	0.04
11/21/2006	1,018.14	42.6	132.5	0.00
11/22/2006	1,018.17	43.7	41.9	0.00
11/23/2006	1,018.08	56.3	82.4	0.00
11/24/2006	1,017.91	35.8	87.0	0.00
11/25/2006	1,017.85	43.8	64.7	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/26/2006	1,017.65	40.5	98.5	0.00
11/27/2006	1,017.48	26.5	75.6	0.00
11/28/2006	1,017.41	31.9	52.6	0.00
11/29/2006	1,017.34	35.7	59.3	0.00
11/30/2006	1,017.10	12.3	76.0	0.00
12/1/2006	1,017.05	26.5	43.3	0.00
12/2/2006	1,017.03	33.7	40.0	0.07
12/3/2006	1,017.02	29.3	32.1	0.00
12/4/2006	1,017.03	23.4	17.9	0.00
12/5/2006	1,017.05	24.0	16.0	0.00
12/6/2006	1,017.08	22.5	16.0	0.00
12/7/2006	1,017.09	19.4	16.0	0.00
12/8/2006	1,017.11	23.9	17.3	0.00
12/9/2006	1,017.08	20.2	30.4	0.00
12/10/2006	1,017.04	19.2	31.0	0.00
12/11/2006	1,017.04	20.2	17.9	0.00
12/12/2006	1,017.06	20.0	16.4	0.00
12/13/2006	1,017.06	22.5	21.6	0.00
12/14/2006	1,017.07	24.6	22.0	0.00
12/15/2006	1,017.06	19.0	22.0	0.00
12/16/2006	1,017.05	19.2	22.0	0.00
12/17/2006	1,017.04	19.2	22.0	0.00
12/18/2006	1,017.02	18.1	22.0	0.00
12/19/2006	1,017.01	17.2	22.0	0.01
12/20/2006	1,017.00	20.9	22.0	0.00
12/21/2006	1,016.98	16.7	22.0	0.00
12/22/2006	1,017.01	30.7	22.0	0.01
12/23/2006	1,017.33	97.6	34.3	0.01
12/24/2006	1,016.99	51.8	122.3	0.00
12/25/2006	1,017.02	43.5	44.6	0.01
12/26/2006	1,017.06	67.6	59.6	0.04
12/27/2006	1,017.11	74.7	60.6	0.06
12/28/2006	1,017.05	68.1	80.4	0.00
12/29/2006	1,017.07	57.3	51.5	0.00
12/30/2006	1,017.05	61.9	68.4	0.00
12/31/2006	1,017.00	55.9	69.4	0.00