



| | ELEVATION OBS (FEET) INST-VAL | INFLOW OBS (CFS) 24-HR AVG | OUTFLOW OBS (CFS) 24-HR AVG | PRECIP OBS (INCHES) 24-HR CUM |
|-----------|-------------------------------------|----------------------------------|-----------------------------------|-------------------------------------|
| 1/1/2007 | 1,017.21 | 96.3 | 59.2 | 0.48 |
| 1/2/2007 | 1,017.13 | 128.6 | 141.5 | 0.00 |
| 1/3/2007 | 1,016.99 | 80.7 | 111.7 | 0.00 |
| 1/4/2007 | 1,017.09 | 74.5 | 46.1 | 0.00 |
| 1/5/2007 | 1,017.38 | 126.1 | 62.7 | 0.06 |
| 1/6/2007 | 1,018.97 | 565.1 | 108.2 | 0.00 |
| 1/7/2007 | 1,018.85 | 228.2 | 244.6 | 0.00 |
| 1/8/2007 | 1,018.85 | 204.2 | 294.5 | 0.75 |
| 1/9/2007 | 1,018.04 | 358.6 | 546.6 | 0.20 |
| 1/10/2007 | 1,017.34 | 132.1 | 317.1 | 0.30 |
| 1/11/2007 | 1,017.42 | 135.5 | 91.5 | 0.00 |
| 1/12/2007 | 1,017.33 | 122.4 | 143.1 | 0.00 |
| 1/13/2007 | 1,017.11 | 84.2 | 150.3 | 0.00 |
| 1/14/2007 | 1,017.00 | 76.9 | 103.4 | 0.02 |
| 1/15/2007 | 1,016.99 | 78.7 | 80.0 | 0.00 |
| 1/16/2007 | 1,017.17 | 106.5 | 63.5 | 0.33 |
| 1/17/2007 | 1,017.03 | 89.4 | 113.5 | 0.00 |

| | ELEVATION OBS (FEET) INST-VAL | INFLOW OBS (CFS) 24-HR AVG | OUTFLOW OBS (CFS) 24-HR AVG | PRECIP OBS (INCHES) 24-HR CUM |
|-----------|-------------------------------------|----------------------------------|-----------------------------------|-------------------------------------|
| 1/18/2007 | 1,017.17 | 78.7 | 45.4 | 0.00 |
| 1/19/2007 | 1,017.23 | 89.8 | 70.8 | 0.00 |
| 1/20/2007 | 1,017.22 | 71.6 | 75.2 | 0.00 |
| 1/21/2007 | 1,017.16 | 67.1 | 75.1 | 0.00 |
| 1/22/2007 | 1,017.59 | 165.2 | 83.9 | 0.61 |
| 1/23/2007 | 1,017.22 | 164.8 | 251.1 | 0.00 |
| 1/24/2007 | 1,017.26 | 107.0 | 92.7 | 0.00 |
| 1/25/2007 | 1,017.13 | 108.3 | 145.6 | 0.00 |
| 1/26/2007 | 1,017.13 | 82.2 | 84.5 | 0.00 |
| 1/27/2007 | 1,017.12 | 73.6 | 75.1 | 0.00 |
| 1/28/2007 | 1,017.09 | 64.2 | 75.1 | 0.00 |
| 1/29/2007 | 1,017.13 | 68.4 | 53.2 | 0.00 |
| 1/30/2007 | 1,017.18 | 66.6 | 50.6 | 0.00 |
| 1/31/2007 | 1,017.18 | 58.8 | 58.1 | 0.00 |
| 2/1/2007 | 1,017.17 | 54.6 | 58.8 | 0.00 |
| 2/2/2007 | 1,017.16 | 55.4 | 60.1 | 0.07 |
| 2/3/2007 | 1,017.16 | 61.4 | 60.1 | 0.10 |
| 2/4/2007 | 1,017.11 | 47.2 | 60.1 | 0.00 |
| 2/5/2007 | 1,017.07 | 43.9 | 52.5 | 0.00 |
| 2/6/2007 | 1,017.06 | 46.7 | 50.0 | 0.00 |
| 2/7/2007 | 1,017.04 | 42.0 | 50.0 | 0.00 |
| 2/8/2007 | 1,017.05 | 41.7 | 33.4 | 0.00 |
| 2/9/2007 | 1,017.06 | 33.8 | 31.0 | 0.00 |
| 2/10/2007 | 1,017.06 | 31.0 | 31.0 | 0.00 |
| 2/11/2007 | 1,017.05 | 30.1 | 31.0 | 0.00 |
| 2/12/2007 | 1,017.04 | 28.2 | 31.0 | 0.00 |
| 2/13/2007 | 1,017.06 | 33.1 | 31.0 | 0.09 |
| 2/14/2007 | 1,017.09 | 40.2 | 31.0 | 0.04 |
| 2/15/2007 | 1,017.12 | 41.5 | 31.0 | 0.00 |
| 2/16/2007 | 1,017.12 | 30.8 | 31.0 | 0.00 |
| 2/17/2007 | 1,017.11 | 28.0 | 31.0 | 0.00 |
| 2/18/2007 | 1,017.10 | 28.0 | 31.0 | 0.02 |
| 2/19/2007 | 1,017.09 | 28.1 | 31.0 | 0.00 |
| 2/20/2007 | 1,017.08 | 28.2 | 31.0 | 0.00 |
| 2/21/2007 | 1,017.19 | 42.8 | 42.7 | 0.45 |
| 2/22/2007 | 1,017.06 | 80.1 | 91.7 | 0.00 |
| 2/23/2007 | 1,017.09 | 58.9 | 51.1 | 0.00 |
| 2/24/2007 | 1,017.10 | 54.7 | 50.0 | 0.00 |
| 2/25/2007 | 1,017.10 | 48.5 | 50.0 | 0.06 |

| | ELEVATION OBS (FEET) INST-VAL | INFLOW OBS (CFS) 24-HR AVG | OUTFLOW OBS (CFS) 24-HR AVG | PRECIP OBS (INCHES) 24-HR CUM |
|-----------|-------------------------------------|----------------------------------|-----------------------------------|-------------------------------------|
| 2/26/2007 | 1,017.13 | 58.4 | 50.0 | 0.16 |
| 2/27/2007 | 1,017.12 | 49.1 | 50.0 | 0.00 |
| 2/28/2007 | 1,017.10 | 45.9 | 50.0 | 0.00 |
| 3/1/2007 | 1,017.07 | 49.8 | 50.0 | 0.00 |
| 3/2/2007 | 1,018.58 | 296.9 | 59.9 | 1.25 |
| 3/3/2007 | 1,019.28 | 636.4 | 266.1 | 0.00 |
| 3/4/2007 | 1,018.75 | 145.3 | 284.9 | 0.01 |
| 3/5/2007 | 1,017.95 | 50.5 | 278.8 | 0.00 |
| 3/6/2007 | 1,017.72 | 42.6 | 101.8 | 0.00 |
| 3/7/2007 | 1,017.43 | 59.5 | 146.1 | 0.00 |
| 3/8/2007 | 1,017.05 | 39.9 | 141.2 | 0.00 |
| 3/9/2007 | 1,017.08 | 53.4 | 45.6 | 0.00 |
| 3/10/2007 | 1,017.15 | 62.0 | 41.1 | 0.00 |
| 3/11/2007 | 1,017.17 | 61.3 | 57.4 | 0.01 |
| 3/12/2007 | 1,017.14 | 53.0 | 60.1 | 0.00 |
| 3/13/2007 | 1,017.10 | 47.9 | 60.1 | 0.00 |
| 3/14/2007 | 1,017.05 | 46.1 | 60.0 | 0.00 |
| 3/15/2007 | 1,017.07 | 62.7 | 58.0 | 0.29 |
| 3/16/2007 | 1,017.34 | 96.8 | 19.1 | 0.69 |
| 3/17/2007 | 1,018.05 | 276.9 | 105.3 | 0.05 |
| 3/18/2007 | 1,017.59 | 146.2 | 245.8 | 0.00 |
| 3/19/2007 | 1,017.84 | 109.2 | 33.2 | 0.00 |
| 3/20/2007 | 1,018.12 | 108.5 | 25.7 | 0.11 |
| 3/21/2007 | 1,018.28 | 104.9 | 57.0 | 0.02 |
| 3/22/2007 | 1,018.48 | 86.5 | 15.1 | 0.00 |
| 3/23/2007 | 1,018.70 | 73.8 | 5.4 | 0.00 |
| 3/24/2007 | 1,018.92 | 71.4 | 5.0 | 0.00 |
| 3/25/2007 | 1,019.11 | 62.9 | 5.0 | 0.00 |
| 3/26/2007 | 1,019.28 | 57.7 | 5.0 | 0.00 |
| 3/27/2007 | 1,019.44 | 56.4 | 5.0 | 0.00 |
| 3/28/2007 | 1,019.58 | 50.1 | 5.0 | 0.00 |
| 3/29/2007 | 1,019.82 | 76.1 | 5.0 | 0.25 |
| 3/30/2007 | 1,019.99 | 59.5 | 5.0 | 0.01 |
| 3/31/2007 | 1,020.13 | 51.2 | 5.0 | 0.00 |
| 4/1/2007 | 1,020.28 | 50.4 | 5.0 | 0.19 |
| 4/2/2007 | 1,020.43 | 54.0 | 5.0 | 0.00 |
| 4/3/2007 | 1,020.56 | 45.1 | 5.0 | 0.00 |
| 4/4/2007 | 1,020.88 | 81.1 | 5.0 | 0.90 |
| 4/5/2007 | 1,021.28 | 147.9 | 5.0 | 0.00 |

| | ELEVATION OBS (FEET) INST-VAL | INFLOW OBS (CFS) 24-HR AVG | OUTFLOW OBS (CFS) 24-HR AVG | PRECIP OBS (INCHES) 24-HR CUM |
|-----------|-------------------------------------|----------------------------------|-----------------------------------|-------------------------------------|
| 4/6/2007 | 1,021.54 | 94.7 | 5.0 | 0.00 |
| 4/7/2007 | 1,021.77 | 78.4 | 5.0 | 0.04 |
| 4/8/2007 | 1,021.96 | 67.9 | 5.0 | 0.00 |
| 4/9/2007 | 1,022.11 | 57.8 | 5.0 | 0.00 |
| 4/10/2007 | 1,022.24 | 47.6 | 5.0 | 0.00 |
| 4/11/2007 | 1,022.37 | 49.4 | 5.0 | 0.00 |
| 4/12/2007 | 1,022.66 | 84.1 | 5.0 | 0.63 |
| 4/13/2007 | 1,022.89 | 91.0 | 5.0 | 0.00 |
| 4/14/2007 | 1,023.11 | 84.3 | 5.0 | 0.23 |
| 4/15/2007 | 1,026.65 | 640.9 | 13.5 | 2.03 |
| 4/16/2007 | 1,031.15 | 2,215.0 | 133.2 | 0.11 |
| 4/17/2007 | 1,030.49 | 383.7 | 589.7 | 0.00 |
| 4/18/2007 | 1,029.11 | 122.6 | 618.9 | 0.00 |
| 4/19/2007 | 1,027.54 | 59.2 | 594.8 | 0.00 |
| 4/20/2007 | 1,027.41 | 89.9 | 109.8 | 0.02 |
| 4/21/2007 | 1,027.28 | 103.4 | 144.2 | 0.00 |
| 4/22/2007 | 1,027.22 | 81.2 | 97.4 | 0.00 |
| 4/23/2007 | 1,027.14 | 68.7 | 95.2 | 0.00 |
| 4/24/2007 | 1,027.07 | 63.5 | 93.4 | 0.00 |
| 4/25/2007 | 1,027.12 | 81.3 | 58.4 | 0.02 |
| 4/26/2007 | 1,027.17 | 75.4 | 59.7 | 0.00 |
| 4/27/2007 | 1,027.01 | 80.1 | 152.7 | 0.69 |
| 4/28/2007 | 1,026.95 | 106.3 | 116.3 | 0.00 |
| 4/29/2007 | 1,026.99 | 79.9 | 57.9 | 0.00 |
| 4/30/2007 | 1,027.03 | 80.7 | 63.3 | 0.00 |
| 5/1/2007 | 1,027.05 | 70.3 | 66.0 | 0.00 |
| 5/2/2007 | 1,027.04 | 64.5 | 63.5 | 0.00 |
| 5/3/2007 | 1,027.17 | 58.8 | 10.1 | 0.12 |
| 5/4/2007 | 1,027.29 | 84.0 | 46.7 | 0.10 |
| 5/5/2007 | 1,027.32 | 75.1 | 64.8 | 0.39 |
| 5/6/2007 | 1,028.64 | 405.0 | 87.5 | 0.46 |
| 5/7/2007 | 1,028.17 | 345.9 | 446.8 | 0.00 |
| 5/8/2007 | 1,027.63 | 82.2 | 244.4 | 0.00 |
| 5/9/2007 | 1,027.52 | 77.8 | 101.9 | 0.00 |
| 5/10/2007 | 1,027.41 | 76.3 | 114.4 | 0.00 |
| 5/11/2007 | 1,027.25 | 58.6 | 116.3 | 0.00 |
| 5/12/2007 | 1,027.05 | 47.6 | 110.1 | 0.00 |
| 5/13/2007 | 1,027.05 | 49.8 | 47.0 | 0.00 |
| 5/14/2007 | 1,027.04 | 42.7 | 44.0 | 0.00 |

| | ELEVATION OBS (FEET) INST-VAL | INFLOW OBS (CFS) 24-HR AVG | OUTFLOW OBS (CFS) 24-HR AVG | PRECIP OBS (INCHES) 24-HR CUM |
|-----------|-------------------------------------|----------------------------------|-----------------------------------|-------------------------------------|
| 5/15/2007 | 1,027.03 | 37.6 | 43.4 | 0.00 |
| 5/16/2007 | 1,027.02 | 34.9 | 34.6 | 0.00 |
| 5/17/2007 | 1,027.09 | 55.4 | 34.0 | 0.34 |
| 5/18/2007 | 1,027.11 | 40.6 | 34.0 | 0.14 |
| 5/19/2007 | 1,027.14 | 30.3 | 13.5 | 0.00 |
| 5/20/2007 | 1,027.20 | 26.2 | 5.0 | 0.00 |
| 5/21/2007 | 1,027.25 | 23.1 | 5.0 | 0.00 |
| 5/22/2007 | 1,027.30 | 24.9 | 5.0 | 0.00 |
| 5/23/2007 | 1,027.34 | 17.0 | 5.0 | 0.00 |
| 5/24/2007 | 1,027.36 | 21.1 | 11.2 | 0.00 |
| 5/25/2007 | 1,027.38 | 16.8 | 12.1 | 0.00 |
| 5/26/2007 | 1,027.39 | 18.2 | 12.9 | 0.00 |
| 5/27/2007 | 1,027.38 | 17.2 | 23.5 | 0.21 |
| 5/28/2007 | 1,027.36 | 19.3 | 23.7 | 0.00 |
| 5/29/2007 | 1,027.35 | 13.1 | 17.4 | 0.00 |
| 5/30/2007 | 1,027.35 | 16.9 | 17.1 | 0.43 |
| 5/31/2007 | 1,027.33 | 12.4 | 17.1 | 0.00 |
| 6/1/2007 | 1,027.31 | 9.9 | 16.4 | 0.02 |
| 6/2/2007 | 1,027.33 | 10.7 | 5.8 | 0.00 |
| 6/3/2007 | 1,027.35 | 12.8 | 5.0 | 0.00 |
| 6/4/2007 | 1,027.40 | 22.4 | 5.3 | 0.35 |
| 6/5/2007 | 1,027.40 | 16.2 | 15.9 | 0.10 |
| 6/6/2007 | 1,027.47 | 36.1 | 17.1 | 0.73 |
| 6/7/2007 | 1,027.46 | 20.5 | 17.2 | 0.00 |
| 6/8/2007 | 1,027.44 | 7.8 | 17.1 | 0.00 |
| 6/9/2007 | 1,027.43 | 13.4 | 17.1 | 0.02 |
| 6/10/2007 | 1,027.41 | 10.0 | 16.8 | 0.00 |
| 6/11/2007 | 1,027.39 | 7.9 | 10.6 | 0.00 |
| 6/12/2007 | 1,027.38 | 3.3 | 10.0 | 0.00 |
| 6/13/2007 | 1,027.36 | 2.9 | 10.0 | 0.00 |
| 6/14/2007 | 1,027.33 | 2.3 | 10.0 | 0.00 |
| 6/15/2007 | 1,027.33 | 1.7 | 5.6 | 0.00 |
| 6/16/2007 | 1,027.32 | 7.2 | 5.0 | 0.00 |
| 6/17/2007 | 1,027.32 | 1.7 | 5.0 | 0.00 |
| 6/18/2007 | 1,027.31 | 1.4 | 5.0 | 0.00 |
| 6/19/2007 | 1,027.30 | 1.9 | 5.0 | 0.00 |
| 6/20/2007 | 1,027.30 | 4.6 | 5.0 | 0.01 |
| 6/21/2007 | 1,027.29 | 1.4 | 5.0 | 0.00 |
| 6/22/2007 | 1,027.28 | 1.4 | 5.0 | 0.00 |

| | ELEVATION OBS (FEET) INST-VAL | INFLOW OBS (CFS) 24-HR AVG | OUTFLOW OBS (CFS) 24-HR AVG | PRECIP OBS (INCHES) 24-HR CUM |
|-----------|-------------------------------------|----------------------------------|-----------------------------------|-------------------------------------|
| 6/23/2007 | 1,027.27 | 1.4 | 5.0 | 0.00 |
| 6/24/2007 | 1,027.26 | 1.4 | 5.0 | 0.00 |
| 6/25/2007 | 1,027.25 | 1.8 | 5.0 | 0.00 |
| 6/26/2007 | 1,027.25 | 5.0 | 5.0 | 0.00 |
| 6/27/2007 | 1,027.24 | 4.4 | 5.0 | 0.00 |
| 6/28/2007 | 1,027.24 | 2.0 | 5.0 | 0.00 |
| 6/29/2007 | 1,027.26 | 12.1 | 5.0 | 0.00 |
| 6/30/2007 | 1,027.27 | 11.0 | 5.0 | 0.00 |
| 7/1/2007 | 1,027.27 | 7.7 | 5.0 | 0.02 |
| 7/2/2007 | 1,027.26 | 0.2 | 5.0 | 0.00 |
| 7/3/2007 | 1,027.24 | 1.2 | 5.0 | 0.00 |
| 7/4/2007 | 1,027.23 | 0.0 | 5.0 | 0.00 |
| 7/5/2007 | 1,027.21 | 1.1 | 5.0 | 0.03 |
| 7/6/2007 | 1,027.23 | 11.7 | 5.0 | 0.04 |
| 7/7/2007 | 1,027.22 | 4.4 | 5.0 | 0.00 |
| 7/8/2007 | 1,027.21 | 0.0 | 5.0 | 0.00 |
| 7/9/2007 | 1,027.19 | 0.0 | 5.0 | 0.00 |
| 7/10/2007 | 1,027.17 | 0.6 | 5.0 | 0.00 |
| 7/11/2007 | 1,027.21 | 10.1 | 5.0 | 0.65 |
| 7/12/2007 | 1,027.25 | 25.3 | 5.0 | 0.16 |
| 7/13/2007 | 1,027.24 | 4.2 | 5.0 | 0.00 |
| 7/14/2007 | 1,027.23 | 1.2 | 5.0 | 0.00 |
| 7/15/2007 | 1,027.21 | 0.2 | 5.0 | 0.00 |
| 7/16/2007 | 1,027.19 | 1.2 | 5.0 | 0.00 |
| 7/17/2007 | 1,027.18 | 1.4 | 5.0 | 0.00 |
| 7/18/2007 | 1,027.16 | 0.2 | 5.0 | 0.03 |
| 7/19/2007 | 1,027.15 | 2.5 | 5.0 | 0.00 |
| 7/20/2007 | 1,027.19 | 16.4 | 5.0 | 0.51 |
| 7/21/2007 | 1,027.20 | 10.4 | 5.0 | 0.14 |
| 7/22/2007 | 1,027.18 | 1.2 | 5.0 | 0.00 |
| 7/23/2007 | 1,027.16 | 0.0 | 5.0 | 0.00 |
| 7/24/2007 | 1,027.17 | 4.7 | 5.0 | 0.07 |
| 7/25/2007 | 1,027.27 | 38.5 | 5.0 | 0.32 |
| 7/26/2007 | 1,027.48 | 78.9 | 6.6 | 0.26 |
| 7/27/2007 | 1,027.43 | 23.0 | 39.8 | 0.00 |
| 7/28/2007 | 1,027.45 | 27.3 | 25.3 | 0.74 |
| 7/29/2007 | 1,027.44 | 41.2 | 38.9 | 0.15 |
| 7/30/2007 | 1,027.54 | 70.2 | 39.7 | 0.16 |
| 7/31/2007 | 1,027.50 | 29.6 | 39.7 | 0.00 |

| | ELEVATION OBS (FEET) INST-VAL | INFLOW OBS (CFS) 24-HR AVG | OUTFLOW OBS (CFS) 24-HR AVG | PRECIP OBS (INCHES) 24-HR CUM |
|-----------|-------------------------------------|----------------------------------|-----------------------------------|-------------------------------------|
| 8/1/2007 | 1,027.43 | 14.2 | 39.7 | 0.00 |
| 8/2/2007 | 1,027.34 | 7.4 | 36.7 | 0.00 |
| 8/3/2007 | 1,027.33 | 5.6 | 6.4 | 0.00 |
| 8/4/2007 | 1,027.34 | 8.3 | 5.0 | 0.02 |
| 8/5/2007 | 1,027.34 | 6.1 | 5.0 | 0.00 |
| 8/6/2007 | 1,027.39 | 21.7 | 5.0 | 0.42 |
| 8/7/2007 | 1,027.39 | 5.0 | 5.0 | 0.00 |
| 8/8/2007 | 1,027.39 | 4.6 | 5.0 | 0.00 |
| 8/9/2007 | 1,027.38 | 1.4 | 5.0 | 0.00 |
| 8/10/2007 | 1,027.38 | 1.2 | 5.0 | 0.00 |
| 8/11/2007 | 1,027.35 | 0.2 | 5.0 | 0.00 |
| 8/12/2007 | 1,027.33 | 1.2 | 5.0 | 0.00 |
| 8/13/2007 | 1,027.31 | 0.0 | 5.0 | 0.00 |
| 8/14/2007 | 1,027.29 | 0.0 | 5.0 | 0.00 |
| 8/15/2007 | 1,027.27 | 0.0 | 5.0 | 0.00 |
| 8/16/2007 | 1,027.25 | 0.0 | 5.0 | 0.00 |
| 8/17/2007 | 1,027.23 | 0.0 | 5.0 | 0.00 |
| 8/18/2007 | 1,027.21 | 0.6 | 5.0 | 0.00 |
| 8/19/2007 | 1,027.18 | 0.6 | 5.0 | 0.00 |
| 8/20/2007 | 1,027.15 | 0.0 | 5.0 | 0.00 |
| 8/21/2007 | 1,027.13 | 0.2 | 5.0 | 0.20 |
| 8/22/2007 | 1,027.12 | 1.2 | 5.0 | 0.00 |
| 8/23/2007 | 1,027.10 | 0.0 | 5.0 | 0.01 |
| 8/24/2007 | 1,027.08 | 0.0 | 5.0 | 0.00 |
| 8/25/2007 | 1,027.05 | 0.0 | 5.0 | 0.00 |
| 8/26/2007 | 1,027.03 | 0.0 | 5.0 | 0.00 |
| 8/27/2007 | 1,027.01 | 0.0 | 5.0 | 0.00 |
| 8/28/2007 | 1,026.99 | 0.0 | 5.0 | 0.00 |
| 8/29/2007 | 1,026.96 | 0.0 | 5.0 | 0.00 |
| 8/30/2007 | 1,026.94 | 0.0 | 5.0 | 0.13 |
| 8/31/2007 | 1,026.92 | 0.0 | 5.0 | 0.00 |
| 9/1/2007 | 1,026.90 | 0.0 | 5.0 | 0.00 |
| 9/2/2007 | 1,026.87 | 0.0 | 5.0 | 0.00 |
| 9/3/2007 | 1,026.85 | 0.0 | 5.0 | 0.00 |
| 9/4/2007 | 1,026.83 | 0.0 | 5.0 | 0.00 |
| 9/5/2007 | 1,026.80 | 0.0 | 5.0 | 0.00 |
| 9/6/2007 | 1,026.77 | 0.0 | 5.0 | 0.00 |
| 9/7/2007 | 1,026.74 | 0.0 | 5.0 | 0.00 |
| 9/8/2007 | 1,026.72 | 0.0 | 5.0 | 0.00 |

| | ELEVATION OBS (FEET) INST-VAL | INFLOW OBS (CFS) 24-HR AVG | OUTFLOW OBS (CFS) 24-HR AVG | PRECIP OBS (INCHES) 24-HR CUM |
|------------|-------------------------------------|----------------------------------|-----------------------------------|-------------------------------------|
| 9/9/2007 | 1,026.69 | 0.0 | 5.0 | 0.00 |
| 9/10/2007 | 1,026.67 | 0.0 | 5.0 | 0.00 |
| 9/11/2007 | 1,026.66 | 1.9 | 5.0 | 0.11 |
| 9/12/2007 | 1,026.67 | 10.1 | 5.0 | 0.19 |
| 9/13/2007 | 1,026.64 | 0.0 | 5.0 | 0.00 |
| 9/14/2007 | 1,026.61 | 0.6 | 5.0 | 0.05 |
| 9/15/2007 | 1,026.61 | 4.4 | 5.0 | 0.16 |
| 9/16/2007 | 1,026.58 | 0.0 | 5.0 | 0.00 |
| 9/17/2007 | 1,026.54 | 0.0 | 6.0 | 0.00 |
| 9/18/2007 | 1,026.46 | 0.1 | 30.3 | 0.00 |
| 9/19/2007 | 1,026.37 | 1.1 | 32.8 | 0.00 |
| 9/20/2007 | 1,026.27 | 0.1 | 32.8 | 0.00 |
| 9/21/2007 | 1,026.18 | 1.1 | 32.7 | 0.00 |
| 9/22/2007 | 1,026.09 | 1.1 | 32.7 | 0.00 |
| 9/23/2007 | 1,026.01 | 1.2 | 32.7 | 0.00 |
| 9/24/2007 | 1,025.92 | 1.4 | 32.6 | 0.00 |
| 9/25/2007 | 1,025.83 | 1.6 | 32.6 | 0.00 |
| 9/26/2007 | 1,025.74 | 1.5 | 32.6 | 0.00 |
| 9/27/2007 | 1,025.65 | 1.5 | 32.6 | 0.00 |
| 9/28/2007 | 1,025.56 | 1.2 | 32.5 | 0.00 |
| 9/29/2007 | 1,025.46 | 0.0 | 32.5 | 0.00 |
| 9/30/2007 | 1,025.36 | 0.2 | 32.5 | 0.00 |
| 10/1/2007 | 1,025.26 | 1.1 | 32.1 | 0.00 |
| 10/2/2007 | 1,025.18 | 0.0 | 26.3 | 0.00 |
| 10/3/2007 | 1,025.06 | 0.2 | 42.0 | 0.00 |
| 10/4/2007 | 1,024.94 | 1.5 | 42.7 | 0.00 |
| 10/5/2007 | 1,024.82 | 2.1 | 42.6 | 0.01 |
| 10/6/2007 | 1,024.71 | 4.8 | 42.5 | 0.40 |
| 10/7/2007 | 1,024.59 | 0.3 | 42.4 | 0.00 |
| 10/8/2007 | 1,024.46 | 2.0 | 42.3 | 0.01 |
| 10/9/2007 | 1,024.34 | 7.9 | 42.3 | 0.00 |
| 10/10/2007 | 1,024.25 | 4.8 | 42.2 | 0.22 |
| 10/11/2007 | 1,024.12 | 0.0 | 42.1 | 0.00 |
| 10/12/2007 | 1,023.98 | 0.0 | 42.0 | 0.00 |
| 10/13/2007 | 1,023.85 | 0.2 | 41.9 | 0.00 |
| 10/14/2007 | 1,023.72 | 1.6 | 41.8 | 0.00 |
| 10/15/2007 | 1,023.60 | 0.0 | 41.8 | 0.00 |
| 10/16/2007 | 1,023.47 | 0.2 | 41.7 | 0.00 |
| 10/17/2007 | 1,023.36 | 1.4 | 41.6 | 0.12 |

| | ELEVATION OBS (FEET) INST-VAL | INFLOW OBS (CFS) 24-HR AVG | OUTFLOW OBS (CFS) 24-HR AVG | PRECIP OBS (INCHES) 24-HR CUM |
|------------|-------------------------------------|----------------------------------|-----------------------------------|-------------------------------------|
| 10/18/2007 | 1,023.26 | 4.6 | 41.5 | 0.24 |
| 10/19/2007 | 1,023.18 | 17.3 | 41.5 | 0.48 |
| 10/20/2007 | 1,023.08 | 14.5 | 41.4 | 0.00 |
| 10/21/2007 | 1,022.96 | 1.2 | 41.3 | 0.00 |
| 10/22/2007 | 1,022.83 | 0.2 | 41.3 | 0.00 |
| 10/23/2007 | 1,022.71 | 3.5 | 41.2 | 0.00 |
| 10/24/2007 | 1,022.69 | 30.1 | 41.1 | 0.93 |
| 10/25/2007 | 1,022.66 | 32.6 | 41.1 | 0.42 |
| 10/26/2007 | 1,022.53 | 15.2 | 60.3 | 0.00 |
| 10/27/2007 | 1,022.36 | 7.5 | 63.0 | 0.00 |
| 10/28/2007 | 1,022.19 | 9.4 | 62.8 | 0.00 |
| 10/29/2007 | 1,022.02 | 6.8 | 61.5 | 0.00 |
| 10/30/2007 | 1,021.89 | 0.5 | 42.1 | 0.00 |
| 10/31/2007 | 1,021.78 | 0.4 | 36.7 | 0.00 |
| 11/1/2007 | 1,021.65 | 1.7 | 40.5 | 0.00 |
| 11/2/2007 | 1,021.54 | 2.0 | 40.4 | 0.00 |
| 11/3/2007 | 1,021.41 | 1.5 | 40.3 | 0.00 |
| 11/4/2007 | 1,021.28 | 1.4 | 40.2 | 0.00 |
| 11/5/2007 | 1,021.15 | 0.2 | 40.1 | 0.00 |
| 11/6/2007 | 1,021.10 | 16.8 | 40.1 | 0.57 |
| 11/7/2007 | 1,021.00 | 12.2 | 40.0 | 0.00 |
| 11/8/2007 | 1,020.88 | 4.6 | 40.0 | 0.00 |
| 11/9/2007 | 1,020.76 | 2.0 | 40.0 | 0.00 |
| 11/10/2007 | 1,020.65 | 1.2 | 40.0 | 0.00 |
| 11/11/2007 | 1,020.53 | 4.0 | 40.0 | 0.00 |
| 11/12/2007 | 1,020.41 | 1.2 | 40.0 | 0.07 |
| 11/13/2007 | 1,020.29 | 4.8 | 40.0 | 0.09 |
| 11/14/2007 | 1,020.20 | 13.9 | 40.0 | 0.03 |
| 11/15/2007 | 1,020.39 | 64.3 | 40.0 | 1.44 |
| 11/16/2007 | 1,020.39 | 69.0 | 40.0 | 0.00 |
| 11/17/2007 | 1,020.30 | 15.7 | 40.0 | 0.00 |
| 11/18/2007 | 1,020.20 | 8.2 | 40.0 | 0.00 |
| 11/19/2007 | 1,020.08 | 4.9 | 40.0 | 0.00 |
| 11/20/2007 | 1,019.98 | 5.6 | 40.0 | 0.00 |
| 11/21/2007 | 1,019.87 | 5.7 | 40.0 | 0.00 |
| 11/22/2007 | 1,019.77 | 5.3 | 40.0 | 0.23 |
| 11/23/2007 | 1,019.69 | 16.9 | 40.0 | 0.07 |
| 11/24/2007 | 1,019.58 | 7.8 | 40.0 | 0.00 |
| 11/25/2007 | 1,019.46 | 2.8 | 40.0 | 0.00 |

| | ELEVATION OBS (FEET) INST-VAL | INFLOW OBS (CFS) 24-HR AVG | OUTFLOW OBS (CFS) 24-HR AVG | PRECIP OBS (INCHES) 24-HR CUM |
|------------|-------------------------------------|----------------------------------|-----------------------------------|-------------------------------------|
| 11/26/2007 | 1,019.35 | 4.5 | 40.0 | 0.16 |
| 11/27/2007 | 1,019.29 | 18.9 | 40.0 | 0.22 |
| 11/28/2007 | 1,019.19 | 13.3 | 40.0 | 0.00 |
| 11/29/2007 | 1,019.08 | 8.4 | 39.3 | 0.00 |
| 11/30/2007 | 1,019.02 | 2.4 | 22.9 | 0.00 |
| 12/1/2007 | 1,019.00 | 1.7 | 5.8 | 0.00 |
| 12/2/2007 | 1,018.99 | 2.9 | 5.0 | 0.00 |
| 12/3/2007 | 1,019.02 | 14.1 | 5.0 | 0.35 |
| 12/4/2007 | 1,019.05 | 11.2 | 5.0 | 0.00 |
| 12/5/2007 | 1,019.04 | 5.0 | 5.0 | 0.00 |
| 12/6/2007 | 1,019.06 | 10.8 | 5.0 | 0.13 |
| 12/7/2007 | 1,019.06 | 5.6 | 5.0 | 0.00 |
| 12/8/2007 | 1,019.11 | 17.1 | 7.1 | 0.27 |
| 12/9/2007 | 1,019.13 | 33.8 | 29.5 | 0.15 |
| 12/10/2007 | 1,019.12 | 26.3 | 30.5 | 0.27 |
| 12/11/2007 | 1,019.37 | 91.8 | 32.8 | 0.42 |
| 12/12/2007 | 1,019.29 | 62.4 | 79.9 | 0.00 |
| 12/13/2007 | 1,019.18 | 49.7 | 82.8 | 0.25 |
| 12/14/2007 | 1,019.27 | 76.9 | 54.9 | 0.40 |
| 12/15/2007 | 1,019.11 | 41.9 | 85.0 | 0.00 |
| 12/16/2007 | 1,019.01 | 17.2 | 39.8 | 0.18 |
| 12/17/2007 | 1,019.07 | 33.6 | 20.0 | 0.00 |
| 12/18/2007 | 1,019.07 | 23.9 | 20.0 | 0.00 |
| 12/19/2007 | 1,019.05 | 13.8 | 20.0 | 0.04 |
| 12/20/2007 | 1,019.03 | 13.9 | 19.5 | 0.00 |
| 12/21/2007 | 1,019.08 | 20.5 | 12.0 | 0.41 |
| 12/22/2007 | 1,019.20 | 52.3 | 14.8 | 0.00 |
| 12/23/2007 | 1,019.15 | 35.6 | 48.9 | 0.00 |
| 12/24/2007 | 1,019.09 | 29.8 | 50.5 | 0.13 |
| 12/25/2007 | 1,019.04 | 32.0 | 48.0 | 0.00 |
| 12/26/2007 | 1,019.01 | 18.6 | 20.9 | 0.00 |
| 12/27/2007 | 1,019.01 | 14.4 | 14.0 | 0.01 |
| 12/28/2007 | 1,018.94 | 15.2 | 38.2 | 0.00 |
| 12/29/2007 | 1,018.91 | 28.7 | 41.0 | 0.30 |
| 12/30/2007 | 1,018.80 | 28.6 | 62.8 | 0.00 |
| 12/31/2007 | 1,018.63 | 15.9 | 64.8 | 0.00 |