



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/2010	1,016.94	69.3	74.1	0.04
1/2/2010	1,016.99	66.7	51.9	0.00
1/3/2010	1,017.00	61.9	59.6	0.01
1/4/2010	1,016.98	54.1	60.0	0.01
1/5/2010	1,016.97	52.1	52.1	0.10
1/6/2010	1,016.97	49.8	50.0	1.50
1/7/2010	1,016.95	45.8	50.0	0.00
1/8/2010	1,016.95	40.2	41.2	0.12
1/9/2010	1,016.95	41.8	40.0	0.02
1/10/2010	1,016.94	37.0	40.0	0.03
1/11/2010	1,016.91	35.0	38.8	0.00
1/12/2010	1,016.94	30.1	23.1	0.00
1/13/2010	1,016.98	33.5	22.0	0.25
1/14/2010	1,017.01	30.6	22.0	0.00
1/15/2010	1,017.03	28.5	22.5	0.00
1/16/2010	1,017.05	35.7	29.5	0.00
1/17/2010	1,017.13	48.3	30.0	0.33

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/2010	1,017.72	173.2	40.7	0.18
1/19/2010	1,017.40	152.8	233.6	0.00
1/20/2010	1,017.08	64.9	149.2	0.00
1/21/2010	1,017.41	157.7	86.2	0.30
1/22/2010	1,017.27	160.2	196.5	0.12
1/23/2010	1,017.11	112.0	146.1	0.00
1/24/2010	1,017.15	114.5	83.2	0.00
1/25/2010	1,018.92	414.4	93.2	0.89
1/26/2010	1,020.19	725.3	182.6	0.10
1/27/2010	1,019.91	208.6	280.2	0.01
1/28/2010	1,019.28	99.9	286.3	0.00
1/29/2010	1,018.51	54.0	281.6	0.00
1/30/2010	1,017.92	40.1	218.0	0.40
1/31/2010	1,017.33	42.7	199.8	0.07
2/1/2010	1,017.27	61.3	80.8	0.00
2/2/2010	1,017.26	74.8	75.2	0.09
2/3/2010	1,017.45	119.8	78.4	0.00
2/4/2010	1,017.42	132.1	144.4	0.00
2/5/2010	1,017.35	159.7	150.6	0.28
2/6/2010	1,020.06	770.6	112.6	0.78
2/7/2010	1,021.48	675.1	85.3	0.04
2/8/2010	1,020.84	249.0	427.9	0.00
2/9/2010	1,019.74	102.6	436.9	0.09
2/10/2010	1,018.58	73.4	432.6	0.07
2/11/2010	1,017.26	45.4	402.6	0.00
2/12/2010	1,017.37	110.5	83.8	0.00
2/13/2010	1,017.22	94.3	133.7	0.00
2/14/2010	1,017.29	303.3	85.8	0.00
2/15/2010	1,017.28	98.5	104.0	0.00
2/16/2010	1,017.24	94.8	105.3	0.00
2/17/2010	1,017.17	84.1	103.3	0.02
2/18/2010	1,017.15	77.8	77.0	0.01
2/19/2010	1,017.14	69.5	75.1	0.00
2/20/2010	1,017.09	62.4	75.1	0.00
2/21/2010	1,017.05	63.6	75.0	0.00
2/22/2010	1,017.09	72.8	61.9	0.05
2/23/2010	1,017.18	85.7	62.3	0.00
2/24/2010	1,017.07	64.4	92.9	0.00
2/25/2010	1,017.09	64.3	56.9	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/2010	1,017.17	72.9	49.6	0.01
2/27/2010	1,017.23	66.1	50.9	0.02
2/28/2010	1,017.26	69.9	61.9	0.00
3/1/2010	1,017.15	55.3	82.9	0.00
3/2/2010	1,017.17	61.6	59.2	0.00
3/3/2010	1,017.23	113.6	105.2	0.03
3/4/2010	1,017.29	122.6	105.3	0.00
3/5/2010	1,017.32	114.3	105.3	0.00
3/6/2010	1,017.35	111.6	104.7	0.00
3/7/2010	1,017.25	64.1	78.4	0.00
3/8/2010	1,017.11	36.3	75.1	0.03
3/9/2010	1,017.15	49.4	37.3	0.00
3/10/2010	1,017.18	56.5	48.5	0.01
3/11/2010	1,017.21	54.9	50.0	0.00
3/12/2010	1,017.23	59.6	50.1	0.06
3/13/2010	1,017.37	81.6	57.6	0.41
3/14/2010	1,017.06	55.4	127.4	0.00
3/15/2010	1,017.21	74.9	35.6	0.03
3/16/2010	1,017.39	84.8	31.1	0.03
3/17/2010	1,017.56	83.7	31.1	0.00
3/18/2010	1,017.72	78.7	31.2	0.00
3/19/2010	1,017.87	75.6	30.1	0.00
3/20/2010	1,018.06	68.7	7.2	0.00
3/21/2010	1,018.26	65.7	5.0	0.00
3/22/2010	1,018.52	71.4	5.0	0.37
3/23/2010	1,018.83	109.3	5.0	0.03
3/24/2010	1,019.10	89.1	5.0	0.00
3/25/2010	1,019.35	80.8	5.0	0.00
3/26/2010	1,019.63	91.0	5.0	0.28
3/27/2010	1,019.98	112.8	8.8	0.01
3/28/2010	1,020.15	106.4	48.9	0.00
3/29/2010	1,020.76	203.9	60.8	0.63
3/30/2010	1,020.57	216.3	269.4	0.24
3/31/2010	1,020.31	119.8	167.1	0.00
4/1/2010	1,020.45	108.5	56.9	0.00
4/2/2010	1,020.76	105.1	7.2	0.00
4/3/2010	1,021.05	98.2	5.0	0.00
4/4/2010	1,021.26	84.5	17.6	0.00
4/5/2010	1,021.43	74.5	20.1	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/6/2010	1,021.61	69.4	6.9	0.01
4/7/2010	1,021.80	67.7	5.0	0.00
4/8/2010	1,021.96	61.2	5.0	0.00
4/9/2010	1,022.40	135.1	5.0	0.61
4/10/2010	1,022.69	106.0	5.0	0.00
4/11/2010	1,022.93	85.1	5.0	0.00
4/12/2010	1,023.14	73.8	5.0	0.00
4/13/2010	1,023.33	68.0	5.0	0.00
4/14/2010	1,023.49	60.5	5.0	0.00
4/15/2010	1,023.64	54.6	5.0	0.00
4/16/2010	1,023.77	48.2	5.0	0.00
4/17/2010	1,023.90	46.3	5.0	0.11
4/18/2010	1,024.02	49.5	5.0	0.00
4/19/2010	1,024.12	41.0	5.0	0.00
4/20/2010	1,024.21	36.0	5.0	0.00
4/21/2010	1,024.33	40.9	5.0	0.11
4/22/2010	1,024.43	43.2	5.0	0.00
4/23/2010	1,024.51	33.0	5.0	0.00
4/24/2010	1,024.63	45.9	5.0	0.11
4/25/2010	1,024.95	76.6	5.0	1.11
4/26/2010	1,025.51	220.4	5.0	1.30
4/27/2010	1,026.09	214.1	5.0	0.25
4/28/2010	1,027.80	541.1	5.0	0.58
4/29/2010	1,027.85	304.5	268.9	0.00
4/30/2010	1,027.60	113.2	173.9	0.00
5/1/2010	1,027.35	76.1	155.0	0.00
5/2/2010	1,027.58	132.8	71.4	0.82
5/3/2010	1,029.17	406.9	100.9	1.39
5/4/2010	1,031.65	1,272.1	116.5	0.02
5/5/2010	1,031.46	248.2	296.1	0.00
5/6/2010	1,030.49	82.3	452.5	0.00
5/7/2010	1,029.25	17.5	462.6	0.00
5/8/2010	1,028.76	29.5	181.6	0.04
5/9/2010	1,028.65	54.9	87.1	0.00
5/10/2010	1,028.56	50.9	84.1	0.00
5/11/2010	1,028.48	46.6	84.0	0.00
5/12/2010	1,028.34	38.8	83.9	0.00
5/13/2010	1,028.21	41.4	83.8	0.00
5/14/2010	1,028.07	34.8	83.7	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/15/2010	1,028.16	69.8	44.6	0.44
5/16/2010	1,028.34	91.8	34.4	0.21
5/17/2010	1,028.39	92.8	71.5	0.50
5/18/2010	1,028.47	124.5	120.8	0.93
5/19/2010	1,028.41	157.1	165.6	0.13
5/20/2010	1,028.19	91.4	167.7	0.01
5/21/2010	1,028.05	62.8	101.2	0.00
5/22/2010	1,028.04	65.9	68.8	0.40
5/23/2010	1,028.17	113.5	68.2	0.03
5/24/2010	1,028.11	64.7	83.1	0.00
5/25/2010	1,028.05	51.8	68.8	0.00
5/26/2010	1,028.04	44.6	46.8	0.00
5/27/2010	1,028.03	40.0	44.0	0.00
5/28/2010	1,028.03	33.3	30.3	0.00
5/29/2010	1,028.03	27.2	24.7	0.08
5/30/2010	1,028.04	25.8	24.7	0.00
5/31/2010	1,028.06	29.9	24.7	0.10
6/1/2010	1,028.08	36.9	24.7	0.09
6/2/2010	1,028.10	31.5	24.7	0.03
6/3/2010	1,028.09	23.6	24.7	0.00
6/4/2010	1,028.08	21.1	24.7	0.04
6/5/2010	1,028.08	22.0	24.7	0.05
6/6/2010	1,028.07	21.5	24.7	0.00
6/7/2010	1,028.07	26.8	24.7	0.21
6/8/2010	1,028.05	17.3	24.7	0.00
6/9/2010	1,028.02	14.2	24.7	0.02
6/10/2010	1,028.04	22.1	18.3	0.20
6/11/2010	1,028.04	19.2	17.3	0.00
6/12/2010	1,028.15	50.5	17.4	1.15
6/13/2010	1,028.27	64.6	18.8	0.21
6/14/2010	1,028.21	45.4	76.9	0.46
6/15/2010	1,028.27	102.2	83.8	0.85
6/16/2010	1,028.14	45.7	81.4	0.01
6/17/2010	1,028.11	22.9	31.7	0.00
6/18/2010	1,028.09	24.5	27.0	0.00
6/19/2010	1,028.09	16.4	14.8	0.00
6/20/2010	1,028.09	12.4	12.4	0.00
6/21/2010	1,028.09	19.2	12.4	0.00
6/22/2010	1,028.46	124.9	16.8	0.98

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/23/2010	1,028.33	67.7	108.7	0.12
6/24/2010	1,028.13	21.8	88.0	0.00
6/25/2010	1,028.18	45.5	29.7	0.12
6/26/2010	1,028.22	40.8	22.0	0.00
6/27/2010	1,028.22	25.4	22.0	0.00
6/28/2010	1,028.28	44.9	22.0	0.48
6/29/2010	1,028.60	140.0	41.3	0.84
6/30/2010	1,028.46	53.1	102.2	0.00
7/1/2010	1,028.18	18.1	111.3	0.00
7/2/2010	1,028.13	14.6	27.9	0.00
7/3/2010	1,028.11	14.5	22.0	0.00
7/4/2010	1,028.08	11.3	22.0	0.00
7/5/2010	1,028.06	14.8	22.0	0.00
7/6/2010	1,028.03	13.6	22.0	0.00
7/7/2010	1,027.99	10.0	22.0	0.00
7/8/2010	1,027.96	8.5	22.0	0.00
7/9/2010	1,027.95	7.4	7.8	0.00
7/10/2010	1,027.99	16.4	5.0	0.00
7/11/2010	1,028.00	10.8	5.0	0.00
7/12/2010	1,028.00	7.3	5.0	0.53
7/13/2010	1,028.10	42.9	5.0	0.18
7/14/2010	1,028.30	67.2	6.6	0.71
7/15/2010	1,028.27	29.2	40.8	0.00
7/16/2010	1,028.18	13.9	42.0	0.00
7/17/2010	1,028.17	13.4	14.4	0.02
7/18/2010	1,028.18	15.5	12.4	0.00
7/19/2010	1,028.18	10.0	12.4	0.04
7/20/2010	1,028.17	11.5	12.4	0.00
7/21/2010	1,028.18	12.8	12.4	0.23
7/22/2010	1,028.17	13.1	12.4	0.04
7/23/2010	1,028.24	31.7	12.4	0.10
7/24/2010	1,028.24	17.2	12.4	0.10
7/25/2010	1,028.22	7.9	12.4	0.00
7/26/2010	1,028.22	9.5	12.4	0.19
7/27/2010	1,028.20	5.8	12.4	0.00
7/28/2010	1,028.21	20.8	12.4	0.25
7/29/2010	1,028.41	86.4	12.4	0.02
7/30/2010	1,028.49	30.7	14.5	0.29
7/31/2010	1,028.44	28.1	42.0	0.07

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
8/1/2010	1,028.47	50.2	45.9	0.33
8/2/2010	1,028.44	55.8	66.0	0.13
8/3/2010	1,028.33	24.1	66.9	0.00
8/4/2010	1,028.19	19.2	66.8	0.13
8/5/2010	1,028.10	26.3	49.8	0.53
8/6/2010	1,028.14	33.7	14.5	0.56
8/7/2010	1,028.14	8.6	12.4	0.00
8/8/2010	1,028.13	6.0	12.4	0.00
8/9/2010	1,028.12	4.6	5.9	0.00
8/10/2010	1,028.12	4.6	5.0	0.00
8/11/2010	1,028.11	3.1	5.0	0.00
8/12/2010	1,028.22	32.3	6.6	0.17
8/13/2010	1,028.20	39.0	40.1	0.04
8/14/2010	1,028.20	37.9	35.0	0.04
8/15/2010	1,028.21	41.8	34.4	0.49
8/16/2010	1,028.15	9.4	32.6	0.00
8/17/2010	1,028.15	8.4	6.8	0.00
8/18/2010	1,028.15	19.5	5.0	0.00
8/19/2010	1,028.87	236.8	8.8	1.91
8/20/2010	1,028.91	104.0	90.2	0.26
8/21/2010	1,028.68	33.8	116.0	0.00
8/22/2010	1,028.39	14.6	117.5	0.02
8/23/2010	1,028.15	8.4	83.1	0.00
8/24/2010	1,028.13	6.0	9.9	0.00
8/25/2010	1,028.14	6.1	5.0	0.00
8/26/2010	1,028.14	7.5	5.0	0.00
8/27/2010	1,028.14	5.0	5.0	0.00
8/28/2010	1,028.14	4.6	5.0	0.00
8/29/2010	1,028.13	1.8	5.0	0.00
8/30/2010	1,028.13	4.6	5.0	0.00
8/31/2010	1,028.12	1.4	5.0	0.00
9/1/2010	1,028.11	1.4	5.0	0.00
9/2/2010	1,028.10	1.4	5.0	0.00
9/3/2010	1,028.09	1.1	5.0	0.00
9/4/2010	1,028.07	0.2	5.0	0.00
9/5/2010	1,028.05	1.2	5.0	0.00
9/6/2010	1,028.03	0.0	5.0	0.00
9/7/2010	1,028.01	0.0	5.0	0.00
9/8/2010	1,027.98	0.0	5.0	0.03

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/9/2010	1,027.98	1.4	5.0	0.03
9/10/2010	1,027.95	0.2	5.0	0.00
9/11/2010	1,027.95	4.3	5.0	0.38
9/12/2010	1,028.01	27.6	5.0	0.32
9/13/2010	1,028.01	4.4	5.0	0.00
9/14/2010	1,027.99	0.2	5.0	0.00
9/15/2010	1,027.98	1.9	7.6	0.00
9/16/2010	1,027.88	6.5	43.7	0.00
9/17/2010	1,027.81	18.1	47.5	0.19
9/18/2010	1,027.66	10.2	65.2	0.00
9/19/2010	1,027.49	9.2	65.1	0.00
9/20/2010	1,027.37	7.0	47.4	0.00
9/21/2010	1,027.26	6.7	46.1	0.00
9/22/2010	1,027.15	7.0	46.1	0.00
9/23/2010	1,027.06	11.0	46.0	0.18
9/24/2010	1,026.95	6.6	46.0	0.00
9/25/2010	1,026.84	7.3	45.9	0.00
9/26/2010	1,026.71	6.0	45.9	0.00
9/27/2010	1,026.62	6.1	46.3	0.09
9/28/2010	1,026.56	35.1	54.1	0.44
9/29/2010	1,026.48	20.6	57.7	0.00
9/30/2010	1,026.12	4.6	121.9	0.00
10/1/2010	1,025.75	0.0	127.5	0.00
10/2/2010	1,025.38	0.0	127.0	0.00
10/3/2010	1,025.00	0.0	126.5	0.00
10/4/2010	1,024.62	0.1	123.2	0.06
10/5/2010	1,024.36	1.4	83.7	0.13
10/6/2010	1,024.22	26.7	80.7	0.01
10/7/2010	1,024.10	38.5	77.9	0.00
10/8/2010	1,024.01	14.0	36.7	0.00
10/9/2010	1,023.88	5.2	51.6	0.00
10/10/2010	1,023.73	5.3	51.9	0.00
10/11/2010	1,023.62	2.3	42.2	0.00
10/12/2010	1,023.50	2.5	41.7	0.00
10/13/2010	1,023.44	2.6	15.7	0.00
10/14/2010	1,023.41	5.2	12.0	0.14
10/15/2010	1,023.39	1.9	12.0	0.00
10/16/2010	1,023.35	0.0	12.0	0.00
10/17/2010	1,023.31	0.0	12.0	0.00



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/18/2010	1,023.27	1.9	12.0	0.00
10/19/2010	1,023.17	1.4	46.1	0.00
10/20/2010	1,023.00	5.5	62.4	0.00
10/21/2010	1,022.83	6.9	62.3	0.00
10/22/2010	1,022.68	3.8	52.6	0.00
10/23/2010	1,022.53	2.9	51.2	0.00
10/24/2010	1,022.41	4.8	41.5	0.00
10/25/2010	1,022.30	5.9	40.9	0.26
10/26/2010	1,022.36	56.3	40.9	0.36
10/27/2010	1,022.16	15.3	76.2	0.31
10/28/2010	1,021.86	4.6	104.5	0.00
10/29/2010	1,021.69	6.3	55.1	0.00
10/30/2010	1,021.55	8.6	51.4	0.00
10/31/2010	1,021.41	6.1	51.3	0.00
11/1/2010	1,021.27	4.0	51.2	0.00
11/2/2010	1,021.12	5.1	51.1	0.00
11/3/2010	1,020.98	4.3	51.0	0.00
11/4/2010	1,020.90	18.0	51.0	0.62
11/5/2010	1,020.84	37.1	54.9	0.16
11/6/2010	1,020.56	8.2	91.9	0.05
11/7/2010	1,020.40	5.9	52.1	0.00
11/8/2010	1,020.29	6.2	41.5	0.00
11/9/2010	1,020.16	6.9	50.3	0.00
11/10/2010	1,020.03	9.3	50.8	0.00
11/11/2010	1,019.88	4.3	50.7	0.00
11/12/2010	1,019.74	9.5	51.4	0.00
11/13/2010	1,019.59	10.1	61.6	0.00
11/14/2010	1,019.42	11.9	62.2	0.00
11/15/2010	1,019.26	12.7	60.5	0.00
11/16/2010	1,019.17	14.8	44.1	0.33
11/17/2010	1,019.05	16.6	60.7	0.15
11/18/2010	1,018.88	18.1	62.0	0.15
11/19/2010	1,018.71	8.1	61.3	0.00
11/20/2010	1,018.56	9.8	53.7	0.00
11/21/2010	1,018.40	4.5	52.0	0.00
11/22/2010	1,018.30	5.9	37.5	0.00
11/23/2010	1,018.17	8.3	45.2	0.00
11/24/2010	1,018.18	46.0	56.2	0.51
11/25/2010	1,017.87	15.2	99.2	0.06

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/26/2010	1,017.79	21.1	55.3	0.44
11/27/2010	1,017.68	47.9	74.0	0.00
11/28/2010	1,017.44	10.9	78.5	0.00
11/29/2010	1,017.30	10.4	52.6	0.00
11/30/2010	1,017.18	28.6	50.6	0.04
12/1/2010	1,018.28	281.2	63.0	1.61
12/2/2010	1,018.24	203.9	134.9	0.00
12/3/2010	1,017.75	1.4	141.2	0.00
12/4/2010	1,017.17	1.4	132.2	0.00
12/5/2010	1,017.13	25.9	45.2	0.29
12/6/2010	1,017.10	31.5	41.1	0.00
12/7/2010	1,017.04	22.7	39.7	0.00
12/8/2010	1,017.04	16.5	12.6	0.00
12/9/2010	1,017.06	15.8	10.6	0.00
12/10/2010	1,017.03	12.5	18.8	0.00
12/11/2010	1,017.05	15.8	11.6	0.00
12/12/2010	1,017.17	32.1	13.5	0.47
12/13/2010	1,017.43	123.2	49.2	0.00
12/14/2010	1,017.38	66.2	73.7	0.00
12/15/2010	1,017.18	34.6	72.4	0.00
12/16/2010	1,017.21	27.4	33.8	0.00
12/17/2010	1,017.84	209.4	90.2	1.17
12/18/2010	1,017.91	446.9	385.1	0.00
12/19/2010	1,017.41	29.6	159.5	0.00
12/20/2010	1,017.28	87.3	140.4	0.00
12/21/2010	1,017.16	100.0	134.6	0.05
12/22/2010	1,017.13	62.1	55.7	0.04
12/23/2010	1,017.17	60.4	52.0	0.00
12/24/2010	1,017.20	67.0	53.9	0.00
12/25/2010	1,017.10	41.8	71.0	0.07
12/26/2010	1,017.11	42.0	34.7	0.03
12/27/2010	1,017.14	46.9	39.7	2.50
12/28/2010	1,017.13	37.7	41.1	0.00
12/29/2010	1,017.09	31.1	40.4	0.00
12/30/2010	1,017.10	30.5	30.8	0.01
12/31/2010	1,017.15	42.7	30.0	0.00