



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/2011	1,017.31	101.8	38.6	0.35
1/2/2011	1,018.70	489.4	146.8	0.45
1/3/2011	1,018.27	171.4	276.5	0.00
1/4/2011	1,017.44	46.1	274.6	0.00
1/5/2011	1,017.21	57.3	117.1	0.00
1/6/2011	1,017.22	66.6	63.9	0.00
1/7/2011	1,017.09	41.4	72.7	0.00
1/8/2011	1,017.14	56.5	43.9	0.00
1/9/2011	1,017.15	47.6	41.1	0.00
1/10/2011	1,017.13	35.5	41.1	0.00
1/11/2011	1,017.10	32.7	41.1	0.00
1/12/2011	1,017.09	33.8	41.0	0.00
1/13/2011	1,017.04	32.4	40.3	0.00
1/14/2011	1,017.02	27.2	30.7	0.00
1/15/2011	1,017.01	24.9	29.4	0.00
1/16/2011	1,017.03	27.0	20.6	0.00
1/17/2011	1,017.06	29.3	20.6	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/2011	1,017.08	35.7	29.4	0.00
1/19/2011	1,017.16	48.5	30.0	0.07
1/20/2011	1,017.27	64.8	31.9	0.10
1/21/2011	1,017.29	60.2	58.9	0.08
1/22/2011	1,017.17	41.9	73.9	0.00
1/23/2011	1,017.00	26.9	71.0	0.00
1/24/2011	1,017.07	34.5	16.2	0.00
1/25/2011	1,017.11	40.6	28.8	0.00
1/26/2011	1,017.19	57.3	31.9	0.36
1/27/2011	1,017.96	248.1	58.4	0.77
1/28/2011	1,017.75	168.0	218.0	0.10
1/29/2011	1,017.57	101.0	149.6	0.02
1/30/2011	1,017.34	80.6	137.8	0.00
1/31/2011	1,017.26	79.4	107.0	0.00
2/1/2011	1,017.14	67.5	101.9	0.01
2/2/2011	1,017.20	71.7	50.1	0.05
2/3/2011	1,017.20	67.1	68.0	0.00
2/4/2011	1,017.13	55.1	71.1	0.00
2/5/2011	1,017.06	47.9	68.9	0.01
2/6/2011	1,017.11	45.4	25.5	0.00
2/7/2011	1,017.09	32.9	40.0	0.00
2/8/2011	1,017.07	40.1	50.0	0.12
2/9/2011	1,017.04	45.2	50.0	0.00
2/10/2011	1,017.02	41.6	48.9	0.00
2/11/2011	1,017.03	37.0	31.4	0.00
2/12/2011	1,017.03	32.1	30.0	0.00
2/13/2011	1,017.05	32.1	30.0	0.00
2/14/2011	1,017.05	36.2	30.0	0.00
2/15/2011	1,017.08	32.6	30.0	0.00
2/16/2011	1,017.09	34.9	30.0	0.00
2/17/2011	1,017.09	30.2	30.0	0.00
2/18/2011	1,017.09	32.1	30.0	0.00
2/19/2011	1,017.12	36.4	30.0	0.09
2/20/2011	1,017.13	34.9	30.0	0.00
2/21/2011	1,017.12	29.8	30.0	0.00
2/22/2011	1,017.19	42.8	30.7	0.26
2/23/2011	1,017.22	50.2	40.4	0.00
2/24/2011	1,017.21	45.4	41.1	0.01
2/25/2011	1,018.11	220.7	56.4	1.10

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/2011	1,018.85	535.6	269.3	0.00
2/27/2011	1,018.34	150.3	283.9	0.00
2/28/2011	1,017.57	119.6	274.5	0.02
3/1/2011	1,021.03	997.6	112.4	1.28
3/2/2011	1,021.97	503.5	102.8	0.00
3/3/2011	1,021.68	185.6	281.4	0.00
3/4/2011	1,020.49	48.8	430.4	0.00
3/5/2011	1,019.06	3.7	422.7	0.00
3/6/2011	1,019.28	162.8	134.1	1.25
3/7/2011	1,021.64	836.8	113.3	0.07
3/8/2011	1,021.20	289.0	413.8	0.00
3/9/2011	1,020.89	162.5	222.3	0.22
3/10/2011	1,021.08	243.4	150.3	0.40
3/11/2011	1,023.79	924.4	153.3	0.54
3/12/2011	1,024.46	443.1	169.2	0.00
3/13/2011	1,023.72	186.8	431.4	0.00
3/14/2011	1,022.65	100.6	446.9	0.00
3/15/2011	1,022.21	84.8	215.3	0.04
3/16/2011	1,021.07	45.8	423.2	0.11
3/17/2011	1,019.67	3.0	437.0	0.00
3/18/2011	1,018.15	0.0	413.5	0.00
3/19/2011	1,017.62	8.3	154.0	0.19
3/20/2011	1,017.66	76.5	62.8	0.00
3/21/2011	1,017.76	49.1	8.5	0.00
3/22/2011	1,017.85	33.7	5.0	0.00
3/23/2011	1,017.93	31.1	5.0	0.00
3/24/2011	1,018.18	69.4	5.0	0.47
3/25/2011	1,018.36	65.1	5.0	0.06
3/26/2011	1,018.48	43.6	5.0	0.00
3/27/2011	1,018.63	44.6	5.0	0.12
3/28/2011	1,018.75	49.1	5.0	0.00
3/29/2011	1,018.82	28.6	5.0	0.01
3/30/2011	1,018.91	30.7	5.0	0.20
3/31/2011	1,019.03	39.7	5.0	0.01
4/1/2011	1,019.17	45.9	5.0	0.08
4/2/2011	1,019.30	43.2	5.0	0.14
4/3/2011	1,019.41	42.8	5.0	0.00
4/4/2011	1,019.51	32.9	5.0	0.14
4/5/2011	1,019.95	100.1	5.0	0.91

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/6/2011	1,021.20	412.8	5.0	0.03
4/7/2011	1,021.73	193.9	5.0	0.00
4/8/2011	1,022.05	113.5	5.0	0.00
4/9/2011	1,022.28	105.6	5.0	0.00
4/10/2011	1,023.73	400.1	17.2	0.49
4/11/2011	1,023.30	278.2	392.9	0.00
4/12/2011	1,023.36	188.0	173.6	0.73
4/13/2011	1,024.42	484.1	156.2	1.13
4/14/2011	1,024.49	332.9	286.5	0.00
4/15/2011	1,024.08	173.7	298.1	0.00
4/16/2011	1,024.02	200.3	171.6	0.72
4/17/2011	1,027.07	1,069.1	126.1	0.50
4/18/2011	1,026.66	322.4	434.3	0.00
4/19/2011	1,025.71	136.3	456.9	0.00
4/20/2011	1,025.28	49.0	158.2	0.24
4/21/2011	1,025.25	142.5	147.0	0.30
4/22/2011	1,025.38	118.1	70.6	0.00
4/23/2011	1,025.62	133.1	47.6	0.19
4/24/2011	1,025.79	106.8	43.1	0.00
4/25/2011	1,025.98	107.4	43.3	0.18
4/26/2011	1,026.19	120.6	43.4	0.29
4/27/2011	1,026.37	106.1	43.5	0.02
4/28/2011	1,027.07	217.5	43.8	1.26
4/29/2011	1,027.84	373.3	44.0	0.00
4/30/2011	1,028.19	180.2	47.9	0.00
5/1/2011	1,028.30	139.0	102.0	0.00
5/2/2011	1,028.33	120.8	105.9	0.00
5/3/2011	1,028.31	110.0	105.9	0.00
5/4/2011	1,029.03	282.1	113.9	1.37
5/5/2011	1,029.53	360.7	133.7	0.01
5/6/2011	1,028.67	126.9	421.6	0.00
5/7/2011	1,028.34	71.5	174.4	0.00
5/8/2011	1,028.07	58.8	151.3	0.11
5/9/2011	1,028.10	86.8	75.3	0.00
5/10/2011	1,028.04	78.9	93.6	0.00
5/11/2011	1,028.45	160.2	67.3	0.40
5/12/2011	1,029.54	512.5	111.5	0.00
5/13/2011	1,028.75	87.0	313.0	0.00
5/14/2011	1,028.48	42.0	180.4	0.40

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/15/2011	1,027.94	97.7	274.3	0.05
5/16/2011	1,027.99	97.8	79.1	0.02
5/17/2011	1,027.93	89.3	102.6	0.04
5/18/2011	1,028.08	115.6	71.0	0.36
5/19/2011	1,028.21	118.9	69.9	0.04
5/20/2011	1,028.21	111.3	114.1	0.06
5/21/2011	1,028.14	92.9	115.9	0.00
5/22/2011	1,028.08	71.3	85.6	0.01
5/23/2011	1,028.25	117.0	71.0	0.78
5/24/2011	1,028.18	135.7	114.1	0.00
5/25/2011	1,029.47	674.1	353.8	1.20
5/26/2011	1,028.77	281.5	457.2	0.34
5/27/2011	1,028.25	137.5	305.0	0.43
5/28/2011	1,028.29	127.7	103.8	0.08
5/29/2011	1,028.28	118.2	125.1	0.00
5/30/2011	1,028.02	74.4	152.6	0.00
5/31/2011	1,028.05	63.7	49.1	0.00
6/1/2011	1,028.08	59.6	44.0	0.00
6/2/2011	1,028.11	51.9	44.0	0.00
6/3/2011	1,028.11	46.3	44.0	0.00
6/4/2011	1,028.10	40.1	44.0	0.00
6/5/2011	1,028.09	37.6	44.0	0.00
6/6/2011	1,028.06	35.6	44.0	0.00
6/7/2011	1,028.04	31.2	35.6	0.00
6/8/2011	1,028.02	29.4	33.7	0.00
6/9/2011	1,028.04	27.0	25.3	0.00
6/10/2011	1,028.04	27.4	24.7	0.00
6/11/2011	1,028.04	26.5	24.7	0.00
6/12/2011	1,028.04	20.4	24.7	0.00
6/13/2011	1,028.07	29.4	11.8	0.00
6/14/2011	1,028.10	20.4	10.0	0.00
6/15/2011	1,028.11	14.1	10.0	0.00
6/16/2011	1,028.14	20.4	10.0	0.11
6/17/2011	1,028.15	13.9	10.0	0.00
6/18/2011	1,028.16	18.6	10.0	0.01
6/19/2011	1,028.38	64.7	10.7	0.59
6/20/2011	1,028.46	90.8	40.5	0.47
6/21/2011	1,028.88	228.3	94.3	2.21
6/22/2011	1,028.84	110.4	163.5	0.33

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/23/2011	1,028.25	100.3	276.2	0.14
6/24/2011	1,028.05	32.0	97.7	0.00
6/25/2011	1,028.00	29.0	38.8	0.00
6/26/2011	1,028.03	28.1	14.1	0.00
6/27/2011	1,028.08	33.7	12.4	0.20
6/28/2011	1,028.36	89.6	19.8	0.92
6/29/2011	1,028.16	71.7	128.1	0.02
6/30/2011	1,028.10	36.0	48.8	0.00
7/1/2011	1,028.10	23.4	23.4	0.00
7/2/2011	1,028.10	22.0	22.0	0.00
7/3/2011	1,028.09	21.1	22.0	0.00
7/4/2011	1,028.16	38.2	22.0	0.26
7/5/2011	1,028.46	168.8	68.5	0.59
7/6/2011	1,028.36	47.4	83.9	0.00
7/7/2011	1,028.21	39.6	81.7	0.08
7/8/2011	1,028.18	32.9	37.6	0.00
7/9/2011	1,028.23	45.7	33.4	0.42
7/10/2011	1,028.22	34.5	33.4	0.00
7/11/2011	1,028.20	25.9	33.4	0.00
7/12/2011	1,028.46	64.7	39.1	0.81
7/13/2011	1,028.24	235.4	257.0	0.08
7/14/2011	1,028.24	45.1	35.7	0.00
7/15/2011	1,028.29	38.3	22.0	0.00
7/16/2011	1,028.40	54.4	24.6	0.26
7/17/2011	1,028.34	57.9	78.8	0.04
7/18/2011	1,028.20	37.9	80.6	0.01
7/19/2011	1,028.18	30.9	36.5	0.00
7/20/2011	1,028.18	30.7	33.4	0.00
7/21/2011	1,028.15	30.9	33.4	0.12
7/22/2011	1,028.29	77.6	33.4	0.61
7/23/2011	1,028.36	57.2	33.4	0.84
7/24/2011	1,028.34	33.0	33.5	0.00
7/25/2011	1,028.48	95.7	58.9	0.14
7/26/2011	1,029.56	501.0	155.2	0.61
7/27/2011	1,029.04	126.6	296.0	0.00
7/28/2011	1,028.22	18.0	290.9	0.00
7/29/2011	1,028.18	29.9	32.2	0.00
7/30/2011	1,028.18	34.7	36.6	0.00
7/31/2011	1,028.16	30.9	38.1	0.05

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
8/1/2011	1,028.13	26.2	33.0	0.00
8/2/2011	1,028.12	18.9	22.7	0.00
8/3/2011	1,028.10	15.6	22.0	0.00
8/4/2011	1,028.12	28.6	22.0	0.56
8/5/2011	1,028.11	18.4	22.0	0.00
8/6/2011	1,028.09	17.3	21.6	0.00
8/7/2011	1,028.09	14.2	13.2	0.00
8/8/2011	1,028.16	36.4	12.4	0.56
8/9/2011	1,028.29	55.0	14.1	0.31
8/10/2011	1,028.26	25.7	33.4	0.00
8/11/2011	1,028.24	28.7	34.4	0.37
8/12/2011	1,028.19	13.1	34.4	0.00
8/13/2011	1,028.13	14.8	33.6	0.00
8/14/2011	1,028.36	66.1	52.5	0.78
8/15/2011	1,027.87	153.6	283.1	0.16
8/16/2011	1,027.82	41.1	39.8	0.00
8/17/2011	1,027.83	27.5	20.7	0.00
8/18/2011	1,027.86	17.7	5.8	0.00
8/19/2011	1,027.92	18.8	5.0	0.14
8/20/2011	1,027.95	20.6	5.0	0.00
8/21/2011	1,027.96	17.1	5.0	0.00
8/22/2011	1,028.21	73.8	5.5	1.10
8/23/2011	1,028.30	59.2	12.5	0.00
8/24/2011	1,028.30	23.6	21.7	0.00
8/25/2011	1,028.27	14.4	26.7	0.00
8/26/2011	1,028.24	13.6	27.0	0.00
8/27/2011	1,028.20	14.8	26.4	0.00
8/28/2011	1,028.18	9.9	13.6	0.00
8/29/2011	1,028.16	2.7	11.9	0.00
8/30/2011	1,028.16	7.1	5.5	0.00
8/31/2011	1,028.16	5.0	5.0	0.00
9/1/2011	1,028.16	5.0	5.0	0.00
9/2/2011	1,028.16	5.0	5.0	0.00
9/3/2011	1,028.17	6.1	5.0	0.00
9/4/2011	1,028.17	10.7	5.0	0.00
9/5/2011	1,028.41	95.3	9.2	0.84
9/6/2011	1,030.28	618.0	98.2	2.08
9/7/2011	1,031.56	707.6	135.2	0.10
9/8/2011	1,030.52	81.7	454.3	0.05

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/9/2011	1,029.18	0.0	459.0	0.01
9/10/2011	1,028.24	0.3	299.1	0.00
9/11/2011	1,028.19	21.8	30.8	0.00
9/12/2011	1,028.24	27.2	12.7	0.00
9/13/2011	1,027.88	3.3	156.7	0.00
9/14/2011	1,026.50	0.0	418.9	0.00
9/15/2011	1,026.16	4.8	99.5	0.00
9/16/2011	1,026.16	24.1	16.1	0.11
9/17/2011	1,026.17	15.7	12.0	0.00
9/18/2011	1,026.18	17.7	12.0	0.00
9/19/2011	1,026.19	13.7	12.0	0.00
9/20/2011	1,026.23	25.8	12.0	0.23
9/21/2011	1,026.25	21.9	12.0	0.01
9/22/2011	1,026.30	26.9	12.0	0.24
9/23/2011	1,026.34	26.0	12.0	0.24
9/24/2011	1,026.38	25.9	12.0	0.03
9/25/2011	1,026.41	21.9	12.0	0.00
9/26/2011	1,026.42	15.0	14.7	0.00
9/27/2011	1,026.42	45.8	53.7	0.62
9/28/2011	1,026.26	29.2	81.5	0.00
9/29/2011	1,026.04	10.9	93.5	0.10
9/30/2011	1,025.80	11.6	80.1	0.00
10/1/2011	1,025.73	14.1	44.6	0.06
10/2/2011	1,025.51	2.1	78.8	0.02
10/3/2011	1,025.40	12.5	48.9	0.00
10/4/2011	1,025.29	13.6	53.5	0.00
10/5/2011	1,025.17	14.7	54.4	0.00
10/6/2011	1,025.03	13.1	64.0	0.01
10/7/2011	1,024.88	15.8	64.6	0.00
10/8/2011	1,024.74	14.7	64.5	0.00
10/9/2011	1,024.59	15.9	64.4	0.00
10/10/2011	1,024.44	13.5	64.3	0.00
10/11/2011	1,024.28	12.7	64.2	0.00
10/12/2011	1,024.16	18.8	64.1	0.35
10/13/2011	1,024.04	23.8	64.1	0.01
10/14/2011	1,023.96	34.6	80.2	0.62
10/15/2011	1,023.55	31.3	143.3	0.01
10/16/2011	1,023.53	6.7	14.7	0.00
10/17/2011	1,023.47	9.7	31.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/18/2011	1,023.39	10.6	39.9	0.00
10/19/2011	1,023.15	9.8	88.4	0.26
10/20/2011	1,023.06	84.6	132.0	0.61
10/21/2011	1,022.61	9.8	143.3	0.03
10/22/2011	1,022.37	13.5	89.8	0.00
10/23/2011	1,022.32	19.4	35.2	0.01
10/24/2011	1,022.29	23.6	31.4	0.00
10/25/2011	1,022.25	18.0	31.8	0.00
10/26/2011	1,022.18	14.7	41.3	0.00
10/27/2011	1,022.05	19.2	62.1	0.00
10/28/2011	1,021.95	39.6	74.1	0.38
10/29/2011	1,022.08	117.7	82.1	0.62
10/30/2011	1,022.70	377.8	178.5	0.00
10/31/2011	1,021.47	3.4	104.4	0.00
11/1/2011	1,021.23	24.8	98.4	0.00
11/2/2011	1,021.11	38.5	75.2	0.00
11/3/2011	1,021.06	34.1	46.7	0.00
11/4/2011	1,021.17	84.0	76.4	0.79
11/5/2011	1,021.19	155.8	140.9	0.00
11/6/2011	1,020.84	42.1	145.0	0.00
11/7/2011	1,020.38	3.2	138.1	0.00
11/8/2011	1,020.36	31.2	39.6	0.00
11/9/2011	1,020.25	35.1	73.4	0.00
11/10/2011	1,020.05	23.1	87.0	0.13
11/11/2011	1,019.93	32.2	70.3	0.00
11/12/2011	1,019.63	13.7	99.7	0.00
11/13/2011	1,019.60	19.7	27.9	0.00
11/14/2011	1,019.49	22.2	57.2	0.00
11/15/2011	1,019.37	25.0	66.0	0.00
11/16/2011	1,019.29	62.2	78.7	0.60
11/17/2011	1,020.50	422.7	147.2	0.69
11/18/2011	1,020.12	220.1	279.3	0.00
11/19/2011	1,019.23	23.2	277.5	0.00
11/20/2011	1,018.77	12.6	151.3	0.01
11/21/2011	1,018.37	22.0	134.9	0.23
11/22/2011	1,018.54	84.6	44.3	0.00
11/23/2011	1,018.44	87.7	135.7	0.50
11/24/2011	1,018.49	172.8	159.6	0.02
11/25/2011	1,018.01	86.8	222.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/26/2011	1,017.92	76.2	101.5	0.00
11/27/2011	1,017.57	52.6	149.1	0.00
11/28/2011	1,017.60	65.3	75.7	0.35
11/29/2011	1,017.61	95.1	105.4	0.41
11/30/2011	1,017.49	121.8	147.7	0.08
12/1/2011	1,017.23	76.8	145.8	0.00
12/2/2011	1,017.18	68.9	79.8	0.00
12/3/2011	1,017.22	82.8	76.3	0.00
12/4/2011	1,017.18	82.6	93.8	0.00
12/5/2011	1,017.12	73.3	95.1	0.00
12/6/2011	1,017.06	82.8	95.0	0.22
12/7/2011	1,017.46	211.0	109.6	0.83
12/8/2011	1,020.51	1,017.1	167.5	0.42
12/9/2011	1,020.04	318.2	418.5	0.00
12/10/2011	1,018.39	61.9	545.4	0.00
12/11/2011	1,017.85	38.9	176.9	0.00
12/12/2011	1,017.50	40.5	140.8	0.00
12/13/2011	1,017.13	35.6	132.8	0.00
12/14/2011	1,017.25	58.4	31.0	0.01
12/15/2011	1,017.22	63.9	71.7	0.00
12/16/2011	1,017.15	55.8	75.1	0.11
12/17/2011	1,017.19	80.0	75.1	0.31
12/18/2011	1,017.15	69.2	75.1	0.00
12/19/2011	1,017.10	60.1	75.1	0.00
12/20/2011	1,017.13	61.7	53.4	0.00
12/21/2011	1,017.18	80.4	60.7	0.00
12/22/2011	1,017.78	240.9	93.0	0.51
12/23/2011	1,018.78	433.9	278.7	0.74
12/24/2011	1,017.92	396.3	536.0	0.02
12/25/2011	1,017.65	141.1	191.4	0.00
12/26/2011	1,017.31	105.9	199.2	0.00
12/27/2011	1,017.04	82.3	140.5	0.30
12/28/2011	1,017.85	275.1	83.5	0.47
12/29/2011	1,017.68	214.8	251.5	0.00
12/30/2011	1,017.58	130.2	149.5	0.00
12/31/2011	1,017.43	95.0	140.6	0.00