



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/1983	665.50	300.0	2,497.5	0.00
1/2/1983	665.30	1,000.0	887.5	0.00
1/3/1983	665.01	500.0	1,600.0	0.00
1/4/1983	664.05	818.0	2,199.5	0.00
1/5/1983	664.09	817.0	638.1	0.00
1/6/1983	664.13	547.0	411.0	0.00
1/7/1983	664.15	547.0	411.0	0.00
1/8/1983	664.18	547.0	411.6	0.10
1/9/1983	664.20	547.0	412.0	0.06
1/10/1983	664.23	548.0	412.0	0.00
1/11/1983	664.26	548.0	412.1	0.11
1/12/1983	664.28	548.0	413.0	0.00
1/13/1983	664.28	413.0	413.0	0.00
1/14/1983	664.29	413.0	413.0	0.00
1/15/1983	664.28	413.0	413.0	0.00
1/16/1983	664.28	413.0	413.0	0.00
1/17/1983	664.27	413.0	413.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/1983	664.24	412.0	412.6	0.00
1/19/1983	664.22	412.0	412.0	0.00
1/20/1983	664.17	276.0	412.0	0.00
1/21/1983	664.16	547.0	411.5	0.23
1/22/1983	664.45	1,634.0	412.5	0.40
1/23/1983	665.33	3,327.0	417.6	0.11
1/24/1983	665.67	4,286.0	1,185.3	0.00
1/25/1983	665.72	1,522.0	1,520.9	0.00
1/26/1983	665.36	1,066.0	2,416.0	0.00
1/27/1983	664.87	951.0	2,719.9	0.00
1/28/1983	664.53	716.0	2,061.9	0.00
1/29/1983	664.23	705.0	1,794.9	0.26
1/30/1983	664.18	1,188.0	1,338.1	0.00
1/31/1983	664.18	1,188.0	1,188.0	0.00
2/1/1983	664.12	916.0	1,187.4	0.79
2/2/1983	664.34	2,409.0	1,187.5	0.21
2/3/1983	666.08	7,322.0	1,198.3	0.02
2/4/1983	666.53	3,301.0	2,065.6	0.00
2/5/1983	666.43	1,889.0	2,454.4	0.15
2/6/1983	666.18	1,601.0	2,450.6	0.05
2/7/1983	665.92	1,888.0	2,445.0	0.00
2/8/1983	665.67	1,606.0	2,439.0	0.00
2/9/1983	665.31	77.0	2,433.1	0.00
2/10/1983	664.90	567.0	2,424.3	0.74
2/11/1983	664.80	2,134.0	2,409.3	0.00
2/12/1983	665.24	3,808.0	2,414.1	0.00
2/13/1983	665.30	2,565.0	2,426.1	0.00
2/14/1983	665.15	1,870.0	2,425.9	0.00
2/15/1983	664.88	1,600.0	2,420.1	0.00
2/16/1983	664.52	1,165.0	2,400.0	0.00
2/17/1983	664.23	1,111.0	2,072.5	0.00
2/18/1983	664.13	916.0	1,362.3	0.00
2/19/1983	664.09	766.0	967.6	0.00
2/20/1983	664.08	630.0	766.0	0.00
2/21/1983	664.04	630.0	765.9	0.00
2/22/1983	664.04	546.0	572.9	0.37
2/23/1983	664.13	818.0	410.9	0.00
2/24/1983	664.21	412.0	411.4	0.04
2/25/1983	664.28	819.0	412.1	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/1983	664.32	549.0	413.0	0.00
2/27/1983	664.34	549.0	413.0	0.00
2/28/1983	664.34	278.0	413.0	0.00
3/1/1983	664.36	414.0	413.6	0.00
3/2/1983	664.37	414.0	414.0	0.00
3/3/1983	664.38	549.0	414.0	0.00
3/4/1983	664.37	414.0	414.0	0.00
3/5/1983	664.37	414.0	414.0	0.41
3/6/1983	664.40	685.0	414.0	0.00
3/7/1983	664.50	821.0	414.4	0.00
3/8/1983	664.42	785.0	965.4	0.00
3/9/1983	664.42	769.0	865.9	0.00
3/10/1983	664.46	686.0	510.1	0.00
3/11/1983	664.56	510.0	200.8	0.00
3/12/1983	664.66	510.0	104.0	0.00
3/13/1983	664.77	375.0	104.0	0.00
3/14/1983	664.84	375.0	104.0	0.00
3/15/1983	664.92	104.0	104.0	0.00
3/16/1983	664.98	375.0	104.0	0.00
3/17/1983	665.05	336.0	71.1	0.10
3/18/1983	665.14	336.0	59.0	0.00
3/19/1983	665.21	198.0	59.0	0.00
3/20/1983	665.29	336.0	59.0	0.25
3/21/1983	665.39	336.0	59.0	0.00
3/22/1983	665.52	474.0	59.0	0.00
3/23/1983	665.69	613.0	59.1	0.00
3/24/1983	665.75	284.0	60.0	0.00
3/25/1983	665.81	475.0	60.0	0.00
3/26/1983	665.89	336.0	60.0	0.53
3/27/1983	666.02	1,034.0	60.0	0.00
3/28/1983	666.17	625.0	60.0	0.00
3/29/1983	666.32	342.0	60.0	0.00
3/30/1983	666.43	484.0	60.0	0.12
3/31/1983	666.54	484.0	60.0	0.00
4/1/1983	666.66	484.0	60.0	0.00
4/2/1983	666.79	613.0	49.5	0.30
4/3/1983	666.98	754.0	48.4	0.00
4/4/1983	667.26	1,056.0	49.0	0.00
4/5/1983	667.51	913.0	49.0	0.04

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/6/1983	667.75	913.0	49.0	0.00
4/7/1983	667.98	769.0	49.0	0.60
4/8/1983	668.44	1,956.0	49.4	0.53
4/9/1983	669.15	3,171.0	50.0	0.29
4/10/1983	670.85	6,290.0	50.6	0.00
4/11/1983	671.59	2,377.0	51.9	0.00
4/12/1983	672.12	1,473.0	52.0	0.00
4/13/1983	672.45	1,158.0	52.0	0.04
4/14/1983	672.74	0.0	52.6	0.71
4/15/1983	673.22	17,799.0	53.0	0.00
4/16/1983	673.75	0.0	53.1	0.00
4/17/1983	674.04	1,192.0	53.1	0.00
4/18/1983	674.28	1,201.0	53.4	0.00
4/19/1983	674.49	709.0	54.0	0.00
4/20/1983	674.64	873.0	54.0	0.00
4/21/1983	674.78	546.0	54.0	0.00
4/22/1983	674.88	546.0	54.0	0.00
4/23/1983	675.00	874.0	54.0	1.80
4/24/1983	676.65	11,125.0	54.1	0.00
4/25/1983	678.27	8,652.0	55.0	0.00
4/26/1983	678.47	2,780.0	1,663.4	0.00
4/27/1983	678.34	1,716.0	2,425.3	0.00
4/28/1983	677.95	953.0	2,915.9	2.97
4/29/1983	678.70	14,569.0	3,057.9	1.53
4/30/1983	684.73	30,178.0	1,008.0	0.28
5/1/1983	687.27	10,942.0	59.5	0.00
5/2/1983	687.97	6,183.0	1,859.0	0.65
5/3/1983	688.15	4,123.0	3,092.3	0.78
5/4/1983	689.86	16,560.0	1,171.6	0.00
5/5/1983	690.49	4,592.0	2,145.6	0.00
5/6/1983	690.14	1,871.0	4,360.1	0.00
5/7/1983	689.59	672.0	4,563.8	0.36
5/8/1983	689.02	893.0	4,549.9	0.00
5/9/1983	688.57	862.0	4,536.3	0.00
5/10/1983	687.96	1,556.0	4,521.8	0.00
5/11/1983	687.26	481.0	4,505.8	0.12
5/12/1983	686.58	338.0	4,488.1	1.40
5/13/1983	686.41	5,878.0	4,117.6	0.07
5/14/1983	687.96	15,041.0	3,822.3	1.53

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/15/1983	689.13	9,540.0	3,857.4	1.68
5/16/1983	693.15	30,108.0	2,841.4	0.00
5/17/1983	697.07	21,957.0	589.9	0.00
5/18/1983	697.82	3,446.0	278.6	2.16
5/19/1983	698.72	9,473.0	483.9	0.38
5/20/1983	700.60	16,166.0	283.0	0.28
5/21/1983	701.32	4,642.0	285.6	0.83
5/22/1983	702.45	10,101.0	287.4	0.31
5/23/1983	703.79	10,743.0	981.5	0.00
5/24/1983	703.85	3,027.0	3,063.3	0.00
5/25/1983	703.33	1,324.0	5,486.8	0.00
5/26/1983	702.73	588.0	5,581.1	0.00
5/27/1983	702.10	87.0	5,563.5	0.00
5/28/1983	701.39	306.0	5,543.6	0.27
5/29/1983	700.71	15.0	5,523.5	0.00
5/30/1983	699.98	402.0	5,502.6	0.00
5/31/1983	699.23	0.0	5,481.3	0.00
6/1/1983	698.38	118.0	5,457.9	0.00
6/2/1983	697.64	20.0	5,435.0	0.00
6/3/1983	697.12	853.0	4,074.8	0.96
6/4/1983	697.05	4,413.0	3,357.9	0.12
6/5/1983	697.17	2,569.0	3,360.6	0.00
6/6/1983	696.85	779.0	3,358.5	0.00
6/7/1983	696.44	256.0	3,350.9	0.00
6/8/1983	696.00	401.0	3,341.9	0.00
6/9/1983	695.53	58.0	3,332.0	0.00
6/10/1983	694.98	480.0	3,654.9	0.00
6/11/1983	694.37	1.0	3,990.0	0.00
6/12/1983	693.75	0.0	3,978.1	0.00
6/13/1983	693.13	1,040.0	3,965.5	0.00
6/14/1983	692.52	357.0	3,953.3	0.00
6/15/1983	691.73	0.0	4,416.8	0.00
6/16/1983	690.84	42.0	4,954.0	0.07
6/17/1983	690.03	0.0	5,237.6	0.28
6/18/1983	689.00	134.0	5,213.9	0.44
6/19/1983	688.12	117.0	5,186.8	0.17
6/20/1983	687.23	9.0	5,159.6	0.00
6/21/1983	686.23	144.0	5,131.5	0.00
6/22/1983	685.23	0.0	5,102.4	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/23/1983	684.20	0.0	5,071.6	0.00
6/24/1983	683.19	0.0	4,880.9	0.00
6/25/1983	682.42	136.0	3,861.4	0.00
6/26/1983	681.72	0.0	3,381.0	0.00
6/27/1983	681.03	160.0	3,366.6	0.72
6/28/1983	680.36	0.0	3,351.5	0.00
6/29/1983	679.64	196.0	3,337.0	0.00
6/30/1983	678.73	0.0	4,012.0	0.00
7/1/1983	677.75	0.0	4,330.5	0.00
7/2/1983	676.76	1,024.0	4,284.4	0.00
7/3/1983	676.15	73.0	2,957.1	0.07
7/4/1983	675.80	330.0	1,766.0	0.95
7/5/1983	675.59	828.0	1,665.1	0.00
7/6/1983	675.64	1,664.0	1,663.8	0.00
7/7/1983	675.56	519.0	1,033.9	0.00
7/8/1983	675.42	184.0	853.0	0.00
7/9/1983	675.27	183.0	852.1	0.00
7/10/1983	675.12	183.0	851.1	0.00
7/11/1983	675.01	126.0	622.9	0.00
7/12/1983	674.96	57.0	351.0	0.00
7/13/1983	674.95	47.0	115.0	0.00
7/14/1983	674.94	47.0	78.0	0.00
7/15/1983	674.93	0.0	78.0	0.00
7/16/1983	674.91	16.0	61.0	0.00
7/17/1983	674.90	16.0	54.0	0.00
7/18/1983	674.89	16.0	54.0	0.00
7/19/1983	674.88	54.0	54.0	0.00
7/20/1983	674.95	382.0	54.0	0.00
7/21/1983	674.96	0.0	54.0	0.00
7/22/1983	674.94	16.0	54.0	0.00
7/23/1983	674.93	16.0	54.0	0.00
7/24/1983	674.91	0.0	54.0	0.00
7/25/1983	674.90	54.0	54.0	0.22
7/26/1983	674.90	0.0	54.0	0.00
7/27/1983	674.87	16.0	54.0	0.00
7/28/1983	674.85	0.0	54.0	0.00
7/29/1983	674.81	0.0	54.0	0.00
7/30/1983	674.79	0.0	54.0	0.00
7/31/1983	674.76	0.0	54.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
8/1/1983	674.72	0.0	54.0	0.00
8/2/1983	674.69	0.0	54.0	0.00
8/3/1983	674.67	0.0	54.0	0.00
8/4/1983	674.63	0.0	54.0	0.57
8/5/1983	674.62	54.0	54.0	0.16
8/6/1983	674.66	0.0	54.0	0.00
8/7/1983	674.63	0.0	54.0	0.00
8/8/1983	674.61	0.0	54.0	0.00
8/9/1983	674.58	0.0	54.0	0.00
8/10/1983	674.55	0.0	54.0	0.00
8/11/1983	674.51	115.0	54.0	0.67
8/12/1983	674.56	341.0	54.0	0.00
8/13/1983	674.54	0.0	54.0	0.00
8/14/1983	674.51	0.0	54.0	0.00
8/15/1983	674.48	0.0	54.0	0.00
8/16/1983	674.45	0.0	54.0	0.00
8/17/1983	674.43	0.0	54.0	0.00
8/18/1983	674.40	0.0	54.0	0.00
8/19/1983	674.37	15.0	54.0	0.00
8/20/1983	674.36	0.0	54.0	0.00
8/21/1983	674.36	0.0	54.0	0.00
8/22/1983	674.31	0.0	54.0	0.00
8/23/1983	674.30	0.0	54.0	0.00
8/24/1983	674.26	0.0	54.0	0.00
8/25/1983	674.24	0.0	54.0	0.00
8/26/1983	674.21	0.0	54.0	0.00
8/27/1983	674.18	0.0	54.0	0.14
8/28/1983	674.18	0.0	53.8	0.06
8/29/1983	674.13	0.0	53.1	0.00
8/30/1983	674.11	0.0	53.0	0.00
8/31/1983	674.10	0.0	53.0	0.00
9/1/1983	674.03	0.0	53.0	0.00
9/2/1983	674.02	0.0	53.0	0.00
9/3/1983	674.00	0.0	53.0	0.00
9/4/1983	673.97	0.0	53.0	0.00
9/5/1983	673.95	0.0	53.0	0.00
9/6/1983	673.91	0.0	53.0	0.00
9/7/1983	673.88	0.0	53.0	0.00
9/8/1983	673.85	0.0	53.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/9/1983	673.82	0.0	53.0	0.00
9/10/1983	673.78	0.0	53.0	0.00
9/11/1983	673.75	0.0	53.0	0.00
9/12/1983	673.73	16.0	53.0	0.10
9/13/1983	673.73	0.0	53.0	0.00
9/14/1983	673.69	0.0	53.0	0.00
9/15/1983	673.65	0.0	53.0	0.00
9/16/1983	673.61	0.0	53.0	0.00
9/17/1983	673.58	0.0	53.0	0.00
9/18/1983	673.55	0.0	53.0	0.00
9/19/1983	673.50	0.0	53.0	0.00
9/20/1983	673.48	15.0	53.0	0.30
9/21/1983	673.46	0.0	53.0	0.00
9/22/1983	673.43	0.0	53.0	0.00
9/23/1983	673.38	0.0	53.0	0.00
9/24/1983	673.35	0.0	53.0	0.00
9/25/1983	673.31	0.0	53.0	0.00
9/26/1983	673.28	0.0	53.0	0.00
9/27/1983	673.26	0.0	53.0	0.00
9/28/1983	673.23	0.0	53.0	0.00
9/29/1983	673.20	0.0	53.0	0.00
9/30/1983	673.16	0.0	53.0	0.00
10/1/1983	673.13	0.0	53.0	0.00
10/2/1983	673.10	0.0	53.0	0.00
10/3/1983	673.07	0.0	53.0	0.00
10/4/1983	673.04	43.0	53.0	0.50
10/5/1983	673.08	133.0	53.0	0.00
10/6/1983	673.05	0.0	53.0	0.00
10/7/1983	673.02	0.0	53.0	0.00
10/8/1983	672.99	0.0	53.0	0.00
10/9/1983	672.96	0.0	53.0	0.00
10/10/1983	672.93	0.0	53.0	0.00
10/11/1983	672.91	0.0	53.0	0.00
10/12/1983	672.88	151.0	53.0	2.02
10/13/1983	673.07	2,284.0	53.0	0.14
10/14/1983	673.10	214.0	53.0	0.00
10/15/1983	673.10	15.0	53.0	0.00
10/16/1983	673.09	0.0	53.0	0.00
10/17/1983	673.07	49.0	53.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/18/1983	673.02	125.0	236.8	0.11
10/19/1983	672.97	108.0	305.0	0.00
10/20/1983	672.90	29.0	305.0	0.00
10/21/1983	672.85	147.0	305.0	0.18
10/22/1983	672.71	126.0	644.9	2.62
10/23/1983	672.92	1,548.0	758.1	0.03
10/24/1983	673.00	917.0	759.0	0.00
10/25/1983	672.86	509.0	1,056.1	0.00
10/26/1983	672.66	507.0	1,139.3	0.00
10/27/1983	672.43	189.0	1,137.3	0.00
10/28/1983	672.20	187.0	1,135.3	0.00
10/29/1983	671.95	199.0	1,132.8	0.00
10/30/1983	671.70	54.0	1,130.6	0.00
10/31/1983	671.46	27.0	1,128.3	0.00
11/1/1983	671.34	63.0	679.3	0.00
11/2/1983	671.28	128.0	228.3	0.35
11/3/1983	671.11	504.0	949.4	0.03
11/4/1983	670.83	27.0	1,122.6	0.00
11/5/1983	670.60	358.0	1,120.0	0.00
11/6/1983	670.35	13.0	1,117.8	0.00
11/7/1983	670.10	49.0	1,115.6	0.00
11/8/1983	669.85	66.0	1,112.9	0.00
11/9/1983	669.51	209.0	1,426.8	0.00
11/10/1983	669.15	203.0	1,551.6	0.48
11/11/1983	668.84	1.0	1,545.6	0.06
11/12/1983	668.48	104.0	1,539.4	0.00
11/13/1983	668.13	138.0	1,532.6	0.00
11/14/1983	667.78	72.0	1,526.5	0.83
11/15/1983	667.49	797.0	1,519.5	0.22
11/16/1983	667.30	937.0	1,515.0	0.07
11/17/1983	667.09	790.0	1,511.0	0.00
11/18/1983	666.81	375.0	1,506.9	0.00
11/19/1983	666.49	87.0	1,501.6	0.21
11/20/1983	666.26	788.0	1,496.1	0.30
11/21/1983	665.93	519.0	1,491.3	0.00
11/22/1983	665.73	363.0	1,175.9	0.00
11/23/1983	665.55	499.0	1,054.0	0.54
11/24/1983	665.78	3,268.0	1,053.0	0.00
11/25/1983	666.12	1,625.0	1,057.6	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/26/1983	665.92	694.0	1,647.9	0.00
11/27/1983	665.58	548.0	1,797.0	1.87
11/28/1983	666.40	11,877.0	1,793.4	0.00
11/29/1983	668.65	6,548.0	1,831.1	0.00
11/30/1983	668.51	624.0	2,712.5	0.00
12/1/1983	667.97	4,373.0	3,088.3	0.00
12/2/1983	667.35	1,190.0	3,070.0	0.47
12/3/1983	666.78	1,067.0	3,052.3	1.20
12/4/1983	667.43	9,535.0	2,195.9	0.00
12/5/1983	669.11	3,922.0	1,529.4	0.00
12/6/1983	669.45	2,921.0	1,541.5	0.09
12/7/1983	669.52	2,979.0	2,667.4	0.00
12/8/1983	669.13	708.0	3,345.0	0.00
12/9/1983	668.60	741.0	3,389.0	0.16
12/10/1983	667.83	483.0	3,858.1	0.00
12/11/1983	667.06	1,478.0	3,940.3	0.86
12/12/1983	666.44	2,064.0	3,911.1	0.00
12/13/1983	666.32	2,463.0	3,227.1	0.00
12/14/1983	665.98	1,611.0	3,023.4	0.00
12/15/1983	665.57	1,068.0	3,011.9	0.00
12/16/1983	665.10	1,191.0	2,997.6	0.00
12/17/1983	664.59	939.0	2,981.8	0.00
12/18/1983	664.10	600.0	2,641.5	0.00
12/19/1983	664.02	625.0	1,256.4	0.09
12/20/1983	664.02	676.0	816.6	0.00
12/21/1983	663.99	338.0	650.4	0.50
12/22/1983	664.06	1,354.0	394.1	0.00
12/23/1983	664.76	3,261.0	680.4	0.00
12/24/1983	665.12	1,659.0	688.5	0.00
12/25/1983	665.23	831.0	691.9	0.00
12/26/1983	665.21	554.0	692.0	0.00
12/27/1983	665.12	632.0	932.4	0.47
12/28/1983	665.06	1,046.0	1,046.1	0.11
12/29/1983	665.58	3,957.0	1,047.6	0.00
12/30/1983	665.70	1,242.0	1,578.9	0.00
12/31/1983	665.45	545.0	1,793.4	0.00