



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/1990	669.37	12,383.0	428.8	0.00
1/2/1990	670.65	3,292.0	1,061.0	0.00
1/3/1990	670.71	1,976.0	1,935.6	0.03
1/4/1990	670.61	2,298.0	2,241.3	0.36
1/5/1990	670.59	2,577.0	2,698.6	0.00
1/6/1990	670.25	1,856.0	3,319.1	0.00
1/7/1990	669.74	1,380.0	3,426.4	0.00
1/8/1990	669.15	1,131.0	3,410.6	0.00
1/9/1990	668.49	685.0	3,392.6	0.00
1/10/1990	667.78	676.0	3,372.0	0.00
1/11/1990	667.05	547.0	3,350.3	0.00
1/12/1990	666.25	632.0	3,327.0	0.00
1/13/1990	665.58	288.0	2,905.8	0.00
1/14/1990	665.04	229.0	2,402.0	0.00
1/15/1990	664.57	480.0	2,118.1	0.00
1/16/1990	664.23	409.0	1,682.9	0.00
1/17/1990	664.08	667.0	984.9	0.95

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/1990	664.34	2,175.0	519.3	0.00
1/19/1990	664.87	1,971.0	658.3	0.29
1/20/1990	664.98	3,097.0	1,295.3	0.57
1/21/1990	666.25	7,314.0	1,515.0	0.00
1/22/1990	667.06	3,286.0	1,975.5	0.00
1/23/1990	666.99	1,894.0	2,592.4	0.00
1/24/1990	666.68	1,575.0	2,763.9	0.01
1/25/1990	666.27	1,338.0	2,754.4	0.07
1/26/1990	665.81	1,127.0	2,743.0	0.00
1/27/1990	665.32	1,036.0	2,731.0	0.00
1/28/1990	665.03	949.0	1,928.8	1.03
1/29/1990	664.75	7,143.0	2,387.0	0.99
1/30/1990	668.27	13,546.0	2,423.8	0.00
1/31/1990	669.65	3,508.0	2,642.5	0.00
2/1/1990	669.46	2,252.0	3,243.9	0.00
2/2/1990	669.38	2,388.0	2,473.8	1.19
2/3/1990	669.58	11,091.0	1,903.4	1.41
2/4/1990	675.58	24,702.0	870.5	0.43
2/5/1990	679.08	6,940.0	291.9	0.00
2/6/1990	679.89	3,389.0	238.8	0.00
2/7/1990	679.85	1,977.0	2,287.5	0.08
2/8/1990	679.61	1,657.0	3,036.0	0.00
2/9/1990	679.25	2,801.0	3,030.1	2.28
2/10/1990	680.25	17,064.0	3,028.0	0.22
2/11/1990	684.28	9,900.0	1,141.6	0.00
2/12/1990	685.00	3,018.0	493.6	0.00
2/13/1990	684.77	1,954.0	2,968.5	0.00
2/14/1990	684.32	1,350.0	3,766.0	0.00
2/15/1990	683.82	1,454.0	3,755.3	0.91
2/16/1990	684.25	8,116.0	1,676.6	0.11
2/17/1990	685.46	5,551.0	1,717.8	0.00
2/18/1990	685.33	2,227.0	3,424.5	0.00
2/19/1990	684.80	1,674.0	4,294.5	0.00
2/20/1990	684.17	1,090.0	4,432.4	0.00
2/21/1990	683.48	813.0	4,428.9	0.00
2/22/1990	683.09	1,114.0	3,192.5	0.00
2/23/1990	682.76	837.0	2,445.4	0.00
2/24/1990	682.05	787.0	3,923.4	0.00
2/25/1990	681.22	610.0	4,415.4	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/1990	680.38	938.0	4,410.4	0.00
2/27/1990	679.50	0.0	4,403.3	0.07
2/28/1990	678.62	123.0	4,368.3	0.00
3/1/1990	677.75	415.0	4,327.1	0.05
3/2/1990	676.89	545.0	4,287.0	0.40
3/3/1990	676.23	1,010.0	3,681.8	0.00
3/4/1990	675.68	825.0	3,255.6	0.00
3/5/1990	675.05	510.0	3,244.0	0.00
3/6/1990	674.87	644.0	1,733.9	0.00
3/7/1990	674.81	623.0	849.0	0.00
3/8/1990	674.73	492.0	848.4	0.00
3/9/1990	674.36	724.0	1,875.1	0.00
3/10/1990	673.70	659.0	3,015.6	0.11
3/11/1990	673.33	3,363.0	3,509.3	0.02
3/12/1990	672.88	1,281.0	3,501.3	0.00
3/13/1990	672.26	981.0	3,488.4	0.00
3/14/1990	671.57	790.0	3,473.0	0.00
3/15/1990	671.03	800.0	2,922.8	0.53
3/16/1990	670.71	2,596.0	2,550.6	0.86
3/17/1990	670.93	3,250.0	2,225.1	0.01
3/18/1990	671.30	2,769.0	1,932.3	0.00
3/19/1990	671.33	1,917.0	1,935.9	0.25
3/20/1990	671.31	1,683.0	1,936.0	0.00
3/21/1990	671.32	1,443.0	1,579.5	0.00
3/22/1990	671.37	1,096.0	1,046.4	0.00
3/23/1990	671.42	922.0	825.0	0.00
3/24/1990	671.43	961.0	825.0	0.25
3/25/1990	671.46	980.0	825.0	0.05
3/26/1990	671.50	922.0	825.0	0.00
3/27/1990	671.50	801.0	825.0	0.00
3/28/1990	671.57	740.0	535.9	0.00
3/29/1990	671.63	644.0	450.0	0.00
3/30/1990	671.69	872.0	450.0	0.31
3/31/1990	672.08	2,454.0	204.8	0.13
4/1/1990	672.54	1,721.0	102.9	0.00
4/2/1990	672.90	1,390.0	103.0	0.00
4/3/1990	673.16	988.0	103.9	0.00
4/4/1990	673.34	747.0	104.0	0.00
4/5/1990	673.51	808.0	104.0	0.04

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/6/1990	673.64	728.0	104.0	0.30
4/7/1990	673.84	788.0	104.4	0.00
4/8/1990	674.03	818.0	105.0	0.00
4/9/1990	674.16	597.0	105.0	0.00
4/10/1990	674.23	269.0	105.0	0.42
4/11/1990	674.47	1,109.0	105.0	0.00
4/12/1990	674.72	987.0	105.4	0.00
4/13/1990	674.89	700.0	106.0	0.00
4/14/1990	675.01	854.0	106.0	0.42
4/15/1990	675.30	1,634.0	106.0	0.00
4/16/1990	675.70	1,447.0	163.5	0.00
4/17/1990	675.84	1,306.0	660.4	0.07
4/18/1990	675.76	966.0	1,398.9	0.00
4/19/1990	675.61	932.0	1,560.8	0.00
4/20/1990	675.41	783.0	1,662.4	0.00
4/21/1990	675.19	796.0	1,659.4	0.04
4/22/1990	675.14	746.0	1,086.4	0.00
4/23/1990	675.08	632.0	851.0	0.00
4/24/1990	675.08	481.0	573.9	0.00
4/25/1990	675.09	439.0	460.0	0.00
4/26/1990	675.08	419.0	460.0	0.00
4/27/1990	675.06	394.0	460.0	0.00
4/28/1990	675.06	337.0	298.5	0.27
4/29/1990	675.12	358.0	232.0	0.12
4/30/1990	675.14	358.0	232.0	0.00
5/1/1990	675.15	734.0	232.0	0.37
5/2/1990	675.46	1,375.0	232.6	0.13
5/3/1990	675.60	1,144.0	672.4	0.00
5/4/1990	675.48	939.0	1,261.0	0.15
5/5/1990	675.36	1,022.0	1,461.1	0.00
5/6/1990	675.22	874.0	1,460.0	0.00
5/7/1990	675.05	707.0	1,458.4	0.00
5/8/1990	675.00	410.0	851.5	0.00
5/9/1990	674.99	372.0	439.0	0.32
5/10/1990	675.00	474.0	372.0	0.05
5/11/1990	675.01	435.0	372.0	0.00
5/12/1990	674.98	249.0	372.0	0.06
5/13/1990	675.00	353.0	271.5	0.06
5/14/1990	675.02	333.0	230.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/15/1990	675.02	1,229.0	227.3	1.70
5/16/1990	675.95	6,131.0	226.5	0.10
5/17/1990	676.67	5,383.0	674.4	0.85
5/18/1990	677.27	3,010.0	2,562.5	0.00
5/19/1990	676.86	1,117.0	3,594.0	0.00
5/20/1990	676.24	933.0	3,582.5	0.51
5/21/1990	675.79	1,212.0	3,100.8	0.18
5/22/1990	675.45	869.0	2,511.0	0.19
5/23/1990	675.23	910.0	1,962.6	0.00
5/24/1990	675.14	627.0	1,229.1	0.00
5/25/1990	675.12	481.0	647.4	0.00
5/26/1990	675.13	481.0	460.1	0.30
5/27/1990	675.17	1,004.0	460.5	0.94
5/28/1990	675.50	5,678.0	461.1	1.07
5/29/1990	677.14	4,015.0	465.0	0.00
5/30/1990	677.24	1,851.0	1,726.6	0.00
5/31/1990	676.99	1,030.0	2,349.8	0.00
6/1/1990	676.52	763.0	2,796.4	0.00
6/2/1990	675.95	823.0	2,973.3	0.93
6/3/1990	675.66	2,138.0	2,513.8	0.24
6/4/1990	675.60	1,656.0	2,325.1	0.00
6/5/1990	675.30	846.0	2,322.9	0.00
6/6/1990	675.17	518.0	1,318.1	0.26
6/7/1990	675.22	1,839.0	596.5	0.36
6/8/1990	675.51	1,795.0	1,068.0	0.00
6/9/1990	675.35	986.0	1,771.8	0.14
6/10/1990	675.27	664.0	1,206.4	0.00
6/11/1990	675.16	431.0	851.4	0.00
6/12/1990	675.14	260.0	438.6	0.00
6/13/1990	675.14	240.0	260.0	0.00
6/14/1990	675.13	365.0	260.0	1.15
6/15/1990	675.19	532.0	260.1	0.00
6/16/1990	675.28	386.0	261.0	0.00
6/17/1990	675.29	261.0	261.0	0.00
6/18/1990	675.28	94.0	261.0	0.04
6/19/1990	675.25	219.0	261.0	0.00
6/20/1990	675.22	62.0	261.0	0.00
6/21/1990	675.17	93.0	260.9	0.00
6/22/1990	675.14	260.0	260.0	0.75

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/23/1990	675.14	198.0	260.0	0.00
6/24/1990	675.10	98.0	260.0	0.00
6/25/1990	675.08	2.0	169.5	0.00
6/26/1990	675.06	28.0	132.0	0.00
6/27/1990	675.03	0.0	96.3	0.00
6/28/1990	675.02	0.0	66.0	0.00
6/29/1990	675.00	30.0	66.0	0.00
6/30/1990	674.99	0.0	66.0	0.00
7/1/1990	674.96	30.0	66.0	0.00
7/2/1990	674.94	0.0	66.0	0.00
7/3/1990	674.92	0.0	66.0	0.00
7/4/1990	674.89	0.0	66.0	0.00
7/5/1990	674.86	0.0	66.0	0.00
7/6/1990	674.84	0.0	53.5	0.00
7/7/1990	674.80	0.0	77.1	0.00
7/8/1990	674.77	0.0	105.0	0.00
7/9/1990	674.72	0.0	105.0	0.00
7/10/1990	674.68	0.0	105.0	0.08
7/11/1990	674.65	187.0	105.0	0.70
7/12/1990	674.73	863.0	105.0	2.24
7/13/1990	674.98	1,133.0	105.0	1.13
7/14/1990	675.13	941.0	105.0	0.05
7/15/1990	675.35	962.0	105.0	0.00
7/16/1990	675.43	356.0	105.1	0.00
7/17/1990	675.45	106.0	106.0	0.00
7/18/1990	675.45	65.0	106.0	0.00
7/19/1990	675.44	57.0	93.5	0.00
7/20/1990	675.43	43.0	82.8	0.00
7/21/1990	675.40	1.0	105.6	0.28
7/22/1990	675.40	147.0	105.0	0.80
7/23/1990	675.43	189.0	105.1	0.00
7/24/1990	675.42	0.0	106.0	0.00
7/25/1990	675.39	0.0	105.1	0.00
7/26/1990	675.35	0.0	105.0	0.00
7/27/1990	675.32	0.0	105.0	0.00
7/28/1990	675.29	0.0	105.0	0.00
7/29/1990	675.25	0.0	105.0	0.00
7/30/1990	675.21	1.0	105.0	0.18
7/31/1990	675.20	0.0	105.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
8/1/1990	675.15	0.0	105.0	0.00
8/2/1990	675.11	0.0	105.0	0.00
8/3/1990	675.08	0.0	105.0	0.00
8/4/1990	675.04	1.0	105.0	0.61
8/5/1990	675.03	168.0	105.0	1.51
8/6/1990	675.07	127.0	105.0	0.00
8/7/1990	675.05	0.0	71.4	0.00
8/8/1990	675.03	0.0	50.0	0.00
8/9/1990	675.00	81.0	50.0	0.63
8/10/1990	675.02	196.0	50.0	0.32
8/11/1990	675.04	92.0	50.0	0.15
8/12/1990	675.06	50.0	50.0	0.00
8/13/1990	675.06	71.0	50.0	0.10
8/14/1990	675.07	11.0	50.0	0.00
8/15/1990	675.06	50.0	50.0	0.00
8/16/1990	675.05	0.0	50.0	0.00
8/17/1990	675.03	11.0	50.0	0.00
8/18/1990	675.02	0.0	50.0	0.00
8/19/1990	675.00	0.0	50.0	0.00
8/20/1990	674.98	50.0	50.0	0.00
8/21/1990	674.98	50.0	50.0	0.57
8/22/1990	674.98	70.0	50.0	0.00
8/23/1990	675.00	91.0	50.0	0.00
8/24/1990	674.99	11.0	50.0	0.00
8/25/1990	674.98	0.0	50.0	0.00
8/26/1990	674.96	11.0	50.0	0.00
8/27/1990	674.95	11.0	50.0	0.00
8/28/1990	674.93	0.0	50.0	0.00
8/29/1990	674.91	0.0	50.0	0.24
8/30/1990	674.90	0.0	50.0	0.00
8/31/1990	674.88	0.0	50.0	0.00
9/1/1990	674.85	0.0	50.0	0.00
9/2/1990	674.83	0.0	50.0	0.00
9/3/1990	674.81	0.0	50.0	0.00
9/4/1990	674.78	0.0	50.0	0.00
9/5/1990	674.75	0.0	50.0	0.00
9/6/1990	674.73	0.0	37.5	0.00
9/7/1990	674.71	70.0	50.0	0.35
9/8/1990	674.73	91.0	50.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/9/1990	674.74	275.0	50.0	0.78
9/10/1990	674.75	11.0	50.0	0.00
9/11/1990	674.74	11.0	50.0	0.00
9/12/1990	674.73	91.0	50.0	0.39
9/13/1990	674.75	50.0	50.0	0.00
9/14/1990	674.75	11.0	50.0	0.00
9/15/1990	674.73	1.0	50.0	0.00
9/16/1990	674.72	0.0	50.0	0.00
9/17/1990	674.71	0.0	50.0	0.00
9/18/1990	674.69	11.0	50.0	0.00
9/19/1990	674.67	9.0	50.0	0.21
9/20/1990	674.68	11.0	50.0	0.00
9/21/1990	674.66	193.0	50.0	1.73
9/22/1990	674.80	316.0	50.0	0.05
9/23/1990	674.85	275.0	50.0	0.00
9/24/1990	674.86	53.0	50.0	0.00
9/25/1990	674.84	0.0	108.0	0.00
9/26/1990	674.79	61.0	198.1	0.00
9/27/1990	674.74	5.0	225.0	0.00
9/28/1990	674.69	0.0	225.0	0.00
9/29/1990	674.65	0.0	130.1	0.00
9/30/1990	674.63	0.0	50.0	0.00
10/1/1990	674.61	0.0	50.0	0.00
10/2/1990	674.59	11.0	50.0	0.00
10/3/1990	674.57	0.0	50.0	0.00
10/4/1990	674.61	720.0	50.0	1.97
10/5/1990	674.66	221.0	190.4	0.00
10/6/1990	674.62	119.0	283.0	0.00
10/7/1990	674.58	57.0	283.0	0.00
10/8/1990	674.52	98.0	282.1	0.00
10/9/1990	674.52	590.0	282.0	0.57
10/10/1990	674.45	139.0	282.0	1.00
10/11/1990	674.47	98.0	282.0	0.00
10/12/1990	674.42	220.0	282.0	0.25
10/13/1990	674.45	528.0	282.0	0.02
10/14/1990	674.53	385.0	282.0	0.00
10/15/1990	674.53	279.0	282.0	0.00
10/16/1990	674.41	293.0	715.0	0.00
10/17/1990	674.24	148.0	845.4	0.49

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/18/1990	674.14	605.0	844.4	0.61
10/19/1990	673.96	581.0	1,201.4	0.00
10/20/1990	673.74	317.0	1,303.8	0.00
10/21/1990	673.49	335.0	1,301.4	0.00
10/22/1990	673.25	815.0	1,299.0	1.54
10/23/1990	673.33	1,668.0	1,298.0	0.00
10/24/1990	673.35	1,171.0	1,557.0	0.00
10/25/1990	673.12	709.0	1,632.4	0.06
10/26/1990	672.84	462.0	1,629.0	0.00
10/27/1990	672.53	419.0	1,625.0	0.00
10/28/1990	672.18	239.0	1,621.0	0.00
10/29/1990	671.85	316.0	1,617.0	0.00
10/30/1990	671.50	292.0	1,612.1	0.00
10/31/1990	671.14	292.0	1,607.6	0.00
11/1/1990	670.78	306.0	1,603.0	0.00
11/2/1990	670.41	207.0	1,598.1	0.00
11/3/1990	670.12	280.0	1,363.0	0.00
11/4/1990	669.84	292.0	1,264.9	0.00
11/5/1990	669.55	251.0	1,261.9	0.40
11/6/1990	669.30	274.0	1,258.0	0.00
11/7/1990	669.10	156.0	952.8	0.00
11/8/1990	668.91	165.0	807.3	0.00
11/9/1990	668.72	989.0	805.6	1.67
11/10/1990	669.35	4,993.0	805.6	0.63
11/11/1990	669.95	2,125.0	1,130.0	0.00
11/12/1990	669.93	1,028.0	1,494.9	0.00
11/13/1990	669.73	764.0	1,587.9	0.00
11/14/1990	669.47	517.0	1,584.0	0.00
11/15/1990	669.18	513.0	1,579.9	0.00
11/16/1990	668.87	325.0	1,575.0	0.18
11/17/1990	668.56	375.0	1,570.1	0.00
11/18/1990	668.24	444.0	1,565.0	0.00
11/19/1990	667.90	368.0	1,559.6	0.00
11/20/1990	667.56	363.0	1,554.4	0.00
11/21/1990	667.21	234.0	1,548.8	0.00
11/22/1990	666.84	498.0	1,543.3	0.90
11/23/1990	666.74	1,926.0	1,538.5	0.00
11/24/1990	666.76	1,308.0	1,538.0	0.00
11/25/1990	666.59	865.0	1,537.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/26/1990	666.36	682.0	1,534.0	0.00
11/27/1990	666.24	573.0	1,007.9	0.00
11/28/1990	666.18	873.0	784.6	0.56
11/29/1990	666.19	837.0	784.0	0.00
11/30/1990	666.17	693.0	784.3	0.00
12/1/1990	665.93	625.0	1,328.4	0.00
12/2/1990	665.63	742.0	1,523.0	1.12
12/3/1990	665.73	5,666.0	1,519.4	0.52
12/4/1990	667.88	7,294.0	1,534.8	0.00
12/5/1990	668.13	1,883.0	2,383.9	0.00
12/6/1990	667.78	1,239.0	2,793.5	0.00
12/7/1990	667.31	1,050.0	2,782.6	0.00
12/8/1990	666.76	695.0	2,769.6	0.00
12/9/1990	666.14	568.0	2,754.5	0.00
12/10/1990	665.49	462.0	2,738.1	0.00
12/11/1990	664.81	408.0	2,721.4	0.00
12/12/1990	664.40	404.0	1,950.1	0.00
12/13/1990	664.07	395.0	1,504.6	0.00
12/14/1990	664.03	398.0	641.0	0.06
12/15/1990	664.02	890.0	415.0	0.79
12/16/1990	664.53	3,186.0	415.8	0.00
12/17/1990	664.98	4,340.0	970.8	1.86
12/18/1990	666.70	16,750.0	1,849.3	1.63
12/19/1990	674.09	26,177.0	728.9	0.00
12/20/1990	678.04	6,174.0	324.8	0.09
12/21/1990	678.67	3,398.0	331.3	1.14
12/22/1990	679.96	12,042.0	333.1	1.02
12/23/1990	682.60	15,190.0	338.0	0.29
12/24/1990	685.47	10,774.0	343.8	0.01
12/25/1990	686.31	3,221.0	348.6	0.00
12/26/1990	686.47	2,012.0	1,411.1	0.00
12/27/1990	686.21	2,337.0	2,791.4	0.78
12/28/1990	686.52	9,203.0	3,660.8	0.28
12/29/1990	687.23	4,277.0	3,824.8	0.19
12/30/1990	687.12	5,361.0	3,827.8	2.15
12/31/1990	687.89	16,284.0	3,834.5	