



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/1992	664.88	1,068.0	2,121.0	0.00
1/2/1992	664.55	2,080.0	2,116.6	0.00
1/3/1992	666.23	15,683.0	1,791.4	0.00
1/4/1992	669.71	11,015.0	1,550.3	0.00
1/5/1992	670.82	4,037.0	1,591.5	0.00
1/6/1992	671.10	2,117.0	1,601.9	0.00
1/7/1992	670.85	1,531.0	2,472.0	0.00
1/8/1992	670.44	1,123.0	2,859.9	0.00
1/9/1992	669.95	906.0	2,850.5	0.00
1/10/1992	669.29	684.0	3,248.0	0.00
1/11/1992	668.57	448.0	3,396.3	0.00
1/12/1992	667.82	440.0	3,374.0	0.00
1/13/1992	667.00	829.0	3,350.6	0.00
1/14/1992	666.78	5,234.0	3,328.8	0.00
1/15/1992	666.95	2,821.0	3,331.3	0.00
1/16/1992	666.57	1,345.0	3,330.0	0.00
1/17/1992	666.00	1,081.0	3,315.9	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/1992	665.30	784.0	3,297.5	0.00
1/19/1992	664.55	606.0	3,276.8	0.00
1/20/1992	664.19	584.0	2,094.1	0.00
1/21/1992	664.21	755.0	748.0	0.00
1/22/1992	664.27	535.0	416.0	0.00
1/23/1992	664.31	689.0	416.0	0.00
1/24/1992	664.31	772.0	668.3	0.00
1/25/1992	664.31	2,046.0	772.0	0.00
1/26/1992	665.11	1,277.0	774.3	0.00
1/27/1992	665.17	918.0	776.0	0.00
1/28/1992	665.06	856.0	1,077.4	0.00
1/29/1992	664.93	742.0	1,200.4	0.00
1/30/1992	664.78	690.0	1,199.0	0.00
1/31/1992	664.58	553.0	1,197.6	0.00
2/1/1992	664.41	586.0	1,196.4	0.00
2/2/1992	664.20	476.0	1,195.0	0.00
2/3/1992	664.16	416.0	642.8	0.00
2/4/1992	664.16	399.0	416.0	0.00
2/5/1992	664.15	399.0	416.0	0.00
2/6/1992	664.13	260.0	416.0	0.00
2/7/1992	664.18	328.0	128.1	0.00
2/8/1992	664.26	278.0	57.0	0.00
2/9/1992	664.31	278.0	57.0	0.00
2/10/1992	664.35	193.0	57.0	0.00
2/11/1992	664.39	210.0	57.0	0.00
2/12/1992	664.44	295.0	57.0	0.00
2/13/1992	664.58	2,023.0	57.4	0.00
2/14/1992	665.80	3,948.0	58.1	0.00
2/15/1992	666.26	2,677.0	1,160.1	0.00
2/16/1992	666.59	2,506.0	1,532.1	0.00
2/17/1992	666.77	1,803.0	1,536.9	0.00
2/18/1992	666.76	1,358.0	1,538.0	0.00
2/19/1992	666.76	1,170.0	1,314.9	0.00
2/20/1992	666.71	885.0	1,222.9	0.00
2/21/1992	666.73	697.0	787.9	0.00
2/22/1992	666.73	573.0	609.0	0.00
2/23/1992	666.71	679.0	609.0	0.00
2/24/1992	666.76	785.0	609.0	0.00
2/25/1992	666.83	825.0	609.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/1992	667.05	1,643.0	198.6	0.00
2/27/1992	667.54	1,724.0	86.0	0.00
2/28/1992	667.92	1,136.0	86.9	0.00
2/29/1992	668.24	1,260.0	87.0	0.00
3/1/1992	668.49	894.0	87.0	0.00
3/2/1992	668.68	784.0	87.9	0.00
3/3/1992	668.85	638.0	88.0	0.00
3/4/1992	669.00	714.0	88.0	0.00
3/5/1992	669.12	555.0	88.0	0.00
3/6/1992	669.25	1,713.0	88.0	0.00
3/7/1992	670.51	7,740.0	88.4	0.00
3/8/1992	672.08	3,467.0	89.6	0.00
3/9/1992	672.31	2,153.0	1,140.5	0.00
3/10/1992	673.00	11,491.0	1,621.5	0.00
3/11/1992	676.07	10,860.0	1,645.4	0.00
3/12/1992	676.57	3,230.0	2,568.4	0.00
3/13/1992	676.33	2,127.0	3,428.8	0.00
3/14/1992	675.89	1,580.0	3,571.9	0.00
3/15/1992	675.36	1,258.0	3,561.0	0.00
3/16/1992	674.76	1,018.0	3,548.3	0.00
3/17/1992	674.11	823.0	3,533.4	0.00
3/18/1992	673.58	1,654.0	3,186.1	0.00
3/19/1992	673.64	4,229.0	2,919.6	0.00
3/20/1992	673.88	3,167.0	2,923.5	0.00
3/21/1992	673.74	1,898.0	2,925.5	0.00
3/22/1992	673.45	1,610.0	2,921.3	0.00
3/23/1992	673.12	1,518.0	2,914.9	0.00
3/24/1992	672.88	1,351.0	2,412.0	0.00
3/25/1992	672.74	1,172.0	1,762.4	0.00
3/26/1992	672.64	1,269.0	1,625.0	0.00
3/27/1992	672.54	1,218.0	1,623.6	0.00
3/28/1992	672.48	1,019.0	1,363.9	0.00
3/29/1992	672.47	832.0	927.5	0.00
3/30/1992	672.58	5,128.0	832.1	0.00
3/31/1992	674.85	9,887.0	838.3	0.00
4/1/1992	675.67	3,776.0	2,384.0	0.00
4/2/1992	675.64	2,397.0	2,961.9	0.00
4/3/1992	675.40	1,599.0	2,960.0	0.00
4/4/1992	675.02	1,498.0	2,954.9	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/5/1992	674.76	1,265.0	2,498.5	0.00
4/6/1992	674.43	1,048.0	2,308.6	0.00
4/7/1992	674.22	934.0	1,838.1	0.00
4/8/1992	674.20	742.0	1,024.9	0.00
4/9/1992	674.15	752.0	844.0	0.00
4/10/1992	674.17	569.0	569.9	0.00
4/11/1992	674.22	536.0	324.3	0.00
4/12/1992	674.28	454.0	229.0	0.00
4/13/1992	674.35	388.0	229.0	0.00
4/14/1992	674.42	379.0	120.4	0.00
4/15/1992	674.47	297.0	92.0	0.00
4/16/1992	674.54	358.0	92.0	0.00
4/17/1992	674.59	481.0	92.0	0.00
4/18/1992	674.71	584.0	92.0	0.00
4/19/1992	674.82	420.0	92.0	0.00
4/20/1992	674.91	584.0	92.0	0.00
4/21/1992	675.08	1,385.0	92.0	0.71
4/22/1992	675.37	1,500.0	189.9	0.08
4/23/1992	675.53	970.0	416.9	0.00
4/24/1992	675.50	644.0	774.4	0.00
4/25/1992	675.43	497.0	853.0	0.00
4/26/1992	675.33	372.0	852.4	0.00
4/27/1992	675.22	382.0	851.9	0.00
4/28/1992	675.19	315.0	574.8	0.16
4/29/1992	675.17	387.0	461.0	0.00
4/30/1992	675.19	311.0	235.9	0.00
5/1/1992	675.22	217.0	134.3	0.00
5/2/1992	675.24	280.0	92.0	0.00
5/3/1992	675.33	698.0	92.0	0.70
5/4/1992	675.38	301.0	92.0	0.00
5/5/1992	675.44	259.0	92.0	0.12
5/6/1992	675.48	280.0	92.0	0.00
5/7/1992	675.53	218.0	92.0	0.00
5/8/1992	675.54	323.0	93.5	0.00
5/9/1992	675.70	908.0	94.0	0.83
5/10/1992	675.89	782.0	94.0	0.00
5/11/1992	675.97	506.0	193.9	0.00
5/12/1992	675.97	569.0	387.6	0.00
5/13/1992	676.05	847.0	464.0	1.24

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/14/1992	676.09	528.0	464.0	0.00
5/15/1992	676.07	422.0	464.0	0.00
5/16/1992	676.04	273.0	464.0	0.00
5/17/1992	675.99	255.0	464.0	0.00
5/18/1992	675.92	234.0	464.0	0.00
5/19/1992	675.91	401.0	464.0	0.25
5/20/1992	675.87	436.0	463.9	0.01
5/21/1992	676.00	1,010.0	296.5	1.32
5/22/1992	676.09	493.0	235.0	0.00
5/23/1992	676.07	273.0	395.6	0.00
5/24/1992	676.02	273.0	464.0	0.00
5/25/1992	675.97	255.0	464.0	0.00
5/26/1992	675.90	128.0	464.0	0.00
5/27/1992	675.86	37.0	305.8	0.00
5/28/1992	675.84	94.0	135.0	0.00
5/29/1992	675.84	684.0	94.0	0.10
5/30/1992	676.25	2,148.0	94.0	2.20
5/31/1992	676.51	1,455.0	635.6	0.00
6/1/1992	676.53	646.0	859.0	0.00
6/2/1992	676.46	497.0	859.0	0.00
6/3/1992	676.36	454.0	858.6	0.00
6/4/1992	676.31	1,014.0	858.0	0.69
6/5/1992	676.44	2,361.0	1,186.3	0.29
6/6/1992	676.54	1,570.0	1,566.8	0.00
6/7/1992	676.40	951.0	1,675.6	0.00
6/8/1992	676.20	655.0	1,673.6	0.00
6/9/1992	676.02	473.0	1,425.4	0.00
6/10/1992	675.92	449.0	964.9	0.00
6/11/1992	675.88	401.0	578.3	0.00
6/12/1992	675.84	271.0	463.1	0.00
6/13/1992	675.84	758.0	300.9	0.10
6/14/1992	676.12	1,413.0	234.6	1.21
6/15/1992	676.17	814.0	753.3	0.00
6/16/1992	676.14	750.0	857.0	0.18
6/17/1992	676.14	793.0	857.0	0.00
6/18/1992	676.11	2,241.0	857.0	0.40
6/19/1992	677.22	7,702.0	858.1	2.70
6/20/1992	677.91	2,188.0	1,895.4	0.00
6/21/1992	677.71	1,078.0	2,360.5	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/22/1992	677.38	725.0	2,356.4	0.00
6/23/1992	676.98	563.0	2,350.6	0.00
6/24/1992	676.53	391.0	2,343.9	0.00
6/25/1992	676.40	837.0	1,350.8	0.00
6/26/1992	676.31	772.0	1,092.0	0.00
6/27/1992	676.25	830.0	1,091.6	0.00
6/28/1992	676.18	445.0	964.3	0.00
6/29/1992	676.14	422.0	579.3	0.00
6/30/1992	676.11	294.0	464.6	0.00
7/1/1992	676.07	358.0	464.0	0.00
7/2/1992	676.08	549.0	464.0	0.69
7/3/1992	676.50	7,547.0	464.1	2.77
7/4/1992	677.74	3,711.0	1,068.1	0.12
7/5/1992	677.67	1,142.0	2,047.5	0.00
7/6/1992	677.45	1,291.0	2,356.6	0.00
7/7/1992	677.18	921.0	2,353.0	0.29
7/8/1992	676.82	619.0	2,348.0	0.00
7/9/1992	676.40	454.0	2,341.6	0.00
7/10/1992	676.23	317.0	1,323.4	0.00
7/11/1992	676.17	294.0	579.3	0.00
7/12/1992	676.13	252.0	465.0	0.00
7/13/1992	676.07	228.0	464.1	0.00
7/14/1992	676.03	97.0	304.1	0.00
7/15/1992	676.01	65.0	214.5	0.14
7/16/1992	675.97	60.0	235.0	0.00
7/17/1992	675.96	15.0	113.6	0.00
7/18/1992	675.96	159.0	54.0	0.12
7/19/1992	675.96	54.0	54.0	0.00
7/20/1992	675.96	54.0	54.0	0.00
7/21/1992	675.96	96.0	54.0	0.00
7/22/1992	675.99	180.0	54.0	0.28
7/23/1992	676.01	182.0	54.0	0.30
7/24/1992	676.03	161.0	54.0	0.00
7/25/1992	676.03	140.0	54.0	0.00
7/26/1992	676.08	289.0	54.0	0.37
7/27/1992	676.16	401.0	54.0	0.50
7/28/1992	676.22	488.0	174.9	0.25
7/29/1992	676.25	325.0	230.3	0.00
7/30/1992	676.25	369.0	201.4	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
7/31/1992	676.47	2,698.0	301.6	0.22
8/1/1992	676.71	1,465.0	704.9	0.00
8/2/1992	676.65	732.0	1,192.0	0.00
8/3/1992	676.46	369.0	1,327.6	0.00
8/4/1992	676.24	159.0	1,326.0	0.00
8/5/1992	676.15	230.0	715.8	0.00
8/6/1992	676.08	215.0	464.4	0.00
8/7/1992	676.04	171.0	320.9	0.00
8/8/1992	676.00	120.0	235.0	0.00
8/9/1992	676.01	352.0	152.1	0.10
8/10/1992	676.16	297.0	54.0	0.52
8/11/1992	676.29	1,602.0	178.6	0.00
8/12/1992	676.47	738.0	399.4	0.09
8/13/1992	676.32	325.0	1,075.5	0.00
8/14/1992	676.09	398.0	1,324.8	0.00
8/15/1992	676.13	1,401.0	726.8	0.60
8/16/1992	676.29	699.0	464.9	0.00
8/17/1992	676.30	401.0	465.0	0.00
8/18/1992	676.26	273.0	465.0	0.00
8/19/1992	676.21	252.0	465.0	0.00
8/20/1992	676.15	230.0	465.0	0.00
8/21/1992	676.07	130.0	464.4	0.00
8/22/1992	676.03	171.0	320.9	0.12
8/23/1992	676.05	384.0	235.0	0.13
8/24/1992	676.13	430.0	235.0	0.25
8/25/1992	676.14	421.9	397.9	0.17
8/26/1992	676.11	294.0	464.5	0.00
8/27/1992	676.06	378.9	464.4	0.00
8/28/1992	676.22	3,614.2	464.3	1.87
8/29/1992	677.30	4,031.3	1,075.5	0.00
8/30/1992	677.30	1,052.8	1,827.1	0.00
8/31/1992	677.03	775.3	2,028.0	0.00
9/1/1992	676.71	488.0	2,023.7	0.00
9/2/1992	676.35	417.9	2,018.8	0.00
9/3/1992	675.97	578.8	2,013.0	0.07
9/4/1992	675.60	437.0	2,007.4	0.00
9/5/1992	675.19	161.0	2,001.9	0.07
9/6/1992	675.02	113.2	1,204.6	0.32
9/7/1992	675.02	232.1	342.8	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/8/1992	675.02	211.1	232.1	0.00
9/9/1992	675.00	107.0	232.0	0.00
9/10/1992	674.99	109.1	232.0	0.00
9/11/1992	674.95	211.3	231.9	0.00
9/12/1992	674.94	211.3	231.8	0.00
9/13/1992	674.92	65.3	231.8	0.00
9/14/1992	674.91	95.5	130.4	0.00
9/15/1992	674.90	54.3	115.9	0.00
9/16/1992	674.88	54.3	115.8	0.00
9/17/1992	674.85	13.4	115.8	0.00
9/18/1992	674.84	756.9	115.8	0.21
9/19/1992	675.30	2,350.8	116.0	3.18
9/20/1992	675.68	1,203.0	116.7	0.00
9/21/1992	675.96	1,019.0	117.1	1.45
9/22/1992	676.35	4,077.0	117.5	1.65
9/23/1992	677.03	1,873.1	118.3	0.00
9/24/1992	677.02	909.7	1,124.9	0.00
9/25/1992	676.67	533.6	2,151.7	0.00
9/26/1992	676.09	617.4	2,763.6	0.00
9/27/1992	675.58	579.4	2,966.4	0.47
9/28/1992	675.05	544.1	2,957.0	0.00
9/29/1992	674.56	341.6	2,499.9	0.00
9/30/1992	674.38	208.7	1,327.1	0.00
10/1/1992	674.31	294.0	588.0	0.00
10/2/1992	674.27	252.7	457.9	0.00
10/3/1992	674.21	253.1	457.7	0.00
10/4/1992	674.15	355.6	457.5	0.00
10/5/1992	674.15	375.4	457.5	0.74
10/6/1992	674.11	375.4	457.4	0.00
10/7/1992	674.06	272.7	457.3	0.00
10/8/1992	674.01	293.7	457.1	0.08
10/9/1992	673.97	289.7	457.0	0.22
10/10/1992	673.97	248.6	295.1	0.00
10/11/1992	673.98	208.3	228.5	0.00
10/12/1992	673.97	188.3	228.5	0.00
10/13/1992	673.95	253.9	228.4	0.00
10/14/1992	673.71	126.0	1,018.7	0.00
10/15/1992	673.31	0.0	1,769.2	0.00
10/16/1992	672.91	670.0	1,798.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/17/1992	672.81	88.4	887.9	0.31
10/18/1992	672.78	34.4	226.7	0.00
10/19/1992	672.73	68.7	226.6	0.00
10/20/1992	672.70	76.4	226.6	0.00
10/21/1992	672.38	315.4	1,208.7	0.00
10/22/1992	671.98	196.9	1,784.6	0.00
10/23/1992	671.57	185.0	1,778.9	0.00
10/24/1992	671.42	30.9	840.5	0.00
10/25/1992	671.39	69.5	224.6	0.00
10/26/1992	671.36	166.5	224.6	0.00
10/27/1992	671.32	106.3	224.5	0.10
10/28/1992	671.03	304.8	1,149.9	0.00
10/29/1992	670.62	220.7	1,765.1	0.00
10/30/1992	670.21	261.6	1,759.2	0.00
10/31/1992	670.09	109.0	895.3	0.32
11/1/1992	670.08	241.7	222.6	0.13
11/2/1992	670.10	450.4	222.6	0.30
11/3/1992	670.19	584.4	222.7	0.09
11/4/1992	670.31	603.0	222.9	0.27
11/5/1992	670.38	653.8	223.0	0.38
11/6/1992	670.27	993.0	1,123.8	0.17
11/7/1992	670.28	821.8	1,077.3	0.00
11/8/1992	670.28	631.4	631.4	0.00
11/9/1992	670.05	485.9	1,273.3	0.00
11/10/1992	669.70	474.8	1,750.9	0.00
11/11/1992	669.25	367.2	2,001.3	0.00
11/12/1992	668.78	829.1	2,209.8	0.19
11/13/1992	668.72	2,660.1	2,202.1	0.83
11/14/1992	668.76	1,745.7	2,202.7	0.00
11/15/1992	668.61	1,033.9	1,832.6	0.00
11/16/1992	668.49	704.3	1,339.9	0.00
11/17/1992	668.13	673.6	1,784.8	0.00
11/18/1992	667.68	559.1	2,185.2	0.00
11/19/1992	667.21	126.4	2,175.4	0.00
11/20/1992	667.00	361.9	1,347.7	0.00
11/21/1992	666.89	667.0	790.6	0.19
11/22/1992	666.92	1,021.6	790.3	0.51
11/23/1992	667.18	2,485.4	790.8	0.10
11/24/1992	667.43	1,771.3	1,102.7	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/25/1992	667.73	3,549.7	1,232.5	0.72
11/26/1992	668.26	2,961.8	1,688.7	0.00
11/27/1992	668.34	1,643.7	1,881.1	0.00
11/28/1992	668.22	1,200.4	1,881.0	0.00
11/29/1992	668.00	1,005.1	1,877.7	0.00
11/30/1992	667.48	699.3	2,494.5	0.00
12/1/1992	666.78	426.0	3,050.0	0.00
12/2/1992	666.06	439.8	3,031.1	0.05
12/3/1992	665.35	418.9	3,011.7	0.00
12/4/1992	664.98	433.4	1,969.0	0.07
12/5/1992	664.90	506.2	847.4	0.00
12/6/1992	664.93	487.5	463.9	0.00
12/7/1992	664.92	436.6	419.6	0.03
12/8/1992	664.93	436.6	419.6	0.00
12/9/1992	664.94	453.6	419.7	0.00
12/10/1992	664.97	641.5	419.7	0.39
12/11/1992	665.10	1,146.9	420.0	0.11
12/12/1992	665.33	1,182.6	420.9	0.00
12/13/1992	665.51	924.4	422.0	0.00
12/14/1992	665.62	721.8	422.8	0.00
12/15/1992	665.47	773.1	1,157.1	0.00
12/16/1992	665.23	683.3	1,516.1	0.00
12/17/1992	665.00	1,044.0	1,512.2	0.31
12/18/1992	665.00	1,611.8	1,509.9	0.00
12/19/1992	664.93	1,102.6	1,509.8	0.00
12/20/1992	664.93	3,208.3	1,509.2	0.75
12/21/1992	665.84	4,311.1	1,513.9	0.00
12/22/1992	666.16	2,237.7	1,525.5	0.00
12/23/1992	666.25	4,336.9	1,965.9	0.68
12/24/1992	667.08	4,107.6	2,581.2	0.00
12/25/1992	667.11	2,303.1	2,770.0	0.00
12/26/1992	666.88	1,669.0	2,767.8	0.40
12/27/1992	666.50	1,182.9	2,760.3	0.11
12/28/1992	666.05	1,285.4	2,749.7	0.18
12/29/1992	665.69	1,555.9	2,738.6	0.00
12/30/1992	665.32	1,391.0	2,729.3	0.00
12/31/1992	664.90	1,323.6	2,719.3	0.00