



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/1993	664.45	948.3	2,710.3	0.17
1/2/1993	664.39	1,009.3	1,422.1	0.00
1/3/1993	664.44	873.9	772.0	0.00
1/4/1993	664.46	1,179.1	772.2	0.00
1/5/1993	665.00	5,766.3	772.7	0.65
1/6/1993	666.12	3,862.6	1,713.8	0.00
1/7/1993	666.09	1,899.1	2,569.7	0.00
1/8/1993	665.83	1,664.1	2,741.0	0.22
1/9/1993	665.55	1,725.4	2,733.6	0.00
1/10/1993	665.18	1,290.3	2,725.7	0.05
1/11/1993	664.76	1,940.5	2,716.0	0.19
1/12/1993	664.71	1,931.6	1,933.9	0.25
1/13/1993	664.95	2,621.4	1,508.4	0.22
1/14/1993	665.06	2,121.2	1,942.5	0.00
1/15/1993	664.97	1,541.3	2,120.8	0.00
1/16/1993	664.77	1,261.5	2,118.5	0.00
1/17/1993	664.65	1,185.7	1,685.2	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/1993	664.52	947.4	1,507.0	0.00
1/19/1993	664.34	749.1	1,505.9	0.06
1/20/1993	664.27	754.4	985.4	0.00
1/21/1993	664.29	1,550.7	771.3	0.52
1/22/1993	664.76	2,627.2	772.1	0.18
1/23/1993	664.81	1,676.2	1,700.3	0.00
1/24/1993	664.60	1,639.4	2,115.9	0.25
1/25/1993	664.57	2,028.7	2,113.7	0.00
1/26/1993	664.46	1,344.2	2,113.2	0.00
1/27/1993	664.41	1,420.8	1,686.3	0.00
1/28/1993	664.33	1,064.6	1,505.4	0.00
1/29/1993	664.17	821.4	1,504.5	0.00
1/30/1993	664.24	839.5	747.9	0.00
1/31/1993	664.31	704.8	416.3	0.00
2/1/1993	664.40	642.1	416.7	0.00
2/2/1993	664.50	581.8	265.0	0.00
2/3/1993	664.59	463.3	208.8	0.00
2/4/1993	664.65	388.8	209.0	0.00
2/5/1993	664.67	452.7	357.3	0.00
2/6/1993	664.60	366.1	666.8	0.00
2/7/1993	664.48	365.5	772.8	0.00
2/8/1993	664.36	365.0	772.2	0.00
2/9/1993	664.24	347.4	771.6	0.00
2/10/1993	664.11	330.2	771.0	0.00
2/11/1993	664.06	483.1	523.4	0.00
2/12/1993	664.13	890.4	415.4	0.60
2/13/1993	664.30	958.5	416.0	0.05
2/14/1993	664.44	739.4	416.8	0.05
2/15/1993	664.55	874.9	417.4	0.00
2/16/1993	664.83	3,024.6	418.1	0.87
2/17/1993	665.86	4,157.5	1,183.1	0.00
2/18/1993	666.09	2,090.8	1,953.4	0.00
2/19/1993	665.94	1,222.0	2,143.2	0.00
2/20/1993	665.69	1,252.8	2,138.9	0.00
2/21/1993	665.53	5,254.4	2,133.3	0.76
2/22/1993	668.13	11,731.2	2,148.8	0.69
2/23/1993	669.21	3,278.1	2,634.2	0.00
2/24/1993	668.86	1,943.3	3,580.2	0.00
2/25/1993	668.21	1,397.8	3,989.7	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/1993	667.52	1,446.0	3,964.4	0.78
2/27/1993	666.83	1,198.4	3,939.3	0.00
2/28/1993	666.11	1,438.2	3,912.8	0.00
3/1/1993	665.40	1,089.9	3,887.1	0.00
3/2/1993	664.62	1,445.7	3,860.1	0.00
3/3/1993	664.90	4,710.2	2,240.6	0.73
3/4/1993	665.82	5,952.3	1,948.7	0.31
3/5/1993	667.28	6,989.1	2,589.7	0.09
3/6/1993	667.68	3,528.3	3,183.6	0.00
3/7/1993	667.37	2,286.0	3,776.0	0.00
3/8/1993	666.83	1,804.7	3,935.4	0.18
3/9/1993	666.35	1,931.1	3,916.1	0.00
3/10/1993	665.70	1,371.3	3,896.2	0.00
3/11/1993	665.06	1,126.6	3,556.4	0.00
3/12/1993	664.70	888.3	2,480.8	0.00
3/13/1993	664.56	1,133.7	1,684.5	0.00
3/14/1993	664.41	1,030.9	1,506.2	0.00
3/15/1993	664.23	821.8	1,505.1	0.22
3/16/1993	664.25	1,448.9	997.0	0.00
3/17/1993	664.65	5,232.4	771.6	0.63
3/18/1993	666.26	3,977.7	777.6	0.00
3/19/1993	666.79	2,548.6	1,301.2	0.00
3/20/1993	666.80	1,894.6	1,978.7	0.00
3/21/1993	666.66	1,519.1	2,158.6	0.00
3/22/1993	666.50	1,279.3	1,936.9	0.00
3/23/1993	666.60	3,087.0	1,376.0	0.54
3/24/1993	667.79	6,333.1	1,225.3	0.19
3/25/1993	668.42	2,921.0	1,704.3	0.00
3/26/1993	668.57	2,179.8	1,886.8	0.05
3/27/1993	668.58	1,773.3	1,886.4	0.00
3/28/1993	668.65	1,614.3	1,433.5	0.00
3/29/1993	668.71	1,323.3	1,247.8	0.00
3/30/1993	668.80	1,043.4	902.9	0.00
3/31/1993	668.84	1,099.2	805.5	0.00
4/1/1993	669.05	2,146.3	806.2	0.00
4/2/1993	669.47	1,621.6	367.3	0.12
4/3/1993	669.80	1,305.3	221.5	0.00
4/4/1993	670.03	980.3	222.2	0.00
4/5/1993	670.23	1,059.6	222.7	0.16

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/6/1993	670.49	1,363.5	223.0	0.09
4/7/1993	670.84	1,251.6	128.4	0.00
4/8/1993	671.12	1,116.5	89.6	0.00
4/9/1993	671.35	1,058.3	89.7	0.00
4/10/1993	671.73	2,030.3	89.9	0.38
4/11/1993	672.18	1,550.3	90.1	0.00
4/12/1993	672.51	1,412.8	90.4	0.00
4/13/1993	672.80	1,077.5	90.6	0.10
4/14/1993	673.00	885.6	90.7	0.00
4/15/1993	673.20	899.3	90.8	0.00
4/16/1993	673.44	1,210.6	53.9	0.52
4/17/1993	673.64	703.0	94.9	0.12
4/18/1993	673.82	674.0	96.9	0.00
4/19/1993	673.95	676.2	91.3	0.00
4/20/1993	674.07	563.0	91.4	0.00
4/21/1993	674.18	623.9	91.5	0.11
4/22/1993	674.32	583.6	91.5	0.20
4/23/1993	674.44	542.7	91.6	0.00
4/24/1993	674.54	542.2	91.7	0.09
4/25/1993	674.64	747.7	91.7	0.00
4/26/1993	674.93	2,174.9	91.8	1.03
4/27/1993	675.44	1,595.8	92.1	0.00
4/28/1993	675.72	1,032.4	92.4	0.00
4/29/1993	675.91	740.8	92.6	0.00
4/30/1993	676.05	600.3	92.8	0.00
5/1/1993	676.14	551.8	189.2	0.00
5/2/1993	676.21	551.9	232.3	0.00
5/3/1993	676.28	598.6	232.5	0.10
5/4/1993	676.38	1,814.9	397.4	0.95
5/5/1993	676.77	2,296.3	744.5	0.00
5/6/1993	676.83	1,223.2	1,192.8	0.00
5/7/1993	676.75	775.1	1,329.4	0.00
5/8/1993	676.61	710.0	1,328.5	0.00
5/9/1993	676.43	581.5	1,327.3	0.00
5/10/1993	676.23	464.3	1,325.8	0.00
5/11/1993	676.10	217.6	993.4	0.00
5/12/1993	675.97	386.3	856.3	0.00
5/13/1993	675.95	376.5	578.1	0.38
5/14/1993	675.94	231.9	301.9	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/15/1993	675.94	211.0	231.9	0.00
5/16/1993	675.93	252.8	231.9	0.00
5/17/1993	675.96	441.0	231.9	0.50
5/18/1993	675.97	315.0	231.9	0.05
5/19/1993	675.96	211.0	231.9	0.19
5/20/1993	675.95	231.9	231.9	0.00
5/21/1993	675.94	85.6	231.9	0.10
5/22/1993	675.92	169.2	231.9	0.00
5/23/1993	675.89	169.1	231.8	0.00
5/24/1993	675.85	32.0	231.7	0.00
5/25/1993	675.82	114.1	176.1	0.00
5/26/1993	675.81	25.4	135.0	0.00
5/27/1993	675.78	13.4	135.0	0.00
5/28/1993	675.75	114.0	134.9	0.00
5/29/1993	675.73	30.4	134.9	0.00
5/30/1993	675.73	134.9	134.9	0.83
5/31/1993	675.73	114.0	134.9	0.39
6/1/1993	675.72	114.1	134.9	0.10
6/2/1993	675.71	93.0	134.9	0.00
6/3/1993	675.68	3.3	134.8	0.00
6/4/1993	675.67	130.1	90.4	0.00
6/5/1993	675.86	1,947.0	67.4	2.13
6/6/1993	675.98	317.8	67.5	0.00
6/7/1993	676.00	110.2	67.6	0.00
6/8/1993	676.02	88.9	67.6	0.00
6/9/1993	676.03	259.2	67.6	0.00
6/10/1993	676.16	762.8	67.6	1.29
6/11/1993	676.30	898.0	209.9	0.72
6/12/1993	676.30	623.5	672.0	0.04
6/13/1993	676.20	218.7	857.6	0.00
6/14/1993	676.06	401.6	856.9	0.00
6/15/1993	676.14	933.2	578.7	0.78
6/16/1993	676.16	443.5	464.6	0.00
6/17/1993	676.14	251.6	464.6	0.00
6/18/1993	676.08	251.3	464.5	0.00
6/19/1993	676.02	204.1	464.2	0.00
6/20/1993	675.96	105.6	347.2	0.00
6/21/1993	675.94	114.2	182.9	0.07
6/22/1993	675.92	0.0	135.1	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/23/1993	675.89	25.3	135.1	0.00
6/24/1993	675.86	25.5	135.1	0.00
6/25/1993	675.83	25.2	135.0	0.30
6/26/1993	675.80	93.3	135.0	0.07
6/27/1993	675.78	19.6	134.9	0.00
6/28/1993	675.76	30.9	87.1	0.00
6/29/1993	675.76	51.8	67.5	0.28
6/30/1993	675.74	30.9	67.4	0.00
7/1/1993	675.73	0.0	67.4	0.00
7/2/1993	675.71	30.4	67.4	0.00
7/3/1993	675.69	0.0	66.8	0.00
7/4/1993	675.67	0.0	66.4	0.00
7/5/1993	675.65	0.0	66.4	0.00
7/6/1993	675.61	0.0	67.0	0.00
7/7/1993	675.58	0.0	67.4	0.00
7/8/1993	675.56	0.0	67.3	0.00
7/9/1993	675.53	0.0	67.3	0.00
7/10/1993	675.50	0.0	67.3	0.00
7/11/1993	675.47	0.0	67.3	0.00
7/12/1993	675.44	0.0	67.3	0.00
7/13/1993	675.41	0.0	67.3	0.00
7/14/1993	675.40	0.0	62.8	0.00
7/15/1993	675.37	30.6	67.2	0.00
7/16/1993	675.36	30.6	67.2	0.40
7/17/1993	675.35	234.3	67.2	0.00
7/18/1993	675.46	485.3	67.2	0.80
7/19/1993	675.53	255.5	67.3	1.03
7/20/1993	675.52	30.7	67.3	0.00
7/21/1993	675.51	0.0	67.3	0.00
7/22/1993	675.49	0.0	67.3	0.00
7/23/1993	675.46	0.0	67.3	0.00
7/24/1993	675.44	30.7	67.3	0.00
7/25/1993	675.43	0.0	67.3	0.05
7/26/1993	675.41	0.0	67.3	0.00
7/27/1993	675.39	0.0	67.2	0.07
7/28/1993	675.36	0.0	67.2	0.00
7/29/1993	675.33	0.0	67.2	0.00
7/30/1993	675.30	0.0	67.2	0.00
7/31/1993	675.26	0.0	67.2	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
8/1/1993	675.22	0.0	67.1	0.00
8/2/1993	675.21	0.0	67.1	0.25
8/3/1993	675.18	0.0	67.1	0.00
8/4/1993	675.14	0.0	67.1	0.00
8/5/1993	675.13	150.6	67.1	0.00
8/6/1993	675.20	338.9	67.1	1.20
8/7/1993	675.18	0.0	67.1	0.00
8/8/1993	675.16	0.0	67.1	0.00
8/9/1993	675.13	0.0	67.1	0.00
8/10/1993	675.10	0.0	67.1	0.00
8/11/1993	675.07	0.0	67.1	0.00
8/12/1993	675.05	4.3	67.0	0.00
8/13/1993	675.08	192.5	67.0	0.66
8/14/1993	675.09	67.1	67.1	0.05
8/15/1993	675.09	67.1	67.1	0.00
8/16/1993	675.09	0.0	67.1	0.00
8/17/1993	675.06	9.5	67.0	0.00
8/18/1993	675.06	67.0	67.0	0.20
8/19/1993	675.06	0.0	67.0	0.00
8/20/1993	675.02	0.0	67.0	0.00
8/21/1993	674.99	0.0	67.0	0.00
8/22/1993	674.96	0.0	67.0	0.00
8/23/1993	674.94	0.0	67.0	0.00
8/24/1993	674.90	5.9	66.9	0.00
8/25/1993	674.93	51.6	66.9	0.13
8/26/1993	674.91	31.3	66.9	0.00
8/27/1993	674.90	0.0	66.9	0.00
8/28/1993	674.87	0.0	66.9	0.00
8/29/1993	674.84	0.0	66.9	0.00
8/30/1993	674.81	0.0	66.9	0.00
8/31/1993	674.78	0.0	66.8	0.00
9/1/1993	674.76	0.0	66.8	0.00
9/2/1993	674.73	0.0	66.8	0.00
9/3/1993	674.70	230.7	66.8	0.10
9/4/1993	674.80	291.8	66.8	1.60
9/5/1993	674.81	66.8	66.8	0.00
9/6/1993	674.80	0.0	66.8	0.00
9/7/1993	674.78	0.0	66.8	0.00
9/8/1993	674.75	30.9	66.8	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/9/1993	674.73	0.0	66.8	0.00
9/10/1993	674.70	0.0	66.8	0.00
9/11/1993	674.67	0.0	66.8	0.00
9/12/1993	674.63	0.0	66.7	0.00
9/13/1993	674.59	0.0	66.7	0.00
9/14/1993	674.55	0.0	66.7	0.00
9/15/1993	674.50	76.7	66.6	0.00
9/16/1993	674.55	0.0	66.6	0.77
9/17/1993	674.53	24.0	66.6	0.00
9/18/1993	674.50	0.0	108.2	0.00
9/19/1993	674.47	30.9	91.6	0.00
9/20/1993	674.45	0.0	66.6	0.00
9/21/1993	674.42	0.0	66.6	0.00
9/22/1993	674.39	0.0	66.5	0.00
9/23/1993	674.36	0.0	66.5	0.10
9/24/1993	674.34	25.7	66.5	0.07
9/25/1993	674.36	230.6	66.5	0.40
9/26/1993	674.38	0.0	66.5	0.53
9/27/1993	674.35	0.0	66.5	0.07
9/28/1993	674.32	0.0	66.5	0.00
9/29/1993	674.29	0.0	66.4	0.00
9/30/1993	674.25	0.0	66.4	0.00
10/1/1993	674.22	0.0	66.4	0.00
10/2/1993	674.19	66.4	66.4	0.05
10/3/1993	674.18	0.0	66.3	0.20
10/4/1993	674.15	0.0	66.3	0.00
10/5/1993	674.12	0.0	66.3	0.00
10/6/1993	674.09	0.0	66.3	0.00
10/7/1993	674.06	0.0	66.3	0.00
10/8/1993	674.04	0.0	66.2	0.00
10/9/1993	674.02	0.0	66.2	0.00
10/10/1993	674.00	0.0	66.2	0.06
10/11/1993	673.97	0.0	66.2	0.00
10/12/1993	673.95	0.0	66.2	0.08
10/13/1993	673.92	0.0	66.2	0.00
10/14/1993	673.90	30.9	66.1	0.00
10/15/1993	673.89	30.9	66.1	0.26
10/16/1993	673.87	411.3	66.1	0.08
10/17/1993	674.14	1,254.5	66.2	2.35

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/18/1993	674.51	724.8	66.5	0.00
10/19/1993	674.54	1,710.7	619.2	0.50
10/20/1993	674.82	2,172.5	1,282.7	1.05
10/21/1993	674.73	1,223.5	2,119.7	0.06
10/22/1993	674.37	828.3	2,308.2	0.00
10/23/1993	673.93	356.8	2,301.7	0.00
10/24/1993	673.44	217.2	2,293.7	0.00
10/25/1993	672.94	228.4	2,285.2	0.00
10/26/1993	672.42	454.7	2,276.4	0.00
10/27/1993	671.89	20.6	2,267.9	0.00
10/28/1993	671.52	409.1	1,732.7	0.00
10/29/1993	671.22	95.2	1,375.2	0.00
10/30/1993	670.95	283.5	1,276.2	0.23
10/31/1993	670.66	120.4	1,273.4	0.20
11/1/1993	670.37	357.1	1,270.5	0.00
11/2/1993	670.16	169.1	986.1	0.00
11/3/1993	669.97	82.5	815.6	0.03
11/4/1993	669.78	85.0	814.2	0.00
11/5/1993	669.59	64.7	812.7	0.00
11/6/1993	669.40	156.6	811.1	0.00
11/7/1993	669.20	61.6	809.6	0.00
11/8/1993	669.01	158.3	808.0	0.00
11/9/1993	668.81	72.0	806.5	0.00
11/10/1993	668.61	70.7	804.9	0.00
11/11/1993	668.42	105.3	803.3	0.00
11/12/1993	668.21	104.1	801.7	0.00
11/13/1993	668.02	104.6	800.1	0.03
11/14/1993	667.92	1,037.5	798.9	0.80
11/15/1993	668.34	3,595.3	799.0	1.33
11/16/1993	668.76	2,421.8	1,725.3	0.00
11/17/1993	668.57	1,777.5	2,201.4	0.12
11/18/1993	668.65	2,102.6	2,199.1	0.47
11/19/1993	668.38	1,518.5	2,630.3	0.00
11/20/1993	667.88	642.4	2,798.3	0.00
11/21/1993	667.29	513.6	2,784.2	0.00
11/22/1993	666.64	667.9	2,767.9	0.00
11/23/1993	666.27	365.7	1,917.1	0.00
11/24/1993	665.93	398.4	1,528.2	0.00
11/25/1993	665.60	394.9	1,522.9	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/26/1993	665.25	268.8	1,517.5	0.08
11/27/1993	664.96	1,013.9	1,512.3	0.57
11/28/1993	665.08	2,081.8	1,509.8	0.00
11/29/1993	665.10	1,200.9	1,511.5	0.00
11/30/1993	664.92	746.9	1,510.6	0.00
12/1/1993	664.66	609.4	1,508.6	0.00
12/2/1993	664.36	511.9	1,506.6	0.00
12/3/1993	664.23	618.5	985.4	0.08
12/4/1993	664.31	7,021.3	771.2	1.20
12/5/1993	668.19	11,181.6	782.9	1.65
12/6/1993	671.33	8,177.9	810.6	0.00
12/7/1993	671.45	2,221.8	2,198.7	0.00
12/8/1993	670.96	1,029.8	3,305.0	0.00
12/9/1993	670.35	1,246.9	3,442.7	0.00
12/10/1993	669.89	3,373.0	3,428.3	0.78
12/11/1993	670.25	4,019.7	3,425.4	0.00
12/12/1993	670.04	2,066.4	3,429.4	0.00
12/13/1993	669.52	1,187.7	3,420.5	0.00
12/14/1993	668.89	774.1	3,404.0	0.00
12/15/1993	668.24	922.0	3,384.9	0.33
12/16/1993	667.63	977.8	3,366.0	0.04
12/17/1993	667.00	941.4	3,346.9	0.00
12/18/1993	666.29	815.8	3,326.9	0.00
12/19/1993	665.53	653.5	3,305.1	0.00
12/20/1993	664.88	562.0	2,886.5	0.00
12/21/1993	664.59	761.4	1,935.4	0.28
12/22/1993	664.40	784.1	1,506.4	0.00
12/23/1993	664.35	720.9	987.3	0.00
12/24/1993	664.31	619.0	771.7	0.00
12/25/1993	664.26	601.8	771.5	0.05
12/26/1993	664.20	565.7	771.2	0.00
12/27/1993	664.20	551.6	519.5	0.00
12/28/1993	664.24	620.6	416.1	0.23
12/29/1993	664.29	746.1	542.0	0.36
12/30/1993	664.34	694.7	594.0	0.00
12/31/1993	664.37	381.4	535.8	0.00