



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/1994	664.33	0.0	236.2	0.00
1/2/1994	664.27	136.6	83.3	0.00
1/3/1994	664.25	906.9	513.3	0.00
1/4/1994	664.42	2,335.9	771.4	0.36
1/5/1994	664.88	1,896.2	1,073.7	0.02
1/6/1994	664.95	1,611.4	1,412.5	0.00
1/7/1994	665.11	5,833.3	1,509.8	0.91
1/8/1994	667.06	7,060.9	2,360.1	0.04
1/9/1994	667.45	2,706.2	2,773.8	0.00
1/10/1994	667.23	1,550.4	2,777.0	0.00
1/11/1994	666.85	1,332.6	2,769.4	0.00
1/12/1994	666.48	2,419.2	2,758.9	0.48
1/13/1994	666.61	2,809.0	2,754.8	0.00
1/14/1994	666.47	1,741.0	2,756.0	0.10
1/15/1994	666.04	1,332.0	3,056.0	0.00
1/16/1994	665.34	609.0	3,299.2	0.00
1/17/1994	665.12	1,235.0	2,031.8	0.58

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/1994	664.91	0.0	1,511.3	0.31
1/19/1994	664.71	558.8	1,509.0	0.00
1/20/1994	664.42	421.0	1,507.1	0.00
1/21/1994	664.31	500.3	1,046.9	0.00
1/22/1994	664.23	499.9	771.4	0.00
1/23/1994	664.15	516.9	771.0	0.00
1/24/1994	664.08	667.2	770.6	0.00
1/25/1994	664.27	4,114.6	519.1	0.21
1/26/1994	666.70	11,208.1	974.2	0.50
1/27/1994	668.42	6,175.5	1,231.9	0.20
1/28/1994	670.24	12,984.5	1,251.1	0.99
1/29/1994	673.25	7,899.1	1,280.2	0.00
1/30/1994	673.66	2,839.4	2,193.2	0.00
1/31/1994	673.40	1,777.1	3,232.4	0.00
2/1/1994	672.91	1,329.2	3,502.5	0.00
2/2/1994	672.18	995.6	3,948.9	0.00
2/3/1994	671.36	1,023.7	4,090.4	0.00
2/4/1994	670.53	844.1	4,068.1	0.00
2/5/1994	669.62	701.6	4,044.4	0.00
2/6/1994	668.71	617.3	4,013.4	0.00
2/7/1994	667.78	497.4	3,979.5	0.00
2/8/1994	666.80	557.1	3,944.3	0.00
2/9/1994	666.31	9,088.4	3,911.1	1.33
2/10/1994	669.62	11,331.3	3,049.8	0.46
2/11/1994	670.68	14,582.3	3,558.7	1.76
2/12/1994	674.38	10,207.0	3,071.2	0.16
2/13/1994	676.48	6,752.1	230.7	0.00
2/14/1994	677.88	4,233.4	234.2	0.00
2/15/1994	678.17	3,007.1	1,880.2	0.00
2/16/1994	677.75	1,989.5	4,042.0	0.00
2/17/1994	677.90	1,542.1	1,683.1	0.00
2/18/1994	678.18	1,497.4	236.0	0.00
2/19/1994	678.40	1,073.2	236.5	0.00
2/20/1994	678.48	1,397.6	572.3	0.00
2/21/1994	678.16	2,600.3	3,108.1	0.95
2/22/1994	678.06	4,309.4	3,617.1	0.00
2/23/1994	679.82	22,531.8	3,291.9	2.05
2/24/1994	683.70	12,355.9	804.0	0.04
2/25/1994	684.12	2,801.1	2,356.9	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/1994	683.72	1,842.5	4,019.5	0.00
2/27/1994	683.11	1,418.4	4,425.9	0.00
2/28/1994	682.43	886.5	4,422.1	0.00
3/1/1994	681.70	875.2	4,418.0	0.00
3/2/1994	681.06	2,934.7	4,413.7	0.60
3/3/1994	681.15	5,114.9	4,411.2	0.65
3/4/1994	681.03	2,946.0	4,411.8	0.00
3/5/1994	680.64	2,247.7	4,410.4	0.00
3/6/1994	680.10	1,569.1	4,407.7	0.00
3/7/1994	679.44	1,875.4	4,397.1	0.00
3/8/1994	679.39	9,907.2	4,372.4	1.50
3/9/1994	681.70	23,907.7	3,423.4	1.78
3/10/1994	688.65	31,824.7	816.1	2.05
3/11/1994	692.27	7,869.4	257.7	0.00
3/12/1994	692.90	3,077.3	261.3	0.00
3/13/1994	692.88	1,737.1	2,259.4	0.00
3/14/1994	692.46	2,008.4	4,231.8	0.18
3/15/1994	691.95	867.3	4,615.5	0.00
3/16/1994	691.37	1,213.9	4,602.9	0.00
3/17/1994	690.74	1,066.6	4,589.8	0.00
3/18/1994	690.07	823.4	4,576.0	0.03
3/19/1994	689.38	397.7	4,560.3	0.00
3/20/1994	688.68	456.7	4,542.3	0.00
3/21/1994	687.92	513.9	4,523.6	0.00
3/22/1994	687.24	704.2	4,504.4	0.05
3/23/1994	686.53	826.4	4,486.1	0.00
3/24/1994	685.75	193.4	4,467.3	0.00
3/25/1994	684.97	490.1	4,447.0	0.10
3/26/1994	684.20	593.4	4,433.4	0.00
3/27/1994	683.88	11,105.7	4,428.6	1.52
3/28/1994	686.33	16,787.9	3,672.4	1.11
3/29/1994	688.27	7,736.1	2,078.5	0.07
3/30/1994	688.25	3,035.4	3,775.2	0.00
3/31/1994	688.05	4,757.6	4,516.9	0.66
4/1/1994	688.12	3,607.8	4,515.5	0.00
4/2/1994	687.70	2,380.7	4,917.8	0.00
4/3/1994	687.11	1,961.5	5,149.2	0.00
4/4/1994	686.44	1,680.2	5,130.5	0.19
4/5/1994	685.74	1,437.2	5,110.4	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/6/1994	685.09	2,541.0	4,741.4	0.49
4/7/1994	684.86	3,547.0	4,435.4	0.21
4/8/1994	684.43	2,101.5	4,926.3	0.00
4/9/1994	683.78	1,747.5	5,051.5	0.00
4/10/1994	683.03	2,240.0	5,031.7	0.00
4/11/1994	683.13	8,700.1	4,269.7	1.20
4/12/1994	685.25	10,688.1	2,681.4	1.05
4/13/1994	686.26	4,041.7	1,805.3	0.03
4/14/1994	686.05	2,337.4	3,860.2	0.00
4/15/1994	685.42	4,237.4	4,957.3	0.00
4/16/1994	686.65	13,377.4	4,077.4	1.75
4/17/1994	687.89	4,642.3	2,779.5	0.00
4/18/1994	688.00	2,463.3	2,529.9	0.00
4/19/1994	687.52	1,174.2	4,068.5	0.00
4/20/1994	686.78	943.8	5,001.7	0.00
4/21/1994	685.88	551.0	5,383.5	0.00
4/22/1994	684.93	480.8	5,416.5	0.00
4/23/1994	683.94	595.9	5,386.2	0.00
4/24/1994	682.90	399.1	5,356.0	0.00
4/25/1994	681.82	123.0	5,324.9	0.00
4/26/1994	680.73	27.8	5,292.6	0.00
4/27/1994	679.64	663.7	5,259.5	0.00
4/28/1994	678.63	284.5	5,229.0	0.75
4/29/1994	677.52	681.1	5,198.7	0.00
4/30/1994	676.95	2,564.5	4,309.6	0.40
5/1/1994	676.48	1,469.1	3,904.6	0.40
5/2/1994	675.85	797.4	3,891.5	0.00
5/3/1994	675.48	769.8	2,629.9	0.00
5/4/1994	675.30	1,357.9	2,001.2	0.56
5/5/1994	675.21	1,106.4	1,760.1	0.00
5/6/1994	675.12	1,002.5	1,430.1	0.00
5/7/1994	675.06	1,284.2	1,315.7	0.18
5/8/1994	675.29	2,779.3	986.3	0.20
5/9/1994	675.47	1,765.4	1,424.9	0.00
5/10/1994	675.40	1,201.3	1,661.2	0.00
5/11/1994	675.24	890.0	1,659.7	0.00
5/12/1994	675.07	507.7	1,416.0	0.00
5/13/1994	675.06	564.7	720.4	0.00
5/14/1994	675.06	857.1	460.2	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/15/1994	675.40	3,239.2	460.5	1.90
5/16/1994	675.99	2,854.7	1,070.3	0.08
5/17/1994	675.96	1,445.5	1,799.5	0.00
5/18/1994	675.72	794.1	2,008.1	0.00
5/19/1994	675.42	758.6	2,004.1	0.00
5/20/1994	675.22	461.1	1,518.3	0.00
5/21/1994	675.18	439.8	710.4	0.00
5/22/1994	675.17	419.0	460.7	0.00
5/23/1994	675.14	279.1	460.6	0.00
5/24/1994	675.13	226.6	324.5	0.00
5/25/1994	675.11	372.8	268.4	0.00
5/26/1994	675.17	519.3	268.4	0.73
5/27/1994	675.25	415.1	268.7	0.09
5/28/1994	675.28	352.5	268.8	0.00
5/29/1994	675.27	227.0	268.9	0.00
5/30/1994	675.25	247.9	268.8	0.00
5/31/1994	675.23	101.6	268.8	0.00
6/1/1994	675.20	205.9	268.7	0.00
6/2/1994	675.16	164.0	268.6	0.00
6/3/1994	675.14	28.5	268.5	0.05
6/4/1994	675.09	1.0	268.4	0.00
6/5/1994	675.07	92.3	173.2	0.00
6/6/1994	675.04	29.5	134.1	0.00
6/7/1994	675.04	134.0	134.1	0.15
6/8/1994	675.05	259.5	134.0	0.21
6/9/1994	675.08	384.8	134.1	0.14
6/10/1994	675.10	196.8	134.1	0.09
6/11/1994	675.14	280.4	134.1	0.00
6/12/1994	675.16	113.4	134.2	0.00
6/13/1994	675.10	3.5	134.2	0.00
6/14/1994	675.13	113.2	134.2	0.00
6/15/1994	675.11	3.7	134.1	0.00
6/16/1994	675.08	8.7	134.1	0.00
6/17/1994	675.07	0.0	134.1	0.00
6/18/1994	675.03	134.0	134.1	0.00
6/19/1994	675.03	30.4	87.4	0.12
6/20/1994	675.02	30.4	67.0	0.00
6/21/1994	675.01	213.2	67.0	0.12
6/22/1994	675.11	380.0	67.0	0.91

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/23/1994	675.11	30.5	67.1	0.00
6/24/1994	675.10	108.9	67.1	0.00
6/25/1994	675.12	0.0	67.1	0.38
6/26/1994	675.09	255.0	67.1	0.00
6/27/1994	675.20	338.8	67.1	1.32
6/28/1994	675.24	234.4	67.1	0.00
6/29/1994	675.28	109.0	67.2	0.05
6/30/1994	675.27	67.2	67.2	0.00
7/1/1994	675.27	67.2	67.2	0.00
7/2/1994	675.26	0.0	67.2	0.00
7/3/1994	675.25	0.0	67.2	0.00
7/4/1994	675.23	30.5	67.1	0.00
7/5/1994	675.21	0.0	67.1	0.00
7/6/1994	675.19	30.5	67.1	0.00
7/7/1994	675.18	0.0	67.1	0.00
7/8/1994	675.15	0.0	67.1	0.00
7/9/1994	675.12	9.6	67.1	0.00
7/10/1994	675.13	51.4	67.1	0.60
7/11/1994	675.11	0.0	67.1	0.00
7/12/1994	675.09	143.8	67.1	0.00
7/13/1994	675.13	108.9	53.7	0.87
7/14/1994	675.16	421.7	67.1	0.71
7/15/1994	675.29	442.6	67.1	1.23
7/16/1994	675.47	819.1	67.2	2.05
7/17/1994	675.62	610.2	67.3	0.09
7/18/1994	675.70	325.0	67.4	0.00
7/19/1994	675.70	192.1	185.4	0.00
7/20/1994	675.67	66.8	233.9	0.00
7/21/1994	675.63	108.3	233.8	0.00
7/22/1994	675.62	233.7	233.8	0.42
7/23/1994	675.62	296.5	233.7	0.20
7/24/1994	675.66	358.6	233.8	0.00
7/25/1994	675.67	192.2	233.9	0.00
7/26/1994	675.65	192.0	233.9	0.00
7/27/1994	675.63	171.0	233.8	0.29
7/28/1994	675.60	233.7	233.7	0.00
7/29/1994	675.64	442.7	233.7	0.00
7/30/1994	675.71	443.0	233.8	1.34
7/31/1994	675.71	213.1	234.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
8/1/1994	675.70	171.2	234.0	0.00
8/2/1994	675.66	108.5	233.9	0.00
8/3/1994	675.65	192.0	233.8	0.00
8/4/1994	675.62	171.0	233.8	0.00
8/5/1994	675.68	714.1	233.8	1.22
8/6/1994	675.72	379.7	233.9	0.00
8/7/1994	675.75	317.7	234.0	0.00
8/8/1994	675.73	108.6	234.1	0.00
8/9/1994	675.71	67.4	234.0	0.00
8/10/1994	675.67	66.8	233.9	0.00
8/11/1994	675.62	0.0	233.8	0.00
8/12/1994	675.57	66.4	233.7	0.00
8/13/1994	675.53	0.0	233.6	0.00
8/14/1994	675.47	191.5	233.4	0.00
8/15/1994	675.50	233.4	233.3	0.99
8/16/1994	675.44	66.0	233.3	0.00
8/17/1994	675.39	0.0	233.2	0.00
8/18/1994	675.34	29.4	233.0	0.00
8/19/1994	675.29	65.7	232.9	0.00
8/20/1994	675.24	471.3	232.8	0.00
8/21/1994	675.58	1,696.4	230.1	3.70
8/22/1994	675.76	902.7	67.4	0.00
8/23/1994	675.81	317.9	185.6	0.00
8/24/1994	675.80	171.6	234.3	0.00
8/25/1994	675.76	87.8	234.2	0.00
8/26/1994	675.73	66.9	234.1	0.00
8/27/1994	675.68	9.4	234.0	0.00
8/28/1994	675.64	29.9	233.9	0.00
8/29/1994	675.61	275.6	233.7	0.45
8/30/1994	675.57	66.4	233.7	0.00
8/31/1994	675.53	87.8	233.6	0.00
9/1/1994	675.50	66.1	233.5	0.09
9/2/1994	675.45	0.0	233.3	0.06
9/3/1994	675.39	0.0	233.2	0.00
9/4/1994	675.32	0.0	233.0	0.00
9/5/1994	675.26	23.7	232.8	0.00
9/6/1994	675.23	29.0	232.7	0.36
9/7/1994	675.18	0.0	232.6	0.00
9/8/1994	675.12	0.0	232.4	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/9/1994	675.09	0.0	108.4	0.00
9/10/1994	675.06	0.0	67.0	0.00
9/11/1994	675.03	0.0	67.0	0.00
9/12/1994	675.01	0.0	67.0	0.00
9/13/1994	674.98	0.0	67.0	0.00
9/14/1994	674.95	0.0	67.0	0.00
9/15/1994	674.93	0.0	67.0	0.00
9/16/1994	674.91	0.0	66.9	0.00
9/17/1994	674.88	169.3	66.9	0.23
9/18/1994	674.93	66.9	66.9	0.45
9/19/1994	674.93	31.1	66.9	0.00
9/20/1994	674.91	0.0	66.9	0.00
9/21/1994	674.89	31.0	66.9	0.00
9/22/1994	674.88	0.0	66.9	0.00
9/23/1994	674.85	87.4	66.9	0.00
9/24/1994	674.86	66.9	66.9	0.52
9/25/1994	674.81	0.0	66.9	0.00
9/26/1994	674.78	0.0	66.8	0.00
9/27/1994	674.77	30.9	66.8	0.19
9/28/1994	674.75	0.0	66.8	0.00
9/29/1994	674.70	0.0	169.6	0.00
9/30/1994	674.64	0.0	231.1	0.00
10/1/1994	674.58	0.0	230.9	0.00
10/2/1994	674.52	0.0	230.7	0.00
10/3/1994	674.45	0.0	230.6	0.00
10/4/1994	674.39	0.0	230.4	0.00
10/5/1994	674.36	0.0	136.7	0.00
10/6/1994	674.33	0.0	115.1	0.00
10/7/1994	674.29	0.0	115.0	0.00
10/8/1994	674.26	53.4	115.0	0.00
10/9/1994	674.25	279.0	114.9	0.70
10/10/1994	674.25	0.0	115.0	0.22
10/11/1994	674.20	0.0	114.9	0.00
10/12/1994	674.16	73.8	114.9	0.00
10/13/1994	674.23	586.0	114.8	1.33
10/14/1994	674.27	297.0	114.9	0.23
10/15/1994	674.25	252.8	357.8	0.00
10/16/1994	674.18	150.0	457.7	0.00
10/17/1994	674.11	119.3	457.5	0.00



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/18/1994	673.95	219.6	730.6	0.00
10/19/1994	673.79	90.8	842.3	0.20
10/20/1994	673.53	195.0	1,167.4	0.11
10/21/1994	673.26	211.8	1,299.3	0.00
10/22/1994	672.98	4.3	1,296.6	0.00
10/23/1994	672.69	305.1	1,293.6	0.00
10/24/1994	672.42	124.7	1,290.9	0.00
10/25/1994	672.11	148.4	1,288.0	0.00
10/26/1994	671.90	53.4	962.3	0.00
10/27/1994	671.70	51.8	827.8	0.00
10/28/1994	671.49	11.6	826.3	0.00
10/29/1994	671.30	49.3	825.0	0.00
10/30/1994	671.09	5.3	823.6	0.00
10/31/1994	670.89	79.5	822.1	0.00
11/1/1994	670.70	59.1	820.8	0.17
11/2/1994	670.50	57.7	819.4	0.00
11/3/1994	670.30	22.9	818.0	0.00
11/4/1994	670.09	57.7	816.5	0.00
11/5/1994	669.89	85.8	815.1	0.00
11/6/1994	669.72	252.2	813.6	0.17
11/7/1994	669.52	31.1	812.2	0.00
11/8/1994	669.32	99.7	810.5	0.00
11/9/1994	669.11	99.0	808.9	0.00
11/10/1994	668.94	164.9	807.3	0.28
11/11/1994	668.73	34.9	805.9	0.00
11/12/1994	668.53	5.5	804.3	0.00
11/13/1994	668.33	68.2	802.6	0.00
11/14/1994	668.13	77.7	801.1	0.00
11/15/1994	667.88	45.9	955.2	0.00
11/16/1994	667.63	133.3	1,016.8	0.11
11/17/1994	667.38	112.6	1,014.1	0.00
11/18/1994	667.12	95.0	1,011.4	0.00
11/19/1994	666.85	124.5	1,008.7	0.00
11/20/1994	666.59	139.4	1,005.8	0.00
11/21/1994	666.31	3.6	1,003.2	0.00
11/22/1994	666.04	3.2	1,000.3	0.00
11/23/1994	665.72	84.7	1,149.2	0.00
11/24/1994	665.40	167.6	1,207.8	0.00
11/25/1994	665.06	13.5	1,203.6	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/26/1994	664.74	164.4	1,199.7	0.00
11/27/1994	664.48	755.2	1,197.2	0.57
11/28/1994	664.51	2,626.1	1,195.9	1.70
11/29/1994	665.21	1,702.3	1,199.1	0.00
11/30/1994	665.00	578.7	1,656.3	0.00
12/1/1994	664.62	359.8	1,812.7	0.00
12/2/1994	664.32	246.3	1,476.3	0.00
12/3/1994	664.21	280.9		0.00
12/4/1994	664.17	670.1	416.0	0.13
12/5/1994	664.64	3,590.5	416.3	1.19
12/6/1994	664.91	1,372.5	1,380.6	0.00
12/7/1994	664.69	911.3	1,812.2	0.00
12/8/1994	664.37	559.0	1,807.6	0.00
12/9/1994	664.15	632.0	1,372.1	0.00
12/10/1994	664.08	2,109.3	931.7	0.57
12/11/1994	665.33	6,086.0	772.1	1.03
12/12/1994	666.21	1,980.9	780.8	0.00
12/13/1994	666.10	1,090.2	1,723.6	0.00
12/14/1994	665.76	839.3	2,141.5	0.00
12/15/1994	665.35	587.4	2,133.4	0.00
12/16/1994	664.90	608.6	2,123.9	0.00
12/17/1994	664.44	486.1	2,116.0	0.21
12/18/1994	664.34	737.8	1,193.1	0.00
12/19/1994	664.31	602.1	771.7	0.00
12/20/1994	664.24	499.9	771.4	0.00
12/21/1994	664.16	448.7	771.0	0.00
12/22/1994	664.04	380.7	770.6	0.08
12/23/1994	664.03	398.2	489.1	0.00
12/24/1994	664.02	385.1	415.1	0.00
12/25/1994	664.03	258.8	301.1	0.00
12/26/1994	664.07	317.6	178.3	0.00
12/27/1994	664.10	232.4	114.2	0.00
12/28/1994	664.13	233.0	114.2	0.00
12/29/1994	664.15	148.1	114.3	0.00
12/30/1994	664.18	216.7	114.3	0.00
12/31/1994	664.18	317.5	198.2	0.12