



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/1996	664.33	450.5	416.6	0.30
1/2/1996	664.40	1,452.9	416.7	0.55
1/3/1996	664.88	3,149.7	669.1	0.20
1/4/1996	665.30	1,950.0	1,297.1	0.00
1/5/1996	665.01	1,291.0	2,328.5	0.00
1/6/1996	664.65	1,693.2	2,712.6	0.00
1/7/1996	664.38	1,115.4	1,881.7	0.00
1/8/1996	664.18	555.2	1,504.9	0.09
1/9/1996	664.16	652.2	867.1	0.00
1/10/1996	664.13	685.9	770.8	0.00
1/11/1996	664.13	787.6	770.7	0.00
1/12/1996	664.15	974.1	770.6	0.00
1/13/1996	664.23	957.6	770.9	0.00
1/14/1996	664.31	1,195.4	771.3	0.00
1/15/1996	664.58	2,467.2	771.9	0.00
1/16/1996	665.16	3,091.9	773.9	0.00
1/17/1996	665.50	4,208.6	1,814.1	0.06

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/1996	665.89	3,646.3	2,558.6	0.00
1/19/1996	667.11	10,695.3	2,097.0	1.16
1/20/1996	668.74	4,730.0	1,554.6	0.00
1/21/1996	668.92	2,498.7	2,069.8	0.00
1/22/1996	668.83	1,721.7	2,205.4	0.00
1/23/1996	668.47	1,576.2	2,633.3	0.00
1/24/1996	668.68	9,150.8	2,802.9	1.23
1/25/1996	670.75	7,259.6	2,523.7	0.00
1/26/1996	670.76	2,567.6	3,112.0	0.00
1/27/1996	670.44	2,407.7	3,440.0	0.00
1/28/1996	670.11	1,937.1	3,432.2	0.00
1/29/1996	669.47	1,257.3	3,920.4	0.00
1/30/1996	668.76	1,224.1	4,010.9	0.00
1/31/1996	667.93	823.2	3,982.8	0.00
2/1/1996	667.06	586.2	3,952.0	0.00
2/2/1996	666.14	466.9	3,919.5	0.40
2/3/1996	665.50	571.8	3,001.7	0.12
2/4/1996	665.11	373.6	1,893.8	0.00
2/5/1996	664.82	508.8	1,510.4	0.00
2/6/1996	664.51	106.5	1,507.9	0.00
2/7/1996	664.38	467.2	986.3	0.00
2/8/1996	664.34	789.1	771.8	0.00
2/9/1996	664.45	1,619.4	771.8	0.04
2/10/1996	664.75	1,400.6	772.8	0.00
2/11/1996	664.90	1,181.4	774.1	0.00
2/12/1996	664.99	1,006.3	774.7	0.00
2/13/1996	664.85	830.7	1,295.2	0.00
2/14/1996	664.66	931.0	1,508.3	0.00
2/15/1996	664.48	946.6	1,506.9	0.27
2/16/1996	664.31	882.9	1,505.6	0.00
2/17/1996	664.26	737.4	1,015.8	0.00
2/18/1996	664.23	635.6	771.3	0.00
2/19/1996	664.19	906.5	771.1	0.00
2/20/1996	664.40	1,912.4	771.2	0.99
2/21/1996	664.57	1,920.6	1,348.5	0.00
2/22/1996	664.46	1,417.1	1,936.3	0.00
2/23/1996	664.23	1,140.1	2,110.7	0.00
2/24/1996	664.24	889.9	1,190.1	0.00
2/25/1996	664.27	839.2	771.2	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/1996	664.26	737.4	771.3	0.00
2/27/1996	664.23	805.0	771.2	0.00
2/28/1996	664.35	1,782.1	771.3	0.61
2/29/1996	664.59	1,734.8	1,292.1	0.00
3/1/1996	664.44	1,145.7	1,936.4	0.00
3/2/1996	664.17	798.2	2,110.3	0.00
3/3/1996	664.19	957.5	1,015.8	0.00
3/4/1996	664.20	720.1	771.0	0.00
3/5/1996	664.16	753.9	770.9	0.00
3/6/1996	664.59	8,395.3	771.0	1.48
3/7/1996	668.00	11,788.6	559.0	0.83
3/8/1996	670.60	8,301.3	255.9	0.05
3/9/1996	671.51	2,589.2	223.9	0.00
3/10/1996	671.76	1,911.6	1,174.6	0.00
3/11/1996	671.50	1,547.5	2,484.2	0.00
3/12/1996	670.96	1,126.8	3,350.5	0.00
3/13/1996	670.36	1,211.0	3,442.9	0.00
3/14/1996	669.72	740.7	3,427.8	0.00
3/15/1996	669.07	1,747.5	3,363.7	0.07
3/16/1996	668.41	940.1	3,390.0	0.00
3/17/1996	667.83	1,922.3	3,370.3	0.32
3/18/1996	667.30	1,188.6	3,354.3	0.00
3/19/1996	666.72	1,667.4	3,337.4	0.32
3/20/1996	666.36	2,355.8	3,322.3	0.00
3/21/1996	666.37	2,273.6	2,519.7	0.09
3/22/1996	666.33	2,078.9	2,149.8	0.00
3/23/1996	666.65	2,986.4	1,398.4	0.00
3/24/1996	667.11	2,739.1	1,223.7	0.00
3/25/1996	667.54	2,960.0	1,229.4	0.33
3/26/1996	667.86	2,029.1	1,234.5	0.00
3/27/1996	668.02	1,518.2	1,238.2	0.00
3/28/1996	668.27	1,481.3	670.1	0.13
3/29/1996	668.58	1,682.4	436.9	0.23
3/30/1996	669.03	2,286.3	259.9	0.00
3/31/1996	669.40	2,088.6	220.3	0.00
4/1/1996	669.82	3,115.5	221.3	0.79
4/2/1996	670.81	4,058.1	222.7	0.02
4/3/1996	671.36	2,510.0	648.2	0.00
4/4/1996	671.65	1,853.4	825.2	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/5/1996	671.86	1,321.1	827.2	0.12
4/6/1996	672.13	1,153.1	339.7	0.00
4/7/1996	672.34	897.3	225.8	0.00
4/8/1996	672.53	969.1	226.1	0.00
4/9/1996	672.71	722.7	160.0	0.11
4/10/1996	672.85	682.9	130.4	0.00
4/11/1996	672.96	567.7	130.6	0.00
4/12/1996	673.07	487.9	85.4	0.00
4/13/1996	673.18	708.8	65.5	0.00
4/14/1996	673.32	950.2	65.6	0.15
4/15/1996	673.45	649.1	65.7	0.00
4/16/1996	673.64	1,433.3	65.8	0.15
4/17/1996	673.87	809.8	66.0	0.00
4/18/1996	674.04	760.9	66.1	0.00
4/19/1996	674.17	742.3	66.3	0.00
4/20/1996	674.40	2,571.4	66.4	0.80
4/21/1996	675.47	4,724.5	66.8	0.34
4/22/1996	676.11	2,419.3	67.4	0.00
4/23/1996	676.32	5,886.9	1,583.7	1.22
4/24/1996	677.10	4,563.2	2,793.5	0.05
4/25/1996	676.98	2,716.3	3,415.9	0.00
4/26/1996	676.62	2,367.9	3,586.9	0.38
4/27/1996	676.18	1,388.7	3,578.5	0.00
4/28/1996	675.63	1,428.1	3,567.5	0.00
4/29/1996	675.32	1,068.7	2,607.0	0.10
4/30/1996	675.25	2,686.8	1,906.2	0.73
5/1/1996	675.46	2,781.3	2,127.7	0.00
5/2/1996	675.35	1,693.5	2,321.7	0.26
5/3/1996	675.16	1,467.8	2,319.4	0.08
5/4/1996	675.17	1,101.2	1,312.2	0.00
5/5/1996	675.19	851.1	851.1	0.00
5/6/1996	675.19	1,081.0	851.1	0.10
5/7/1996	675.36	2,099.0	851.5	0.86
5/8/1996	675.50	2,656.7	1,858.9	0.34
5/9/1996	675.45	1,903.9	2,322.6	0.00
5/10/1996	675.23	1,144.4	2,320.9	0.00
5/11/1996	675.07	1,016.3	1,850.0	0.03
5/12/1996	675.05	715.7	1,152.5	0.18
5/13/1996	675.10	627.0	574.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/14/1996	675.13	502.3	460.5	0.00
5/15/1996	675.17	710.9	460.6	0.42
5/16/1996	675.20	627.9	460.7	0.00
5/17/1996	675.24	565.5	460.9	0.00
5/18/1996	675.24	461.0	461.0	0.00
5/19/1996	675.24	419.1	461.0	0.00
5/20/1996	675.22	356.4	460.9	0.00
5/21/1996	675.17	377.2	460.8	0.00
5/22/1996	675.12	267.9	460.6	0.00
5/23/1996	675.11	188.5	297.4	0.00
5/24/1996	675.09	167.5	230.2	0.00
5/25/1996	675.05	78.0	230.1	0.00
5/26/1996	675.09	923.7	114.6	0.30
5/27/1996	675.43	2,123.8	67.1	1.17
5/28/1996	675.87	6,663.4	1,163.7	1.02
5/29/1996	676.77	5,063.3	2,050.6	0.17
5/30/1996	676.99	2,323.1	2,797.9	0.00
5/31/1996	676.65	850.4	2,983.9	0.00
6/1/1996	676.16	721.8	2,976.8	0.00
6/2/1996	675.63	350.5	2,967.6	0.23
6/3/1996	675.11	1,114.2	2,957.8	0.50
6/4/1996	675.05	1,562.0	1,953.1	0.62
6/5/1996	675.04	668.1	951.0	0.00
6/6/1996	675.03	600.3	712.1	0.00
6/7/1996	675.02	460.0	521.1	0.00
6/8/1996	675.10	1,024.0	460.2	0.63
6/9/1996	675.32	2,403.4	460.6	0.98
6/10/1996	675.86	4,406.0	1,069.0	0.54
6/11/1996	675.93	3,399.4	2,434.2	0.22
6/12/1996	677.00	13,780.4	2,970.6	1.47
6/13/1996	678.97	5,915.4	2,496.2	0.00
6/14/1996	678.92	2,196.7	3,244.4	0.00
6/15/1996	678.48	1,235.3	3,632.0	0.00
6/16/1996	677.90	444.3	3,620.7	0.00
6/17/1996	677.25	350.3	3,606.6	0.00
6/18/1996	676.68	242.3	3,088.3	0.00
6/19/1996	676.25	1,100.7	2,445.8	0.00
6/20/1996	676.12	1,252.6	2,334.3	0.90
6/21/1996	675.78	802.8	2,331.1	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/22/1996	675.36	667.3	2,325.1	0.00
6/23/1996	675.21	517.8	1,252.5	0.00
6/24/1996	675.07	415.8	850.9	0.00
6/25/1996	675.15	606.5	320.6	0.26
6/26/1996	675.21	544.0	230.3	0.00
6/27/1996	675.21	230.4	230.4	0.00
6/28/1996	675.21	230.4	230.4	0.00
6/29/1996	675.21	230.4	230.4	0.00
6/30/1996	675.21	209.5	230.4	0.00
7/1/1996	675.19	105.0	230.4	0.00
7/2/1996	675.17	104.9	230.4	0.00
7/3/1996	675.16	209.5	230.3	0.15
7/4/1996	675.15	188.5	230.3	0.00
7/5/1996	675.12	83.9	230.3	0.00
7/6/1996	675.10	167.6	230.2	0.00
7/7/1996	675.06	6.8	230.2	0.00
7/8/1996	675.02	28.1	158.1	0.00
7/9/1996	675.04	150.4	81.9	0.73
7/10/1996	675.01	0.0	67.0	0.00
7/11/1996	674.99	0.0	67.0	0.00
7/12/1996	674.97	0.0	58.9	0.00
7/13/1996	674.95	94.9	54.0	0.00
7/14/1996	674.98	322.9	54.0	0.00
7/15/1996	675.18	2,790.3	54.0	2.17
7/16/1996	675.97	1,652.8	207.1	0.04
7/17/1996	676.00	688.8	685.4	0.00
7/18/1996	675.90	438.0	855.7	0.00
7/19/1996	675.75	750.3	855.1	0.00
7/20/1996	677.34	21,446.4	855.2	2.20
7/21/1996	680.52	14,330.2	2,374.9	0.00
7/22/1996	681.01	3,613.9	3,550.1	0.14
7/23/1996	680.80	1,719.6	4,192.7	0.00
7/24/1996	680.13	790.1	4,408.4	0.00
7/25/1996	679.33	484.0	4,396.1	0.00
7/26/1996	678.47	297.3	4,360.1	0.00
7/27/1996	677.74	590.2	3,746.3	0.00
7/28/1996	676.96	377.2	3,601.2	0.00
7/29/1996	676.35	297.7	3,107.5	0.05
7/30/1996	675.88	679.1	2,519.5	0.15

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
7/31/1996	675.49	628.7	2,326.8	0.74
8/1/1996	675.20	470.0	1,858.7	0.00
8/2/1996	675.07	226.3	1,019.0	0.00
8/3/1996	675.08	397.3	359.4	0.00
8/4/1996	675.12	356.4	230.2	0.00
8/5/1996	675.13	211.5	231.9	0.00
8/6/1996	675.12	190.5	232.4	0.00
8/7/1996	675.10	177.1	232.3	0.00
8/8/1996	675.10	200.3	99.7	0.00
8/9/1996	675.20	409.3	54.1	0.41
8/10/1996	675.22	75.0	54.1	0.00
8/11/1996	675.23	328.1	54.1	0.00
8/12/1996	675.45	1,493.1	111.0	1.60
8/13/1996	675.54	1,312.5	643.4	0.00
8/14/1996	675.55	602.5	853.3	0.00
8/15/1996	675.46	456.3	853.1	0.00
8/16/1996	675.34	455.5	852.5	0.00
8/17/1996	675.26	287.8	851.8	0.24
8/18/1996	675.18	608.0	851.3	0.23
8/19/1996	675.20	232.6	412.9	0.00
8/20/1996	675.20	232.6	232.6	0.00
8/21/1996	675.20	211.7	232.6	0.00
8/22/1996	675.18	86.2	232.6	0.00
8/23/1996	675.14	23.8	232.5	0.00
8/24/1996	675.12	169.7	232.4	0.00
8/25/1996	675.08	57.3	232.3	0.00
8/26/1996	675.05	3.6	162.7	0.00
8/27/1996	675.02	0.0	134.0	0.00
8/28/1996	675.00	54.0	80.7	0.00
8/29/1996	675.00	15.5	54.0	0.00
8/30/1996	674.99	15.5	54.0	0.00
8/31/1996	674.98	54.0	54.0	0.00
9/1/1996	674.96	5.6	54.0	0.00
9/2/1996	674.97	94.7	54.0	0.00
9/3/1996	674.96	115.4	54.0	0.00
9/4/1996	674.98	5.3	54.0	0.26
9/5/1996	674.98	54.0	54.0	0.00
9/6/1996	674.98	0.0	54.0	0.00
9/7/1996	674.96	59.5	54.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/8/1996	674.82	194.5	574.2	0.00
9/9/1996	674.77	135.9	546.7	0.18
9/10/1996	674.75	53.9	53.9	0.00
9/11/1996	674.75	0.0	53.9	0.00
9/12/1996	674.72	0.0	53.8	0.00
9/13/1996	674.70	0.0	53.8	0.00
9/14/1996	674.68	0.0	53.8	0.00
9/15/1996	674.64	135.7	53.8	0.00
9/16/1996	674.77	1,656.2	53.8	1.77
9/17/1996	675.21	1,681.5	53.9	1.47
9/18/1996	675.23	780.4	918.8	0.00
9/19/1996	674.98	322.1	1,657.1	0.00
9/20/1996	674.82	336.7	1,084.1	0.00
9/21/1996	674.68	274.2	848.4	0.00
9/22/1996	674.54	63.4	847.5	0.32
9/23/1996	674.45	151.5	548.0	0.00
9/24/1996	674.38	112.3	458.3	0.00
9/25/1996	674.34	204.3	316.4	0.00
9/26/1996	674.29	9.6	265.8	0.00
9/27/1996	674.25	675.5	265.7	0.12
9/28/1996	674.50	3,578.9	265.9	2.05
9/29/1996	676.39	6,974.2	268.5	0.25
9/30/1996	676.55	1,530.1	1,647.7	0.00
10/1/1996	676.27	696.1	2,338.3	0.00
10/2/1996	675.91	888.0	2,333.3	0.04
10/3/1996	675.58	862.4	2,327.7	0.16
10/4/1996	675.22	504.7	2,322.3	0.00
10/5/1996	674.79	589.6	2,315.9	0.00
10/6/1996	674.35	113.1	2,309.0	0.00
10/7/1996	674.23	270.6	1,140.0	0.00
10/8/1996	674.10	111.5	844.3	0.00
10/9/1996	674.03	259.0	602.1	0.04
10/10/1996	674.02	229.3	277.2	0.00
10/11/1996	674.01	86.0	229.3	0.12
10/12/1996	674.00	168.8	188.9	0.00
10/13/1996	673.97	189.0	229.2	0.00
10/14/1996	673.95	168.7	229.1	0.00
10/15/1996	673.92	188.8	229.0	0.00
10/16/1996	673.90	168.5	228.9	0.00



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/17/1996	673.87	249.0	228.9	0.00
10/18/1996	673.90	488.3	228.8	0.85
10/19/1996	673.82	499.7	663.2	0.00
10/20/1996	673.72	398.5	841.5	0.00
10/21/1996	673.60	167.2	840.8	0.00
10/22/1996	673.30	225.1	1,403.3	0.06
10/23/1996	673.00	21.7	1,631.5	0.53
10/24/1996	672.70	735.2	1,627.3	0.00
10/25/1996	672.33	176.1	1,859.1	0.00
10/26/1996	671.94	525.8	1,950.0	0.07
10/27/1996	671.56	391.3	1,943.9	0.27
10/28/1996	671.33	561.6	1,472.0	0.04
10/29/1996	671.23	831.5	1,278.0	0.33
10/30/1996	671.10	694.5	1,277.0	0.00
10/31/1996	671.00	600.6	1,275.9	0.00
11/1/1996	670.85	569.3	1,274.5	0.37
11/2/1996	670.67	434.9	1,272.9	0.00
11/3/1996	670.48	469.1	1,271.0	0.00
11/4/1996	670.47	279.1	581.8	0.00
11/5/1996	670.50	241.6	51.3	0.00
11/6/1996	670.57	410.4	51.3	0.00
11/7/1996	670.42	1,421.3	997.3	0.45
11/8/1996	671.25	9,134.6	1,270.0	0.95
11/9/1996	672.35	2,459.8	1,448.4	0.00
11/10/1996	672.29	1,640.9	2,393.2	0.00
11/11/1996	671.80	697.6	3,183.3	0.00
11/12/1996	671.16	518.5	3,463.5	0.00
11/13/1996	670.46	280.0	3,447.3	0.00
11/14/1996	669.70	35.4	3,429.7	0.00
11/15/1996	668.92	305.9	3,408.1	0.00
11/16/1996	668.12	139.8	3,384.3	0.00
11/17/1996	667.29	627.6	3,359.6	0.00
11/18/1996	667.10	1,987.8	2,145.8	0.08
11/19/1996	667.37	3,157.0	1,934.4	0.11
11/20/1996	667.24	1,981.9	2,599.2	0.00
11/21/1996	666.87	2,004.9	2,769.6	0.00
11/22/1996	666.89	3,045.6	2,762.8	0.34
11/23/1996	666.73	1,772.6	2,763.1	0.00
11/24/1996	666.37	1,390.6	2,756.6	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/25/1996	665.91	1,682.9	2,745.9	0.00
11/26/1996	665.85	3,896.8	2,735.8	0.69
11/27/1996	666.00	2,252.3	2,739.8	0.00
11/28/1996	665.75	1,696.1	2,738.6	0.00
11/29/1996	665.35	821.0	2,731.2	0.00
11/30/1996	664.93	3,344.7	2,719.7	0.60
12/1/1996	666.56	13,982.0	2,431.4	1.05
12/2/1996	669.35	2,555.8	767.0	0.00
12/3/1996	669.81	2,422.3	1,577.7	0.00
12/4/1996	669.48	1,671.2	3,029.2	0.00
12/5/1996	668.94	1,175.7	3,403.8	0.00
12/6/1996	668.39	1,196.3	3,387.2	0.00
12/7/1996	667.78	928.3	3,370.3	0.00
12/8/1996	667.10	742.7	3,351.1	0.00
12/9/1996	666.36	656.8	3,329.7	0.00
12/10/1996	665.60	539.9	3,307.2	0.00
12/11/1996	664.94	690.0	2,934.6	0.00
12/12/1996	664.91	912.5	1,154.3	0.32
12/13/1996	665.10	1,094.9	419.9	0.00
12/14/1996	665.20	984.2	672.5	0.00
12/15/1996	665.22	776.8	776.7	0.00
12/16/1996	665.21	888.1	776.8	0.00
12/17/1996	665.71	9,571.5	1,298.8	1.60
12/18/1996	668.33	5,881.2	944.0	0.00
12/19/1996	669.22	2,297.3	323.7	0.00
12/20/1996	669.63	1,936.5	443.5	0.00
12/21/1996	669.91			0.00
12/22/1996	670.13	1,041.5		0.00
12/23/1996	669.84	1,184.5	1,918.2	0.18
12/24/1996	669.45	4,644.1	3,220.2	0.80
12/25/1996	670.01	3,649.8	3,416.6	0.00
12/26/1996	669.84	2,447.9	3,423.9	0.00
12/27/1996	669.42	1,744.1	3,415.2	0.09
12/28/1996	668.89	1,295.5	3,401.7	0.00
12/29/1996	668.32	1,325.1	3,385.2	0.09
12/30/1996	667.70	1,195.8	3,367.6	0.00
12/31/1996	667.05	563.6	3,348.8	0.17