



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/1999	664.21	336.5	200.7	0.00
1/2/1999	664.26	839.1	200.9	0.20
1/3/1999	664.71	3,524.3	318.1	0.78
1/4/1999	665.62	3,250.9	974.0	0.00
1/5/1999	665.52	1,421.7	1,848.5	0.00
1/6/1999	665.17	847.5	2,128.6	0.00
1/7/1999	664.78	795.0	2,120.9	0.08
1/8/1999	664.41	5,052.5	2,114.6	0.80
1/9/1999	668.18	25,559.3	2,126.6	2.15
1/10/1999	674.30	19,732.2	789.1	0.00
1/11/1999	675.13	2,963.4	2,118.1	0.00
1/12/1999	674.75	1,755.9	3,371.2	0.00
1/13/1999	674.23	1,176.1	3,534.7	0.00
1/14/1999	673.73	2,136.1	3,522.0	0.67
1/15/1999	673.25	1,219.7	3,970.0	0.13
1/16/1999	672.67	1,801.9	4,122.5	0.00
1/17/1999	671.97	1,313.8	4,105.2	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/1999	671.29	1,962.9	4,086.5	0.38
1/19/1999	670.90	2,256.3	4,071.2	0.00
1/20/1999	670.30	1,600.8	4,058.3	0.09
1/21/1999	669.56	1,098.3	4,039.5	0.00
1/22/1999	669.04	2,127.8	3,396.8	0.00
1/23/1999	669.76	9,403.0	1,473.8	1.85
1/24/1999	673.35	11,035.5	288.7	0.15
1/25/1999	674.64	4,216.3	228.3	0.00
1/26/1999	674.50	1,974.8	2,305.5	0.00
1/27/1999	674.00	1,080.6	3,528.8	0.00
1/28/1999	673.43	1,917.7	3,515.8	0.00
1/29/1999	672.79	562.8	3,501.3	0.00
1/30/1999	672.35	690.3	2,806.4	0.00
1/31/1999	671.96	1,830.2	2,266.8	0.00
2/1/1999	672.07	3,153.4	1,777.8	1.30
2/2/1999	672.76	4,075.0	2,048.7	0.00
2/3/1999	672.72	2,601.0	3,105.2	0.00
2/4/1999	672.31	1,350.1	3,486.7	0.00
2/5/1999	671.63	1,796.0	3,958.8	0.00
2/6/1999	670.82	1,207.9	4,075.5	0.00
2/7/1999	670.00	834.9	4,054.4	0.17
2/8/1999	669.16	737.3	4,029.9	0.00
2/9/1999	668.27	597.1	3,997.1	0.00
2/10/1999	667.34	553.0	3,962.9	0.00
2/11/1999	666.37	703.1	3,929.3	0.00
2/12/1999	665.50	1,786.8	3,893.7	0.96
2/13/1999	665.53	2,953.4	3,046.8	0.00
2/14/1999	665.42	1,981.3	2,728.1	0.00
2/15/1999	665.08	1,186.7	2,723.1	0.00
2/16/1999	664.62	1,134.3	2,713.8	0.00
2/17/1999	664.47	1,319.6	1,882.2	0.31
2/18/1999	664.46	1,421.1	1,506.0	0.00
2/19/1999	664.40	1,234.7	1,505.8	0.00
2/20/1999	664.25	936.7	1,505.1	0.00
2/21/1999	664.25	737.3	954.5	0.00
2/22/1999	664.23	703.4	771.2	0.00
2/23/1999	664.18	618.4	771.0	0.00
2/24/1999	664.13	650.1	770.8	0.18
2/25/1999	664.18	551.6	519.3	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/1999	664.22	551.3	416.0	0.00
2/27/1999	664.26	806.2	416.2	0.10
2/28/1999	664.51	1,366.3	416.7	0.55
3/1/1999	664.80	1,999.7	1,131.4	0.00
3/2/1999	664.85	1,745.7	1,508.7	0.00
3/3/1999	665.00	3,652.3	1,509.1	1.00
3/4/1999	666.23	6,187.1	1,951.6	0.06
3/5/1999	666.54	3,107.0	2,600.6	0.00
3/6/1999	666.40	2,187.6	2,753.6	0.35
3/7/1999	666.35	2,396.6	2,750.7	0.10
3/8/1999	666.14	1,794.7	2,748.3	0.00
3/9/1999	665.83	1,940.9	2,741.7	0.00
3/10/1999	665.68	2,144.5	2,735.1	0.07
3/11/1999	665.49	1,792.9	2,731.0	0.00
3/12/1999	665.10	1,255.6	2,724.0	0.00
3/13/1999	664.63	1,166.5	2,714.2	0.00
3/14/1999	664.22	4,910.0	2,705.9	1.10
3/15/1999	666.59	9,694.2	2,716.3	0.66
3/16/1999	667.77	4,678.5	2,770.5	0.00
3/17/1999	667.59	2,020.7	3,188.9	0.00
3/18/1999	667.14	1,152.8	3,348.4	0.00
3/19/1999	666.71	1,534.1	3,050.1	0.00
3/20/1999	666.51	1,175.0	2,025.0	0.00
3/21/1999	666.54	893.8	1,005.0	0.00
3/22/1999	666.64	799.0	532.7	0.00
3/23/1999	666.73	839.0	428.3	0.00
3/24/1999	666.88	639.5	228.4	0.46
3/25/1999	667.10	795.2	161.3	0.00
3/26/1999	667.27	806.8	126.3	0.00
3/27/1999	667.40	627.5	105.2	0.00
3/28/1999	667.52	501.7	105.4	0.00
3/29/1999	667.61	416.1	105.6	0.00
3/30/1999	667.72	438.4	73.8	0.00
3/31/1999	667.80	420.4	60.7	0.00
4/1/1999	667.93	493.2	60.8	0.34
4/2/1999	668.04	390.7	61.0	0.00
4/3/1999	668.14	409.6	61.1	0.00
4/4/1999	668.26	501.4	61.2	0.16
4/5/1999	668.38	465.0	61.3	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/6/1999	668.50	758.0	61.4	0.22
4/7/1999	668.67	611.5	61.6	0.31
4/8/1999	668.81	556.6	61.7	0.00
4/9/1999	668.91	501.6	61.8	0.00
4/10/1999	669.03	454.5	61.9	0.00
4/11/1999	669.11	360.5	62.1	0.23
4/12/1999	669.20	454.6	62.1	0.00
4/13/1999	669.27	249.1	62.2	0.00
4/14/1999	669.33	286.5	62.3	0.00
4/15/1999	669.45	790.7	62.4	0.73
4/16/1999	669.63	734.7	62.5	0.00
4/17/1999	669.83	623.4	62.7	0.00
4/18/1999	669.96	513.1	62.9	0.00
4/19/1999	670.08	462.8	63.0	0.06
4/20/1999	670.16	386.1	63.1	0.00
4/21/1999	670.24	253.5	63.2	0.00
4/22/1999	670.32	405.8	63.2	0.00
4/23/1999	670.38	405.9	63.3	0.00
4/24/1999	670.42	215.6	63.3	0.00
4/25/1999	670.46	215.5	63.3	0.00
4/26/1999	670.56	1,318.9	63.4	0.64
4/27/1999	670.99	1,805.1	63.6	0.00
4/28/1999	671.39	2,117.9	63.9	0.38
4/29/1999	672.78	10,895.7	64.3	1.26
4/30/1999	674.52	3,046.6	148.0	0.00
5/1/1999	675.00	1,437.4	178.4	0.00
5/2/1999	675.27	1,056.7	179.2	0.00
5/3/1999	675.43	784.0	179.7	0.00
5/4/1999	675.49	597.9	379.6	0.00
5/5/1999	675.63	1,594.2	279.5	0.75
5/6/1999	675.90	3,363.1	528.0	0.94
5/7/1999	676.62	2,232.6	1,121.4	0.00
5/8/1999	676.51	1,268.5	2,029.1	0.00
5/9/1999	676.06	938.9	2,788.1	0.00
5/10/1999	675.52	762.5	2,965.3	0.00
5/11/1999	675.29	568.7	1,867.9	0.00
5/12/1999	675.18	556.2	973.7	0.00
5/13/1999	675.21	586.1	546.9	0.54
5/14/1999	675.22	555.6	460.8	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/15/1999	675.24	567.8	587.9	0.00
5/16/1999	675.20	421.2	630.3	0.00
5/17/1999	675.13	274.5	630.0	0.00
5/18/1999	675.05	418.0	629.6	0.00
5/19/1999	675.07	169.1	274.6	0.17
5/20/1999	675.07	148.2	169.1	0.00
5/21/1999	675.06	106.4	169.1	0.00
5/22/1999	675.03	44.3	169.1	0.00
5/23/1999	675.02	181.6	169.0	0.00
5/24/1999	675.05	287.9	148.9	0.69
5/25/1999	675.05	20.8	142.1	0.00
5/26/1999	675.02	73.7	142.0	0.00
5/27/1999	675.01	66.0	83.3	0.00
5/28/1999	675.00	1.3	66.0	0.00
5/29/1999	675.00	52.5	56.0	0.00
5/30/1999	674.99	52.5	52.5	0.00
5/31/1999	674.98	0.0	52.5	0.00
6/1/1999	674.97	14.3	52.5	0.03
6/2/1999	674.95	0.0	52.5	0.05
6/3/1999	674.99	12.8	52.5	0.21
6/4/1999	674.99	0.0	52.5	0.00
6/5/1999	674.97	195.4	52.5	0.00
6/6/1999	675.00	93.5	52.5	0.22
6/7/1999	674.99	14.0	52.5	0.00
6/8/1999	674.98	14.0	52.5	0.00
6/9/1999	674.97	52.5	52.5	0.00
6/10/1999	674.96	0.0	52.5	0.00
6/11/1999	674.98	359.5	52.5	0.04
6/12/1999	674.97	0.0	52.5	0.00
6/13/1999	674.96	93.5	52.5	0.00
6/14/1999	675.02	1,206.3	52.5	0.13
6/15/1999	675.04	0.0	52.5	0.00
6/16/1999	675.02	0.0	52.5	0.00
6/17/1999	675.00	0.0	52.5	0.00
6/18/1999	674.97	0.0	52.5	0.00
6/19/1999	674.95	0.0	52.5	0.00
6/20/1999	674.92	0.0	52.5	0.00
6/21/1999	674.90	0.0	52.4	0.00
6/22/1999	674.87	0.0	52.4	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/23/1999	674.85	42.1	52.4	0.00
6/24/1999	674.88	463.6	52.4	0.84
6/25/1999	675.05	365.4	52.5	0.36
6/26/1999	675.10	73.5	52.5	0.00
6/27/1999	675.12	198.9	52.6	0.00
6/28/1999	675.15	345.0	52.6	0.12
6/29/1999	675.31	934.0	52.6	0.91
6/30/1999	675.33	484.6	341.8	0.00
7/1/1999	675.24	245.1	630.7	0.00
7/2/1999	675.21	128.1	303.9	0.00
7/3/1999	675.24	127.6	169.4	0.00
7/4/1999	675.22	127.7	169.4	0.00
7/5/1999	675.19	2.1	169.4	0.00
7/6/1999	675.15	38.9	169.3	0.00
7/7/1999	675.11	0.0	169.2	0.00
7/8/1999	675.08	0.0	86.6	0.00
7/9/1999	675.05	0.0	52.5	0.00
7/10/1999	675.02	13.3	52.5	0.00
7/11/1999	675.01	0.0	52.5	0.05
7/12/1999	674.98	0.0	52.5	0.00
7/13/1999	674.95	0.0	52.5	0.00
7/14/1999	674.93	0.0	52.5	0.00
7/15/1999	674.90	0.0	52.4	0.00
7/16/1999	674.88	0.0	45.9	0.00
7/17/1999	674.85	7.5	52.4	0.00
7/18/1999	674.85	52.4	52.4	1.25
7/19/1999	674.85	12.9	52.4	0.08
7/20/1999	674.83	11.4	52.4	0.29
7/21/1999	674.83	0.0	52.4	0.18
7/22/1999	674.81	0.0	52.4	0.00
7/23/1999	674.79	0.0	52.4	0.00
7/24/1999	674.77	0.0	52.4	0.00
7/25/1999	674.74	0.0	52.4	0.00
7/26/1999	674.72	0.0	52.3	0.00
7/27/1999	674.69	0.0	52.3	0.00
7/28/1999	674.66	0.0	52.3	0.00
7/29/1999	674.63	0.0	52.3	0.05
7/30/1999	674.61	0.0	52.3	0.00
7/31/1999	674.58	0.0	52.3	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
8/1/1999	674.54	0.0	52.2	0.00
8/2/1999	674.52	0.0	52.2	0.00
8/3/1999	674.47	0.0	52.2	0.00
8/4/1999	674.43	0.0	52.2	0.00
8/5/1999	674.39	0.0	52.1	0.00
8/6/1999	674.34	0.0	52.1	0.00
8/7/1999	674.31	0.0	52.1	0.00
8/8/1999	674.27	0.0	52.1	0.06
8/9/1999	674.34	0.0	52.1	0.72
8/10/1999	674.28	0.0	52.1	0.00
8/11/1999	674.24	0.0	52.1	0.00
8/12/1999	674.21	0.0	52.0	0.00
8/13/1999	674.17	0.0	52.0	0.00
8/14/1999	674.13	0.0	52.0	0.00
8/15/1999	674.09	52.0	52.0	0.00
8/16/1999	674.05	0.0	51.9	0.00
8/17/1999	674.01	0.0	51.9	0.00
8/18/1999	673.99	0.0	39.4	0.00
8/19/1999	673.94	0.0	51.9	0.00
8/20/1999	673.94	0.0	51.9	0.00
8/21/1999	673.89	0.0	51.8	0.00
8/22/1999	673.85	0.0	51.8	0.00
8/23/1999	673.82	0.0	51.8	0.00
8/24/1999	673.78	72.4	51.8	0.00
8/25/1999	673.84	0.0	51.8	0.35
8/26/1999	673.81	71.9	51.8	0.00
8/27/1999	673.82	0.0	51.8	0.00
8/28/1999	673.80	0.0	51.8	0.00
8/29/1999	673.78	0.0	51.8	0.00
8/30/1999	673.74	0.0	51.8	0.00
8/31/1999	673.70	0.0	51.7	0.00
9/1/1999	673.67	0.0	51.7	0.00
9/2/1999	673.65	0.0	51.7	0.00
9/3/1999	673.62	0.0	51.7	0.00
9/4/1999	673.58	0.0	51.7	0.00
9/5/1999	673.55	0.0	51.6	0.00
9/6/1999	673.52	0.0	51.6	0.00
9/7/1999	673.48	0.0	51.6	0.00
9/8/1999	673.45	0.0	51.6	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/9/1999	673.40	0.0	51.6	0.00
9/10/1999	673.38	0.0	51.5	0.00
9/11/1999	673.33	0.0	51.5	0.00
9/12/1999	673.30	0.0	51.5	0.00
9/13/1999	673.26	0.0	51.5	0.00
9/14/1999	673.24	0.0	51.5	0.00
9/15/1999	673.20	0.0	51.4	0.00
9/16/1999	673.14	0.0	51.4	0.00
9/17/1999	673.11	0.0	51.4	0.00
9/18/1999	673.07	0.0	51.4	0.00
9/19/1999	673.04	0.0	51.3	0.00
9/20/1999	673.05	362.8	51.3	0.96
9/21/1999	673.06	0.0	51.3	0.19
9/22/1999	673.03	0.0	51.3	0.10
9/23/1999	672.99	0.0	51.3	0.00
9/24/1999	672.96	0.0	51.3	0.00
9/25/1999	672.92	0.0	51.3	0.00
9/26/1999	672.89	0.0	51.2	0.00
9/27/1999	672.87	149.9	51.2	0.00
9/28/1999	672.92	0.0	51.2	0.50
9/29/1999	672.89	11.6	51.2	0.00
9/30/1999	672.92	0.0	51.2	0.00
10/1/1999	672.89	0.0	51.2	0.00
10/2/1999	672.86	0.0	51.2	0.00
10/3/1999	672.83	0.0	51.2	0.00
10/4/1999	672.80	0.0	51.2	0.00
10/5/1999	672.77	0.0	51.2	0.00
10/6/1999	672.74	0.0	51.2	0.00
10/7/1999	672.72	0.0	51.1	0.00
10/8/1999	672.68	0.0	51.1	0.00
10/9/1999	672.74	1,314.3	51.1	1.10
10/10/1999	672.87	51.2	51.2	1.35
10/11/1999	672.85	4.3	51.2	0.00
10/12/1999	672.85	51.2	51.2	0.00
10/13/1999	672.84	0.0	51.2	0.00
10/14/1999	672.81	51.2	51.2	0.00
10/15/1999	672.80	0.0	51.2	0.00
10/16/1999	672.77	14.1	51.2	0.00
10/17/1999	672.75	0.0	51.2	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/18/1999	672.73	0.0	51.1	0.00
10/19/1999	672.70	0.0	51.1	0.00
10/20/1999	672.67	0.0	51.1	0.00
10/21/1999	672.64	0.0	51.1	0.00
10/22/1999	672.62	0.0	51.1	0.00
10/23/1999	672.58	0.0	51.1	0.00
10/24/1999	672.54	51.0	51.0	0.00
10/25/1999	672.51	0.0	51.0	0.00
10/26/1999	672.49	0.0	51.0	0.00
10/27/1999	672.46	0.0	51.0	0.00
10/28/1999	672.44	0.0	51.0	0.00
10/29/1999	672.41	0.0	51.0	0.00
10/30/1999	672.39	0.0	50.9	0.00
10/31/1999	672.37	50.9	50.9	0.00
11/1/1999	672.35	86.7	50.9	0.00
11/2/1999	672.34	505.5	285.2	1.28
11/3/1999	672.27	91.3	406.8	0.22
11/4/1999	672.19	21.4	406.5	0.00
11/5/1999	672.08	1.7	406.3	0.00
11/6/1999	672.00	171.5	406.0	0.00
11/7/1999	671.91	95.4	405.8	0.00
11/8/1999	671.83	66.6	405.6	0.00
11/9/1999	671.75	80.5	405.3	0.00
11/10/1999	671.65	66.2	405.1	0.00
11/11/1999	671.56	65.5	404.9	0.00
11/12/1999	671.48	171.9	404.6	0.00
11/13/1999	671.39	65.4	404.4	0.00
11/14/1999	671.30	93.8	404.2	0.00
11/15/1999	671.20	26.1	403.9	0.00
11/16/1999	671.10	93.2	403.6	0.00
11/17/1999	671.01	38.6	403.4	0.00
11/18/1999	670.91	79.5	403.1	0.00
11/19/1999	670.80	7.8	402.9	0.00
11/20/1999	670.74	402.5	402.6	0.36
11/21/1999	670.65	3.1	402.4	0.00
11/22/1999	670.56	18.3	402.2	0.00
11/23/1999	670.49	2.1	309.0	0.00
11/24/1999	670.41	78.2	401.7	0.11
11/25/1999	670.32	172.9	401.5	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/26/1999	670.30	306.2	401.3	1.00
11/27/1999	670.23	77.6	401.2	0.04
11/28/1999	670.15	173.1	401.0	0.00
11/29/1999	670.06	77.5	400.8	0.00
11/30/1999	669.97	101.3	400.6	0.00
12/1/1999	669.88	26.8	400.2	0.00
12/2/1999	669.80	0.0	399.8	0.00
12/3/1999	669.70	82.0	399.4	0.00
12/4/1999	669.61	99.8	399.0	0.00
12/5/1999	669.54	248.9	398.6	0.00
12/6/1999	669.47	174.0	398.3	0.24
12/7/1999	669.38	80.0	397.9	0.00
12/8/1999	669.28	5.3	397.5	0.00
12/9/1999	669.19	23.7	397.1	0.00
12/10/1999	669.18	714.0	396.8	0.78
12/11/1999	669.12	78.8	396.7	0.00
12/12/1999	669.08	359.4	396.5	0.00
12/13/1999	669.21	1,200.4	396.5	1.50
12/14/1999	669.46	1,500.0	397.3	0.48
12/15/1999	669.75	978.2	398.6	0.03
12/16/1999	669.82	481.7	399.5	0.00
12/17/1999	669.72	345.6	690.0	0.00
12/18/1999	669.58	214.2	812.3	0.00
12/19/1999	669.41	118.8	811.1	0.00
12/20/1999	669.25	192.8	809.8	0.00
12/21/1999	669.07	81.7	808.4	0.00
12/22/1999	668.89	164.5	807.0	0.00
12/23/1999	668.70	203.1	805.5	0.00
12/24/1999	668.62	153.7	545.1	0.00
12/25/1999	668.52	126.3	437.9	0.00
12/26/1999	668.41	15.1	437.4	0.00
12/27/1999	668.34	198.8	436.9	0.00
12/28/1999	668.23	40.0	436.5	0.00
12/29/1999	668.19	45.9	242.0	0.00
12/30/1999	668.16	119.4	174.4	0.00
12/31/1999	668.11	9.3	174.3	0.00