



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/2000	668.08	27.4	174.2	0.00
1/2/2000	668.04	64.1	174.1	0.00
1/3/2000	668.04	577.0	174.1	0.00
1/4/2000	668.42	2,887.5	174.2	1.35
1/5/2000	668.97	1,573.6	175.2	0.00
1/6/2000	669.17	773.5	176.1	0.00
1/7/2000	669.11	452.8	616.0	0.00
1/8/2000	668.99	325.7	807.5	0.00
1/9/2000	668.86	805.9	878.3	0.15
1/10/2000	668.71	456.6	805.3	0.00
1/11/2000	668.54	97.4	804.2	0.00
1/12/2000	668.44	293.6	803.1	0.00
1/13/2000	668.28	233.0	773.6	0.08
1/14/2000	668.12	135.4	800.8	0.00
1/15/2000	668.10	107.8	387.6	0.00
1/16/2000	668.05	89.3	217.7	0.00
1/17/2000	668.03	217.6	217.6	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/2000	668.02	34.4	217.6	0.30
1/19/2000	667.99	123.6	217.5	0.00
1/20/2000	668.01	142.0	120.7	0.19
1/21/2000	668.04	123.7	87.0	0.00
1/22/2000	668.07	215.5	87.0	0.00
1/23/2000	668.11	288.4	87.1	0.14
1/24/2000	668.12	105.5	87.1	0.00
1/25/2000	668.14	215.5	87.1	0.00
1/26/2000	668.15	14.2	87.1	0.00
1/27/2000	668.16	87.2	87.2	0.00
1/28/2000	668.17	178.9	87.2	0.00
1/29/2000	668.19	399.0	87.2	0.00
1/30/2000	668.28	435.7	87.2	0.65
1/31/2000	668.40	571.7	87.3	0.00
2/1/2000	668.46	455.6	329.4	0.00
2/2/2000	668.47	419.1	437.3	0.00
2/3/2000	668.45	308.8	437.3	0.00
2/4/2000	668.43	400.4	437.2	0.00
2/5/2000	668.41	382.1	437.1	0.00
2/6/2000	668.38	436.9	437.0	0.00
2/7/2000	668.34	363.3	436.8	0.00
2/8/2000	668.29	291.7	436.6	0.00
2/9/2000	668.28	218.2	339.6	0.00
2/10/2000	668.29	309.4	218.2	0.00
2/11/2000	668.28	200.3	218.2	0.00
2/12/2000	668.33	365.0	218.3	0.00
2/13/2000	668.36	218.4	218.4	0.20
2/14/2000	669.09	6,768.2	218.7	1.19
2/15/2000	670.57	3,119.3	632.9	0.00
2/16/2000	670.71	1,472.3	1,371.4	0.00
2/17/2000	670.47	1,156.5	2,072.1	0.00
2/18/2000	670.21	3,145.9	2,356.3	0.92
2/19/2000	671.53	9,047.1	1,143.2	0.76
2/20/2000	673.11	3,379.4	225.8	0.10
2/21/2000	673.59	1,595.3	227.4	0.00
2/22/2000	673.86	1,389.8	228.0	0.11
2/23/2000	673.64	1,027.0	1,603.8	0.00
2/24/2000	673.17	1,061.7	2,734.1	0.11
2/25/2000	672.51	640.0	3,200.7	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/2000	671.64	523.1	3,935.9	0.00
2/27/2000	670.76	883.2	4,075.3	0.25
2/28/2000	669.93	892.2	4,052.0	0.00
2/29/2000	669.09	760.6	4,025.9	0.00
3/1/2000	668.65	925.3	2,755.3	0.15
3/2/2000	668.24	579.5	2,197.4	0.00
3/3/2000	668.19	510.7	991.6	0.00
3/4/2000	668.19	472.7	542.3	0.00
3/5/2000	668.20	344.3	436.0	0.00
3/6/2000	668.20	399.3	436.0	0.00
3/7/2000	668.17	307.5	435.9	0.00
3/8/2000	668.14	286.1	435.8	0.00
3/9/2000	668.19	717.0	245.1	0.26
3/10/2000	668.16	325.8	346.9	0.00
3/11/2000	668.14	288.9	435.8	0.00
3/12/2000	668.16	545.8	435.8	0.42
3/13/2000	668.23	564.6	435.9	0.00
3/14/2000	668.26	509.7	436.2	0.00
3/15/2000	668.25	436.3	436.3	0.00
3/16/2000	668.28	676.6	290.8	0.15
3/17/2000	668.60	2,094.8	218.4	0.65
3/18/2000	669.01	1,676.0	634.6	0.00
3/19/2000	669.06	6,333.6	1,245.0	0.79
3/20/2000	672.80	24,350.6	1,588.3	2.00
3/21/2000	677.17	7,863.1	623.2	0.00
3/22/2000	677.52	2,064.8	1,673.7	0.00
3/23/2000	676.95	1,556.0	3,995.1	0.00
3/24/2000	676.11	1,155.3	4,832.3	0.00
3/25/2000	675.19	779.4	4,807.3	0.00
3/26/2000	674.21	662.4	4,779.7	0.00
3/27/2000	673.20	735.2	4,750.3	0.25
3/28/2000	672.41	557.8	3,988.3	0.00
3/29/2000	671.92	582.6	2,726.6	0.00
3/30/2000	671.73	615.2	1,502.7	0.05
3/31/2000	671.71	338.1	658.2	0.00
4/1/2000	671.78	342.0	180.1	0.00
4/2/2000	671.83	458.3	90.1	0.13
4/3/2000	671.95	1,024.1	90.1	0.27
4/4/2000	672.52	4,143.1	74.1	0.99

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/5/2000	673.53	2,296.6	64.4	0.00
4/6/2000	673.97	1,351.9	65.0	0.00
4/7/2000	674.24	1,048.3	144.6	0.00
4/8/2000	674.51	1,643.5	167.5	0.65
4/9/2000	675.17	2,147.6	168.5	0.00
4/10/2000	675.46	1,183.5	450.1	0.00
4/11/2000	675.56	1,490.8	653.9	0.00
4/12/2000	675.85	3,007.4	1,184.1	0.72
4/13/2000	676.08	2,126.4	1,809.5	0.00
4/14/2000	675.96	1,641.1	2,238.0	0.00
4/15/2000	675.72	1,218.6	2,328.9	0.00
4/16/2000	675.42	1,095.8	2,324.7	0.00
4/17/2000	675.40	1,061.4	1,314.6	0.31
4/18/2000	675.39	768.8	852.4	0.05
4/19/2000	675.40	810.6	852.4	0.26
4/20/2000	675.36	664.1	852.3	0.00
4/21/2000	675.36	789.5	852.2	0.23
4/22/2000	675.38	831.4	852.2	0.04
4/23/2000	675.36	664.1	852.2	0.00
4/24/2000	675.31	851.8	852.0	0.02
4/25/2000	675.40	1,661.8	852.0	0.82
4/26/2000	675.47	1,536.1	1,444.0	0.00
4/27/2000	675.38	1,096.6	1,661.1	0.00
4/28/2000	675.22	921.3	1,659.5	0.00
4/29/2000	675.17	663.0	1,086.5	0.00
4/30/2000	675.11	506.9	850.9	0.00
5/1/2000	675.11	544.0	574.2	0.00
5/2/2000	675.10	439.6	460.4	0.01
5/3/2000	675.08	355.8	460.4	0.00
5/4/2000	675.17	1,630.0	460.3	0.01
5/5/2000	675.30	710.4	460.9	0.00
5/6/2000	675.16	594.1	1,067.3	0.00
5/7/2000	675.13	397.8	726.2	0.00
5/8/2000	675.10	356.0	460.5	0.03
5/9/2000	675.05	421.6	460.3	0.00
5/10/2000	675.04	12.3	221.3	0.11
5/11/2000	675.05	41.0	169.1	0.00
5/12/2000	675.03	23.3	112.3	0.00
5/13/2000	675.07	178.0	64.8	0.31

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/14/2000	675.08	52.5	52.5	0.00
5/15/2000	675.06	0.0	48.5	0.00
5/16/2000	675.05	20.0	20.0	0.00
5/17/2000	675.05	13.3	48.5	0.00
5/18/2000	675.04	0.0	52.5	0.00
5/19/2000	675.02	177.8	52.5	0.00
5/20/2000	675.08	52.5	52.5	0.60
5/21/2000	675.08	52.5	52.5	0.13
5/22/2000	675.08	13.4	52.5	0.01
5/23/2000	675.08	741.8	52.5	0.22
5/24/2000	675.49	2,461.2	52.6	2.24
5/25/2000	675.69	1,921.9	1,645.1	0.37
5/26/2000	675.24	918.8	2,765.9	0.00
5/27/2000	675.17	976.4	1,417.7	0.51
5/28/2000	675.30	2,021.3	851.2	0.47
5/29/2000	675.41	941.2	852.1	0.06
5/30/2000	675.24	739.0	1,424.2	0.02
5/31/2000	675.15	561.1	1,096.6	0.00
6/1/2000	675.13	391.7	513.9	0.00
6/2/2000	675.15	273.8	244.6	0.00
6/3/2000	675.14	64.7	169.3	0.00
6/4/2000	675.14	148.3	169.3	0.00
6/5/2000	675.12	54.1	169.2	0.00
6/6/2000	675.13	170.6	100.5	0.01
6/7/2000	675.13	66.1	66.1	0.00
6/8/2000	675.13	66.1	66.1	0.00
6/9/2000	675.12	8.6	66.1	0.00
6/10/2000	675.11	8.6	66.1	0.00
6/11/2000	675.11	29.5	66.1	0.00
6/12/2000	675.09	0.0	66.1	0.00
6/13/2000	675.08	0.0	66.1	0.00
6/14/2000	675.06	25.5	66.1	0.00
6/15/2000	675.05	133.2	66.0	0.09
6/16/2000	675.09	0.0	24.8	0.30
6/17/2000	675.08	79.1	33.0	0.00
6/18/2000	675.11	392.4	33.0	0.20
6/19/2000	675.33	715.0	33.0	2.24
6/20/2000	675.47	629.0	155.6	0.01
6/21/2000	675.55	211.8	169.9	0.01

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/22/2000	675.69	2,196.3	170.0	0.36
6/23/2000	675.94	588.7	170.4	0.36
6/24/2000	676.00	181.3	170.7	0.00
6/25/2000	676.01	486.4	170.8	0.00
6/26/2000	676.00	0.3	170.8	0.00
6/27/2000	676.01	298.6	170.8	0.17
6/28/2000	676.07	192.2	170.9	0.15
6/29/2000	676.09	277.5	170.9	0.00
6/30/2000	676.10	255.7	171.0	0.00
7/1/2000	676.08	0.5	171.0	0.00
7/2/2000	676.06	21.7	170.9	0.00
7/3/2000	676.03	107.5	170.9	0.00
7/4/2000	676.05	170.9	170.9	0.69
7/5/2000	676.06	298.8	170.9	0.29
7/6/2000	676.12	767.0	170.9	0.47
7/7/2000	676.15	149.8	171.0	0.00
7/8/2000	676.13	21.9	171.1	0.00
7/9/2000	676.10	21.9	171.0	0.00
7/10/2000	676.07	0.4	171.0	0.00
7/11/2000	676.03	171.4	170.9	0.00
7/12/2000	676.11	490.0	170.9	1.10
7/13/2000	676.11	234.9	171.0	0.00
7/14/2000	676.14	128.4	171.0	0.00
7/15/2000	676.12	107.1	171.0	0.00
7/16/2000	676.09	1.1	171.0	0.00
7/17/2000	676.06	59.2	170.9	0.00
7/18/2000	676.02	0.4	170.9	0.00
7/19/2000	676.02	679.0	145.5	0.64
7/20/2000	676.01	60.3	170.8	0.04
7/21/2000	675.97	3.7	170.8	0.00
7/22/2000	675.93	3.4	170.7	0.00
7/23/2000	675.88	0.0	170.6	0.00
7/24/2000	675.83	0.0	170.5	0.00
7/25/2000	675.78	0.0	170.5	0.00
7/26/2000	675.73	3.3	170.4	0.00
7/27/2000	675.69	65.7	170.3	0.00
7/28/2000	675.63	0.0	170.2	0.00
7/29/2000	675.68	1,339.8	170.1	1.30
7/30/2000	675.79	1,068.4	170.3	1.35

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
7/31/2000	676.13	2,443.3	170.6	0.67
8/1/2000	676.50	1,500.9	171.3	0.10
8/2/2000	676.48	796.2	851.8	0.30
8/3/2000	676.41	826.6	1,030.3	0.00
8/4/2000	676.58	1,447.7	430.9	0.14
8/5/2000	676.52	562.8	871.9	0.00
8/6/2000	676.36	326.6	1,030.4	0.00
8/7/2000	676.19	283.2	1,029.1	0.00
8/8/2000	676.01	516.6	1,027.7	0.00
8/9/2000	675.81	440.6	1,026.2	0.20
8/10/2000	675.78	1,380.4	1,024.9	1.01
8/11/2000	675.67	522.6	1,024.8	0.00
8/12/2000	675.47	228.6	1,023.6	0.00
8/13/2000	675.29	206.2	1,022.2	0.00
8/14/2000	675.11	249.3	1,020.7	0.01
8/15/2000	675.06	59.6	417.3	0.01
8/16/2000	675.02	19.4	169.1	0.00
8/17/2000	675.00	0.0	96.1	0.00
8/18/2000	674.97	0.0	57.2	0.00
8/19/2000	674.96	0.0	52.5	0.00
8/20/2000	674.93	0.0	52.5	0.00
8/21/2000	674.89	0.0	52.4	0.00
8/22/2000	674.88	24.2	52.4	0.00
8/23/2000	674.84	0.0	52.4	0.00
8/24/2000	674.85	24.1	52.4	0.19
8/25/2000	674.82	0.0	52.4	0.00
8/26/2000	674.81	0.0	52.4	0.00
8/27/2000	674.81	380.5	52.4	0.20
8/28/2000	674.80	13.9	52.4	0.01
8/29/2000	674.78	0.0	52.4	0.00
8/30/2000	674.77	0.0	52.4	0.00
8/31/2000	674.74	0.0	52.4	0.00
9/1/2000	674.71	0.0	52.3	0.00
9/2/2000	674.69	0.0	52.3	0.00
9/3/2000	674.71	0.0	52.3	0.32
9/4/2000	674.70	17.7	52.3	0.00
9/5/2000	674.67	0.0	52.3	0.00
9/6/2000	674.62	0.0	52.3	0.00
9/7/2000	674.59	0.0	52.3	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/8/2000	674.58	24.0	52.2	0.19
9/9/2000	674.56	0.0	52.2	0.00
9/10/2000	674.54	0.0	52.2	0.00
9/11/2000	674.51	3.5	52.2	0.00
9/12/2000	674.51	83.0	52.2	0.00
9/13/2000	674.51	0.0	52.2	0.19
9/14/2000	674.49	0.0	52.2	0.01
9/15/2000	674.46	0.0	52.2	0.00
9/16/2000	674.42	0.0	52.2	0.00
9/17/2000	674.38	0.0	52.1	0.00
9/18/2000	674.35	0.0	52.1	0.00
9/19/2000	674.32	0.0	52.1	0.02
9/20/2000	674.29	0.0	52.1	0.00
9/21/2000	674.25	0.0	52.1	0.13
9/22/2000	674.24	0.0	52.1	0.00
9/23/2000	674.21	11.3	52.0	0.13
9/24/2000	674.21	3.6	52.0	0.17
9/25/2000	674.21	52.0	52.0	0.20
9/26/2000	674.22	0.0	52.0	0.61
9/27/2000	674.20	0.0	52.0	0.00
9/28/2000	674.18	0.0	52.0	0.02
9/29/2000	674.15	0.0	52.0	0.00
9/30/2000	674.13	0.0	52.0	0.00
10/1/2000	674.11	0.0	52.0	0.00
10/2/2000	674.08	0.0	52.0	0.00
10/3/2000	674.06	0.0	51.9	0.00
10/4/2000	674.04	0.0	51.9	0.00
10/5/2000	674.02	51.9	51.9	0.00
10/6/2000	674.04	22.4	51.9	0.68
10/7/2000	674.00	0.0	51.9	0.00
10/8/2000	673.96	0.0	51.9	0.00
10/9/2000	673.92	0.0	51.9	0.00
10/10/2000	673.88	0.0	51.8	0.01
10/11/2000	673.85	0.0	51.8	0.00
10/12/2000	673.82	0.0	51.8	0.01
10/13/2000	673.80	0.0	51.8	0.00
10/14/2000	673.75	0.0	51.8	0.00
10/15/2000	673.75	0.0	51.8	0.00
10/16/2000	673.72	0.0	51.7	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/17/2000	673.71	122.2	51.7	0.00
10/18/2000	673.71	0.0	51.7	0.00
10/19/2000	673.69	0.0	51.7	0.01
10/20/2000	673.66	0.0	51.7	0.00
10/21/2000	673.64	0.0	51.7	0.00
10/22/2000	673.63	212.6	51.7	0.32
10/23/2000	673.61	0.0	51.7	0.01
10/24/2000	673.59	0.0	51.7	0.00
10/25/2000	673.57	0.0	51.6	0.02
10/26/2000	673.55	0.0	51.6	0.02
10/27/2000	673.53	0.0	51.6	0.00
10/28/2000	673.51	0.0	51.6	0.00
10/29/2000	673.49	0.0	38.7	0.00
10/30/2000	673.45	0.0	51.6	0.00
10/31/2000	673.41	0.0	51.6	0.00
11/1/2000	673.37	0.0	51.5	0.00
11/2/2000	673.34	0.0	51.5	0.00
11/3/2000	673.29	0.0	51.5	0.00
11/4/2000	673.26	4.2	122.6	0.00
11/5/2000	673.22	4.1	165.1	0.00
11/6/2000	673.18	94.6	165.1	0.00
11/7/2000	673.18	104.7	165.0	0.80
11/8/2000	673.15	184.9	165.0	0.09
11/9/2000	673.30	1,746.8	164.9	2.28
11/10/2000	673.38	451.6	252.8	0.50
11/11/2000	673.41	471.3	330.9	0.00
11/12/2000	673.37	170.0	330.9	0.00
11/13/2000	673.33	149.5	330.8	0.00
11/14/2000	673.27	29.1	330.6	0.01
11/15/2000	673.21	129.5	330.3	0.00
11/16/2000	673.15	129.2	330.0	0.06
11/17/2000	673.09	108.9	329.8	0.05
11/18/2000	673.02	109.5	329.5	0.00
11/19/2000	672.94	42.7	329.2	0.00
11/20/2000	672.86	9.7	328.8	0.00
11/21/2000	672.70	15.6	596.3	0.00
11/22/2000	672.21	8.1	1,823.4	0.00
11/23/2000	671.64	0.0	2,264.4	0.00
11/24/2000	671.10	33.8	2,255.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/25/2000	670.56	80.0	2,245.6	0.70
11/26/2000	670.02	76.7	2,236.7	0.15
11/27/2000	669.49	50.8	2,226.6	0.00
11/28/2000	668.93	67.4	2,214.5	0.00
11/29/2000	668.35	2.0	2,202.1	0.00
11/30/2000	667.78	3.6	2,189.4	0.00
12/1/2000	667.19	0.0	2,176.7	0.00
12/2/2000	666.60	178.1	2,163.2	0.00
12/3/2000	666.01	0.0	2,150.8	0.00
12/4/2000	665.41	11.9	2,138.1	0.00
12/5/2000	664.82	0.0	2,125.4	0.00
12/6/2000	664.53	18.3	1,195.9	0.00
12/7/2000	664.40	78.3	535.7	0.00
12/8/2000	664.33	150.9	416.9	0.00
12/9/2000	664.28	0.0	344.5	0.00
12/10/2000	664.19	165.1	300.9	0.00
12/11/2000	664.19	148.2	300.8	0.01
12/12/2000	664.16	300.2	300.7	0.00
12/13/2000	664.11	423.4	300.5	0.00
12/14/2000	664.29	1,333.5	228.5	1.16
12/15/2000	664.59	1,129.1	198.8	0.00
12/16/2000	664.66	3,337.3	605.7	0.45
12/17/2000	667.27	18,086.2	777.3	0.00
12/18/2000	669.09	3,003.5	798.9	0.00
12/19/2000	668.98	1,237.6	1,864.8	0.09
12/20/2000	668.50	605.9	2,628.8	0.01
12/21/2000	667.90	218.5	2,800.9	0.00
12/22/2000	667.28	135.6	2,785.2	0.00
12/23/2000	666.57	1.3	2,768.3	0.00
12/24/2000	665.87	92.4	2,750.0	0.00
12/25/2000	665.15	25.0	2,731.9	0.00
12/26/2000	664.73	961.1	2,715.5	0.00
12/27/2000	664.55	247.2	1,137.8	0.06
12/28/2000	664.39	146.4	772.5	0.00
12/29/2000	664.31	331.8	594.2	0.00
12/30/2000	664.25	246.7	416.4	0.00
12/31/2000	664.19	246.4	416.1	0.04