



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/2001	664.13	313.9	415.8	0.05
1/2/2001	664.13	463.0	415.6	0.03
1/3/2001	664.14	181.3	279.8	0.00
1/4/2001	664.14	222.8	190.7	0.00
1/5/2001	664.14	138.0	138.0	0.00
1/6/2001	664.16	333.1	190.8	0.00
1/7/2001	664.17	334.0	198.3	0.00
1/8/2001	664.18	300.1	198.3	0.00
1/9/2001	664.20	283.2	198.4	0.01
1/10/2001	664.21	283.2	198.4	0.00
1/11/2001	664.22	282.7	198.4	0.00
1/12/2001	664.24	385.0	198.4	0.07
1/13/2001	664.26	303.0	198.5	0.00
1/14/2001	664.20	198.4	198.4	0.00
1/15/2001	664.24	324.5	190.9	0.00
1/16/2001	664.27	409.3	138.0	0.00
1/17/2001	664.30	300.4	191.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/2001	664.34	554.7	198.6	0.07
1/19/2001	664.50	2,458.6	198.7	0.95
1/20/2001	665.70	5,729.4	607.1	0.50
1/21/2001	666.01	2,143.2	1,718.1	0.04
1/22/2001	665.84	1,187.4	2,141.1	0.00
1/23/2001	665.56	972.8	2,136.3	0.00
1/24/2001	665.19	778.1	2,129.3	0.00
1/25/2001	664.80	693.7	2,121.4	0.00
1/26/2001	664.38	471.0	2,114.9	0.00
1/27/2001	664.33	738.8	1,092.1	0.00
1/28/2001	664.39	620.3	416.7	0.00
1/29/2001	664.42	586.6	417.0	0.01
1/30/2001	664.51	911.0	417.2	0.39
1/31/2001	664.57	1,095.0	669.1	0.00
2/1/2001	664.62	840.9	772.9	0.00
2/2/2001	664.59	536.0	773.1	0.00
2/3/2001	664.53	501.8	772.9	0.00
2/4/2001	664.44	399.7	772.5	0.00
2/5/2001	664.34	395.2	772.0	0.00
2/6/2001	664.33	484.5	549.8	0.00
2/7/2001	664.32	416.6	416.6	0.00
2/8/2001	664.29	297.8	416.5	0.00
2/9/2001	664.27	467.1	416.4	0.00
2/10/2001	664.33	908.2	416.4	0.68
2/11/2001	664.54	1,148.1	417.0	0.00
2/12/2001	664.57	806.7	669.2	0.00
2/13/2001	664.54	704.9	772.8	0.00
2/14/2001	664.49	1,297.7	772.6	0.00
2/15/2001	665.47	8,636.9	773.3	1.50
2/16/2001	667.50	8,655.8	784.3	0.60
2/17/2001	669.91	12,611.9	800.0	0.78
2/18/2001	671.63	4,491.8	444.4	0.00
2/19/2001	671.81	1,827.3	1,549.7	0.00
2/20/2001	671.32	1,669.5	3,020.3	0.00
2/21/2001	670.33	0.0	4,704.8	0.07
2/22/2001	669.20	620.7	5,227.3	0.39
2/23/2001	668.08	467.8	5,180.8	0.11
2/24/2001	667.38	866.6	4,028.6	0.00
2/25/2001	667.22	3,111.5	2,224.9	0.94

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/2001	667.98	4,136.4	1,549.3	0.00
2/27/2001	667.97	1,916.7	2,407.9	0.00
2/28/2001	667.32	979.2	3,639.3	0.00
3/1/2001	666.52	654.0	3,931.2	0.00
3/2/2001	665.92	666.0	3,209.6	0.04
3/3/2001	665.34	407.8	2,733.9	0.00
3/4/2001	664.81	1,147.5	2,719.3	0.62
3/5/2001	664.81	2,237.1	2,007.1	0.45
3/6/2001	664.97	1,737.9	1,509.0	0.00
3/7/2001	664.78	1,155.9	1,940.9	0.00
3/8/2001	664.59	947.9	1,811.8	0.00
3/9/2001	664.42	889.6	1,506.5	0.00
3/10/2001	664.27	669.3	1,285.6	0.00
3/11/2001	664.11	545.8	1,194.1	0.00
3/12/2001	664.21	745.6	468.6	0.00
3/13/2001	664.39	983.1	68.0	0.00
3/14/2001	664.62	1,050.4	68.0	0.00
3/15/2001	664.81	878.9	68.0	0.05
3/16/2001	665.07	1,356.0	103.3	0.32
3/17/2001	665.11	1,144.2	849.0	0.15
3/18/2001	665.26	1,107.7	678.1	0.00
3/19/2001	665.49	877.7	156.4	0.00
3/20/2001	665.69	1,259.7	47.4	0.00
3/21/2001	666.50	5,403.0	47.7	0.70
3/22/2001	667.48	3,089.9	48.5	0.30
3/23/2001	668.09	2,089.4	49.2	0.00
3/24/2001	668.48	1,516.3	49.6	0.00
3/25/2001	668.78	1,223.5	49.9	0.00
3/26/2001	669.00	1,007.7	50.1	0.00
3/27/2001	669.18	797.4	50.2	0.00
3/28/2001	669.35	815.6	50.4	0.00
3/29/2001	669.47	741.5	50.5	0.00
3/30/2001	669.59	686.0	50.6	0.00
3/31/2001	669.72	648.0	50.7	0.20
4/1/2001	669.89	1,439.3	50.8	0.70
4/2/2001	670.31	1,820.1	51.0	0.00
4/3/2001	670.79	4,605.5	51.3	1.21
4/4/2001	672.63	6,103.9	51.9	0.00
4/5/2001	673.51	2,525.7	52.8	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/6/2001	674.00	1,822.3	53.2	0.00
4/7/2001	674.34	1,344.7	53.5	0.00
4/8/2001	674.59	1,201.2	53.7	0.00
4/9/2001	674.80	914.4	53.8	0.00
4/10/2001	674.97	803.6	53.9	0.00
4/11/2001	675.10	773.0	177.4	0.00
4/12/2001	675.17	481.2	230.3	0.02
4/13/2001	675.29	870.8	230.5	0.39
4/14/2001	675.35	682.7	314.6	0.00
4/15/2001	675.37	537.4	349.3	0.00
4/16/2001	675.42	433.1	349.4	0.00
4/17/2001	675.41	370.4	349.5	0.00
4/18/2001	675.42	328.6	349.5	0.00
4/19/2001	675.42	412.3	349.5	0.00
4/20/2001	675.39	182.2	349.5	0.00
4/21/2001	675.37	140.3	349.4	0.00
4/22/2001	675.37	349.3	349.3	0.00
4/23/2001	675.36	286.7	349.3	0.00
4/24/2001	675.33	307.4	349.2	0.12
4/25/2001	675.31	265.6	349.1	0.00
4/26/2001	675.26	181.7	349.1	0.00
4/27/2001	675.22	160.7	348.9	0.00
4/28/2001	675.17	160.6	348.7	0.00
4/29/2001	675.12	160.4	348.5	0.00
4/30/2001	675.08	243.4	348.4	0.00
5/1/2001	675.08	179.5	143.5	0.00
5/2/2001	675.09	74.8	54.0	0.00
5/3/2001	675.11	158.6	54.0	0.00
5/4/2001	675.11	74.9	54.0	0.00
5/5/2001	675.12	54.0	54.0	0.00
5/6/2001	675.12	242.1	54.0	0.00
5/7/2001	675.21	179.4	54.1	0.82
5/8/2001	675.32	680.5	54.1	0.93
5/9/2001	675.39	304.9	54.1	0.00
5/10/2001	675.43	305.0	54.2	0.00
5/11/2001	675.46	221.3	54.2	0.00
5/12/2001	675.50	226.9	54.2	0.35
5/13/2001	675.50	109.7	190.5	0.00
5/14/2001	675.45	73.1	373.9	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/15/2001	675.43	28.4	149.0	0.00
5/16/2001	675.41	133.0	174.8	0.00
5/17/2001	675.38	29.8	174.7	0.00
5/18/2001	675.37	62.0	110.7	0.00
5/19/2001	675.36	218.7	93.4	0.00
5/20/2001	675.43	260.7	93.4	1.02
5/21/2001	675.43	323.2	93.4	0.00
5/22/2001	675.67	2,048.4	93.5	2.64
5/23/2001	676.02	1,617.2	276.0	0.80
5/24/2001	675.75	613.0	1,744.6	0.13
5/25/2001	675.60	463.1	1,344.9	0.13
5/26/2001	675.62	565.9	412.9	0.00
5/27/2001	675.63	315.1	231.5	0.00
5/28/2001	675.63	315.1	231.5	0.00
5/29/2001	675.62	210.6	231.5	0.00
5/30/2001	675.61	189.8	231.5	0.00
5/31/2001	675.60	335.3	231.4	0.00
6/1/2001	675.60	466.6	231.4	0.36
6/2/2001	675.74	562.2	200.1	0.92
6/3/2001	675.84	625.1	227.9	0.16
6/4/2001	675.94	1,491.1	228.1	0.43
6/5/2001	676.37	2,201.1	228.6	0.88
6/6/2001	676.60	1,476.8	675.3	0.00
6/7/2001	676.70	950.0	859.8	1.00
6/8/2001	676.36	571.1	1,900.1	0.00
6/9/2001	676.08	624.0	2,133.6	0.00
6/10/2001	675.98	469.9	1,093.5	0.00
6/11/2001	675.94	281.7	578.2	0.00
6/12/2001	675.92	280.3	377.0	0.00
6/13/2001	675.94	171.6	141.6	0.00
6/14/2001	675.95	207.2	84.7	0.00
6/15/2001	675.90	111.9	268.9	0.00
6/16/2001	675.89	341.2	341.2	0.00
6/17/2001	675.84	174.8	341.1	0.00
6/18/2001	675.78	132.4	340.9	0.00
6/19/2001	675.72	133.4	340.7	0.00
6/20/2001	675.68	81.3	246.3	0.00
6/21/2001	675.65	81.9	227.6	0.00
6/22/2001	675.62	60.4	227.5	0.35

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/23/2001	675.59	206.5	227.5	0.00
6/24/2001	675.57	60.2	227.4	0.00
6/25/2001	675.54	81.1	227.3	0.00
6/26/2001	675.50	18.1	227.3	0.00
6/27/2001	675.48	164.5	227.2	0.12
6/28/2001	675.44	157.9	227.1	0.00
6/29/2001	675.48	237.3	160.8	0.00
6/30/2001	675.47	28.2	132.8	0.03
7/1/2001	675.46	0.0	132.8	0.23
7/2/2001	675.45	7.3	132.7	0.20
7/3/2001	675.43	28.2	132.7	0.00
7/4/2001	675.42	445.9	132.7	0.00
7/5/2001	675.63	446.4	132.8	1.60
7/6/2001	675.74	279.5	133.1	0.38
7/7/2001	675.77	237.7	133.2	0.02
7/8/2001	675.77	133.2	133.2	0.00
7/9/2001	675.76	70.5	133.2	0.00
7/10/2001	675.79	253.2	133.2	0.00
7/11/2001	675.79	91.6	165.4	0.00
7/12/2001	675.77	91.4	133.2	0.00
7/13/2001	675.75	23.4		0.00
7/14/2001	675.72	23.6	133.2	0.00
7/15/2001	675.69	133.1	133.1	0.00
7/16/2001	675.66	91.4	133.1	0.00
7/17/2001	675.64	11.5	133.0	0.00
7/18/2001	675.60	28.4	133.0	0.10
7/19/2001	675.60	49.7	133.0	0.06
7/20/2001	675.58	153.8	105.2	0.00
7/21/2001	675.59	300.0	132.9	0.34
7/22/2001	675.68	300.3	133.0	0.00
7/23/2001	675.55	112.0	132.9	0.00
7/24/2001	675.54	91.2	132.9	0.00
7/25/2001	675.52	11.3	132.8	0.00
7/26/2001	675.49	153.7	132.8	0.02
7/27/2001	675.51	299.9	132.8	0.76
7/28/2001	675.54	195.6	132.8	0.33
7/29/2001	675.61	800.9	132.9	0.86
7/30/2001	675.80	1,534.7	133.0	0.20
7/31/2001	675.91	528.9	289.2	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
8/1/2001	675.90	278.5	341.3	0.00
8/2/2001	675.87	320.2	341.2	0.00
8/3/2001	675.85	639.7	341.1	0.00
8/4/2001	676.20	1,930.2	196.7	1.06
8/5/2001	676.33	750.5	495.9	0.00
8/6/2001	676.10	526.2	1,468.6	0.00
8/7/2001	675.78	302.1	1,668.7	0.00
8/8/2001	675.60	172.8	1,090.9	0.00
8/9/2001	675.55	242.2	472.7	0.00
8/10/2001	675.52	227.2	255.4	0.00
8/11/2001	675.53	394.4	227.2	0.33
8/12/2001	675.58	457.3	227.3	0.30
8/13/2001	675.60	310.5	227.4	0.00
8/14/2001	675.60	268.7	227.4	0.00
8/15/2001	675.57	158.9	227.4	0.00
8/16/2001	675.55	27.7	157.1	0.00
8/17/2001	675.53	34.6	111.5	0.04
8/18/2001	675.51	14.1	99.7	0.00
8/19/2001	675.49	11.5	92.5	0.00
8/20/2001	675.46	0.0	92.5	0.00
8/21/2001	675.44	14.0	92.4	0.00
8/22/2001	675.42	92.4	92.4	0.00
8/23/2001	675.40	16.6	92.4	0.00
8/24/2001	675.37	61.0	92.4	0.00
8/25/2001	675.36	92.4	92.4	0.00
8/26/2001	675.33	0.0	92.3	0.00
8/27/2001	675.33	175.9	92.3	0.08
8/28/2001	675.30	3.5	92.3	0.00
8/29/2001	675.28	3.7	92.3	0.00
8/30/2001	675.26	29.6	92.3	0.03
8/31/2001	675.28	11.3	92.3	0.18
9/1/2001	675.27	16.5	92.3	0.03
9/2/2001	675.24	13.8	92.3	0.00
9/3/2001	675.22	90.0	86.7	0.05
9/4/2001	675.24	7.7	48.2	0.70
9/5/2001	675.22	0.0	48.2	0.00
9/6/2001	675.21	12.9	48.2	0.00
9/7/2001	675.19	0.0	48.2	0.00
9/8/2001	675.17	0.0	48.1	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/9/2001	675.14	48.1	48.1	0.00
9/10/2001	675.15	0.0	48.1	0.43
9/11/2001	675.12	0.0	48.1	0.00
9/12/2001	675.08	0.0	48.1	0.00
9/13/2001	675.06	0.0	48.1	0.00
9/14/2001	675.02	0.0	48.0	0.00
9/15/2001	674.99	48.0	48.0	0.00
9/16/2001	674.95	0.0	48.0	0.00
9/17/2001	674.92	0.0	48.0	0.00
9/18/2001	674.90	0.0	48.0	0.00
9/19/2001	674.92	683.0	48.0	0.00
9/20/2001	674.99	13.4	48.0	1.13
9/21/2001	674.98	0.0	48.0	0.00
9/22/2001	674.95	8.2	48.0	0.00
9/23/2001	674.94	48.0	48.0	0.00
9/24/2001	674.94	8.2	48.0	0.46
9/25/2001	674.92	0.0	48.0	0.06
9/26/2001	674.89	0.0	48.0	0.00
9/27/2001	674.86	0.0	48.0	0.00
9/28/2001	674.83	0.0	47.9	0.00
9/29/2001	674.80	0.0	47.9	0.00
9/30/2001	674.77	0.0	47.9	0.00
10/1/2001	674.75	0.0	47.9	0.00
10/2/2001	674.72	0.0	47.9	0.00
10/3/2001	674.70	0.0	47.9	0.00
10/4/2001	674.65	0.0	107.3	0.00
10/5/2001	674.61	138.2	138.0	0.00
10/6/2001	674.61	0.0	138.2	0.65
10/7/2001	674.56	0.0	138.2	0.00
10/8/2001	674.51	0.0	138.5	0.00
10/9/2001	674.46	0.0	138.8	0.00
10/10/2001	674.37	0.0	237.7	0.00
10/11/2001	674.30	34.9	279.1	0.00
10/12/2001	674.28	78.3	117.3	0.11
10/13/2001	674.30	88.7	47.7	0.43
10/14/2001	674.45	2,671.0	47.7	2.00
10/15/2001	674.51	150.3	47.8	0.00
10/16/2001	674.52	191.2	47.8	0.25
10/17/2001	674.54	47.8	47.8	0.08

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/18/2001	674.54	8.3	47.8	0.00
10/19/2001	674.53	0.0	47.8	0.00
10/20/2001	674.48	52.4	169.3	0.00
10/21/2001	674.41	0.0	277.9	0.00
10/22/2001	674.34	0.0	278.7	0.00
10/23/2001	674.27	0.0	279.4	0.00
10/24/2001	674.23	362.5	280.1	0.01
10/25/2001	674.23	301.1	280.6	0.80
10/26/2001	674.18	116.7	280.6	0.00
10/27/2001	674.04	126.8	580.6	0.00
10/28/2001	673.89	37.1	739.9	0.00
10/29/2001	673.74	18.3	741.0	0.00
10/30/2001	673.59	99.9	742.3	0.00
10/31/2001	673.43	81.1	743.5	0.00
11/1/2001	673.25	22.1	744.8	0.00
11/2/2001	673.10	104.0	746.1	0.00
11/3/2001	672.95	235.4	747.3	0.15
11/4/2001	672.79	18.7	748.4	0.00
11/5/2001	672.63	119.3	749.7	0.00
11/6/2001	672.47	100.4	751.0	0.00
11/7/2001	672.29	22.6	752.3	0.00
11/8/2001	672.13	84.1	753.6	0.00
11/9/2001	671.95	136.2	754.9	0.00
11/10/2001	671.78	40.4	756.3	0.00
11/11/2001	671.61	41.8	757.6	0.00
11/12/2001	671.44	23.8	758.9	0.00
11/13/2001	671.27	122.1	760.3	0.00
11/14/2001	671.10	123.9	761.6	0.00
11/15/2001	670.93	150.3	762.9	0.00
11/16/2001	670.68	92.3	1,028.8	0.00
11/17/2001	670.40	17.8	1,138.8	0.00
11/18/2001	670.13	20.2	1,139.8	0.00
11/19/2001	669.86	74.6	1,140.5	0.00
11/20/2001	669.62	127.7	1,138.2	0.46
11/21/2001	669.35	30.9	1,135.2	0.00
11/22/2001	669.08	0.0	1,131.8	0.00
11/23/2001	668.80	80.8	1,128.4	0.00
11/24/2001	668.55	132.9	1,125.1	0.03
11/25/2001	668.33	130.8	1,122.2	0.38

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/26/2001	668.13	293.4	1,119.4	0.00
11/27/2001	667.96	756.0	1,116.9	0.34
11/28/2001	667.82	520.2	1,115.2	0.60
11/29/2001	667.70	2,018.1	1,113.2	0.95
11/30/2001	668.45	4,604.4	1,114.9	1.25
12/1/2001	668.94	1,989.4	1,124.2	0.00
12/2/2001	668.96	962.8	1,127.9	0.00
12/3/2001	668.85	741.4	1,127.4	0.00
12/4/2001	668.69	423.9	1,126.0	0.00
12/5/2001	668.33	323.2	1,650.3	0.00
12/6/2001	667.92	410.1	1,878.7	0.00
12/7/2001	667.56	534.6	1,870.7	0.67
12/8/2001	667.28	1,609.2	1,863.9	0.75
12/9/2001	667.47	3,141.0	1,861.1	0.15
12/10/2001	667.50	1,360.7	1,864.9	0.10
12/11/2001	667.29	780.9	1,863.7	0.06
12/12/2001	667.00	674.2	1,858.8	0.00
12/13/2001	666.78	2,295.9	1,852.9	0.92
12/14/2001	667.21	3,334.5	1,853.3	0.26
12/15/2001	667.44	2,403.3	1,860.7	0.00
12/16/2001	667.41	1,359.0	1,863.8	0.00
12/17/2001	667.20	923.3	1,861.9	0.04
12/18/2001	667.04	1,335.3	1,857.9	0.31
12/19/2001	666.91	1,226.1	1,854.9	0.00
12/20/2001	666.39	612.1	2,651.9	0.04
12/21/2001	665.70	0.0	3,021.3	0.00
12/22/2001	665.24	333.0	2,343.7	0.00
12/23/2001	664.91	868.9	1,817.4	0.50
12/24/2001	664.88	1,265.5	1,216.9	0.00
12/25/2001	665.00	1,067.8	774.6	0.00
12/26/2001	664.93	758.7	1,040.5	0.00
12/27/2001	664.78	622.4	1,199.1	0.00
12/28/2001	664.59	519.2	1,197.8	0.00
12/29/2001	664.38	393.1	1,196.4	0.00
12/30/2001	664.36	552.5	611.4	0.00
12/31/2001	664.33	348.8	416.7	0.00