



| | ELEVATION OBS (FEET) INST-VAL | INFLOW OBS (CFS) 24-HR AVG | OUTFLOW OBS (CFS) 24-HR AVG | PRECIP OBS (INCHES) 24-HR CUM |
|-----------|-------------------------------------|----------------------------------|-----------------------------------|-------------------------------------|
| 1/1/2002 | 664.29 | 416.4 | 416.5 | 0.00 |
| 1/2/2002 | 664.30 | 487.2 | 355.4 | 0.00 |
| 1/3/2002 | 664.32 | 403.0 | 301.2 | 0.00 |
| 1/4/2002 | 664.35 | 487.4 | 301.3 | 0.00 |
| 1/5/2002 | 664.37 | 403.2 | 301.4 | 0.00 |
| 1/6/2002 | 664.40 | 518.8 | 301.5 | 0.08 |
| 1/7/2002 | 664.40 | 281.8 | 377.6 | 0.19 |
| 1/8/2002 | 664.37 | 349.1 | 416.9 | 0.00 |
| 1/9/2002 | 664.32 | 280.9 | 416.7 | 0.00 |
| 1/10/2002 | 664.33 | 225.3 | 261.3 | 0.00 |
| 1/11/2002 | 664.34 | 377.8 | 208.3 | 0.00 |
| 1/12/2002 | 664.49 | 756.5 | 208.5 | 0.00 |
| 1/13/2002 | 664.57 | 700.1 | 355.7 | 0.00 |
| 1/14/2002 | 664.64 | 531.2 | 209.0 | 0.00 |
| 1/15/2002 | 664.71 | 514.4 | 209.2 | 0.00 |
| 1/16/2002 | 664.76 | 406.1 | 209.3 | 0.00 |
| 1/17/2002 | 664.73 | 333.9 | 357.7 | 0.00 |

| | ELEVATION OBS (FEET) INST-VAL | INFLOW OBS (CFS) 24-HR AVG | OUTFLOW OBS (CFS) 24-HR AVG | PRECIP OBS (INCHES) 24-HR CUM |
|-----------|-------------------------------------|----------------------------------|-----------------------------------|-------------------------------------|
| 1/18/2002 | 664.73 | 418.6 | 418.7 | 0.25 |
| 1/19/2002 | 664.73 | 384.8 | 418.6 | 0.10 |
| 1/20/2002 | 664.71 | 418.6 | 418.6 | 0.00 |
| 1/21/2002 | 664.70 | 469.3 | 418.5 | 0.00 |
| 1/22/2002 | 664.75 | 793.5 | 418.6 | 0.00 |
| 1/23/2002 | 665.09 | 6,287.0 | 670.4 | 1.36 |
| 1/24/2002 | 667.70 | 11,692.2 | 620.8 | 0.73 |
| 1/25/2002 | 670.65 | 9,033.0 | 438.8 | 0.13 |
| 1/26/2002 | 671.75 | 3,916.0 | 1,036.3 | 0.00 |
| 1/27/2002 | 671.56 | 2,408.1 | 2,537.8 | 0.00 |
| 1/28/2002 | 671.00 | 1,074.6 | 3,592.7 | 0.00 |
| 1/29/2002 | 670.14 | 598.9 | 4,187.8 | 0.00 |
| 1/30/2002 | 669.22 | 406.4 | 4,338.0 | 0.08 |
| 1/31/2002 | 668.30 | 807.2 | 4,302.4 | 0.00 |
| 2/1/2002 | 667.31 | 576.3 | 4,275.4 | 0.61 |
| 2/2/2002 | 666.57 | 1,031.6 | 4,231.5 | 0.00 |
| 2/3/2002 | 665.97 | 758.1 | 3,591.1 | 0.00 |
| 2/4/2002 | 665.41 | 719.4 | 3,011.3 | 0.06 |
| 2/5/2002 | 664.73 | 411.1 | 2,995.8 | 0.00 |
| 2/6/2002 | 664.52 | 671.2 | 1,745.6 | 0.00 |
| 2/7/2002 | 664.38 | 716.3 | 1,195.9 | 0.05 |
| 2/8/2002 | 664.31 | 602.0 | 895.2 | 0.00 |
| 2/9/2002 | 664.24 | 499.9 | 771.4 | 0.00 |
| 2/10/2002 | 664.16 | 534.1 | 771.0 | 0.00 |
| 2/11/2002 | 664.32 | 915.3 | 243.5 | 0.25 |
| 2/12/2002 | 664.48 | 843.8 | 233.4 | 0.00 |
| 2/13/2002 | 664.56 | 722.5 | 383.8 | 0.00 |
| 2/14/2002 | 664.61 | 553.2 | 417.8 | 0.00 |
| 2/15/2002 | 664.62 | 671.9 | 417.9 | 0.00 |
| 2/16/2002 | 664.63 | 502.9 | 418.1 | 0.00 |
| 2/17/2002 | 664.63 | 418.2 | 418.1 | 0.00 |
| 2/18/2002 | 664.62 | 401.1 | 418.1 | 0.00 |
| 2/19/2002 | 664.61 | 384.2 | 418.1 | 0.00 |
| 2/20/2002 | 664.63 | 688.9 | 418.0 | 0.19 |
| 2/21/2002 | 664.59 | 401.0 | 418.0 | 0.00 |
| 2/22/2002 | 664.58 | 417.9 | 417.9 | 0.00 |
| 2/23/2002 | 664.57 | 366.9 | 417.9 | 0.00 |
| 2/24/2002 | 664.54 | 417.7 | 417.8 | 0.00 |
| 2/25/2002 | 664.50 | 281.8 | 417.6 | 0.00 |

| | ELEVATION OBS (FEET) INST-VAL | INFLOW OBS (CFS) 24-HR AVG | OUTFLOW OBS (CFS) 24-HR AVG | PRECIP OBS (INCHES) 24-HR CUM |
|-----------|-------------------------------------|----------------------------------|-----------------------------------|-------------------------------------|
| 2/26/2002 | 664.49 | 536.2 | 417.4 | 0.27 |
| 2/27/2002 | 664.46 | 383.4 | 417.4 | 0.00 |
| 2/28/2002 | 664.45 | 451.1 | 417.2 | 0.01 |
| 3/1/2002 | 664.42 | 417.1 | 417.2 | 0.00 |
| 3/2/2002 | 664.39 | 383.0 | 417.0 | 0.00 |
| 3/3/2002 | 664.37 | 382.9 | 416.9 | 0.07 |
| 3/4/2002 | 664.35 | 365.9 | 416.8 | 0.00 |
| 3/5/2002 | 664.31 | 264.0 | 416.6 | 0.00 |
| 3/6/2002 | 664.27 | 365.4 | 416.5 | 0.00 |
| 3/7/2002 | 664.22 | 229.7 | 416.3 | 0.01 |
| 3/8/2002 | 664.18 | 159.5 | 416.1 | 0.00 |
| 3/9/2002 | 664.23 | 622.6 | 329.6 | 0.00 |
| 3/10/2002 | 664.31 | 690.8 | 301.0 | 0.36 |
| 3/11/2002 | 664.38 | 690.9 | 301.3 | 0.00 |
| 3/12/2002 | 664.44 | 640.8 | 301.6 | 0.00 |
| 3/13/2002 | 664.52 | 583.9 | 301.8 | 0.00 |
| 3/14/2002 | 664.59 | 473.3 | 202.7 | 0.00 |
| 3/15/2002 | 664.65 | 456.4 | 151.2 | 0.00 |
| 3/16/2002 | 664.83 | 1,574.2 | 151.4 | 0.59 |
| 3/17/2002 | 665.35 | 2,350.3 | 92.8 | 0.48 |
| 3/18/2002 | 666.27 | 6,141.0 | 67.6 | 0.73 |
| 3/19/2002 | 667.87 | 6,408.3 | 68.8 | 0.03 |
| 3/20/2002 | 670.53 | 18,826.2 | 70.6 | 2.33 |
| 3/21/2002 | 675.85 | 18,635.1 | 74.4 | 0.56 |
| 3/22/2002 | 677.93 | 3,907.5 | 299.7 | 0.00 |
| 3/23/2002 | 678.38 | 2,431.2 | 889.9 | 0.00 |
| 3/24/2002 | 677.81 | 793.4 | 3,387.0 | 0.00 |
| 3/25/2002 | 676.98 | 686.0 | 4,858.7 | 0.00 |
| 3/26/2002 | 676.58 | 3,336.1 | 3,503.5 | 0.92 |
| 3/27/2002 | 677.29 | 6,266.0 | 2,656.6 | 0.18 |
| 3/28/2002 | 677.01 | 2,101.9 | 4,322.7 | 0.00 |
| 3/29/2002 | 676.24 | 1,298.6 | 5,155.8 | 0.00 |
| 3/30/2002 | 675.94 | 2,710.7 | 3,734.3 | 0.44 |
| 3/31/2002 | 676.15 | 5,563.2 | 2,194.5 | 0.57 |
| 4/1/2002 | 678.07 | 11,550.4 | 2,020.1 | 0.70 |
| 4/2/2002 | 679.01 | 3,788.2 | 2,047.3 | 0.00 |
| 4/3/2002 | 679.16 | 2,211.6 | 2,056.1 | 0.09 |
| 4/4/2002 | 678.48 | 431.5 | 4,137.4 | 0.00 |
| 4/5/2002 | 677.54 | 436.9 | 5,196.9 | 0.00 |

| | ELEVATION OBS (FEET) INST-VAL | INFLOW OBS (CFS) 24-HR AVG | OUTFLOW OBS (CFS) 24-HR AVG | PRECIP OBS (INCHES) 24-HR CUM |
|-----------|-------------------------------------|----------------------------------|-----------------------------------|-------------------------------------|
| 4/6/2002 | 676.69 | 0.0 | 4,642.3 | 0.00 |
| 4/7/2002 | 676.18 | 723.8 | 3,373.6 | 0.00 |
| 4/8/2002 | 675.81 | 677.9 | 2,517.7 | 0.00 |
| 4/9/2002 | 675.42 | 748.4 | 2,325.6 | 0.00 |
| 4/10/2002 | 675.27 | 765.4 | 1,639.1 | 0.03 |
| 4/11/2002 | 675.22 | 620.3 | 948.5 | 0.00 |
| 4/12/2002 | 675.24 | 711.8 | 549.5 | 0.00 |
| 4/13/2002 | 675.27 | 670.0 | 461.0 | 0.38 |
| 4/14/2002 | 675.34 | 795.7 | 461.2 | 0.13 |
| 4/15/2002 | 675.48 | 1,503.1 | 461.5 | 0.29 |
| 4/16/2002 | 675.55 | 849.0 | 659.3 | 0.00 |
| 4/17/2002 | 675.56 | 849.2 | 744.5 | 0.00 |
| 4/18/2002 | 675.56 | 702.8 | 744.8 | 0.00 |
| 4/19/2002 | 675.53 | 577.4 | 744.5 | 0.00 |
| 4/20/2002 | 675.49 | 534.0 | 743.7 | 0.00 |
| 4/21/2002 | 675.43 | 511.8 | 742.5 | 0.12 |
| 4/22/2002 | 675.38 | 719.5 | 741.1 | 0.33 |
| 4/23/2002 | 675.31 | 509.0 | 739.8 | 0.00 |
| 4/24/2002 | 675.23 | 1,219.2 | 738.3 | 0.00 |
| 4/25/2002 | 675.59 | 2,376.3 | 741.4 | 1.35 |
| 4/26/2002 | 676.15 | 2,143.4 | 1,357.9 | 0.00 |
| 4/27/2002 | 675.71 | 1,122.1 | 2,968.9 | 0.00 |
| 4/28/2002 | 675.66 | 3,547.4 | 2,284.7 | 1.20 |
| 4/29/2002 | 676.51 | 3,724.0 | 1,322.9 | 0.00 |
| 4/30/2002 | 676.14 | 1,166.2 | 3,249.0 | 0.00 |
| 5/1/2002 | 675.64 | 1,741.2 | 3,683.4 | 0.65 |
| 5/2/2002 | 675.30 | 2,039.3 | 3,078.5 | 0.90 |
| 5/3/2002 | 675.67 | 5,999.3 | 2,505.9 | 0.88 |
| 5/4/2002 | 675.92 | 2,329.7 | 2,327.7 | 0.07 |
| 5/5/2002 | 675.83 | 1,555.4 | 2,329.4 | 0.00 |
| 5/6/2002 | 675.60 | 1,238.3 | 2,326.9 | 0.00 |
| 5/7/2002 | 675.32 | 1,411.2 | 2,322.9 | 0.28 |
| 5/8/2002 | 675.32 | 2,034.9 | 1,839.2 | 0.25 |
| 5/9/2002 | 675.28 | 1,262.3 | 1,659.3 | 0.00 |
| 5/10/2002 | 675.15 | 945.3 | 1,658.3 | 0.30 |
| 5/11/2002 | 675.19 | 607.1 | 793.5 | 0.00 |
| 5/12/2002 | 675.22 | 712.9 | 460.8 | 0.00 |
| 5/13/2002 | 675.28 | 2,132.6 | 673.5 | 1.17 |
| 5/14/2002 | 676.09 | 3,425.0 | 462.2 | 0.34 |

| | ELEVATION OBS (FEET) INST-VAL | INFLOW OBS (CFS) 24-HR AVG | OUTFLOW OBS (CFS) 24-HR AVG | PRECIP OBS (INCHES) 24-HR CUM |
|-----------|-------------------------------------|----------------------------------|-----------------------------------|-------------------------------------|
| 5/15/2002 | 676.29 | 1,635.9 | 1,305.6 | 0.00 |
| 5/16/2002 | 675.95 | 1,033.1 | 2,528.1 | 0.00 |
| 5/17/2002 | 675.44 | 2,656.7 | 2,963.7 | 0.00 |
| 5/18/2002 | 677.63 | 21,407.9 | 1,570.0 | 2.42 |
| 5/19/2002 | 681.11 | 10,518.0 | 395.1 | 0.00 |
| 5/20/2002 | 681.52 | 2,285.9 | 1,314.2 | 0.00 |
| 5/21/2002 | 681.23 | 1,567.2 | 2,786.3 | 0.00 |
| 5/22/2002 | 680.55 | 984.2 | 4,199.7 | 0.00 |
| 5/23/2002 | 679.76 | 668.9 | 4,405.6 | 0.00 |
| 5/24/2002 | 678.69 | 196.1 | 5,024.2 | 0.00 |
| 5/25/2002 | 677.90 | 315.3 | 4,270.1 | 0.00 |
| 5/26/2002 | 677.41 | 490.0 | 2,853.5 | 0.00 |
| 5/27/2002 | 677.05 | 363.3 | 2,029.2 | 0.00 |
| 5/28/2002 | 676.68 | 337.7 | 2,023.7 | 0.00 |
| 5/29/2002 | 676.30 | 417.2 | 2,018.0 | 0.00 |
| 5/30/2002 | 675.90 | 316.6 | 2,012.2 | 0.00 |
| 5/31/2002 | 675.49 | 298.3 | 2,006.1 | 0.00 |
| 6/1/2002 | 675.30 | 294.4 | 1,207.1 | 0.00 |
| 6/2/2002 | 675.22 | 293.6 | 607.5 | 0.00 |
| 6/3/2002 | 675.15 | 144.5 | 460.8 | 0.00 |
| 6/4/2002 | 675.15 | 262.7 | 204.7 | 0.00 |
| 6/5/2002 | 675.24 | 569.4 | 137.5 | 0.72 |
| 6/6/2002 | 675.31 | 674.2 | 225.0 | 0.09 |
| 6/7/2002 | 675.38 | 634.4 | 278.3 | 0.50 |
| 6/8/2002 | 675.41 | 362.7 | 279.3 | 0.00 |
| 6/9/2002 | 675.40 | 216.7 | 279.6 | 0.00 |
| 6/10/2002 | 675.37 | 195.3 | 279.2 | 0.00 |
| 6/11/2002 | 675.32 | 48.0 | 278.5 | 0.00 |
| 6/12/2002 | 675.27 | 235.1 | 277.5 | 0.00 |
| 6/13/2002 | 675.27 | 548.8 | 276.7 | 0.00 |
| 6/14/2002 | 675.31 | 382.3 | 277.5 | 0.45 |
| 6/15/2002 | 675.32 | 340.6 | 277.8 | 0.00 |
| 6/16/2002 | 675.29 | 131.2 | 277.7 | 0.00 |
| 6/17/2002 | 675.26 | 109.6 | 277.2 | 0.04 |
| 6/18/2002 | 675.22 | 46.1 | 276.6 | 0.00 |
| 6/19/2002 | 675.17 | 92.1 | 275.6 | 0.00 |
| 6/20/2002 | 675.11 | 59.0 | 274.6 | 0.20 |
| 6/21/2002 | 675.07 | 14.2 | 195.0 | 0.00 |
| 6/22/2002 | 675.06 | 77.0 | 97.4 | 0.00 |

| | ELEVATION OBS (FEET) INST-VAL | INFLOW OBS (CFS) 24-HR AVG | OUTFLOW OBS (CFS) 24-HR AVG | PRECIP OBS (INCHES) 24-HR CUM |
|-----------|-------------------------------------|----------------------------------|-----------------------------------|-------------------------------------|
| 6/23/2002 | 675.04 | 0.0 | 77.0 | 0.00 |
| 6/24/2002 | 675.02 | 25.9 | 77.0 | 0.00 |
| 6/25/2002 | 675.02 | 9.5 | 56.8 | 0.12 |
| 6/26/2002 | 675.00 | 8.3 | 48.0 | 0.00 |
| 6/27/2002 | 675.00 | 192.4 | 48.0 | 0.10 |
| 6/28/2002 | 675.03 | 340.5 | 48.0 | 0.21 |
| 6/29/2002 | 675.15 | 403.4 | 48.1 | 0.00 |
| 6/30/2002 | 675.18 | 215.4 | 48.1 | 0.00 |
| 7/1/2002 | 675.19 | 48.2 | 48.1 | 0.00 |
| 7/2/2002 | 675.20 | 90.0 | 48.2 | 0.00 |
| 7/3/2002 | 675.19 | 0.0 | 48.2 | 0.00 |
| 7/4/2002 | 675.17 | 7.6 | 48.1 | 0.00 |
| 7/5/2002 | 675.16 | 48.1 | 48.1 | 0.00 |
| 7/6/2002 | 675.15 | 0.0 | 48.1 | 0.08 |
| 7/7/2002 | 675.12 | 0.0 | 48.1 | 0.00 |
| 7/8/2002 | 675.09 | 0.0 | 48.1 | 0.00 |
| 7/9/2002 | 675.07 | 0.0 | 48.1 | 0.00 |
| 7/10/2002 | 675.06 | 12.8 | 48.0 | 0.04 |
| 7/11/2002 | 675.04 | 7.8 | 48.0 | 0.07 |
| 7/12/2002 | 675.03 | 201.5 | 48.0 | 0.00 |
| 7/13/2002 | 675.07 | 1,071.4 | 43.8 | 0.11 |
| 7/14/2002 | 675.71 | 1,343.8 | 48.3 | 1.43 |
| 7/15/2002 | 675.85 | 353.5 | 48.6 | 0.00 |
| 7/16/2002 | 675.85 | 298.8 | 280.6 | 0.00 |
| 7/17/2002 | 675.82 | 319.4 | 361.3 | 0.00 |
| 7/18/2002 | 675.79 | 256.6 | 361.2 | 0.20 |
| 7/19/2002 | 675.79 | 382.1 | 361.2 | 0.00 |
| 7/20/2002 | 675.79 | 277.5 | 361.2 | 0.00 |
| 7/21/2002 | 675.80 | 298.6 | 361.2 | 0.09 |
| 7/22/2002 | 675.77 | 256.5 | 361.1 | 0.00 |
| 7/23/2002 | 675.71 | 215.1 | 361.0 | 0.00 |
| 7/24/2002 | 675.67 | 89.0 | 360.8 | 0.16 |
| 7/25/2002 | 675.63 | 193.3 | 360.6 | 0.00 |
| 7/26/2002 | 675.58 | 131.0 | 360.4 | 0.00 |
| 7/27/2002 | 675.56 | 172.2 | 360.3 | 0.39 |
| 7/28/2002 | 675.51 | 98.8 | 360.2 | 0.00 |
| 7/29/2002 | 675.45 | 171.8 | 359.9 | 0.00 |
| 7/30/2002 | 675.38 | 234.1 | 359.7 | 0.00 |
| 7/31/2002 | 675.37 | 276.0 | 359.5 | 0.40 |

| | ELEVATION OBS (FEET) INST-VAL | INFLOW OBS (CFS) 24-HR AVG | OUTFLOW OBS (CFS) 24-HR AVG | PRECIP OBS (INCHES) 24-HR CUM |
|-----------|-------------------------------------|----------------------------------|-----------------------------------|-------------------------------------|
| 8/1/2002 | 675.32 | 150.3 | 359.4 | 0.00 |
| 8/2/2002 | 675.26 | 97.8 | 359.2 | 0.00 |
| 8/3/2002 | 675.19 | 97.6 | 358.9 | 0.00 |
| 8/4/2002 | 675.12 | 191.2 | 358.6 | 0.00 |
| 8/5/2002 | 675.04 | 24.6 | 358.3 | 0.00 |
| 8/6/2002 | 674.96 | 0.0 | 358.0 | 0.00 |
| 8/7/2002 | 674.90 | 0.0 | 200.5 | 0.00 |
| 8/8/2002 | 674.86 | 0.0 | 75.6 | 0.00 |
| 8/9/2002 | 674.83 | 0.0 | 48.0 | 0.00 |
| 8/10/2002 | 674.80 | 0.0 | 48.0 | 0.00 |
| 8/11/2002 | 674.78 | 212.0 | 48.0 | 0.00 |
| 8/12/2002 | 674.77 | 0.0 | 48.0 | 0.40 |
| 8/13/2002 | 674.76 | 0.0 | 14.0 | 0.00 |
| 8/14/2002 | 674.74 | 82.0 | 0.0 | 0.00 |
| 8/15/2002 | 674.79 | 101.9 | 0.0 | 0.00 |
| 8/16/2002 | 674.79 | 0.0 | 0.0 | 0.02 |
| 8/17/2002 | 674.79 | 82.0 | 0.0 | 0.18 |
| 8/18/2002 | 674.83 | 0.0 | 0.0 | 0.43 |
| 8/19/2002 | 674.84 | 122.9 | 0.0 | 0.60 |
| 8/20/2002 | 674.85 | 0.0 | 0.0 | 0.34 |
| 8/21/2002 | 674.84 | 0.0 | 0.0 | 0.00 |
| 8/22/2002 | 674.83 | 0.0 | 23.6 | 0.00 |
| 8/23/2002 | 674.80 | 0.0 | 48.0 | 0.00 |
| 8/24/2002 | 674.78 | 0.0 | 48.0 | 0.00 |
| 8/25/2002 | 674.76 | 8.2 | 48.0 | 0.00 |
| 8/26/2002 | 674.74 | 27.4 | 48.0 | 0.00 |
| 8/27/2002 | 674.79 | 211.4 | 48.0 | 0.05 |
| 8/28/2002 | 674.82 | 48.0 | 48.0 | 0.03 |
| 8/29/2002 | 674.82 | 8.2 | 48.0 | 0.00 |
| 8/30/2002 | 674.81 | 8.2 | 48.0 | 0.00 |
| 8/31/2002 | 674.80 | 0.0 | 48.0 | 0.00 |
| 9/1/2002 | 674.78 | 8.2 | 48.0 | 0.00 |
| 9/2/2002 | 674.77 | 48.0 | 48.0 | 0.00 |
| 9/3/2002 | 674.75 | 0.0 | 48.0 | 0.00 |
| 9/4/2002 | 674.73 | 0.0 | 47.9 | 0.00 |
| 9/5/2002 | 674.70 | 0.0 | 47.9 | 0.00 |
| 9/6/2002 | 674.67 | 0.0 | 47.9 | 0.00 |
| 9/7/2002 | 674.64 | 0.0 | 47.9 | 0.00 |
| 9/8/2002 | 674.62 | 0.0 | 47.9 | 0.00 |

| | ELEVATION OBS (FEET) INST-VAL | INFLOW OBS (CFS) 24-HR AVG | OUTFLOW OBS (CFS) 24-HR AVG | PRECIP OBS (INCHES) 24-HR CUM |
|------------|-------------------------------------|----------------------------------|-----------------------------------|-------------------------------------|
| 9/9/2002 | 674.59 | 0.0 | 47.9 | 0.00 |
| 9/10/2002 | 674.56 | 0.0 | 47.9 | 0.00 |
| 9/11/2002 | 674.53 | 0.0 | 47.9 | 0.00 |
| 9/12/2002 | 674.50 | 0.0 | 47.9 | 0.00 |
| 9/13/2002 | 674.46 | 0.0 | 46.7 | 0.00 |
| 9/14/2002 | 674.44 | 10.3 | 48.8 | 0.00 |
| 9/15/2002 | 674.42 | 0.0 | 48.8 | 0.11 |
| 9/16/2002 | 674.44 | 0.0 | 48.8 | 0.53 |
| 9/17/2002 | 674.42 | 130.8 | 48.8 | 0.00 |
| 9/18/2002 | 674.46 | 48.8 | 48.8 | 1.12 |
| 9/19/2002 | 674.45 | 0.0 | 48.8 | 0.00 |
| 9/20/2002 | 674.43 | 326.3 | 47.6 | 0.00 |
| 9/21/2002 | 674.53 | 90.7 | 49.7 | 1.45 |
| 9/22/2002 | 674.52 | 0.0 | 49.7 | 0.00 |
| 9/23/2002 | 674.49 | 0.0 | 49.7 | 0.00 |
| 9/24/2002 | 674.47 | 0.0 | 49.7 | 0.02 |
| 9/25/2002 | 674.44 | 49.7 | 49.7 | 0.00 |
| 9/26/2002 | 674.48 | 765.7 | 49.7 | 0.58 |
| 9/27/2002 | 674.75 | 2,500.0 | 148.5 | 3.01 |
| 9/28/2002 | 675.28 | 1,597.0 | 198.9 | 0.16 |
| 9/29/2002 | 675.39 | 483.2 | 345.4 | 0.00 |
| 9/30/2002 | 675.39 | 566.9 | 399.6 | 0.01 |
| 10/1/2002 | 675.37 | 357.8 | 399.7 | 0.00 |
| 10/2/2002 | 675.34 | 232.9 | 399.6 | 0.06 |
| 10/3/2002 | 675.30 | 232.2 | 399.4 | 0.00 |
| 10/4/2002 | 675.25 | 148.2 | 399.3 | 0.00 |
| 10/5/2002 | 675.22 | 190.0 | 399.0 | 0.37 |
| 10/6/2002 | 675.16 | 168.8 | 398.8 | 0.00 |
| 10/7/2002 | 675.09 | 169.2 | 398.5 | 0.00 |
| 10/8/2002 | 675.02 | 169.8 | 398.2 | 0.00 |
| 10/9/2002 | 674.95 | 192.7 | 397.9 | 0.00 |
| 10/10/2002 | 674.95 | 2,558.0 | 397.6 | 0.00 |
| 10/11/2002 | 676.48 | 10,833.0 | 399.1 | 2.56 |
| 10/12/2002 | 677.89 | 3,306.5 | 407.1 | 0.00 |
| 10/13/2002 | 678.20 | 1,343.6 | 734.9 | 0.00 |
| 10/14/2002 | 677.82 | 699.9 | 2,300.8 | 0.00 |
| 10/15/2002 | 677.04 | 346.6 | 3,721.5 | 0.00 |
| 10/16/2002 | 676.08 | 429.7 | 4,594.6 | 0.55 |
| 10/17/2002 | 675.54 | 956.4 | 3,527.6 | 0.00 |

| | ELEVATION OBS (FEET) INST-VAL | INFLOW OBS (CFS) 24-HR AVG | OUTFLOW OBS (CFS) 24-HR AVG | PRECIP OBS (INCHES) 24-HR CUM |
|------------|-------------------------------------|----------------------------------|-----------------------------------|-------------------------------------|
| 10/18/2002 | 675.46 | 778.2 | 1,529.8 | 0.00 |
| 10/19/2002 | 675.41 | 694.3 | 861.7 | 0.00 |
| 10/20/2002 | 675.38 | 777.6 | 861.3 | 0.45 |
| 10/21/2002 | 675.34 | 756.2 | 861.0 | 0.00 |
| 10/22/2002 | 675.28 | 615.3 | 860.6 | 0.10 |
| 10/23/2002 | 675.29 | 454.2 | 516.8 | 0.01 |
| 10/24/2002 | 675.29 | 454.2 | 371.1 | 0.00 |
| 10/25/2002 | 675.29 | 454.2 | 371.1 | 0.00 |
| 10/26/2002 | 675.28 | 329.3 | 371.1 | 0.15 |
| 10/27/2002 | 675.26 | 371.0 | 371.1 | 0.00 |
| 10/28/2002 | 675.33 | 2,105.1 | 371.0 | 1.22 |
| 10/29/2002 | 676.04 | 4,774.8 | 372.1 | 0.71 |
| 10/30/2002 | 677.07 | 4,988.4 | 375.5 | 0.49 |
| 10/31/2002 | 677.65 | 2,203.4 | 379.2 | 0.01 |
| 11/1/2002 | 677.90 | 1,249.5 | 380.9 | 0.00 |
| 11/2/2002 | 678.04 | 935.0 | 381.8 | 0.00 |
| 11/3/2002 | 678.12 | 912.7 | 382.3 | 0.00 |
| 11/4/2002 | 678.18 | 648.4 | 382.5 | 0.12 |
| 11/5/2002 | 678.23 | 2,130.4 | 382.8 | 0.00 |
| 11/6/2002 | 679.38 | 7,968.2 | 383.9 | 1.57 |
| 11/7/2002 | 680.38 | 3,123.4 | 389.2 | 0.01 |
| 11/8/2002 | 680.60 | 1,781.7 | 1,000.5 | 0.00 |
| 11/9/2002 | 680.24 | 710.3 | 2,546.8 | 0.00 |
| 11/10/2002 | 679.65 | 3,105.1 | 3,984.9 | 1.33 |
| 11/11/2002 | 680.27 | 11,815.8 | 4,390.4 | 1.15 |
| 11/12/2002 | 680.84 | 4,065.1 | 4,407.4 | 0.00 |
| 11/13/2002 | 680.44 | 1,633.4 | 4,409.3 | 0.00 |
| 11/14/2002 | 679.66 | 762.9 | 4,801.5 | 0.00 |
| 11/15/2002 | 678.89 | 1,295.2 | 4,514.6 | 0.08 |
| 11/16/2002 | 679.29 | 6,247.3 | 2,951.9 | 1.10 |
| 11/17/2002 | 679.92 | 4,068.4 | 1,913.5 | 0.00 |
| 11/18/2002 | 680.22 | 1,064.3 | 1,126.3 | 0.00 |
| 11/19/2002 | 680.37 | 3,704.2 | 880.4 | 0.14 |
| 11/20/2002 | 680.17 | 1,128.6 | 2,027.2 | 0.10 |
| 11/21/2002 | 679.75 | 663.5 | 2,825.7 | 0.00 |
| 11/22/2002 | 679.14 | 451.5 | 3,417.6 | 0.16 |
| 11/23/2002 | 678.46 | 262.7 | 3,635.0 | 0.00 |
| 11/24/2002 | 677.76 | 71.4 | 3,619.4 | 0.00 |
| 11/25/2002 | 677.06 | 128.2 | 3,603.2 | 0.00 |

| | ELEVATION OBS (FEET) INST-VAL | INFLOW OBS (CFS) 24-HR AVG | OUTFLOW OBS (CFS) 24-HR AVG | PRECIP OBS (INCHES) 24-HR CUM |
|------------|-------------------------------------|----------------------------------|-----------------------------------|-------------------------------------|
| 11/26/2002 | 676.62 | 401.9 | 2,646.9 | 0.02 |
| 11/27/2002 | 676.33 | 483.8 | 1,869.6 | 0.02 |
| 11/28/2002 | 676.22 | 470.9 | 1,065.0 | 0.00 |
| 11/29/2002 | 676.20 | 422.2 | 546.6 | 0.00 |
| 11/30/2002 | 676.17 | 315.6 | 464.8 | 0.00 |
| 12/1/2002 | 676.14 | 294.1 | 464.6 | 0.00 |
| 12/2/2002 | 676.15 | 240.9 | 464.6 | 0.00 |
| 12/3/2002 | 676.06 | 215.0 | 464.4 | 0.00 |
| 12/4/2002 | 675.46 | 140.0 | 2,373.6 | 0.10 |
| 12/5/2002 | 674.39 | 462.6 | 4,877.3 | 1.16 |
| 12/6/2002 | 673.53 | 325.6 | 4,433.8 | 0.00 |
| 12/7/2002 | 673.01 | 893.2 | 3,193.1 | 0.00 |
| 12/8/2002 | 672.70 | 1,046.2 | 2,197.2 | 0.00 |
| 12/9/2002 | 672.77 | 913.0 | 802.2 | 0.00 |
| 12/10/2002 | 672.89 | 992.9 | 360.4 | 0.00 |
| 12/11/2002 | 673.19 | 3,852.0 | 361.0 | 0.74 |
| 12/12/2002 | 674.38 | 4,642.1 | 228.7 | 0.01 |
| 12/13/2002 | 675.08 | 3,004.5 | 93.6 | 0.00 |
| 12/14/2002 | 676.28 | 10,331.1 | 910.3 | 0.90 |
| 12/15/2002 | 677.62 | 4,946.1 | 1,680.3 | 0.00 |
| 12/16/2002 | 677.95 | 2,703.5 | 1,693.2 | 0.00 |
| 12/17/2002 | 677.47 | 1,250.3 | 3,498.7 | 0.00 |
| 12/18/2002 | 676.58 | 747.1 | 5,088.0 | 0.05 |
| 12/19/2002 | 675.61 | 802.7 | 5,141.4 | 0.01 |
| 12/20/2002 | 675.85 | 4,634.6 | 2,369.3 | 0.66 |
| 12/21/2002 | 676.15 | 2,653.6 | 1,842.9 | 0.00 |
| 12/22/2002 | 675.44 | 444.1 | 4,353.4 | 0.00 |
| 12/23/2002 | 674.54 | 643.9 | 5,109.4 | 0.00 |
| 12/24/2002 | 673.75 | 976.0 | 4,554.8 | 0.22 |
| 12/25/2002 | 673.65 | 1,755.7 | 2,318.5 | 0.40 |
| 12/26/2002 | 673.99 | 1,497.4 | 669.7 | 0.08 |
| 12/27/2002 | 674.28 | 1,879.4 | 365.9 | 0.00 |
| 12/28/2002 | 674.33 | 1,087.7 | 665.7 | 0.00 |
| 12/29/2002 | 673.95 | 785.8 | 2,163.9 | 0.00 |
| 12/30/2002 | 672.99 | 368.2 | 4,410.3 | 0.00 |
| 12/31/2002 | 671.33 | 263.7 | 6,546.5 | 0.00 |