



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/2004	669.87	1,629.2	2,890.7	0.00
1/2/2004	669.66	12,222.6	3,118.0	1.70
1/3/2004	675.55	22,679.1	2,863.5	1.13
1/4/2004	678.08	5,132.1	2,655.7	0.00
1/5/2004	678.30	5,008.1	2,681.5	0.61
1/6/2004	678.97	4,298.0	2,689.4	0.00
1/7/2004	679.39	2,439.5	1,550.7	0.00
1/8/2004	679.62	1,809.1	1,019.1	0.00
1/9/2004	679.76	1,585.1	1,020.3	0.18
1/10/2004	679.84	1,384.7	1,021.1	0.00
1/11/2004	679.65	817.8	1,743.0	0.00
1/12/2004	678.92	718.4	3,809.2	0.00
1/13/2004	677.59	393.5	6,058.2	0.00
1/14/2004	675.80	138.1	7,738.3	0.00
1/15/2004	673.93	156.8	7,868.3	0.00
1/16/2004	671.95	91.3	7,757.7	0.00
1/17/2004	670.65	118.7	5,734.9	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/2004	669.59	1,281.4	4,643.4	0.61
1/19/2004	669.77	4,182.8	3,354.2	0.26
1/20/2004	669.75	2,052.8	2,839.3	0.00
1/21/2004	669.58	1,417.5	2,384.2	0.00
1/22/2004	669.34	1,225.1	2,218.8	0.00
1/23/2004	669.03	947.1	2,212.9	0.00
1/24/2004	668.67	947.7	2,205.6	0.00
1/25/2004	668.43	996.8	1,777.6	0.10
1/26/2004	668.43	2,224.6	1,564.5	0.61
1/27/2004	668.52	1,963.5	1,565.2	0.13
1/28/2004	668.51	1,554.9	1,813.7	0.01
1/29/2004	668.40	1,351.3	1,884.5	0.00
1/30/2004	668.22	1,221.6	1,881.5	0.09
1/31/2004	668.16	977.7	1,400.9	0.00
2/1/2004	668.13	689.9	915.8	0.00
2/2/2004	668.12	965.1	800.0	0.00
2/3/2004	668.31	3,045.1	800.3	0.83
2/4/2004	669.13	4,221.9	1,320.2	0.00
2/5/2004	669.08	5,484.2	2,913.0	0.04
2/6/2004	672.43	24,545.9	1,910.9	1.98
2/7/2004	678.19	18,088.9	747.6	0.00
2/8/2004	679.13	4,246.2	1,012.8	0.00
2/9/2004	679.45	2,151.5	1,017.5	0.00
2/10/2004	679.12	1,486.3	2,976.0	0.01
2/11/2004	677.94	878.4	6,016.2	0.00
2/12/2004	676.35	597.6	7,524.3	0.00
2/13/2004	674.48	108.3	7,837.7	0.00
2/14/2004	672.78	459.5	7,800.2	0.00
2/15/2004	671.22	190.9	6,469.3	0.00
2/16/2004	670.36	284.7	4,412.2	0.00
2/17/2004	669.86	700.9	2,864.6	0.00
2/18/2004	669.35	580.4	2,527.3	0.00
2/19/2004	669.05	627.6	1,845.0	0.00
2/20/2004	668.78	605.4	1,573.1	0.00
2/21/2004	668.68	602.6	973.9	0.00
2/22/2004	668.59	414.8	804.2	0.00
2/23/2004	668.59	419.6	529.4	0.00
2/24/2004	668.58	419.5	437.9	0.00
2/25/2004	668.57	419.5	437.9	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/2004	668.56	401.1	437.8	0.00
2/27/2004	668.53	309.8	437.7	0.00
2/28/2004	668.51	400.8	437.6	0.00
2/29/2004	668.48	290.7	437.5	0.00
3/1/2004	668.44	510.6	437.3	0.00
3/2/2004	668.60	1,592.6	437.4	0.81
3/3/2004	668.95	1,434.6	438.7	0.00
3/4/2004	669.18	1,047.9	440.2	0.15
3/5/2004	669.15	2,057.8	1,084.8	0.00
3/6/2004	671.15	20,680.7	1,256.6	1.65
3/7/2004	674.33	8,742.5	1,288.2	0.00
3/8/2004	674.60	2,529.2	2,083.5	0.00
3/9/2004	674.04	1,443.6	3,979.7	0.00
3/10/2004	672.99	994.8	5,356.7	0.00
3/11/2004	671.38	779.6	7,041.1	0.00
3/12/2004	670.19	710.2	5,554.2	0.00
3/13/2004	669.46	433.6	3,561.9	0.00
3/14/2004	669.12	645.1	2,211.9	0.00
3/15/2004	668.96	656.3	1,440.5	0.01
3/16/2004	669.01	844.3	619.1	0.25
3/17/2004	669.16	904.9	298.1	0.10
3/18/2004	669.31	663.6	195.2	0.02
3/19/2004	669.45	611.3	65.0	0.00
3/20/2004	669.59	855.8	51.3	0.00
3/21/2004	670.17	5,331.4	53.3	0.72
3/22/2004	670.81	1,848.9	57.1	0.00
3/23/2004	671.19	1,297.8	57.6	0.00
3/24/2004	671.45	1,026.5	57.8	0.00
3/25/2004	671.65	794.6	57.9	0.00
3/26/2004	671.84	832.9	58.0	0.00
3/27/2004	671.99	719.7	58.1	0.00
3/28/2004	672.13	709.4	58.2	0.00
3/29/2004	672.23	549.9	58.3	0.00
3/30/2004	672.42	1,191.8	107.7	0.70
3/31/2004	672.76	1,582.3	271.8	0.00
4/1/2004	673.01	1,155.1	319.4	0.05
4/2/2004	673.17	903.5	320.3	0.00
4/3/2004	673.30	803.5	320.9	0.00
4/4/2004	673.38	803.7	321.3	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/5/2004	673.45	683.9	321.6	0.00
4/6/2004	673.49	483.0	321.8	0.00
4/7/2004	673.55	603.3	322.0	0.00
4/8/2004	673.56	543.6	322.1	0.00
4/9/2004	673.58	443.1	322.2	0.00
4/10/2004	673.60	402.4	322.3	0.00
4/11/2004	673.60	422.4	322.4	0.00
4/12/2004	673.61	1,106.8	322.4	0.22
4/13/2004	674.21	5,493.8	323.1	2.02
4/14/2004	675.60	6,629.4	1,282.5	0.90
4/15/2004	676.01	2,901.3	2,613.8	0.00
4/16/2004	675.38	1,545.9	4,389.4	0.00
4/17/2004	674.77	1,182.0	4,166.8	0.00
4/18/2004	674.47	1,012.5	2,642.8	0.00
4/19/2004	674.36	1,001.9	1,642.8	0.00
4/20/2004	674.26	803.6	1,210.6	0.00
4/21/2004	674.23	946.6	881.1	0.00
4/22/2004	674.48	7,509.5	783.0	1.32
4/23/2004	677.20	5,667.7	1,451.2	1.52
4/24/2004	678.37	6,155.3	3,086.8	0.60
4/25/2004	678.35	2,615.9	3,945.0	0.00
4/26/2004	678.01	2,292.8	3,940.8	0.28
4/27/2004	677.34	1,616.5	4,835.0	0.00
4/28/2004	676.69	1,112.5	4,351.5	0.00
4/29/2004	676.00	855.6	3,895.7	0.00
4/30/2004	675.53	959.0	3,044.6	0.00
5/1/2004	675.31	824.5	1,958.9	0.11
5/2/2004	675.50	2,752.8	683.6	1.15
5/3/2004	676.15	3,058.9	330.5	0.20
5/4/2004	676.25	1,549.0	1,411.8	0.00
5/5/2004	675.88	1,118.0	2,798.9	0.00
5/6/2004	675.65	1,033.4	2,197.8	0.00
5/7/2004	675.69	831.4	896.2	0.00
5/8/2004	675.75	581.5	330.5	0.00
5/9/2004	675.79	560.1	330.7	0.00
5/10/2004	675.81	414.5	330.8	0.00
5/11/2004	675.81	430.0	330.9	0.00
5/12/2004	675.73	542.7	670.4	0.00
5/13/2004	675.64	444.7	793.3	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/14/2004	675.64	351.2	455.6	0.11
5/15/2004	675.68	762.3	330.3	0.60
5/16/2004	675.68	290.2	568.4	0.37
5/17/2004	675.57	309.1	709.4	0.00
5/18/2004	675.56	309.1	330.0	0.01
5/19/2004	675.54	183.7	330.0	0.02
5/20/2004	675.52	267.1	329.9	0.00
5/21/2004	675.48	183.5	329.8	0.00
5/22/2004	675.45	202.9	329.7	0.00
5/23/2004	675.42	120.6	328.6	0.00
5/24/2004	675.37	245.8	329.4	0.00
5/25/2004	675.32	131.4	329.2	0.00
5/26/2004	675.45	2,922.7	205.7	1.17
5/27/2004	676.90	14,703.8	165.3	2.34
5/28/2004	679.87	10,085.4	302.4	0.36
5/29/2004	681.19	3,621.3	347.6	0.00
5/30/2004	681.41	1,987.6	1,015.6	0.13
5/31/2004	681.71	6,213.8	1,238.5	1.43
6/1/2004	682.77	4,203.2	1,244.4	0.00
6/2/2004	682.92	2,659.1	1,904.5	1.00
6/3/2004	682.90	2,014.3	2,444.6	0.12
6/4/2004	682.74	1,867.7	2,443.2	0.31
6/5/2004	683.01	3,086.6	1,998.8	0.00
6/6/2004	683.06	1,540.9	1,767.4	0.00
6/7/2004	682.81	988.0	2,264.5	0.00
6/8/2004	682.32	482.9	2,894.8	0.00
6/9/2004	681.52	458.0	4,196.7	0.00
6/10/2004	680.66	314.3	4,412.2	0.00
6/11/2004	679.58	28.2	4,912.2	0.00
6/12/2004	678.45	0.0	5,226.2	0.00
6/13/2004	677.34	67.0	5,193.6	0.37
6/14/2004	676.23	426.3	5,161.2	0.03
6/15/2004	675.52	544.8	3,753.9	0.01
6/16/2004	675.29	486.0	1,807.3	0.07
6/17/2004	675.28	548.5	637.6	0.48
6/18/2004	675.38	746.3	326.3	0.50
6/19/2004	675.45	475.3	224.5	0.00
6/20/2004	675.47	224.6	224.5	0.00
6/21/2004	675.48	308.2	224.6	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/22/2004	675.49	475.4	224.6	0.12
6/23/2004	675.52	329.1	224.6	0.30
6/24/2004	675.52	224.6	224.6	0.00
6/25/2004	675.52	224.6	224.6	0.00
6/26/2004	675.52	203.7	224.6	0.20
6/27/2004	675.51	182.8	224.6	0.00
6/28/2004	675.49	182.8	224.6	0.00
6/29/2004	675.47	182.9	224.6	0.00
6/30/2004	675.44	78.2	224.5	0.00
7/1/2004	675.42	245.4	224.5	0.00
7/2/2004	675.44	287.2	224.5	1.43
7/3/2004	675.42	182.8	224.5	0.00
7/4/2004	675.39	78.1	224.5	0.00
7/5/2004	675.38	349.9	224.5	0.11
7/6/2004	675.39	391.5	224.5	0.27
7/7/2004	675.55	1,263.9	224.5	0.64
7/8/2004	675.48	645.5	922.2	0.24
7/9/2004	675.31	338.6	1,209.2	0.00
7/10/2004	675.22	286.2	732.4	0.00
7/11/2004	675.20	376.7	414.8	0.27
7/12/2004	675.20	188.6	355.8	0.13
7/13/2004	675.17	204.7	355.8	0.00
7/14/2004	675.14	84.4	304.5	0.29
7/15/2004	675.10	168.0	355.5	0.00
7/16/2004	675.09	114.2	206.1	0.00
7/17/2004	675.08	64.8	108.8	0.00
7/18/2004	675.07	96.1	96.1	0.00
7/19/2004	675.05	15.8	68.7	0.00
7/20/2004	675.04	16.1	55.0	0.00
7/21/2004	675.03	0.0	55.0	0.00
7/22/2004	675.01	201.2	55.0	0.00
7/23/2004	675.08	55.0	55.0	1.32
7/24/2004	675.08	15.9	55.0	0.00
7/25/2004	675.07	14.5	55.0	0.00
7/26/2004	675.06	55.0	55.0	0.21
7/27/2004	675.05	5.4	55.0	0.00
7/28/2004	675.05	0.0	55.0	0.00
7/29/2004	675.02	0.0	55.0	0.00
7/30/2004	675.01	15.8	55.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
7/31/2004	675.08	1,224.7	55.0	1.23
8/1/2004	675.31	974.3	55.1	0.43
8/2/2004	675.42	355.0	55.2	0.00
8/3/2004	675.42	274.4	275.7	0.00
8/4/2004	675.41	238.0	208.7	0.00
8/5/2004	675.52	2,226.3	154.3	0.89
8/6/2004	676.20	1,360.4	303.4	0.05
8/7/2004	676.34	615.9	360.0	0.00
8/8/2004	676.36	339.1	360.4	0.00
8/9/2004	676.35	275.3	360.4	0.00
8/10/2004	676.31	323.1	360.3	0.00
8/11/2004	676.16	175.6	776.3	0.02
8/12/2004	675.72	384.3	1,941.5	0.11
8/13/2004	675.45	306.5	1,518.7	0.00
8/14/2004	675.29	148.5	899.5	0.00
8/15/2004	675.15	168.8	816.9	0.00
8/16/2004	675.01	272.3	815.8	0.00
8/17/2004	674.99	16.5	343.1	0.00
8/18/2004	674.98	16.5	55.0	0.00
8/19/2004	674.97	0.0	55.0	0.00
8/20/2004	674.96	218.9	55.0	0.00
8/21/2004	675.05	721.4	55.0	0.98
8/22/2004	675.08	128.2	55.0	0.00
8/23/2004	675.08	55.0	55.0	0.00
8/24/2004	675.07	117.7	55.0	0.29
8/25/2004	675.16	109.2	55.1	1.09
8/26/2004	675.10	146.3	276.6	0.00
8/27/2004	675.08	73.2	204.4	0.00
8/28/2004	675.07	138.5	75.7	0.00
8/29/2004	675.10	5.4	55.0	0.44
8/30/2004	675.10	16.1	55.1	0.00
8/31/2004	675.09	0.0	55.1	0.00
9/1/2004	675.07	0.0	55.0	0.00
9/2/2004	675.05	138.7	55.0	0.00
9/3/2004	675.09	55.1	55.0	0.52
9/4/2004	675.09	96.7	55.1	0.00
9/5/2004	675.12	128.2	55.1	0.00
9/6/2004	675.12	15.9	55.1	0.00
9/7/2004	675.11	0.0	55.1	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/8/2004	675.10	127.8	55.1	0.15
9/9/2004	675.11	201.4	55.1	0.08
9/10/2004	675.13	96.9	55.1	0.00
9/11/2004	675.15	75.9	55.1	0.00
9/12/2004	675.16	16.1	55.1	0.00
9/13/2004	675.15	55.1	55.1	0.00
9/14/2004	675.15	15.9	55.1	0.00
9/15/2004	675.14	0.0	55.1	0.00
9/16/2004	675.12	180.4	55.1	0.04
9/17/2004	675.40	5,035.9	55.1	3.10
9/18/2004	676.96	4,511.0	271.1	0.08
9/19/2004	677.16	306.2	724.4	0.00
9/20/2004	676.95	564.2	1,473.5	0.00
9/21/2004	676.94	384.1	604.7	0.00
9/22/2004	676.95	362.8	362.8	0.00
9/23/2004	676.93	341.4	362.8	0.00
9/24/2004	676.91	213.6	362.7	0.00
9/25/2004	676.88	192.0	362.6	0.00
9/26/2004	676.85	277.3	362.5	0.00
9/27/2004	676.80	149.2	362.3	0.00
9/28/2004	676.74	165.7	362.1	0.00
9/29/2004	676.44	0.0	1,325.8	0.00
9/30/2004	675.43	36.6	3,668.7	0.00
10/1/2004	674.80	192.9	3,099.7	0.00
10/2/2004	674.63	603.8	1,238.4	0.62
10/3/2004	674.56	189.8	583.3	0.00
10/4/2004	674.51	7.1	353.7	0.00
10/5/2004	674.49	54.8	133.2	0.00
10/6/2004	674.49	16.3	54.8	0.00
10/7/2004	674.48	0.0	54.8	0.00
10/8/2004	674.47	26.5	54.8	0.00
10/9/2004	674.46	95.8	54.8	0.00
10/10/2004	674.45	0.0	54.8	0.00
10/11/2004	674.43	16.3	54.8	0.00
10/12/2004	674.42	280.3	54.8	0.00
10/13/2004	674.53	169.2	54.8	1.44
10/14/2004	674.56	362.0	198.1	0.19
10/15/2004	674.61	300.3	209.9	0.36
10/16/2004	674.65	300.8	54.8	0.00



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/17/2004	674.68	198.4	54.9	0.00
10/18/2004	674.70	259.7	54.9	0.00
10/19/2004	674.83	1,111.1	54.9	0.87
10/20/2004	675.22	1,168.8	266.4	0.00
10/21/2004	674.99	1,738.8	1,725.9	0.00
10/22/2004	674.91	600.2	1,327.4	0.00
10/23/2004	674.94	559.8	354.8	0.00
10/24/2004	675.02	771.1	354.9	0.62
10/25/2004	675.10	751.8	355.2	0.00
10/26/2004	675.21	410.4	108.9	0.00
10/27/2004	675.32	978.0	55.1	0.11
10/28/2004	675.62	1,805.3	268.2	0.60
10/29/2004	675.91	1,208.1	208.4	0.31
10/30/2004	676.19	1,120.3	55.6	0.09
10/31/2004	676.35	864.8	55.7	0.00
11/1/2004	676.49	960.8	55.8	0.46
11/2/2004	676.21	634.7	1,639.6	0.01
11/3/2004	675.82	803.4	2,332.0	0.17
11/4/2004	675.58	4,857.1	2,325.9	1.13
11/5/2004	676.99	9,325.7	2,332.6	0.00
11/6/2004	676.55	493.9	4,055.4	0.00
11/7/2004	675.67	2,483.5	4,820.4	0.00
11/8/2004	674.76	694.9	4,795.1	0.00
11/9/2004	674.25	731.2	3,105.1	0.00
11/10/2004	674.03	67.8	1,615.8	0.00
11/11/2004	674.04	679.7	594.9	0.00
11/12/2004	674.13	1,397.9	352.4	0.73
11/13/2004	674.64	2,259.7	353.0	0.06
11/14/2004	674.89	1,256.2	354.2	0.00
11/15/2004	675.02	894.5	354.8	0.00
11/16/2004	675.10	708.5	355.2	0.01
11/17/2004	675.10	627.1	665.0	0.01
11/18/2004	674.99	643.3	1,091.3	0.02
11/19/2004	675.05	626.3	355.0	0.22
11/20/2004	675.10	647.4	355.3	0.02
11/21/2004	675.16	605.9	355.5	0.00
11/22/2004	675.19	481.2	355.7	0.00
11/23/2004	675.22	606.1	355.8	0.10
11/24/2004	675.32	2,204.0	355.9	0.77

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/25/2004	675.78	4,649.9	1,500.7	0.42
11/26/2004	675.84	2,329.6	2,855.6	0.00
11/27/2004	675.19	1,020.9	4,152.3	0.00
11/28/2004	674.58	1,265.3	4,043.4	0.36
11/29/2004	674.33	1,428.2	2,949.3	0.00
11/30/2004	674.27	5,395.6	1,884.1	0.80
12/1/2004	677.04	18,600.0	1,654.6	1.79
12/2/2004	680.26	7,092.7	633.8	0.00
12/3/2004	680.89	2,648.9	769.0	0.00
12/4/2004	680.63	1,101.0	2,785.9	0.00
12/5/2004	679.70	429.8	5,009.4	0.00
12/6/2004	679.00	3,211.4	5,042.1	0.79
12/7/2004	679.38	9,252.8	3,259.4	1.22
12/8/2004	682.49	10,531.3	928.7	0.00
12/9/2004	683.44	4,441.5	762.2	0.48
12/10/2004	684.46	5,847.3	898.9	0.51
12/11/2004	685.05	5,274.0	2,122.6	0.45
12/12/2004	685.21	3,029.3	3,142.3	0.10
12/13/2004	684.84	1,843.2	4,086.2	0.00
12/14/2004	683.77	320.0	6,084.5	0.00
12/15/2004	682.40	662.2	7,522.8	0.00
12/16/2004	680.97	400.7	7,239.0	0.00
12/17/2004	679.28	23.0	7,449.4	0.00
12/18/2004	677.66	33.5	7,456.5	0.00
12/19/2004	675.98	91.1	7,405.7	0.00
12/20/2004	674.40	214.9	7,352.7	0.03
12/21/2004	672.64	398.0	7,285.7	0.00
12/22/2004	671.06	189.4	6,395.2	0.06
12/23/2004	670.77	9,562.4	4,993.8	2.02
12/24/2004	672.73	7,240.6	1,736.4	0.00
12/25/2004	673.19	2,495.0	1,073.9	0.00
12/26/2004	672.89	1,176.6	2,563.7	0.00
12/27/2004	672.07	1,031.9	4,415.1	0.00
12/28/2004	671.03	881.9	5,002.2	0.00
12/29/2004	669.92	747.8	4,968.9	0.00
12/30/2004	669.01	740.7	4,301.7	0.00
12/31/2004	668.50	549.8	2,749.6	0.00