



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/2005	668.49	894.6	1,183.3	0.11
1/2/2005	668.49	1,261.5	802.9	0.65
1/3/2005	668.88	2,533.4	803.9	0.16
1/4/2005	669.21	2,321.7	807.0	0.10
1/5/2005	669.85	4,811.6	810.0	0.53
1/6/2005	670.79	4,631.5	816.5	0.43
1/7/2005	672.07	5,931.5	823.7	0.06
1/8/2005	674.29	18,992.1	832.6	1.35
1/9/2005	677.24	8,298.7	852.1	0.00
1/10/2005	677.90	3,198.7	864.8	0.00
1/11/2005	678.30	2,175.2	868.3	0.03
1/12/2005	678.56	2,021.7	870.4	0.06
1/13/2005	678.78	1,923.9	871.9	0.00
1/14/2005	679.31	4,536.6	575.0	0.54
1/15/2005	680.04	3,162.1	478.3	0.00
1/16/2005	680.42	2,053.0	480.5	0.00
1/17/2005	680.61	1,689.2	778.9	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/2005	680.40	1,172.0	1,995.6	0.00
1/19/2005	679.71	721.6	3,815.8	0.00
1/20/2005	678.54	572.6	5,641.5	0.00
1/21/2005	676.89	109.9	7,133.0	0.00
1/22/2005	675.02	21.1	7,804.7	0.00
1/23/2005	673.16	42.2	7,831.7	0.00
1/24/2005	671.35	192.1	7,714.6	0.00
1/25/2005	669.80	403.9	6,357.9	0.00
1/26/2005	668.76	564.6	4,497.1	0.01
1/27/2005	668.23	533.7	2,660.7	0.00
1/28/2005	668.10	465.9	1,121.7	0.00
1/29/2005	668.14	1,242.3	526.5	0.70
1/30/2005	668.41	2,123.1	436.0	0.25
1/31/2005	668.77	1,612.4	437.7	0.01
2/1/2005	669.01	1,161.5	439.3	0.00
2/2/2005	669.18	944.9	440.4	0.00
2/3/2005	669.34	1,046.2	441.2	0.16
2/4/2005	669.35	902.4	902.6	0.00
2/5/2005	669.32	864.7	1,033.0	0.00
2/6/2005	669.26	733.2	1,032.6	0.00
2/7/2005	669.19	863.3	1,031.9	0.00
2/8/2005	669.13	787.9	1,031.2	0.30
2/9/2005	669.09	893.6	1,030.7	0.00
2/10/2005	669.01	899.7	1,194.4	0.03
2/11/2005	668.89	792.4	1,251.5	0.00
2/12/2005	668.76	772.4	1,249.9	0.00
2/13/2005	668.62	1,302.2	1,248.1	0.11
2/14/2005	668.97	3,817.7	1,248.0	0.83
2/15/2005	669.65	3,065.8	1,255.2	0.00
2/16/2005	669.71	2,098.8	2,117.3	0.70
2/17/2005	669.52	1,533.6	2,526.8	0.00
2/18/2005	669.19	1,081.0	2,521.3	0.00
2/19/2005	668.79	768.6	2,513.3	0.00
2/20/2005	668.44	1,114.5	2,289.4	0.05
2/21/2005	668.46	3,975.5	2,194.6	0.75
2/22/2005	669.02	3,906.1	2,200.4	0.26
2/23/2005	669.26	2,363.1	2,211.1	0.00
2/24/2005	669.20	1,614.8	2,213.5	0.00
2/25/2005	669.01	1,242.4	2,211.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/2005	668.75	973.1	2,206.4	0.00
2/27/2005	668.59	962.5	1,753.5	0.00
2/28/2005	668.45	1,418.5	1,566.5	0.41
3/1/2005	668.55	2,226.7	1,565.4	0.36
3/2/2005	668.67	1,642.0	1,567.7	0.01
3/3/2005	668.65	1,348.7	1,568.6	0.00
3/4/2005	668.56	1,200.0	1,567.8	0.00
3/5/2005	668.44	1,198.1	1,566.1	0.05
3/6/2005	668.32	1,269.7	1,564.2	0.00
3/7/2005	668.19	1,194.6	1,562.3	0.00
3/8/2005	668.25	3,340.6	1,560.5	0.73
3/9/2005	668.81	3,079.0	1,565.2	0.00
3/10/2005	668.80	1,799.8	2,064.1	0.00
3/11/2005	668.63	1,458.7	2,202.3	0.01
3/12/2005	668.56	1,276.6	1,737.4	0.06
3/13/2005	668.56	1,107.9	1,313.1	0.00
3/14/2005	668.58	977.5	914.1	0.00
3/15/2005	668.66	709.3	518.8	0.00
3/16/2005	668.82	716.3	165.6	0.09
3/17/2005	668.96	646.0	74.9	0.00
3/18/2005	669.12	672.6	75.0	0.00
3/19/2005	669.23	560.6	75.1	0.00
3/20/2005	669.34	673.3	75.3	0.00
3/21/2005	669.43	393.1	75.4	0.00
3/22/2005	669.52	467.9	75.5	0.00
3/23/2005	669.63	243.7	75.6	0.39
3/24/2005	669.75	524.3	75.7	0.08
3/25/2005	669.87	486.4	75.8	0.00
3/26/2005	669.96	394.7	75.9	0.00
3/27/2005	670.06	684.4	76.0	0.07
3/28/2005	670.49	3,481.0	76.1	1.30
3/29/2005	671.13	2,127.1	76.6	0.06
3/30/2005	671.52	1,239.6	77.0	0.00
3/31/2005	671.80	1,201.2	77.3	0.06
4/1/2005	672.05	1,554.1	77.5	0.00
4/2/2005	672.94	7,041.6	77.8	1.02
4/3/2005	674.33	4,683.7	78.8	0.14
4/4/2005	674.92	2,460.9	655.6	0.00
4/5/2005	675.07	1,823.1	1,383.4	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/6/2005	675.04	1,405.9	1,655.8	0.00
4/7/2005	674.94	1,306.2	1,655.1	0.00
4/8/2005	675.00	3,541.0	1,654.0	0.63
4/9/2005	675.52	2,676.1	1,910.0	0.00
4/10/2005	675.39	1,587.5	2,468.0	0.00
4/11/2005	675.10	1,149.8	2,630.2	0.00
4/12/2005	674.75	1,493.3	2,624.5	0.00
4/13/2005	674.80	4,672.0	2,619.4	0.95
4/14/2005	675.06	2,605.1	2,623.7	0.03
4/15/2005	674.95	1,722.4	2,625.6	0.00
4/16/2005	674.68	1,266.3	2,622.4	0.00
4/17/2005	674.32	1,031.5	2,616.9	0.00
4/18/2005	674.20	901.2	1,744.4	0.00
4/19/2005	674.11	746.9	1,162.1	0.00
4/20/2005	674.11	691.7	741.6	0.00
4/21/2005	674.07	506.8	650.4	0.00
4/22/2005	674.04	506.8	650.3	0.01
4/23/2005	674.00	344.4	650.1	0.22
4/24/2005	673.94	408.3	649.9	0.00
4/25/2005	673.86	422.0	649.5	0.00
4/26/2005	673.83	557.0	492.3	0.10
4/27/2005	673.91	858.6	456.6	0.72
4/28/2005	673.99	839.8	456.8	0.00
4/29/2005	674.08	1,932.4	457.0	0.65
4/30/2005	675.74	20,201.0	458.0	2.45
5/1/2005	679.62	13,406.0	468.9	0.00
5/2/2005	680.38	2,579.3	1,580.6	0.00
5/3/2005	680.09	1,330.3	2,965.6	0.00
5/4/2005	679.24	841.2	4,662.2	0.00
5/5/2005	677.84	707.4	6,671.4	0.00
5/6/2005	676.45	427.1	6,297.1	0.00
5/7/2005	675.61	369.9	4,316.2	0.00
5/8/2005	675.08	537.5	2,971.6	0.00
5/9/2005	674.87	576.7	1,701.4	0.00
5/10/2005	674.82	532.2	777.1	0.00
5/11/2005	674.83	434.8	404.9	0.00
5/12/2005	674.83	291.2	332.3	0.00
5/13/2005	674.81	291.2	332.2	0.00
5/14/2005	674.79	475.6	332.2	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/15/2005	674.87	435.0	332.2	0.53
5/16/2005	674.87	291.4	332.4	0.00
5/17/2005	674.84	173.0	332.4	0.00
5/18/2005	674.84	148.7	194.6	0.00
5/19/2005	674.85	414.6	148.7	0.00
5/20/2005	674.97	827.4	148.7	1.28
5/21/2005	675.15	1,127.1	252.6	0.05
5/22/2005	675.19	396.4	333.6	0.00
5/23/2005	675.18	374.6	333.6	0.00
5/24/2005	675.18	129.1	176.4	0.00
5/25/2005	675.20	75.1	78.9	0.00
5/26/2005	675.20	96.0	75.1	0.00
5/27/2005	675.20	1.9	75.1	0.00
5/28/2005	675.22	408.6	75.1	0.00
5/29/2005	675.20	75.1	75.1	0.00
5/30/2005	675.20	43.7	75.1	0.00
5/31/2005	675.19	43.7	75.1	0.00
6/1/2005	675.18	43.7	75.1	0.00
6/2/2005	675.18	116.9	75.1	0.12
6/3/2005	675.19	284.1	75.1	0.22
6/4/2005	675.20	200.5	75.1	0.11
6/5/2005	675.22	179.0	75.1	0.00
6/6/2005	675.22	43.5	75.1	0.00
6/7/2005	675.22	115.6	74.4	0.00
6/8/2005	675.21	0.0	74.0	0.00
6/9/2005	675.21	283.1	74.0	0.00
6/10/2005	675.20	0.9	74.0	0.00
6/11/2005	675.21	178.6	74.0	0.00
6/12/2005	675.22	240.3	74.0	0.22
6/13/2005	675.20	42.7	74.0	0.16
6/14/2005	675.19	74.0	74.0	0.01
6/15/2005	675.20	42.7	74.0	0.14
6/16/2005	675.19	0.0	74.0	0.00
6/17/2005	675.17	74.0	74.0	0.00
6/18/2005	675.15	0.0	74.0	0.00
6/19/2005	675.12	0.0	74.0	0.00
6/20/2005	675.10	0.0	74.0	0.00
6/21/2005	675.08	0.0	55.8	0.00
6/22/2005	675.05	0.0	51.7	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/23/2005	675.03	0.0	51.6	0.00
6/24/2005	675.01	0.0	51.6	0.00
6/25/2005	674.98	0.0	51.6	0.00
6/26/2005	674.96	0.0	51.6	0.00
6/27/2005	674.94	0.0	51.6	0.00
6/28/2005	674.99	430.8	51.6	0.47
6/29/2005	674.95	0.0	51.6	0.00
6/30/2005	674.93	0.0	51.6	0.00
7/1/2005	674.90	0.0	51.6	0.00
7/2/2005	674.87	0.0	51.6	0.00
7/3/2005	674.84	133.5	51.5	0.00
7/4/2005	674.89	236.0	51.5	0.80
7/5/2005	674.93	13.1	51.6	0.51
7/6/2005	674.92	51.6	51.6	0.00
7/7/2005	674.91	10.6	51.6	0.00
7/8/2005	674.90	0.0	51.6	0.00
7/9/2005	674.88	0.0	51.6	0.00
7/10/2005	674.86	0.0	51.6	0.00
7/11/2005	674.82	10.4	51.5	0.00
7/12/2005	674.85	13.3	51.5	0.58
7/13/2005	674.85	174.0	51.5	0.50
7/14/2005	674.87	154.1	51.5	0.15
7/15/2005	674.87	72.1	51.6	0.00
7/16/2005	674.89	92.6	51.6	0.06
7/17/2005	674.90	297.5	51.6	0.16
7/18/2005	674.92	51.6	51.6	0.11
7/19/2005	674.92	72.1	51.6	0.02
7/20/2005	674.93	236.8	51.6	0.00
7/21/2005	675.05	427.3	51.6	2.36
7/22/2005	675.10	364.6	51.7	0.22
7/23/2005	675.16	176.5	51.7	0.00
7/24/2005	675.18	93.6	51.7	0.00
7/25/2005	675.18	93.6	51.7	0.00
7/26/2005	675.17	0.0	51.7	0.00
7/27/2005	675.15	93.4	51.7	0.00
7/28/2005	675.19	135.4	51.7	0.56
7/29/2005	675.16	0.0	51.7	0.00
7/30/2005	675.14	0.0	51.7	0.00
7/31/2005	675.12	0.0	51.7	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
8/1/2005	675.09	0.0	51.7	0.00
8/2/2005	675.07	9.9	51.7	0.00
8/3/2005	675.07	0.0	51.7	0.00
8/4/2005	675.02	0.0	51.6	0.00
8/5/2005	674.99	0.0	51.6	0.00
8/6/2005	674.96	0.0	51.6	0.00
8/7/2005	674.94	0.0	51.6	0.00
8/8/2005	674.91	0.0	51.6	0.00
8/9/2005	674.87	0.0	51.6	0.00
8/10/2005	674.85	0.0	51.6	0.00
8/11/2005	674.82	0.0	51.5	0.00
8/12/2005	674.80	0.0	51.5	0.00
8/13/2005	674.78	0.0	51.5	0.00
8/14/2005	674.75	51.5	51.5	0.00
8/15/2005	674.75	0.0	51.5	0.81
8/16/2005	674.73	51.5	51.5	0.00
8/17/2005	674.72	10.5	51.5	0.15
8/18/2005	674.72	10.5	51.5	0.05
8/19/2005	674.74	0.0	51.5	0.52
8/20/2005	674.72	51.5	51.5	0.00
8/21/2005	674.70	0.0	51.5	0.00
8/22/2005	674.68	0.0	51.5	0.00
8/23/2005	674.66	0.0	51.5	0.00
8/24/2005	674.62	0.0	51.5	0.00
8/25/2005	674.59	0.0	51.5	0.00
8/26/2005	674.56	2.7	51.4	0.18
8/27/2005	674.55	0.0	51.4	0.03
8/28/2005	674.54	71.9	51.4	0.00
8/29/2005	674.55	399.7	51.4	0.30
8/30/2005	674.78	1,117.5	51.5	2.51
8/31/2005	675.07	1,012.4	51.6	1.40
9/1/2005	675.23	657.4	51.7	0.00
9/2/2005	675.28	213.5	51.8	0.00
9/3/2005	675.29	122.8	138.7	0.00
9/4/2005	675.27	101.8	164.5	0.00
9/5/2005	675.23	18.2	164.5	0.00
9/6/2005	675.20	0.0	164.4	0.00
9/7/2005	675.17	0.0	164.3	0.00
9/8/2005	675.13	19.9	164.3	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/9/2005	675.10	0.0	79.8	0.00
9/10/2005	675.09	0.0	51.7	0.00
9/11/2005	675.07	0.0	51.7	0.00
9/12/2005	675.05	0.0	51.6	0.00
9/13/2005	675.03	0.0	51.6	0.00
9/14/2005	675.01	0.0	51.6	0.00
9/15/2005	674.98	0.0	51.6	0.00
9/16/2005	674.96	41.6	51.6	0.00
9/17/2005	674.97	0.0	51.6	0.34
9/18/2005	674.96	0.0	51.6	0.00
9/19/2005	674.93	0.0	51.6	0.00
9/20/2005	674.91	0.0	51.6	0.00
9/21/2005	674.89	0.0	51.6	0.00
9/22/2005	674.87	0.0	51.6	0.00
9/23/2005	674.84	0.0	51.5	0.00
9/24/2005	674.83	0.0	51.5	0.00
9/25/2005	674.80	0.0	51.5	0.00
9/26/2005	674.78	0.0	51.5	0.12
9/27/2005	674.76	0.0	51.5	0.05
9/28/2005	674.74	0.0	51.5	0.00
9/29/2005	674.71	3.1	51.5	0.15
9/30/2005	674.70	0.0	51.4	0.00
10/1/2005	674.67	0.0	54.4	0.00
10/2/2005	674.65	0.0	54.8	0.00
10/3/2005	674.63	0.0	54.8	0.00
10/4/2005	674.61	0.0	54.8	0.00
10/5/2005	674.59	0.0	54.8	0.00
10/6/2005	674.57	15.0	54.8	0.00
10/7/2005	674.56	0.0	54.8	0.14
10/8/2005	674.53	0.0	54.8	0.13
10/9/2005	674.51	0.0	54.7	0.00
10/10/2005	674.48	0.0	54.7	0.03
10/11/2005	674.45	0.0	54.7	0.00
10/12/2005	674.44	0.0	54.7	0.00
10/13/2005	674.42	0.0	54.7	0.00
10/14/2005	674.40	0.0	54.7	0.00
10/15/2005	674.38	0.0	54.7	0.00
10/16/2005	674.35	0.0	54.7	0.00
10/17/2005	674.33	0.0	54.7	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/18/2005	674.30	0.0	54.4	0.00
10/19/2005	674.28	0.0	56.0	0.00
10/20/2005	674.26	0.0	56.5	0.00
10/21/2005	674.24	0.0	56.5	0.00
10/22/2005	674.22	0.0	56.5	0.04
10/23/2005	674.20	0.0	56.5	0.00
10/24/2005	674.17	0.0	56.4	0.13
10/25/2005	674.14	0.0	56.4	0.04
10/26/2005	674.11	0.0	56.4	0.00
10/27/2005	674.09	0.0	67.8	0.00
10/28/2005	674.03	0.0	259.4	0.00
10/29/2005	673.97	43.9	275.2	0.00
10/30/2005	673.90	13.7	275.0	0.00
10/31/2005	673.84	0.0	274.8	0.00
11/1/2005	673.77	14.2	274.6	0.00
11/2/2005	673.75	0.0	97.1	0.05
11/3/2005	673.73	0.0	56.1	0.00
11/4/2005	673.70	0.0	56.1	0.00
11/5/2005	673.68	0.0	56.1	0.00
11/6/2005	673.68	126.5	56.1	0.20
11/7/2005	673.68	0.0	56.1	0.00
11/8/2005	673.66	0.0	55.3	0.00
11/9/2005	673.64	22.1	56.1	0.00
11/10/2005	673.62	0.0	57.3	0.00
11/11/2005	673.60	22.2	57.2	0.00
11/12/2005	673.58	1.9	57.2	0.00
11/13/2005	673.58	77.4	57.2	0.35
11/14/2005	673.58	17.0	57.2	0.25
11/15/2005	673.60	277.9	57.2	0.34
11/16/2005	673.68	281.7	75.4	0.87
11/17/2005	673.64	338.3	374.2	0.00
11/18/2005	673.60	217.4	398.5	0.00
11/19/2005	673.54	76.2	398.2	0.00
11/20/2005	673.47	196.6	397.9	0.00
11/21/2005	673.40	84.2	416.0	0.00
11/22/2005	673.22	34.3	851.3	0.00
11/23/2005	672.75	4.3	2,034.8	0.00
11/24/2005	672.42	13.9	1,387.0	0.00
11/25/2005	672.19	0.0	888.1	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/26/2005	672.03	248.3	664.1	0.00
11/27/2005	671.88	0.2	639.7	0.00
11/28/2005	671.75	135.2	639.1	0.00
11/29/2005	671.70	139.5	652.0	0.85
11/30/2005	670.91	11.7	3,314.9	0.00
12/1/2005	669.31	0.0	5,898.1	0.00
12/2/2005	668.48	0.7	2,832.5	0.00
12/3/2005	668.23	19.5	972.6	0.00
12/4/2005	668.15	161.1	451.1	0.40
12/5/2005	668.08	135.2	416.6	0.00
12/6/2005	668.07	244.0	200.8	0.00
12/7/2005	668.06	244.0	188.9	0.00
12/8/2005	668.03	134.5	185.3	0.00
12/9/2005	668.06	149.1	134.3	0.55
12/10/2005	668.08	222.5	130.8	0.00
12/11/2005	668.10	313.7	130.8	0.00
12/12/2005	668.12	314.4	130.8	0.01
12/13/2005	668.13	204.3	130.9	0.00
12/14/2005	668.12	112.5	130.9	0.00
12/15/2005	668.17	809.2	130.9	0.69
12/16/2005	668.30	901.3	144.6	0.22
12/17/2005	668.42	774.5	354.7	0.00
12/18/2005	668.45	444.9	371.5	0.00
12/19/2005	668.44	353.2	371.5	0.00
12/20/2005	668.43	316.5	371.5	0.00
12/21/2005	668.40	297.9	371.4	0.00
12/22/2005	668.35	206.0	371.2	0.00
12/23/2005	668.29	114.0	370.9	0.00
12/24/2005	668.25	315.5	370.7	0.00
12/25/2005	668.22	315.5	370.5	0.22
12/26/2005	668.19	315.2	370.3	0.11
12/27/2005	668.15	223.9	370.2	0.00
12/28/2005	668.10	204.8	370.0	0.00
12/29/2005	668.10	241.5	369.9	0.42
12/30/2005	668.07	241.3	369.8	0.00
12/31/2005	668.05	323.2	364.1	0.00