



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/2009	671.05	298.0	2,557.7	0.00
1/2/2009	670.54	432.9	2,548.4	0.00
1/3/2009	669.94	45.8	2,538.3	0.00
1/4/2009	669.39	504.7	2,526.4	0.36
1/5/2009	669.18	2,164.7	2,561.7	0.46
1/6/2009	668.91	1,824.2	3,070.1	0.07
1/7/2009	669.22	7,601.1	3,096.5	1.17
1/8/2009	670.02	4,320.8	3,117.9	0.08
1/9/2009	669.67	1,404.6	4,048.6	0.00
1/10/2009	669.03	1,214.2	3,779.2	0.05
1/11/2009	668.68	2,943.8	3,699.1	0.67
1/12/2009	668.44	1,812.4	3,653.4	0.00
1/13/2009	668.15	1,099.4	2,532.3	0.00
1/14/2009	668.27	1,077.9	619.9	0.00
1/15/2009	668.36	876.6	436.6	0.00
1/16/2009	668.41	546.6	437.0	0.00
1/17/2009	668.42	400.5	437.1	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/2009	668.40	455.2	437.0	0.00
1/19/2009	668.41	418.8	437.0	0.00
1/20/2009	668.40	412.6	428.2	0.00
1/21/2009	668.44	283.3	181.3	0.00
1/22/2009	668.47	301.2	154.9	0.00
1/23/2009	668.51	283.5	155.0	0.00
1/24/2009	668.55	385.1	168.6	0.00
1/25/2009	668.47	260.9	676.4	0.00
1/26/2009	668.35	191.4	523.8	0.00
1/27/2009	668.43	2,011.3	154.8	0.65
1/28/2009	671.14	30,391.8	156.8	3.59
1/29/2009	678.14	26,277.7	169.1	0.37
1/30/2009	680.58	4,127.7	177.9	0.00
1/31/2009	680.99	2,329.6	743.7	0.00
2/1/2009	681.00	1,541.8	1,695.9	0.00
2/2/2009	680.80	1,109.8	2,394.1	0.01
2/3/2009	680.30	638.9	3,522.2	0.00
2/4/2009	680.05	855.4	2,037.7	0.01
2/5/2009	679.22	94.1	4,564.5	0.00
2/6/2009	677.95	9.1	5,960.0	0.00
2/7/2009	676.57	104.9	6,102.9	0.00
2/8/2009	675.18	110.6	6,060.4	0.00
2/9/2009	673.84	48.1	6,017.6	0.00
2/10/2009	672.41	58.7	5,896.0	0.00
2/11/2009	671.88	645.8	2,237.0	0.01
2/12/2009	671.74	1,014.8	1,629.2	0.12
2/13/2009	671.29	510.8	2,733.8	0.00
2/14/2009	670.72	235.4	2,865.5	0.00
2/15/2009	670.13	117.5	2,853.4	0.00
2/16/2009	669.51	207.3	2,839.6	0.00
2/17/2009	668.89	148.2	2,810.6	0.00
2/18/2009	668.70	1,079.8	1,075.1	0.54
2/19/2009	669.00	1,400.8	805.9	0.00
2/20/2009	668.64	1,019.8	1,475.0	0.00
2/21/2009	668.68	809.7	1,569.9	0.00
2/22/2009	668.66	679.2	884.6	0.21
2/23/2009	668.72	691.7	484.2	0.00
2/24/2009	668.68	510.9	774.1	0.00
2/25/2009	668.60	510.3	804.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/2009	668.52	510.2	803.4	0.00
2/27/2009	668.50	2,254.8	803.0	1.27
2/28/2009	669.33	4,492.2	806.9	0.03
3/1/2009	670.51	7,056.1	814.5	0.48
3/2/2009	671.32	2,897.6	910.8	0.00
3/3/2009	671.20	1,574.0	2,704.8	0.00
3/4/2009	670.81	1,091.0	2,889.7	0.00
3/5/2009	670.20	700.1	3,387.5	0.00
3/6/2009	669.51	592.2	3,381.7	0.00
3/7/2009	669.07	652.2	2,285.4	0.00
3/8/2009	668.84	819.6	1,612.4	0.00
3/9/2009	668.63	950.1	1,501.4	0.26
3/10/2009	668.84	906.4	215.4	0.00
3/11/2009	669.03	769.5	100.1	0.39
3/12/2009	669.17	641.8	100.4	0.00
3/13/2009	669.33	474.4	100.7	0.31
3/14/2009	669.51	1,464.6	101.0	0.20
3/15/2009	670.11	3,554.8	101.6	0.32
3/16/2009	670.75	2,293.6	102.7	0.10
3/17/2009	671.24	1,924.9	103.5	0.05
3/18/2009	671.57	1,344.3	104.0	0.00
3/19/2009	671.82	1,015.0	104.4	0.05
3/20/2009	672.05	931.8	104.7	0.00
3/21/2009	672.22	795.7	105.0	0.00
3/22/2009	672.36	657.7	105.2	0.00
3/23/2009	672.46	460.7	105.4	0.00
3/24/2009	672.56	441.3	105.5	0.00
3/25/2009	672.65	599.2	105.7	0.12
3/26/2009	672.85	1,337.5	105.9	0.70
3/27/2009	673.40	2,648.2	152.2	0.12
3/28/2009	673.78	2,652.0	794.6	0.47
3/29/2009	674.21	3,453.5	843.1	0.25
3/30/2009	674.57	2,386.9	1,447.7	0.02
3/31/2009	674.64	1,691.2	1,650.1	0.00
4/1/2009	674.60	1,547.2	1,650.0	0.18
4/2/2009	674.60	1,686.0	1,599.6	0.00
4/3/2009	675.19	10,149.0	915.7	1.30
4/4/2009	677.77	7,919.8	1,636.0	0.00
4/5/2009	678.01	2,656.3	2,960.1	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/6/2009	677.51	2,328.5	4,722.1	0.52
4/7/2009	676.68	2,307.1	6,048.8	0.17
4/8/2009	675.57	1,439.0	6,239.1	0.00
4/9/2009	674.88	1,378.3	3,880.3	0.00
4/10/2009	674.70	2,103.6	1,857.3	0.38
4/11/2009	675.36	6,675.0	1,654.9	0.65
4/12/2009	676.19	3,417.5	1,668.0	0.00
4/13/2009	676.40	2,404.0	1,714.9	0.03
4/14/2009	676.24	2,956.8	3,378.6	0.80
4/15/2009	676.21	2,681.8	3,635.4	0.00
4/16/2009	675.53	1,767.1	5,198.6	0.00
4/17/2009	674.92	1,319.5	3,741.4	0.00
4/18/2009	674.85	1,252.0	1,514.7	0.00
4/19/2009	674.84	1,878.0	1,294.0	0.49
4/20/2009	675.37	5,451.9	889.1	1.23
4/21/2009	676.35	4,215.9	855.9	0.12
4/22/2009	676.64	2,541.1	2,166.8	0.00
4/23/2009	676.30	1,535.7	3,490.0	0.00
4/24/2009	675.65	1,035.2	4,092.5	0.00
4/25/2009	675.31	1,010.7	2,441.6	0.00
4/26/2009	675.28	809.8	990.8	0.00
4/27/2009	675.25	673.8	870.9	0.00
4/28/2009	675.12	734.2	1,265.1	0.00
4/29/2009	675.11	1,151.4	563.0	0.12
4/30/2009	675.42	1,938.1	811.2	2.10
5/1/2009	675.61	2,023.5	853.2	0.52
5/2/2009	675.88	2,179.8	854.7	0.30
5/3/2009	676.31	2,560.7	856.9	0.27
5/4/2009	676.98	8,119.8	859.9	1.25
5/5/2009	678.88	6,217.8	918.1	0.00
5/6/2009	679.25	3,127.1	2,242.1	0.03
5/7/2009	679.67	9,075.6	2,399.2	0.77
5/8/2009	681.20	9,122.9	2,952.9	1.07
5/9/2009	682.85	11,105.0	1,140.8	0.95
5/10/2009	684.50	7,589.9	899.1	0.00
5/11/2009	685.06	2,940.8	988.5	0.07
5/12/2009	685.05	1,681.3	2,436.3	0.00
5/13/2009	684.78	1,148.5	2,622.1	0.00
5/14/2009	684.30	863.1	3,495.5	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/15/2009	684.02	1,383.3	2,621.0	0.32
5/16/2009	683.63	2,452.3	4,263.4	0.46
5/17/2009	683.30	1,773.4	4,457.3	0.75
5/18/2009	682.50	270.0	5,249.5	0.00
5/19/2009	681.41	1,666.6	5,303.7	0.00
5/20/2009	680.50	162.6	5,277.5	0.00
5/21/2009	679.42	0.0	5,246.0	0.00
5/22/2009	678.18	46.8	5,212.1	0.00
5/23/2009	677.12	681.1	5,112.3	0.00
5/24/2009	676.30	1,140.2	3,925.3	0.00
5/25/2009	675.66	673.2	2,663.1	0.12
5/26/2009	675.48	837.8	1,399.7	0.56
5/27/2009	675.51	524.6	553.1	0.52
5/28/2009	675.56	747.8	462.1	0.70
5/29/2009	675.40	637.0	1,482.4	0.05
5/30/2009	675.13	385.6	1,658.3	0.00
5/31/2009	674.85	483.1	1,654.5	0.37
6/1/2009	674.66	254.4	1,032.7	0.00
6/2/2009	674.65	210.7	183.8	0.00
6/3/2009	674.70	474.3	134.7	0.60
6/4/2009	674.83	852.8	40.0	0.77
6/5/2009	675.02	758.6	54.0	0.00
6/6/2009	675.14	472.1	54.1	0.00
6/7/2009	675.20	221.3	54.1	0.00
6/8/2009	675.24	200.5	54.2	0.00
6/9/2009	675.27	179.6	54.2	0.00
6/10/2009	675.28	200.3	54.2	0.00
6/11/2009	675.56	4,485.2	107.8	1.66
6/12/2009	676.82	5,927.9	1,131.0	0.63
6/13/2009	677.20	1,918.8	1,681.9	0.00
6/14/2009	676.74	674.2	3,398.6	0.00
6/15/2009	675.83	727.0	4,665.7	0.26
6/16/2009	675.80	2,981.6	2,205.1	0.16
6/17/2009	675.82	1,553.0	1,680.4	0.22
6/18/2009	675.67	1,385.8	2,258.0	0.00
6/19/2009	675.49	1,674.8	2,323.8	0.00
6/20/2009	675.25	950.2	2,279.4	0.00
6/21/2009	675.19	806.1	971.9	0.10
6/22/2009	675.32	2,121.3	381.6	0.07

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/23/2009	675.82	3,534.6	1,049.9	0.25
6/24/2009	675.86	1,207.1	1,588.6	0.00
6/25/2009	675.68	661.9	1,665.5	0.00
6/26/2009	675.49	2,602.0	1,662.7	1.08
6/27/2009	676.11	3,009.9	1,702.5	2.69
6/28/2009	675.85	954.6	2,806.1	0.00
6/29/2009	675.60	639.8	1,790.5	0.00
6/30/2009	675.33	380.9	1,661.1	0.00
7/1/2009	675.15	205.3	1,003.2	0.00
7/2/2009	675.17	200.5	103.9	0.00
7/3/2009	675.20	179.6	54.1	0.00
7/4/2009	675.22	199.9	54.2	0.00
7/5/2009	675.26	430.4	54.2	0.23
7/6/2009	675.37	492.2	66.1	0.75
7/7/2009	675.39	297.6	315.6	0.00
7/8/2009	675.37	276.7	339.3	0.00
7/9/2009	675.33	171.9	339.2	0.00
7/10/2009	675.29	134.4	327.9	0.00
7/11/2009	675.27	108.4	162.6	0.00
7/12/2009	675.25	150.2	150.2	0.00
7/13/2009	675.27	202.5	150.2	0.33
7/14/2009	675.23	14.1	150.2	0.00
7/15/2009	675.22	263.1	66.2	0.00
7/16/2009	675.32	112.9	56.2	1.22
7/17/2009	675.36	673.6	122.0	0.39
7/18/2009	675.51	528.0	308.2	0.38
7/19/2009	675.51	402.5	339.8	0.00
7/20/2009	675.49	277.2	339.8	0.00
7/21/2009	675.46	256.0	339.7	0.00
7/22/2009	675.41	266.8	347.5	0.00
7/23/2009	675.32	204.7	796.1	0.52
7/24/2009	675.17	165.4	835.6	0.00
7/25/2009	675.16	240.1	173.1	0.00
7/26/2009	675.17	219.7	94.2	0.02
7/27/2009	675.19	207.4	92.0	0.00
7/28/2009	675.20	95.8	56.9	0.00
7/29/2009	675.22	242.2	54.2	0.22
7/30/2009	675.35	770.7	57.6	1.90
7/31/2009	675.75	5,302.0	141.8	1.72

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
8/1/2009	677.12	3,753.8	188.6	0.07
8/2/2009	677.02	1,308.8	2,627.8	0.15
8/3/2009	676.89	1,033.2	1,386.3	0.00
8/4/2009	676.98	828.5	438.6	0.00
8/5/2009	676.66	425.6	2,241.8	0.38
8/6/2009	675.86	197.4	4,040.3	0.00
8/7/2009	675.39	362.2	2,449.8	0.00
8/8/2009	675.28	339.0	501.0	0.00
8/9/2009	675.28	339.0	339.0	0.00
8/10/2009	675.27	401.6	339.0	0.16
8/11/2009	675.28	589.8	338.9	0.44
8/12/2009	675.24	171.7	338.9	0.00
8/13/2009	675.21	240.7	338.8	0.00
8/14/2009	675.18	128.3	195.1	0.00
8/15/2009	675.17	106.7	138.6	0.00
8/16/2009	675.14	122.8	167.3	0.00
8/17/2009	675.13	75.1	84.9	0.00
8/18/2009	675.11	0.0	75.0	0.04
8/19/2009	675.11	43.7	75.0	0.02
8/20/2009	675.09	7.4	74.3	0.00
8/21/2009	675.08	0.0	55.9	0.20
8/22/2009	675.07	0.0	54.1	0.00
8/23/2009	675.05	0.0	54.0	0.01
8/24/2009	675.03	14.8	54.0	0.00
8/25/2009	675.01	0.0	54.0	0.00
8/26/2009	674.99	0.0	54.0	0.00
8/27/2009	674.98	387.4	54.0	0.00
8/28/2009	675.15	158.7	54.1	2.06
8/29/2009	675.15	0.0	54.1	0.00
8/30/2009	675.14	0.0	54.1	0.00
8/31/2009	675.10	0.0	54.1	0.00
9/1/2009	675.07	0.0	54.1	0.00
9/2/2009	675.04	33.7	54.1	0.00
9/3/2009	675.05	24.8	55.8	0.03
9/4/2009	675.05	50.6	65.5	0.46
9/5/2009	675.03	29.4	66.0	0.00
9/6/2009	675.04	253.7	66.0	0.58
9/7/2009	675.03	107.7	66.0	0.00
9/8/2009	675.04	8.5	66.0	0.54

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/9/2009	675.03	8.9	66.0	0.00
9/10/2009	675.02	0.0	65.1	0.00
9/11/2009	675.01	20.1	39.6	0.00
9/12/2009	675.02	22.3	51.0	0.25
9/13/2009	675.00	0.0	51.0	0.00
9/14/2009	674.98	12.5	51.0	0.00
9/15/2009	674.96	0.0	51.0	0.00
9/16/2009	674.94	2.3	51.0	0.00
9/17/2009	674.93	0.0	51.0	0.00
9/18/2009	674.93	610.3	51.0	0.27
9/19/2009	675.17	322.2	51.1	1.20
9/20/2009	675.23	447.7	51.1	0.20
9/21/2009	675.31	831.7	158.3	0.63
9/22/2009	675.31	600.6	920.5	0.63
9/23/2009	675.23	474.5	830.1	0.00
9/24/2009	675.12	265.3	829.3	0.02
9/25/2009	675.02	577.9	828.5	0.25
9/26/2009	675.11	2,353.9	828.5	1.01
9/27/2009	675.87	5,127.3	832.0	0.51
9/28/2009	676.36	1,892.7	960.3	0.00
9/29/2009	675.69	584.1	4,164.9	0.00
9/30/2009	674.59	343.6	5,041.5	0.00
10/1/2009	673.41	226.5	5,070.1	0.00
10/2/2009	672.12	202.2	5,032.0	0.17
10/3/2009	670.96	58.7	4,996.2	0.32
10/4/2009	669.69	0.3	4,924.9	0.00
10/5/2009	668.73	44.1	3,575.3	0.06
10/6/2009	668.28	536.8	1,764.6	0.00
10/7/2009	668.34	766.0	475.0	0.96
10/8/2009	668.34	681.6	745.5	0.00
10/9/2009	668.32	479.1	772.7	0.68
10/10/2009	669.30	4,715.8	846.7	1.42
10/11/2009	669.05	1,272.0	4,082.2	0.00
10/12/2009	668.13	278.4	4,539.7	0.00
10/13/2009	667.94	877.1	1,382.5	0.01
10/14/2009	667.96	1,004.6	769.2	0.10
10/15/2009	668.11	1,862.7	799.2	0.93
10/16/2009	668.40	2,464.0	1,173.5	0.11
10/17/2009	668.33	1,221.5	2,115.6	0.06

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/18/2009	668.04	721.2	2,189.8	0.00
10/19/2009	667.78	631.0	1,677.1	0.01
10/20/2009	667.74	641.1	822.0	0.00
10/21/2009	667.71	605.3	767.0	0.00
10/22/2009	667.65	532.8	766.6	0.00
10/23/2009	667.61	694.0	766.2	0.15
10/24/2009	667.62	856.1	766.1	0.52
10/25/2009	667.70	1,054.9	766.5	0.03
10/26/2009	667.71	730.9	766.9	0.00
10/27/2009	667.69	928.9	766.8	0.00
10/28/2009	667.82	1,575.1	801.9	0.95
10/29/2009	667.97	1,783.7	1,526.8	0.00
10/30/2009	667.78	1,512.9	2,138.5	0.01
10/31/2009	667.86	2,706.1	1,688.8	1.50
11/1/2009	668.80	4,664.1	2,592.6	0.07
11/2/2009	668.80	2,269.6	2,875.4	0.00
11/3/2009	668.13	894.5	3,886.6	0.00
11/4/2009	667.60	481.0	2,933.2	0.00
11/5/2009	667.56	981.7	1,028.6	0.00
11/6/2009	667.59	822.8	766.3	0.00
11/7/2009	667.57	703.1	774.6	0.00
11/8/2009	667.53	702.7	774.9	0.00
11/9/2009	667.47	505.4	757.8	0.00
11/10/2009	667.49	396.0	379.3	0.00
11/11/2009	667.52	360.1	342.0	0.00
11/12/2009	667.53	360.0	342.1	0.00
11/13/2009	667.54	342.2	342.1	0.00
11/14/2009	667.54	342.2	342.2	0.00
11/15/2009	667.54	342.2	342.2	0.00
11/16/2009	667.54	342.2	342.2	0.00
11/17/2009	667.54	360.2	342.2	0.00
11/18/2009	667.55	306.3	342.2	0.13
11/19/2009	667.54	413.8	342.2	0.02
11/20/2009	667.54	413.8	342.1	0.00
11/21/2009	667.53	324.1	342.1	0.00
11/22/2009	667.52	306.0	342.1	0.00
11/23/2009	667.50	342.0	342.0	0.01
11/24/2009	667.49	251.9	342.0	0.02
11/25/2009	667.47	125.9	341.9	0.02

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/26/2009	667.45	287.7	341.8	0.00
11/27/2009	667.41	233.6	341.7	0.00
11/28/2009	667.39	215.4	341.6	0.00
11/29/2009	667.36	197.4	341.4	0.00
11/30/2009	667.36	629.0	341.3	0.47
12/1/2009	667.37	341.4	341.4	0.04
12/2/2009	667.38	791.6	341.5	0.30
12/3/2009	667.75	2,581.7	373.8	0.69
12/4/2009	668.07	1,729.1	1,117.9	0.02
12/5/2009	667.99	1,050.1	1,529.9	0.02
12/6/2009	667.81	781.1	1,556.1	0.00
12/7/2009	667.56	603.6	1,514.3	0.05
12/8/2009	667.56	1,811.5	534.2	0.02
12/9/2009	669.61	18,637.4	436.8	2.01
12/10/2009	673.98	12,674.5	329.7	0.02
12/11/2009	674.41	2,342.0	2,146.2	0.00
12/12/2009	673.88	1,359.6	4,027.5	0.00
12/13/2009	673.15	1,082.6	4,132.6	0.18
12/14/2009	672.43	1,103.1	4,189.5	0.02
12/15/2009	671.22	244.7	5,779.4	0.02
12/16/2009	669.89	364.7	5,880.2	0.00
12/17/2009	669.11	778.6	3,775.0	0.00
12/18/2009	668.33	544.6	3,372.1	0.00
12/19/2009	667.89	1,996.1	2,815.4	0.75
12/20/2009	668.14	2,843.9	1,674.1	0.10
12/21/2009	668.40	2,225.6	1,621.8	0.02
12/22/2009	668.19	1,627.2	2,704.6	0.03
12/23/2009	667.77	1,050.8	2,784.5	0.01
12/24/2009	667.60	1,088.5	1,675.9	0.00
12/25/2009	667.60	1,737.3	1,249.7	0.32
12/26/2009	667.66	1,576.2	1,234.0	0.04
12/27/2009	667.70	1,181.0	1,235.0	0.00
12/28/2009	667.67	1,144.6	1,234.8	0.01
12/29/2009	667.59	818.4	1,215.8	0.00
12/30/2009	667.57	705.5	832.1	0.00
12/31/2009	667.57	813.6	795.5	0.27