



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/2010	667.57	741.6	795.6	0.06
1/2/2010	667.58	669.6	795.7	0.00
1/3/2010	667.55	615.3	795.5	0.00
1/4/2010	667.46	369.2	788.4	0.00
1/5/2010	667.52	667.8	391.9	0.00
1/6/2010	667.46	327.1	694.9	0.00
1/7/2010	667.37	413.5	794.3	0.00
1/8/2010	667.37	377.5	403.6	0.00
1/9/2010	667.40	467.5	341.5	0.00
1/10/2010	667.42	377.7	341.6	0.00
1/11/2010	667.45	413.8	341.7	0.00
1/12/2010	667.45	449.8	341.7	0.00
1/13/2010	667.46	341.8	341.8	0.00
1/14/2010	667.46	359.7	341.8	0.00
1/15/2010	667.47	359.9	341.8	0.00
1/16/2010	667.49	432.0	341.9	0.00
1/17/2010	667.54	1,400.8	351.5	0.49

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/2010	667.95	2,741.9	765.8	0.35
1/19/2010	667.98	1,667.8	2,535.3	0.00
1/20/2010	667.61	1,725.3	2,774.2	0.08
1/21/2010	667.82	4,812.4	1,694.4	0.05
1/22/2010	670.04	13,996.5	1,571.7	1.48
1/23/2010	671.89	4,811.9	1,018.2	0.02
1/24/2010	672.53	5,304.0	831.0	0.37
1/25/2010	674.55	13,817.7	1,949.2	0.55
1/26/2010	676.06	4,602.0	2,442.6	0.01
1/27/2010	675.84	2,148.8	4,165.5	0.02
1/28/2010	674.88	1,052.3	5,878.1	0.00
1/29/2010	673.70	617.0	6,010.0	0.00
1/30/2010	672.55	879.3	5,973.3	0.38
1/31/2010	671.29	770.4	5,934.9	0.00
2/1/2010	669.92	599.9	5,892.8	0.00
2/2/2010	668.52	745.0	5,823.5	0.02
2/3/2010	667.74	998.2	3,291.5	0.00
2/4/2010	667.60	1,317.6	1,705.1	0.00
2/5/2010	667.60	4,138.3	1,551.5	0.55
2/6/2010	669.77	12,802.5	1,568.5	0.93
2/7/2010	671.55	5,100.1	1,610.7	0.05
2/8/2010	671.63	2,630.0	3,205.9	0.00
2/9/2010	671.07	2,504.2	4,523.5	0.34
2/10/2010	670.72	3,286.1	4,659.8	0.30
2/11/2010	670.21	1,929.7	4,648.1	0.00
2/12/2010	669.53	1,592.3	4,627.0	0.00
2/13/2010	668.63	870.2	4,595.0	0.00
2/14/2010	667.82	815.7	4,009.9	0.00
2/15/2010	667.74	1,271.6	1,441.9	0.15
2/16/2010	667.70	1,055.0	1,235.3	0.02
2/17/2010	667.63	910.0	1,234.6	0.01
2/18/2010	667.53	874.2	1,199.6	0.00
2/19/2010	667.50	686.9	816.0	0.00
2/20/2010	667.49	776.9	794.9	0.00
2/21/2010	667.47	632.7	794.8	0.00
2/22/2010	667.45	956.6	794.6	0.00
2/23/2010	667.44	794.5	794.5	0.20
2/24/2010	667.43	675.9	766.6	0.00
2/25/2010	667.51	774.7	449.7	0.03

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/2010	667.56	585.3	427.8	0.00
2/27/2010	667.63	630.7	348.8	0.00
2/28/2010	667.71	613.0	342.8	0.00
3/1/2010	667.78	595.3	343.1	0.00
3/2/2010	667.83	487.5	343.4	0.00
3/3/2010	667.89	649.8	343.6	0.00
3/4/2010	667.92	488.0	343.8	0.00
3/5/2010	667.96	452.0	344.0	0.00
3/6/2010	667.98	434.1	344.0	0.00
3/7/2010	668.00	542.6	344.1	0.00
3/8/2010	668.01	362.6	344.2	0.00
3/9/2010	668.03	442.3	344.3	0.00
3/10/2010	668.06	180.1	151.0	0.00
3/11/2010	668.13	345.3	88.5	0.00
3/12/2010	668.19	400.4	88.5	0.00
3/13/2010	668.27	290.3	88.6	0.50
3/14/2010	668.35	363.4	88.7	0.02
3/15/2010	668.42	363.3	88.7	0.03
3/16/2010	668.48	253.9	88.8	0.00
3/17/2010	668.55	418.6	88.8	0.00
3/18/2010	668.60	326.8	88.9	0.00
3/19/2010	668.65	327.4	88.9	0.00
3/20/2010	668.70	309.0	88.9	0.00
3/21/2010	668.73	327.4	89.0	0.00
3/22/2010	668.82	272.5	89.0	0.50
3/23/2010	668.90	456.0	89.1	0.00
3/24/2010	668.98	438.0	89.2	0.00
3/25/2010	669.04	406.3	89.2	0.00
3/26/2010	669.13	407.0	89.3	0.39
3/27/2010	669.23	481.2	89.3	0.00
3/28/2010	669.30	407.0	89.4	0.10
3/29/2010	669.49	967.3	89.5	0.33
3/30/2010	669.67	874.0	89.7	0.00
3/31/2010	669.83	613.0	89.8	0.00
4/1/2010	669.95	595.2	89.9	0.00
4/2/2010	670.05	489.1	90.0	0.00
4/3/2010	670.13	394.6	90.1	0.00
4/4/2010	670.21	375.6	90.1	0.00
4/5/2010	670.27	261.4	90.2	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/6/2010	670.32	261.5	90.2	0.00
4/7/2010	670.37	242.6	90.3	0.00
4/8/2010	670.42	413.3	90.3	0.16
4/9/2010	670.51	318.9	90.4	0.10
4/10/2010	670.55	318.3	90.4	0.00
4/11/2010	670.59	395.1	90.5	0.00
4/12/2010	670.62	204.7	90.5	0.00
4/13/2010	670.64	204.7	90.5	0.00
4/14/2010	670.66	204.2	90.5	0.00
4/15/2010	670.68	185.7	90.5	0.00
4/16/2010	670.69	109.6	90.5	0.00
4/17/2010	670.70	280.9	90.5	0.70
4/18/2010	670.70	90.6	90.6	0.00
4/19/2010	670.70	62.0	90.6	0.00
4/20/2010	670.69	90.6	90.6	0.00
4/21/2010	670.70	166.7	90.6	0.01
4/22/2010	670.69	57.2	90.6	0.00
4/23/2010	670.69	185.7	90.5	0.09
4/24/2010	670.69	337.8	90.6	0.00
4/25/2010	670.90	1,274.3	90.6	1.17
4/26/2010	671.19	1,040.3	90.9	0.27
4/27/2010	671.40	1,389.1	91.1	0.57
4/28/2010	671.84	1,643.2	91.3	0.58
4/29/2010	672.11	960.1	91.6	0.00
4/30/2010	672.24	604.6	91.8	0.00
5/1/2010	672.32	2,073.5	91.8	0.00
5/2/2010	674.28	34,469.9	92.6	2.05
5/3/2010	688.83	73,586.9	103.1	5.07
5/4/2010	696.75	17,540.1	113.6	0.05
5/5/2010	697.45	2,827.0	115.8	0.00
5/6/2010	697.53	1,666.8	1,679.4	0.00
5/7/2010	697.46	1,200.4	1,962.4	0.00
5/8/2010	697.24	459.6	2,554.2	0.03
5/9/2010	696.86	527.2	3,265.2	0.00
5/10/2010	696.31	130.8	4,017.2	0.00
5/11/2010	695.63	76.4	4,704.6	0.02
5/12/2010	694.81	69.3	5,310.7	0.00
5/13/2010	693.97	25.5	5,324.3	0.01
5/14/2010	693.12	106.0	5,304.9	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/15/2010	692.31	288.1	5,285.5	0.07
5/16/2010	691.64	828.0	4,266.5	0.33
5/17/2010	691.40	5,360.0	3,964.9	0.77
5/18/2010	691.18	1,938.5	5,130.3	0.07
5/19/2010	690.51	741.6	5,243.2	0.00
5/20/2010	689.72	341.8	5,225.4	0.00
5/21/2010	688.89	105.1	5,201.9	0.31
5/22/2010	688.18	1,843.9	5,178.2	0.74
5/23/2010	687.43	692.6	5,156.8	0.00
5/24/2010	686.52	197.4	5,131.5	0.00
5/25/2010	685.59	99.0	5,104.3	0.00
5/26/2010	684.62	12.3	5,075.8	0.00
5/27/2010	683.64	22.0	5,047.2	0.00
5/28/2010	682.60	46.6	5,017.6	0.00
5/29/2010	681.68	128.5	4,989.3	0.05
5/30/2010	680.60	15.9	4,959.9	0.00
5/31/2010	679.53	5.3	4,929.3	0.00
6/1/2010	678.46	40.4	4,898.0	0.05
6/2/2010	677.36	8.7	4,866.3	0.00
6/3/2010	676.44	201.7	3,818.8	0.04
6/4/2010	676.12	429.3	1,811.0	0.73
6/5/2010	675.94	535.3	1,268.1	0.43
6/6/2010	675.95	442.9	499.6	0.00
6/7/2010	675.92	171.1	463.7	0.06
6/8/2010	675.86	170.9	463.5	0.00
6/9/2010	675.84	714.1	463.4	0.06
6/10/2010	675.86	484.4	463.4	0.06
6/11/2010	675.88	735.2	463.5	0.00
6/12/2010	676.00	1,053.3	517.0	0.24
6/13/2010	675.88	528.5	1,368.7	0.00
6/14/2010	675.69	401.5	1,321.2	0.00
6/15/2010	675.48	310.7	1,319.6	0.00
6/16/2010	675.44	456.7	616.9	0.40
6/17/2010	675.41	371.4	572.6	0.00
6/18/2010	675.34	236.8	565.7	0.00
6/19/2010	675.31	411.9	363.6	0.00
6/20/2010	675.33	223.8	349.2	0.00
6/21/2010	675.32	265.7	349.2	0.00
6/22/2010	675.28	273.7	347.3	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/23/2010	675.25	73.1	236.3	0.00
6/24/2010	675.24	366.9	127.1	0.00
6/25/2010	675.40	490.5	103.5	1.56
6/26/2010	675.43	327.0	214.6	0.00
6/27/2010	675.43	180.7	222.5	0.00
6/28/2010	675.41	264.3	222.5	0.00
6/29/2010	675.43	181.4	222.7	0.88
6/30/2010	675.41	130.6	224.4	0.00
7/1/2010	675.37	23.9	216.5	0.00
7/2/2010	675.35	15.8	104.6	0.00
7/3/2010	675.32	0.0	96.5	0.00
7/4/2010	675.30	2.5	60.9	0.00
7/5/2010	675.29	0.0	48.2	0.00
7/6/2010	675.28	7.7	48.2	0.00
7/7/2010	675.26	0.0	48.2	0.00
7/8/2010	675.24	0.0	48.2	0.00
7/9/2010	675.22	69.1	48.2	0.10
7/10/2010	675.22	0.0	48.2	0.35
7/11/2010	675.21	0.0	48.2	0.04
7/12/2010	675.18	0.0	48.2	0.00
7/13/2010	675.16	37.7	48.1	0.00
7/14/2010	675.18	7.6	48.1	0.36
7/15/2010	675.16	0.0	48.1	0.00
7/16/2010	675.14	7.6	48.1	0.00
7/17/2010	675.13	0.0	48.1	0.03
7/18/2010	675.10	89.8	48.1	0.00
7/19/2010	675.30	1,719.1	48.1	1.40
7/20/2010	675.51	814.9	49.3	0.07
7/21/2010	675.55	751.2	316.9	0.00
7/22/2010	675.75	1,274.0	354.6	0.36
7/23/2010	675.92	668.6	355.4	0.50
7/24/2010	675.92	334.8	355.7	0.00
7/25/2010	675.90	189.0	355.6	0.00
7/26/2010	675.86	167.4	355.5	0.00
7/27/2010	675.81	564.2	355.3	0.03
7/28/2010	675.98	585.2	355.7	0.49
7/29/2010	675.99	335.1	355.9	0.00
7/30/2010	675.98	314.2	355.9	0.00
7/31/2010	675.99	689.8	355.9	0.48

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
8/1/2010	676.01	445.1	356.0	0.10
8/2/2010	676.03	94.8	125.9	0.00
8/3/2010	676.04	63.0	63.0	0.00
8/4/2010	676.04	63.0	63.0	0.00
8/5/2010	676.05	297.3	63.0	0.03
8/6/2010	676.09	0.5	87.3	0.75
8/7/2010	676.04	122.5	343.8	0.00
8/8/2010	675.98	188.7	356.0	0.00
8/9/2010	675.95	0.0	142.3	0.00
8/10/2010	675.94	26.4	63.0	0.00
8/11/2010	675.92	5.5	63.0	0.00
8/12/2010	675.92	26.4	63.0	0.00
8/13/2010	675.90	1.1	63.0	0.00
8/14/2010	675.85	167.3	292.7	0.00
8/15/2010	675.86	251.0	355.4	0.70
8/16/2010	675.79	20.8	355.3	0.00
8/17/2010	675.72	125.1	355.0	0.00
8/18/2010	675.68	1,404.7	354.8	0.31
8/19/2010	676.28	2,912.0	356.2	2.11
8/20/2010	676.82	1,530.3	358.5	0.25
8/21/2010	676.94	615.5	359.6	0.00
8/22/2010	676.97	465.8	359.8	0.10
8/23/2010	676.97	276.9	359.9	0.00
8/24/2010	676.97	137.6	125.2	0.00
8/25/2010	676.97	26.4	63.5	0.00
8/26/2010	676.97	47.4	63.5	0.00
8/27/2010	676.95	26.2	63.5	0.00
8/28/2010	676.94	26.2	63.5	0.00
8/29/2010	676.93	26.2	63.5	0.00
8/30/2010	676.91	0.0	63.5	0.00
8/31/2010	676.90	0.0	108.7	0.01
9/1/2010	676.13	0.0	3,518.4	0.00
9/2/2010	675.59	0.0	1,962.5	0.00
9/3/2010	675.46	10.1	458.8	0.00
9/4/2010	675.37	3.7	343.7	0.05
9/5/2010	675.30	29.0	342.8	0.00
9/6/2010	675.23	7.3	342.0	0.00
9/7/2010	675.16	0.0	341.1	0.00
9/8/2010	675.10	0.0	144.2	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/9/2010	675.08	0.0	50.4	0.00
9/10/2010	675.05	111.7	49.1	0.00
9/11/2010	675.34	5,494.3	49.1	2.05
9/12/2010	677.15	3,694.6	67.1	0.85
9/13/2010	677.27	859.0	1,472.0	0.00
9/14/2010	676.35	73.9	4,594.7	0.00
9/15/2010	675.68	130.4	3,029.6	0.00
9/16/2010	675.12	101.9	2,590.8	0.01
9/17/2010	674.98	195.7	642.0	0.21
9/18/2010	674.95	175.2	339.2	0.00
9/19/2010	674.91	175.5	339.3	0.00
9/20/2010	674.87	146.4	337.3	0.00
9/21/2010	674.83	88.0	242.9	0.00
9/22/2010	674.80	20.6	222.1	0.00
9/23/2010	674.79	47.2	87.0	0.00
9/24/2010	674.77	111.3	51.3	0.00
9/25/2010	674.78	0.0	49.9	0.55
9/26/2010	674.76	0.0	49.9	0.00
9/27/2010	674.73	0.0	49.8	0.00
9/28/2010	674.70	1.1	49.8	0.00
9/29/2010	674.69	0.0	49.8	0.00
9/30/2010	674.66	0.0	49.8	0.00
10/1/2010	674.63	0.0	49.8	0.00
10/2/2010	674.62	0.0	49.8	0.00
10/3/2010	674.58	0.0	49.8	0.00
10/4/2010	674.55	0.0	49.7	0.03
10/5/2010	674.53	0.0	49.7	0.00
10/6/2010	674.51	0.0	49.7	0.00
10/7/2010	674.48	0.0	49.7	0.00
10/8/2010	674.47	0.0	49.7	0.00
10/9/2010	674.45	0.0	49.7	0.00
10/10/2010	674.43	0.0	49.7	0.00
10/11/2010	674.41	11.4	49.6	0.00
10/12/2010	674.39	0.0	49.6	0.00
10/13/2010	674.38	21.4	49.6	0.01
10/14/2010	674.36	11.2	49.6	0.10
10/15/2010	674.34	0.0	49.6	0.00
10/16/2010	674.31	0.0	49.6	0.00
10/17/2010	674.29	0.0	49.6	0.00



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/18/2010	674.27	0.0	49.6	0.00
10/19/2010	674.24	0.0	49.6	0.00
10/20/2010	674.23	0.0	49.5	0.00
10/21/2010	674.20	0.0	49.5	0.00
10/22/2010	674.17	0.0	49.5	0.00
10/23/2010	674.16	0.0	49.5	0.00
10/24/2010	674.12	49.3	49.5	0.00
10/25/2010	674.16	0.0	49.5	0.74
10/26/2010	674.14	90.4	49.5	0.10
10/27/2010	674.22	151.4	49.5	1.10
10/28/2010	674.22	0.0	49.5	0.00
10/29/2010	674.20	49.5	49.5	0.00
10/30/2010	674.20	0.0	49.5	0.00
10/31/2010	674.18	11.0	49.5	0.00
11/1/2010	674.17	0.0	49.5	0.00
11/2/2010	674.15	0.0	49.5	0.00
11/3/2010	674.12	39.2	49.5	0.00
11/4/2010	674.13	0.0	49.5	0.25
11/5/2010	674.12	0.0	49.5	0.00
11/6/2010	674.09	11.0	49.5	0.01
11/7/2010	674.08	0.0	49.4	0.00
11/8/2010	674.06	11.0	49.4	0.00
11/9/2010	674.05	11.0	49.4	0.00
11/10/2010	674.04	0.0	49.4	0.00
11/11/2010	674.02	11.0	49.4	0.00
11/12/2010	674.01	11.0	49.4	0.00
11/13/2010	674.00	11.7	49.4	0.00
11/14/2010	673.98	0.0	49.4	0.09
11/15/2010	673.97	49.4	49.4	0.00
11/16/2010	673.97	130.3	49.4	0.07
11/17/2010	674.01	110.8	49.4	0.68
11/18/2010	674.06	275.0	49.4	0.04
11/19/2010	674.07	70.0	49.4	0.01
11/20/2010	674.08	70.0	49.4	0.00
11/21/2010	674.09	49.5	49.5	0.00
11/22/2010	674.10	150.7	54.4	0.00
11/23/2010	674.16	1,173.4	177.7	1.30
11/24/2010	674.28	846.5	190.4	0.00
11/25/2010	674.43	804.9	190.5	0.44

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/26/2010	674.68	1,762.3	232.1	1.10
11/27/2010	674.80	1,354.1	1,214.0	0.00
11/28/2010	674.75	861.4	1,312.8	0.00
11/29/2010	674.59	650.4	1,311.5	0.03
11/30/2010	674.55	3,369.8	962.7	1.20
12/1/2010	676.07	7,406.5	916.8	1.19
12/2/2010	675.98	1,834.6	4,721.3	0.00
12/3/2010	675.07	1,015.7	5,212.9	0.00
12/4/2010	673.73	507.8	6,313.7	0.14
12/5/2010	672.29	306.7	6,195.0	0.30
12/6/2010	671.12	175.0	4,961.3	0.12
12/7/2010	670.04	191.4	4,458.7	0.01
12/8/2010	669.18	178.6	3,589.3	0.00
12/9/2010	668.47	256.4	2,945.4	0.00
12/10/2010	668.24	360.7	1,021.6	0.00
12/11/2010	668.13	547.0	785.2	0.00
12/12/2010	668.17	1,077.2	466.1	0.80
12/13/2010	668.54	2,005.2	482.4	0.05
12/14/2010	668.66	1,211.0	1,191.7	0.00
12/15/2010	668.62	935.1	1,247.3	0.00
12/16/2010	668.57	3,190.8	1,246.5	0.04
12/17/2010	670.02	7,259.4	1,309.9	0.00
12/18/2010	670.59	2,493.6	2,201.3	0.00
12/19/2010	670.26	1,331.3	3,337.5	0.00
12/20/2010	669.54	873.5	3,978.5	0.00
12/21/2010	668.94	842.0	3,094.4	0.10
12/22/2010	668.64	854.9	1,906.7	0.01
12/23/2010	668.51	869.1	1,339.7	0.00
12/24/2010	668.44	674.1	913.2	0.00
12/25/2010	668.41	660.4	802.4	0.04
12/26/2010	668.43	584.0	528.4	0.01
12/27/2010	668.46	473.9	437.3	0.00
12/28/2010	668.49	529.2	437.4	0.00
12/29/2010	668.48	382.4	437.4	0.00
12/30/2010	668.53	963.7	486.4	0.10
12/31/2010	668.52	1,209.1	1,193.6	0.00