



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/2012	668.84	1,098.2	2,366.6	0.00
1/2/2012	668.80	823.8	937.7	0.00
1/3/2012	668.80	695.3	805.4	0.00
1/4/2012	668.77	548.8	805.3	0.00
1/5/2012	668.72	649.7	814.1	0.00
1/6/2012	668.58	641.6	1,201.1	0.00
1/7/2012	668.39	429.0	1,245.0	0.00
1/8/2012	668.29	435.5	808.9	0.00
1/9/2012	668.24	526.9	618.7	0.05
1/10/2012	668.17	345.5	618.3	0.05
1/11/2012	668.18	2,586.5	481.4	0.75
1/12/2012	669.42	4,046.5	473.6	0.78
1/13/2012	669.64	2,278.7	2,602.0	0.10
1/14/2012	669.12	1,433.3	3,867.2	0.00
1/15/2012	668.71	1,176.7	2,867.3	0.00
1/16/2012	668.43	960.1	2,207.1	0.00
1/17/2012	668.29	1,510.4	1,582.3	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/2012	668.58	2,421.4	885.0	0.38
1/19/2012	668.89	1,972.9	1,512.2	0.00
1/20/2012	668.76	1,414.5	2,147.3	0.00
1/21/2012	668.73	5,791.8	2,201.7	0.70
1/22/2012	670.52	5,161.0	638.0	0.00
1/23/2012	671.36	8,025.3	1,283.0	1.85
1/24/2012	673.87	7,046.1	444.3	0.00
1/25/2012	674.00	2,681.8	3,839.9	0.00
1/26/2012	674.01	2,443.5	1,955.7	0.07
1/27/2012	674.51	5,646.7	1,168.6	0.55
1/28/2012	675.16	3,505.3	2,847.3	0.00
1/29/2012	674.71	1,967.8	4,621.6	0.00
1/30/2012	673.95	1,473.3	4,770.9	0.00
1/31/2012	672.81	933.2	5,807.5	0.00
2/1/2012	671.57	1,136.0	5,943.1	0.12
2/2/2012	670.26	953.4	5,903.1	0.10
2/3/2012	669.30	704.1	4,379.8	0.00
2/4/2012	668.84	2,020.3	2,440.3	0.13
2/5/2012	668.59	1,485.9	2,200.9	0.22
2/6/2012	668.57	1,359.5	1,468.2	0.00
2/7/2012	668.42	1,021.6	1,831.5	0.00
2/8/2012	668.18	895.3	1,844.8	0.07
2/9/2012	668.17	892.1	899.3	0.03
2/10/2012	668.17	782.0	800.4	0.00
2/11/2012	668.15	653.9	800.3	0.04
2/12/2012	668.11	616.4	800.0	0.00
2/13/2012	668.05	589.9	799.6	0.00
2/14/2012	668.06	801.6	500.4	0.17
2/15/2012	668.12	582.4	435.5	0.00
2/16/2012	668.18	857.3	435.8	0.18
2/17/2012	668.30	981.1	436.2	0.02
2/18/2012	668.27	887.6	1,143.9	0.00
2/19/2012	667.87	668.1	2,188.9	0.00
2/20/2012	667.90	722.6	536.6	0.01
2/21/2012	667.98	687.2	434.8	0.00
2/22/2012	668.04	673.2	435.1	0.00
2/23/2012	668.12	985.4	435.4	0.16
2/24/2012	668.19	747.8	435.8	0.09
2/25/2012	668.28	693.2	436.2	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/2012	668.33	565.0	436.5	0.00
2/27/2012	668.36	528.5	436.7	0.00
2/28/2012	668.37	528.6	436.8	0.00
2/29/2012	668.39	2,523.5	436.9	0.00
3/1/2012	670.04	8,121.7	479.5	1.49
3/2/2012	670.61	2,867.8	2,979.7	0.00
3/3/2012	670.16	3,227.3	4,977.9	0.21
3/4/2012	669.49	1,944.9	5,220.1	0.00
3/5/2012	668.51	1,209.5	5,065.5	0.00
3/6/2012	668.40	1,077.4	1,335.0	0.00
3/7/2012	668.48	1,095.8	802.5	0.00
3/8/2012	668.49	2,242.8	802.9	0.00
3/9/2012	670.02	10,765.0	758.8	1.70
3/10/2012	671.93	3,895.6	290.8	0.00
3/11/2012	672.00	2,248.8	3,016.3	0.00
3/12/2012	671.08	1,406.7	5,551.6	0.05
3/13/2012	669.87	1,088.6	5,780.7	0.02
3/14/2012	669.09	1,022.0	3,828.5	0.00
3/15/2012	668.56	902.8	2,772.3	0.00
3/16/2012	668.59	1,141.3	630.5	0.28
3/17/2012	668.89	1,311.6	191.8	0.02
3/18/2012	669.18	1,296.7	138.5	0.14
3/19/2012	669.55	1,502.4	139.0	0.00
3/20/2012	669.85	1,130.2	139.6	0.00
3/21/2012	670.09	976.9	140.0	0.00
3/22/2012	670.28	806.7	140.4	0.00
3/23/2012	670.42	711.3	140.7	0.15
3/24/2012	670.60	1,244.0	141.0	0.22
3/25/2012	670.84	997.5	141.5	0.08
3/26/2012	671.04	837.7	141.9	0.00
3/27/2012	671.18	587.7	142.2	0.00
3/28/2012	671.28	452.7	142.5	0.00
3/29/2012	671.38	619.9	138.9	0.00
3/30/2012	671.47	471.8	63.1	0.00
3/31/2012	671.56	478.4	89.4	0.03
4/1/2012	671.64	517.8	91.3	0.00
4/2/2012	671.76	866.1	91.4	0.00
4/3/2012	671.98	617.9	91.5	0.00
4/4/2012	672.17	1,256.1	91.7	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/5/2012	672.46	862.0	91.9	0.12
4/6/2012	672.66	930.5	101.9	0.00
4/7/2012	672.76	525.6	308.4	0.00
4/8/2012	672.83	585.1	328.3	0.00
4/9/2012	672.86	348.3	328.5	0.00
4/10/2012	672.88	407.6	328.6	0.00
4/11/2012	672.87	307.7	327.7	0.00
4/12/2012	672.87	248.6	257.7	0.00
4/13/2012	672.87	217.4	236.7	0.00
4/14/2012	672.89	161.4	100.0	0.00
4/15/2012	672.90	250.3	92.3	0.00
4/16/2012	672.93	260.2	92.3	0.00
4/17/2012	672.94	92.4	92.3	0.15
4/18/2012	672.94	112.1	92.4	0.00
4/19/2012	672.95	92.4	92.4	0.00
4/20/2012	672.95	23.2	92.4	0.00
4/21/2012	672.96	487.7	92.4	0.62
4/22/2012	673.01	92.4	92.4	0.10
4/23/2012	673.01	57.2	92.4	0.00
4/24/2012	673.00	132.6	92.4	0.00
4/25/2012	673.02	92.4	92.4	0.17
4/26/2012	673.02	152.7	92.4	0.35
4/27/2012	673.05	92.4	92.4	0.03
4/28/2012	673.06	193.1	92.4	0.00
4/29/2012	673.06	92.4	92.4	0.00
4/30/2012	673.06	152.8	92.4	0.00
5/1/2012	673.12	715.5	92.5	0.75
5/2/2012	673.31	534.6	92.6	0.30
5/3/2012	673.39	253.6	92.7	0.00
5/4/2012	673.44	314.1	92.7	0.02
5/5/2012	673.63	4,736.9	92.8	2.05
5/6/2012	675.22	2,779.2	93.9	0.00
5/7/2012	675.53	894.0	219.9	0.00
5/8/2012	675.66	841.3	313.8	0.06
5/9/2012	675.80	1,030.0	340.6	0.00
5/10/2012	675.90	612.9	341.1	0.00
5/11/2012	675.94	445.9	341.3	0.00
5/12/2012	675.95	445.9	341.4	0.00
5/13/2012	676.00	3,209.9	341.5	0.92

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/14/2012	677.62	8,441.5	383.6	1.62
5/15/2012	678.55	2,944.6	2,305.8	0.00
5/16/2012	678.05	1,202.0	4,271.4	0.00
5/17/2012	677.11	592.9	5,077.8	0.00
5/18/2012	676.02	536.4	5,068.5	0.00
5/19/2012	675.40	495.9	2,815.3	0.00
5/20/2012	675.17	566.8	1,397.1	0.00
5/21/2012	675.14	329.3	442.1	0.00
5/22/2012	675.15	200.6	225.9	0.00
5/23/2012	675.18	324.2	102.4	0.00
5/24/2012	675.20	219.7	94.3	0.00
5/25/2012	675.21	94.3	94.3	0.00
5/26/2012	675.21	94.3	94.3	0.00
5/27/2012	675.21	94.3	94.3	0.00
5/28/2012	675.21	63.0	94.3	0.00
5/29/2012	675.21	198.9	94.3	0.18
5/30/2012	675.21	115.1	94.3	0.04
5/31/2012	675.21	74.0	94.3	0.00
6/1/2012	675.25	94.4	94.4	0.45
6/2/2012	675.25	94.4	94.4	0.10
6/3/2012	675.27	282.6	94.4	0.30
6/4/2012	675.26	94.4	94.4	0.00
6/5/2012	675.26	21.2	94.4	0.12
6/6/2012	675.23	0.3	94.4	0.00
6/7/2012	675.21	0.0	94.3	0.00
6/8/2012	675.19	36.0	91.9	0.00
6/9/2012	675.17	0.0	56.8	0.00
6/10/2012	675.16	15.2	54.1	0.00
6/11/2012	675.15	85.3	54.1	0.02
6/12/2012	675.16	15.2	54.1	0.16
6/13/2012	675.15	0.0	54.1	0.00
6/14/2012	675.12	0.0	54.1	0.00
6/15/2012	675.10	15.1	54.1	0.00
6/16/2012	675.08	0.0	54.1	0.00
6/17/2012	675.06	0.0	54.1	0.00
6/18/2012	675.04	0.0	54.0	0.00
6/19/2012	675.02	0.0	54.0	0.00
6/20/2012	675.00	0.0	54.0	0.00
6/21/2012	674.97	0.0	54.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/22/2012	674.94	0.0	54.0	0.00
6/23/2012	674.92	0.0	54.0	0.00
6/24/2012	674.89	0.0	54.0	0.00
6/25/2012	674.86	0.0	53.9	0.00
6/26/2012	674.82	0.0	53.9	0.00
6/27/2012	674.78	0.0	53.9	0.00
6/28/2012	674.74	0.0	53.9	0.00
6/29/2012	674.71	0.0	53.9	0.00
6/30/2012	674.68	0.0	53.9	0.00
7/1/2012	674.65	13.1	53.9	0.00
7/2/2012	674.67	0.0	53.9	0.58
7/3/2012	674.63	19.2	53.9	0.05
7/4/2012	674.61	0.0	53.8	0.00
7/5/2012	674.57	0.0	53.8	0.00
7/6/2012	674.54	0.0	53.8	0.00
7/7/2012	674.52	0.0	53.8	0.00
7/8/2012	674.48	135.8	53.8	0.00
7/9/2012	674.51	5.1	53.8	0.60
7/10/2012	674.50	0.0	53.8	0.27
7/11/2012	674.47	0.0	53.8	0.00
7/12/2012	674.45	0.0	53.8	0.12
7/13/2012	674.45	279.3	53.8	0.40
7/14/2012	674.51	94.8	53.8	0.80
7/15/2012	674.53	115.2	53.8	0.19
7/16/2012	674.56	15.4	53.8	0.05
7/17/2012	674.55	15.4	53.8	0.00
7/18/2012	674.54	74.3	53.8	0.00
7/19/2012	674.54	238.2	53.8	0.00
7/20/2012	674.74	1,078.4	53.9	1.50
7/21/2012	675.00	856.7	54.0	0.25
7/22/2012	675.11	325.2	54.1	0.00
7/23/2012	675.16	262.5	54.1	0.00
7/24/2012	675.16	54.1	54.1	0.00
7/25/2012	675.17	95.9	54.1	0.00
7/26/2012	675.16	0.0	54.1	0.00
7/27/2012	675.16	367.1	54.1	0.32
7/28/2012	675.38	2,184.4	54.2	0.88
7/29/2012	675.59	723.4	54.4	0.00
7/30/2012	675.65	285.0	142.8	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
7/31/2012	675.65	211.5	244.7	0.00
8/1/2012	675.61	2.5	253.3	0.00
8/2/2012	675.59	190.5	253.2	0.00
8/3/2012	675.56	211.3	253.1	0.35
8/4/2012	675.53	128.3	253.1	0.10
8/5/2012	675.51	482.7	253.0	0.01
8/6/2012	675.71	1,007.7	254.4	1.80
8/7/2012	675.89	738.3	331.2	0.00
8/8/2012	675.93	341.3	341.3	0.00
8/9/2012	675.93	278.7	341.3	0.00
8/10/2012	675.88	69.4	341.2	0.00
8/11/2012	675.84	153.5	341.1	0.00
8/12/2012	675.79	131.9	340.9	0.00
8/13/2012	675.73	131.7	340.7	0.00
8/14/2012	675.67	131.5	340.5	0.00
8/15/2012	675.61	131.3	340.3	0.00
8/16/2012	675.55	141.5	340.1	0.00
8/17/2012	675.50	130.8	339.9	0.20
8/18/2012	675.44	130.6	339.7	0.02
8/19/2012	675.37	0.0	318.6	0.00
8/20/2012	675.34	0.0	69.1	0.00
8/21/2012	675.32	0.0	54.3	0.00
8/22/2012	675.29	0.0	54.2	0.00
8/23/2012	675.26	0.0	54.2	0.00
8/24/2012	675.23	0.0	54.2	0.00
8/25/2012	675.21	0.0	54.2	0.00
8/26/2012	675.18	0.0	54.2	0.00
8/27/2012	675.16	0.0	49.7	0.00
8/28/2012	675.14	0.0	49.7	0.00
8/29/2012	675.12	0.0	54.1	0.00
8/30/2012	675.08	0.0	54.1	0.00
8/31/2012	675.06	0.0	54.1	0.00
9/1/2012	675.03	4.7	54.0	0.00
9/2/2012	675.02	74.8	54.0	0.10
9/3/2012	675.13	534.3	54.1	1.60
9/4/2012	675.11	14.9	54.1	0.02
9/5/2012	675.09	10.6	54.1	0.00
9/6/2012	675.11	366.9	54.1	0.15
9/7/2012	675.17	158.7	54.1	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/8/2012	675.25	952.5	54.2	0.53
9/9/2012	675.29	220.8	54.2	0.60
9/10/2012	675.33	179.7	54.3	0.00
9/11/2012	675.34	15.1	54.3	0.00
9/12/2012	675.33	53.1	52.6	0.00
9/13/2012	675.32	6.5	54.3	0.00
9/14/2012	675.31	0.0	56.2	0.00
9/15/2012	675.29	0.0	56.2	0.00
9/16/2012	675.27	0.0	56.2	0.00
9/17/2012	675.26	432.2	56.2	0.05
9/18/2012	675.48	1,392.6	56.2	2.08
9/19/2012	675.74	1,059.0	56.4	0.06
9/20/2012	675.90	467.8	84.0	0.00
9/21/2012	675.91	378.6	329.7	0.00
9/22/2012	675.87	190.6	337.1	0.00
9/23/2012	675.83	3.1	336.7	0.00
9/24/2012	675.79	147.9	336.2	0.00
9/25/2012	675.73	95.1	335.6	0.00
9/26/2012	675.70	272.2	335.1	0.10
9/27/2012	675.67	272.0	334.7	0.00
9/28/2012	675.68	773.0	334.5	0.60
9/29/2012	675.69	334.9	334.9	0.20
9/30/2012	675.70	439.5	334.9	0.00
10/1/2012	675.71	753.1	335.1	0.15
10/2/2012	675.97	1,996.5	336.7	0.91
10/3/2012	676.27	1,171.6	340.3	0.00
10/4/2012	676.39	726.2	342.3	0.00
10/5/2012	676.43	471.1	343.1	0.00
10/6/2012	676.45	471.4	343.4	0.25
10/7/2012	676.45	258.4	343.6	0.00
10/8/2012	676.45	215.7	343.6	0.00
10/9/2012	676.43	172.9	343.4	0.00
10/10/2012	676.40	278.9	343.0	0.00
10/11/2012	676.36	172.1	342.6	0.00
10/12/2012	676.33	299.5	342.2	0.10
10/13/2012	676.30	150.1	341.9	0.00
10/14/2012	676.25	133.5	341.4	0.00
10/15/2012	676.20	148.8	340.8	0.00
10/16/2012	676.15	170.2	340.3	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/17/2012	676.10	84.0	339.8	0.00
10/18/2012	676.07	104.8	339.3	0.32
10/19/2012	676.02	233.2	338.7	0.00
10/20/2012	675.96	171.3	338.2	0.00
10/21/2012	675.91	44.8	337.6	0.00
10/22/2012	675.87	253.3	337.0	0.00
10/23/2012	675.82	127.3	336.5	0.00
10/24/2012	675.76	147.5	335.9	0.00
10/25/2012	675.71	126.6	335.3	0.00
10/26/2012	675.65	125.9	334.6	0.00
10/27/2012	675.61	354.9	334.0	0.37
10/28/2012	675.55	19.8	333.6	0.00
10/29/2012	675.48	0.0	332.8	0.10
10/30/2012	675.41	170.2	313.3	0.00
10/31/2012	675.37	17.7	307.9	0.15
11/1/2012	675.31	92.1	330.7	0.00
11/2/2012	675.25	120.8	318.7	0.00
11/3/2012	675.20	222.7	329.4	0.00
11/4/2012	675.16	6.4	139.2	0.10
11/5/2012	675.16	60.8	56.1	0.00
11/6/2012	675.11	56.6	292.7	0.00
11/7/2012	675.07	139.7	327.9	0.00
11/8/2012	675.01	35.7	327.4	0.00
11/9/2012	674.96	122.7	327.1	0.00
11/10/2012	674.90	122.8	327.2	0.00
11/11/2012	674.85	76.7	327.4	0.00
11/12/2012	674.79	572.9	327.6	0.00
11/13/2012	674.88	655.4	327.4	1.13
11/14/2012	674.96	552.6	327.2	0.00
11/15/2012	674.98	450.4	355.8	0.00
11/16/2012	674.89	310.4	823.4	0.00
11/17/2012	674.59	307.2	1,608.0	0.00
11/18/2012	674.24	291.6	1,707.4	0.00
11/19/2012	673.86	210.7	1,759.6	0.00
11/20/2012	673.66	277.4	974.0	0.00
11/21/2012	673.48	85.6	806.9	0.00
11/22/2012	673.47	48.4	114.3	0.00
11/23/2012	673.48	118.8	48.4	0.00
11/24/2012	673.48	48.4	48.4	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/25/2012	673.48	10.7	48.4	0.00
11/26/2012	673.48	169.1	48.4	0.00
11/27/2012	673.49	88.6	48.4	0.30
11/28/2012	673.51	68.5	48.4	0.00
11/29/2012	673.52	68.5	48.4	0.00
11/30/2012	673.53	48.4	48.4	0.00
12/1/2012	673.54	148.4	48.4	0.00
12/2/2012	673.55	118.9	48.4	0.00
12/3/2012	673.55	89.4	48.4	0.02
12/4/2012	673.22	103.5	1,860.7	0.00
12/5/2012	671.63	8.3	6,499.1	0.45
12/6/2012	670.26	5.7	5,396.5	0.00
12/7/2012	669.09	220.3	4,628.4	0.70
12/8/2012	668.45	710.9	2,449.2	0.05
12/9/2012	668.56	4,356.2	939.3	1.00
12/10/2012	670.83	13,344.1	870.5	2.02
12/11/2012	673.31	8,451.3	1,657.0	0.33
12/12/2012	673.09	1,918.4	5,343.9	0.00
12/13/2012	671.98	904.7	5,955.5	0.00
12/14/2012	670.70	570.0	5,917.5	0.00
12/15/2012	669.52	324.2	4,916.4	0.00
12/16/2012	668.64	215.9	3,698.7	0.07
12/17/2012	668.29	809.3	1,828.0	0.12
12/18/2012	668.34	1,322.6	890.2	0.48
12/19/2012	668.33	950.4	1,213.6	0.00
12/20/2012	668.24	1,609.2	1,242.7	0.00
12/21/2012	668.80	3,843.7	1,307.5	0.90
12/22/2012	668.94	1,941.1	2,415.0	0.00
12/23/2012	668.42	1,150.9	3,427.9	0.00
12/24/2012	668.24	1,260.4	1,544.2	0.25
12/25/2012	668.19	1,031.5	1,214.9	0.00
12/26/2012	668.29	1,132.9	510.0	0.47
12/27/2012	668.55	1,546.3	505.4	0.23
12/28/2012	668.47	1,223.9	1,772.6	0.00
12/29/2012	668.37	2,653.6	1,882.9	0.77
12/30/2012	668.86	3,211.9	1,888.2	0.12
12/31/2012	668.98	1,760.5	1,918.0	0.00