



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/1984	490.25	602.1	1,832.4	0.00
1/2/1984	490.07	595.3	994.9	0.00
1/3/1984	490.03	636.0	695.0	0.00
1/4/1984	490.27	676.6	358.1	0.06
1/5/1984	490.56	682.1	282.9	0.00
1/6/1984	490.55	635.8	591.4	0.00
1/7/1984	490.52	653.8	698.0	0.00
1/8/1984	490.44	586.5	697.9	0.00
1/9/1984	490.35	564.3	697.0	0.00
1/10/1984	490.24	533.9	696.6	0.03
1/11/1984	490.11	511.0	696.0	0.00
1/12/1984	490.25	526.3	385.5	0.00
1/13/1984	490.38	489.6	282.6	0.00
1/14/1984	490.50	460.4	283.0	0.00
1/15/1984	490.60	445.9	283.0	0.00
1/16/1984	490.70	424.0	283.0	0.00
1/17/1984	490.50	380.1	594.6	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/1984	490.30	379.1	697.4	0.00
1/19/1984	490.20	373.8	536.8	0.00
1/20/1984	490.10	322.5	470.4	0.00
1/21/1984	490.09	292.5	337.0	0.00
1/22/1984	490.08	267.3	282.0	0.00
1/23/1984	490.09	304.4	282.0	0.62
1/24/1984	490.42	637.3	282.1	0.00
1/25/1984	490.98	1,712.3	972.0	0.00
1/26/1984	491.93	2,745.4	1,162.5	0.00
1/27/1984	491.43	1,414.4	1,927.0	0.00
1/28/1984	490.61	850.3	2,075.6	0.01
1/29/1984	489.66	664.4	2,059.9	0.00
1/30/1984	489.86	801.5	722.9	0.00
1/31/1984	490.13	680.6	282.0	0.00
2/1/1984	490.05	564.5	623.6	0.00
2/2/1984	490.10	545.4	508.4	0.45
2/3/1984	490.19	588.8	470.1	0.00
2/4/1984	490.47	870.8	471.0	0.00
2/5/1984	490.71	826.8	471.6	0.30
2/6/1984	490.95	835.0	472.4	0.00
2/7/1984	490.81	658.5	791.8	0.00
2/8/1984	490.54	548.5	925.8	0.00
2/9/1984	490.23	471.8	923.4	0.00
2/10/1984	489.95	493.0	921.0	0.96
2/11/1984	490.04	934.5	920.0	0.51
2/12/1984	491.22	2,656.1	924.9	0.17
2/13/1984	492.07	1,645.5	396.9	0.04
2/14/1984	492.89	1,579.3	286.4	0.00
2/15/1984	493.69	1,651.6	287.8	0.00
2/16/1984	494.42	1,453.6	289.9	0.00
2/17/1984	494.95	1,208.0	290.4	0.00
2/18/1984	494.83	1,020.4	1,054.0	0.30
2/19/1984	494.52	871.0	1,427.0	0.00
2/20/1984	494.25	986.4	1,424.0	0.00
2/21/1984	493.92	893.0	1,421.1	0.00
2/22/1984	493.01	752.6	2,079.1	0.00
2/23/1984	491.93	634.6	2,341.5	0.00
2/24/1984	490.76	569.1	2,320.1	0.13
2/25/1984	490.20	641.5	1,605.4	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/1984	490.26	623.5	660.8	0.62
2/27/1984	490.42	729.9	471.0	0.17
2/28/1984	490.71	994.9	625.0	0.05
2/29/1984	490.64	1,110.1	1,110.3	0.00
3/1/1984	490.43	1,074.8	1,385.8	0.00
3/2/1984	490.18	1,020.9	1,383.6	0.00
3/3/1984	490.33	1,021.5	910.4	0.00
3/4/1984	490.57	1,074.8	697.4	0.95
3/5/1984	491.26	1,527.1	699.1	0.00
3/6/1984	491.93	2,371.4	1,187.3	0.00
3/7/1984	491.95	1,854.6	1,724.5	0.00
3/8/1984	491.65	1,452.0	1,849.8	0.00
3/9/1984	491.28	1,293.8	1,844.6	0.00
3/10/1984	490.72	991.1	1,837.6	0.00
3/11/1984	490.28	900.4	1,588.5	0.00
3/12/1984	490.32	921.6	958.3	0.00
3/13/1984	490.44	889.5	697.0	0.00
3/14/1984	490.53	830.8	697.6	0.00
3/15/1984	490.61	823.8	698.0	1.12
3/16/1984	491.87	1,801.5	375.5	0.00
3/17/1984	493.41	2,947.9	296.9	0.04
3/18/1984	493.78	2,581.8	1,668.1	0.04
3/19/1984	493.36	1,920.3	2,499.4	0.99
3/20/1984	493.74	2,239.9	1,864.9	0.35
3/21/1984	496.25	4,804.6	771.3	0.21
3/22/1984	498.40	4,185.1	296.8	0.00
3/23/1984	499.81	3,168.8	305.3	0.00
3/24/1984	500.77	2,310.9	310.9	0.20
3/25/1984	501.53	1,885.1	314.0	0.00
3/26/1984	502.17	1,716.4	316.6	0.00
3/27/1984	502.75	1,496.0	319.3	0.27
3/28/1984	503.26	1,509.8	321.3	0.22
3/29/1984	504.03	1,868.3	323.6	0.00
3/30/1984	504.90	2,255.0	326.6	0.00
3/31/1984	505.55	1,891.9	329.6	0.00
4/1/1984	506.05	1,517.8	331.8	0.00
4/2/1984	506.48	1,371.0	333.8	0.41
4/3/1984	506.90	1,315.3	335.6	0.54
4/4/1984	507.54	1,573.6	168.9	0.35

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/5/1984	508.03	1,560.8	121.4	0.03
4/6/1984	509.09	2,342.3	122.1	0.00
4/7/1984	509.77	2,073.4	123.1	0.00
4/8/1984	510.35	1,682.4	124.0	0.27
4/9/1984	510.81	1,299.5	124.9	0.20
4/10/1984	511.24	1,273.5	125.4	0.00
4/11/1984	511.65	1,264.1	126.0	0.00
4/12/1984	512.01	1,050.6	126.4	0.21
4/13/1984	512.38	1,181.0	127.0	0.02
4/14/1984	512.72	1,061.1	127.6	0.00
4/15/1984	513.04	1,049.4	128.0	0.31
4/16/1984	513.33	943.9	128.4	0.12
4/17/1984	513.58	776.1	129.0	0.05
4/18/1984	513.86	959.1	129.0	0.00
4/19/1984	514.10	852.9	129.6	0.00
4/20/1984	514.33	764.6	130.0	0.11
4/21/1984	514.54	721.5	130.0	1.25
4/22/1984	515.21	1,854.9	130.6	0.02
4/23/1984	516.82	4,734.3	131.8	0.16
4/24/1984	518.12	4,442.1	227.3	0.00
4/25/1984	518.83	2,708.9	308.6	0.00
4/26/1984	518.69	1,951.9	2,095.1	0.09
4/27/1984	517.87	1,455.8	3,886.9	0.00
4/28/1984	516.91	1,221.6	4,230.0	0.04
4/29/1984	515.90	1,221.8	4,206.0	0.70
4/30/1984	515.40	1,296.8	2,971.8	0.00
5/1/1984	515.05	1,146.6	2,211.3	0.00
5/2/1984	515.08	1,069.1	1,068.8	0.85
5/3/1984	515.31	1,441.9	850.1	0.66
5/4/1984	516.05	2,806.8	852.5	0.00
5/5/1984	516.50	3,267.8	1,637.3	0.00
5/6/1984	516.93	3,252.0	1,963.8	4.17
5/7/1984	524.03	22,130.4	732.9	2.18
5/8/1984	530.91	25,236.4	126.6	0.06
5/9/1984	535.22	21,672.6	60.6	0.00
5/10/1984	538.93	18,168.8	62.6	0.00
5/11/1984	540.99	10,542.0	7.9	0.00
5/12/1984	541.91	5,395.4	0.0	0.00
5/13/1984	542.54	3,369.9	0.0	0.28

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/14/1984	542.66	2,826.4	1,817.8	0.00
5/15/1984	542.05	1,833.8	4,816.3	0.00
5/16/1984	541.10	2,020.3	6,529.9	0.00
5/17/1984	539.80	1,374.3	7,828.3	0.00
5/18/1984	538.42	944.9	8,092.9	0.00
5/19/1984	536.99	1,287.1	8,043.5	0.00
5/20/1984	535.51	1,043.6	7,991.3	0.00
5/21/1984	533.85	973.5	8,310.1	0.00
5/22/1984	532.10	686.0	8,467.8	0.00
5/23/1984	530.32	649.0	8,395.3	0.00
5/24/1984	528.50	1,236.0	8,326.4	0.00
5/25/1984	526.88	598.9	7,264.3	0.00
5/26/1984	525.53	660.0	5,822.3	0.09
5/27/1984	524.18	805.5	5,811.3	0.81
5/28/1984	522.87	954.0	5,769.9	0.00
5/29/1984	521.44	527.1	5,461.3	0.00
5/30/1984	520.08	692.0	5,154.5	0.00
5/31/1984	518.53	289.8	5,497.5	0.00
6/1/1984	516.90	664.0	5,592.8	0.00
6/2/1984	515.81	460.9	4,049.9	0.00
6/3/1984	515.35	788.6	2,327.4	0.00
6/4/1984	515.13	470.9	1,210.5	0.00
6/5/1984	515.15	488.3	488.1	0.00
6/6/1984	515.20	410.3	262.0	0.00
6/7/1984	515.25	425.3	262.6	0.00
6/8/1984	515.29	381.0	263.0	0.00
6/9/1984	515.31	363.4	289.6	0.00
6/10/1984	515.33	344.3	300.0	0.00
6/11/1984	515.34	347.0	300.0	0.00
6/12/1984	515.36	341.5	300.0	0.00
6/13/1984	515.38	359.0	300.0	0.00
6/14/1984	515.40	342.5	268.8	0.00
6/15/1984	515.40	314.8	300.0	0.00
6/16/1984	515.38	226.3	300.0	0.00
6/17/1984	515.37	270.5	300.0	0.00
6/18/1984	515.35	240.8	300.0	0.00
6/19/1984	515.32	211.3	300.0	0.00
6/20/1984	515.31	285.3	300.0	0.15
6/21/1984	515.31	203.0	217.8	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/22/1984	515.30	270.5	300.0	0.20
6/23/1984	515.32	344.3	300.0	0.00
6/24/1984	515.28	211.4	300.0	0.00
6/25/1984	515.25	210.8	300.0	0.00
6/26/1984	515.22	207.0	300.0	0.00
6/27/1984	515.17	154.8	298.9	0.00
6/28/1984	515.16	174.0	218.3	0.00
6/29/1984	515.12	195.8	299.0	0.00
6/30/1984	515.07	166.3	299.0	0.00
7/1/1984	515.05	224.9	299.0	0.00
7/2/1984	515.04	174.8	218.6	0.00
7/3/1984	515.02	121.0	180.0	0.00
7/4/1984	515.01	110.4	139.9	2.15
7/5/1984	515.42	1,092.8	131.0	0.11
7/6/1984	517.05	5,489.1	336.1	0.38
7/7/1984	518.03	4,746.1	1,905.5	0.00
7/8/1984	517.31	1,910.1	3,587.1	0.00
7/9/1984	516.19	994.8	4,329.4	0.00
7/10/1984	515.35	771.1	3,457.8	0.00
7/11/1984	515.11	715.1	1,617.4	0.00
7/12/1984	515.14	620.4	620.3	0.00
7/13/1984	515.23	569.0	288.0	0.00
7/14/1984	515.31	623.1	401.0	0.00
7/15/1984	515.33	475.3	401.0	1.18
7/16/1984	515.42	652.8	401.1	0.00
7/17/1984	515.44	558.5	470.0	0.00
7/18/1984	515.43	468.5	498.0	0.00
7/19/1984	515.39	394.8	498.0	0.00
7/20/1984	515.32	305.4	498.0	0.00
7/21/1984	515.25	290.5	497.4	0.00
7/22/1984	515.18	290.1	497.0	0.00
7/23/1984	515.14	235.0	368.1	0.00
7/24/1984	515.11	247.5	336.0	0.00
7/25/1984	515.07	218.0	336.0	0.00
7/26/1984	515.05	277.0	336.0	0.30
7/27/1984	515.36	898.3	336.1	0.03
7/28/1984	515.35	1,206.5	837.0	0.00
7/29/1984	515.15	546.0	1,048.4	0.00
7/30/1984	514.98	249.8	840.9	0.08

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
7/31/1984	514.81	279.3	770.4	0.00
8/1/1984	514.72	269.5	557.9	0.25
8/2/1984	514.64	249.1	494.4	0.06
8/3/1984	514.56	277.5	494.0	0.00
8/4/1984	514.47	234.0	493.6	0.39
8/5/1984	514.41	320.1	493.0	0.00
8/6/1984	514.32	233.3	493.0	0.00
8/7/1984	514.22	203.9	492.1	0.00
8/8/1984	514.11	188.8	491.9	0.00
8/9/1984	514.02	231.5	491.0	0.00
8/10/1984	513.91	210.1	490.9	1.43
8/11/1984	513.95	615.5	490.6	0.00
8/12/1984	513.88	221.3	490.1	0.00
8/13/1984	513.81	293.1	490.0	0.00
8/14/1984	513.71	222.4	489.6	0.00
8/15/1984	513.60	193.6	489.0	0.00
8/16/1984	513.48	136.8	488.4	0.00
8/17/1984	513.37	171.4	488.0	0.00
8/18/1984	513.25	156.8	487.1	0.18
8/19/1984	513.16	233.4	486.9	0.00
8/20/1984	513.04	177.1	486.0	0.00
8/21/1984	512.92	96.4	485.6	0.00
8/22/1984	512.79	169.0	485.0	0.50
8/23/1984	512.71	228.0	484.1	0.00
8/24/1984	512.63	209.9	393.3	0.00
8/25/1984	512.50	140.3	483.4	0.00
8/26/1984	512.37	111.9	482.9	0.00
8/27/1984	512.24	124.9	482.0	0.00
8/28/1984	512.17	89.9	323.1	0.74
8/29/1984	512.22	312.6	175.6	0.00
8/30/1984	512.20	121.0	176.0	0.00
8/31/1984	512.18	120.9	175.6	0.00
9/1/1984	512.15	106.9	175.0	0.00
9/2/1984	512.12	79.6	175.0	0.00
9/3/1984	512.10	120.5	175.0	1.00
9/4/1984	512.15	326.4	175.0	0.00
9/5/1984	511.84	165.8	739.8	0.00
9/6/1984	511.58	103.3	977.6	0.00
9/7/1984	511.27	109.5	974.9	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/8/1984	510.95	173.6	972.3	0.00
9/9/1984	510.62	77.3	969.4	0.27
9/10/1984	510.32	198.0	966.4	0.00
9/11/1984	510.01	153.3	963.9	0.00
9/12/1984	509.72	183.1	960.5	0.00
9/13/1984	509.40	165.9	955.6	0.00
9/14/1984	509.09	162.4	950.6	0.61
9/15/1984	508.78	199.0	945.9	0.00
9/16/1984	508.46	131.5	940.9	0.00
9/17/1984	508.14	143.1	935.9	0.00
9/18/1984	507.80	98.0	930.6	0.00
9/19/1984	507.60	131.0	662.8	0.00
9/20/1984	507.47	76.5	411.8	0.00
9/21/1984	507.34	78.3	419.6	0.00
9/22/1984	507.27	152.3	309.4	0.00
9/23/1984	507.21	59.0	204.0	0.00
9/24/1984	507.17	119.3	204.0	1.84
9/25/1984	507.31	494.0	204.0	0.00
9/26/1984	507.31	228.1	204.0	0.00
9/27/1984	507.31	204.0	204.0	0.00
9/28/1984	507.30	179.8	204.0	0.00
9/29/1984	507.26	131.4	204.0	0.00
9/30/1984	507.22	95.3	204.0	0.07
10/1/1984	507.17	95.3	204.0	0.00
10/2/1984	507.13	107.1	204.0	0.00
10/3/1984	507.08	82.8	204.0	0.00
10/4/1984	507.03	70.6	203.6	0.00
10/5/1984	507.00	131.0	203.0	0.00
10/6/1984	506.96	108.8	203.0	0.13
10/7/1984	506.93	132.5	203.0	0.41
10/8/1984	506.92	179.8	203.0	0.05
10/9/1984	506.91	167.8	203.0	0.00
10/10/1984	506.87	120.5	203.0	0.00
10/11/1984	506.83	109.0	203.0	0.00
10/12/1984	506.80	132.5	203.0	0.00
10/13/1984	506.77	120.5	203.0	0.00
10/14/1984	506.74	132.0	203.0	0.16
10/15/1984	506.71	143.6	203.0	0.00
10/16/1984	506.67	108.3	203.0	0.53

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/17/1984	506.66	179.3	203.0	0.03
10/18/1984	506.67	206.1	182.5	0.07
10/19/1984	506.66	79.4	114.6	0.04
10/20/1984	506.67	119.5	96.0	1.20
10/21/1984	506.83	225.0	71.5	0.32
10/22/1984	506.90	378.5	48.0	0.69
10/23/1984	507.05	484.4	116.8	0.25
10/24/1984	507.09	414.5	269.9	0.05
10/25/1984	507.08	284.8	309.0	0.00
10/26/1984	507.07	284.8	309.0	0.00
10/27/1984	507.04	248.4	309.0	0.00
10/28/1984	507.00	211.8	308.1	0.76
10/29/1984	506.98	249.0	308.0	0.00
10/30/1984	507.02	403.8	308.0	0.00
10/31/1984	506.99	215.0	286.8	0.00
11/1/1984	506.94	202.0	308.0	1.01
11/2/1984	507.32	917.5	159.6	0.00
11/3/1984	507.47	1,555.9	1,109.0	0.00
11/4/1984	507.22	1,317.6	1,740.3	0.00
11/5/1984	507.18	737.4	991.0	0.00
11/6/1984	507.27	550.9	309.0	0.00
11/7/1984	507.29	447.4	387.0	0.00
11/8/1984	507.25	334.4	419.0	0.61
11/9/1984	507.33	563.9	419.0	0.92
11/10/1984	507.38	1,145.0	1,205.5	0.27
11/11/1984	507.74	2,793.8	1,851.5	0.00
11/12/1984	508.01	2,223.8	1,559.1	0.00
11/13/1984	507.79	1,477.5	1,755.6	0.00
11/14/1984	507.15	973.4	2,435.0	0.00
11/15/1984	507.00	782.8	1,326.3	0.14
11/16/1984	506.83	665.4	1,043.8	0.00
11/17/1984	506.62	593.6	1,054.0	0.00
11/18/1984	506.44	568.6	1,052.4	1.83
11/19/1984	508.65	5,269.3	526.8	0.03
11/20/1984	510.31	4,504.5	172.0	0.00
11/21/1984	511.29	3,151.3	319.6	0.00
11/22/1984	511.60	1,720.6	716.5	0.00
11/23/1984	510.92	1,269.1	2,739.3	0.00
11/24/1984	511.01	1,089.4	1,276.6	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/25/1984	511.34	907.8	0.0	0.00
11/26/1984	511.62	763.4	0.0	0.00
11/27/1984	511.90	750.0	0.0	1.65
11/28/1984	512.94	2,215.6	0.0	0.00
11/29/1984	514.30	4,054.9	0.0	0.00
11/30/1984	515.38	3,335.8	0.0	0.00
12/1/1984	516.00	1,937.1	0.0	0.00
12/2/1984	516.49	1,570.8	0.0	0.12
12/3/1984	516.85	1,091.3	0.0	0.00
12/4/1984	517.19	1,041.4	0.0	0.00
12/5/1984	517.48	900.0	0.0	1.30
12/6/1984	517.73	822.5	0.0	0.00
12/7/1984	517.98	760.5	0.0	0.00
12/8/1984	518.19	712.6	0.0	0.00
12/9/1984	518.40	621.0	0.0	0.08
12/10/1984	518.62	700.8	0.0	0.00
12/11/1984	518.87	828.3	0.0	0.00
12/12/1984	519.10	723.4	0.0	0.00
12/13/1984	519.35	785.6	0.0	0.00
12/14/1984	519.58	736.6	0.0	0.00
12/15/1984	519.79	720.1	0.0	0.00
12/16/1984	519.98	622.3	0.0	0.00
12/17/1984	520.16	616.0	0.0	0.00
12/18/1984	520.36	636.5	0.0	0.65
12/19/1984	520.72	1,189.3	0.0	0.45
12/20/1984	521.70	3,052.9	0.0	1.71
12/21/1984	523.26	4,270.0	0.0	0.87
12/22/1984	526.60	12,658.5	0.0	0.00
12/23/1984	529.07	9,618.6	0.0	0.00
12/24/1984	531.11	8,901.4	0.0	1.03
12/25/1984	532.55	6,425.9	0.0	0.00
12/26/1984	533.49	4,006.3	0.0	0.00
12/27/1984	534.15	3,248.0	0.0	0.00
12/28/1984	534.63	2,334.4	0.0	0.00
12/29/1984	535.08	2,021.9	0.0	0.00
12/30/1984	535.47	1,804.1	0.0	0.63
12/31/1984	535.95	2,246.4	0.0	0.00