



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/1989	514.23	2,015.3	272.6	0.24
1/2/1989	514.71	1,611.9	273.4	0.03
1/3/1989	515.08	1,458.6	274.9	0.02
1/4/1989	515.41	1,262.9	275.4	0.00
1/5/1989	515.69	1,102.5	276.0	0.43
1/6/1989	516.13	1,274.3	276.6	0.32
1/7/1989	516.68	2,185.5	277.6	0.68
1/8/1989	517.34	2,874.6	278.8	0.00
1/9/1989	519.38	5,498.0	281.4	0.00
1/10/1989	520.69	4,877.6	284.6	0.00
1/11/1989	520.41	2,771.9	2,797.5	0.45
1/12/1989	520.34	3,442.5	3,986.3	0.79
1/13/1989	521.72	5,687.0	1,592.0	0.00
1/14/1989	522.70	4,281.4	578.0	2.01
1/15/1989	525.52	10,003.1	431.9	0.00
1/16/1989	527.62	8,622.8	297.0	0.00
1/17/1989	529.25	6,570.4	300.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/1989	528.98	3,586.9	3,483.6	0.00
1/19/1989	527.49	2,357.1	7,787.3	0.00
1/20/1989	525.70	1,931.4	8,804.9	0.00
1/21/1989	523.80	1,464.1	8,727.0	0.00
1/22/1989	521.78	1,744.9	8,649.6	0.00
1/23/1989	519.58	1,018.0	8,565.4	0.00
1/24/1989	517.35	1,464.6	8,460.0	0.00
1/25/1989	514.95	1,017.5	8,339.8	0.00
1/26/1989	512.30	1,279.6	8,612.5	0.55
1/27/1989	509.60	2,330.0	8,606.8	0.00
1/28/1989	506.66	331.0	8,440.6	0.00
1/29/1989	503.50	1,071.8	8,261.1	0.15
1/30/1989	500.08	895.1	8,067.0	0.00
1/31/1989	497.15	1,218.1	6,752.6	0.00
2/1/1989	495.53	689.6	4,012.5	0.00
2/2/1989	495.37	964.9	1,322.6	1.84
2/3/1989	497.55	3,582.9	965.3	0.69
2/4/1989	502.65	10,568.9	541.3	0.03
2/5/1989	506.20	8,558.8	256.3	0.00
2/6/1989	508.03	5,167.5	260.6	0.00
2/7/1989	508.06	2,615.4	2,073.5	0.00
2/8/1989	506.80	1,974.8	4,803.3	0.00
2/9/1989	504.95	1,730.0	5,873.8	0.00
2/10/1989	502.84	1,433.8	6,130.6	0.00
2/11/1989	500.69	1,332.0	5,809.3	0.00
2/12/1989	498.51	1,140.9	5,471.0	0.00
2/13/1989	496.26	2,242.1	5,384.3	4.60
2/14/1989	503.85	17,110.3	5,778.4	1.82
2/15/1989	512.62	23,098.6	1,536.8	1.84
2/16/1989	522.17	28,399.8	554.8	0.23
2/17/1989	528.91	28,202.3	589.0	0.00
2/18/1989	533.45	19,547.1	607.5	0.00
2/19/1989	535.83	12,716.4	618.5	0.00
2/20/1989	537.00	6,556.8	624.0	1.15
2/21/1989	538.56	7,130.8	627.3	0.47
2/22/1989	540.15	9,506.3	632.6	0.06
2/23/1989	541.53	7,755.6	637.0	0.01
2/24/1989	542.26	4,808.1	640.6	0.00
2/25/1989	542.75	3,323.3	642.4	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/1989	542.80	2,561.1	2,105.9	0.00
2/27/1989	542.65	2,320.8	3,059.0	0.00
2/28/1989	542.07	2,019.4	4,782.0	0.00
3/1/1989	541.12	1,607.3	6,454.9	0.00
3/2/1989	540.08	1,781.8	6,893.8	0.00
3/3/1989	538.97	1,132.5	6,858.5	0.00
3/4/1989	538.40	1,601.0	4,841.4	0.90
3/5/1989	538.48	2,898.3	3,126.4	1.99
3/6/1989	540.68	12,358.0	1,539.5	0.42
3/7/1989	542.60	10,689.4	406.3	0.00
3/8/1989	544.20	8,760.4	322.4	0.00
3/9/1989	544.92	4,730.1	324.4	0.00
3/10/1989	545.41	3,062.5	325.1	0.00
3/11/1989	545.57	2,277.8	1,131.0	0.00
3/12/1989	545.66	2,104.3	1,614.4	0.00
3/13/1989	545.69	1,821.0	1,615.0	0.00
3/14/1989	545.55	1,706.1	2,251.6	0.00
3/15/1989	544.90	1,433.3	4,694.0	0.00
3/16/1989	543.71	756.3	7,405.5	0.00
3/17/1989	542.05	1,153.8	9,733.5	0.00
3/18/1989	540.30	944.3	10,059.1	0.76
3/19/1989	538.60	1,666.1	9,983.9	0.00
3/20/1989	536.85	987.3	9,902.0	1.11
3/21/1989	535.28	2,273.8	9,822.3	0.06
3/22/1989	534.40	4,190.0	8,375.9	0.00
3/23/1989	533.70	3,399.1	6,271.8	0.00
3/24/1989	532.77	1,738.9	6,063.6	0.00
3/25/1989	531.35	1,510.8	7,502.5	0.00
3/26/1989	529.70	1,578.1	8,365.5	0.00
3/27/1989	527.98	1,972.6	8,301.9	0.06
3/28/1989	526.18	861.5	8,231.8	0.00
3/29/1989	524.33	1,518.0	8,158.8	0.25
3/30/1989	523.15	1,552.5	6,189.4	0.67
3/31/1989	522.62	2,277.5	4,612.3	0.20
4/1/1989	521.65	3,742.6	6,730.1	0.00
4/2/1989	519.79	2,938.6	9,000.3	0.22
4/3/1989	518.20	3,025.9	8,091.6	0.51
4/4/1989	517.87	3,598.6	5,563.1	1.04
4/5/1989	519.35	6,166.1	1,900.9	0.01

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/6/1989	520.70	5,586.1	569.5	0.09
4/7/1989	521.46	3,114.5	574.0	0.00
4/8/1989	521.45	2,269.0	1,993.3	0.16
4/9/1989	520.65	1,853.1	4,355.4	0.00
4/10/1989	519.65	2,055.3	5,137.6	0.00
4/11/1989	518.08	1,468.5	6,293.0	0.00
4/12/1989	516.20	1,281.3	7,268.8	0.00
4/13/1989	514.75	1,264.5	5,867.6	0.00
4/14/1989	513.64	1,213.9	4,456.5	0.24
4/15/1989	513.52	1,462.4	1,966.0	0.21
4/16/1989	513.75	1,187.4	586.4	0.00
4/17/1989	514.02	1,012.6	272.9	0.00
4/18/1989	514.27	1,008.9	273.0	0.15
4/19/1989	514.50	928.4	273.9	0.01
4/20/1989	514.62	789.1	399.8	0.00
4/21/1989	514.68	721.6	548.4	0.00
4/22/1989	514.74	722.0	549.0	0.00
4/23/1989	514.79	713.0	549.0	0.00
4/24/1989	514.84	688.1	549.0	0.04
4/25/1989	514.86	605.3	549.0	0.00
4/26/1989	514.87	580.3	549.0	0.00
4/27/1989	514.89	603.4	549.6	0.00
4/28/1989	514.88	540.1	550.0	0.00
4/29/1989	514.92	507.0	417.9	0.00
4/30/1989	515.00	508.1	275.0	0.00
5/1/1989	515.08	523.1	275.0	0.05
5/2/1989	515.05	391.6	446.9	0.00
5/3/1989	515.06	478.3	464.3	0.00
5/4/1989	515.07	471.1	434.0	0.56
5/5/1989	515.13	591.5	434.1	0.27
5/6/1989	515.18	606.3	435.0	0.10
5/7/1989	515.27	651.4	435.0	0.00
5/8/1989	515.30	548.1	435.0	0.00
5/9/1989	515.34	590.8	435.0	0.62
5/10/1989	515.50	832.9	435.9	0.00
5/11/1989	515.56	673.3	501.1	0.00
5/12/1989	515.59	660.8	535.0	0.00
5/13/1989	515.60	564.8	535.0	0.32
5/14/1989	515.60	557.4	535.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/15/1989	515.61	563.1	535.0	0.00
5/16/1989	515.61	533.3	535.0	0.00
5/17/1989	515.60	504.1	535.0	0.00
5/18/1989	515.57	470.9	535.0	0.00
5/19/1989	515.57	533.0	535.0	1.50
5/20/1989	515.80	956.9	535.1	0.17
5/21/1989	516.02	1,266.1	536.9	0.00
5/22/1989	516.05	1,098.3	791.9	0.13
5/23/1989	515.95	1,232.1	1,731.6	0.24
5/24/1989	515.93	749.3	410.4	0.00
5/25/1989	515.58	611.9	1,912.3	0.00
5/26/1989	515.08	824.4	2,178.8	0.35
5/27/1989	515.03	706.6	973.3	0.00
5/28/1989	515.12	746.6	532.1	0.00
5/29/1989	515.13	595.4	533.0	0.00
5/30/1989	515.09	438.3	533.0	0.00
5/31/1989	515.06	460.4	532.1	0.00
6/1/1989	515.03	380.5	487.3	0.00
6/2/1989	515.03	336.0	329.0	0.00
6/3/1989	515.08	309.1	192.5	0.08
6/4/1989	515.17	423.5	168.0	0.43
6/5/1989	515.34	613.0	168.0	0.16
6/6/1989	515.40	686.0	431.3	0.00
6/7/1989	515.38	511.9	534.0	0.00
6/8/1989	515.34	454.8	534.0	0.82
6/9/1989	515.62	1,143.5	534.1	0.52
6/10/1989	515.53	1,363.9	1,374.4	0.00
6/11/1989	515.16	849.0	1,915.6	0.00
6/12/1989	515.10	697.4	911.5	1.91
6/13/1989	515.95	2,506.1	533.9	0.57
6/14/1989	516.78	3,671.1	930.4	0.46
6/15/1989	517.33	2,738.3	989.6	0.24
6/16/1989	517.98	3,007.8	995.0	0.00
6/17/1989	518.64	2,500.0	426.1	0.00
6/18/1989	519.03	1,576.1	257.1	0.52
6/19/1989	519.58	2,003.4	258.1	0.00
6/20/1989	519.64	1,591.5	1,228.9	0.00
6/21/1989	519.31	1,412.5	2,411.9	0.00
6/22/1989	518.86	1,425.8	2,836.4	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/23/1989	518.30	1,115.8	2,828.5	0.00
6/24/1989	517.66	782.9	2,818.5	0.00
6/25/1989	517.03	842.1	2,808.1	0.00
6/26/1989	516.33	663.9	2,797.9	0.00
6/27/1989	515.58	595.4	2,786.5	0.10
6/28/1989	515.31	774.1	1,769.0	0.04
6/29/1989	515.29	665.9	685.6	0.00
6/30/1989	515.15	485.1	857.9	0.00
7/1/1989	515.17	449.0	470.5	0.33
7/2/1989	515.25	499.4	266.9	1.48
7/3/1989	515.63	1,135.6	267.0	0.65
7/4/1989	516.65	3,920.4	674.5	0.07
7/5/1989	517.08	1,990.5	828.4	0.00
7/6/1989	517.05	1,409.5	1,252.6	0.00
7/7/1989	516.80	825.6	1,400.3	0.00
7/8/1989	516.61	681.9	1,398.3	0.00
7/9/1989	516.32	556.4	1,395.6	0.00
7/10/1989	516.01	469.4	1,392.9	0.00
7/11/1989	515.70	424.1	1,389.9	0.98
7/12/1989	515.45	728.6	1,387.3	0.03
7/13/1989	515.50	1,044.8	1,096.1	0.00
7/14/1989	515.61	1,443.1	1,091.5	0.00
7/15/1989	515.45	977.8	1,386.4	0.00
7/16/1989	515.18	625.9	1,384.4	0.00
7/17/1989	515.24	562.4	499.5	0.00
7/18/1989	515.30	460.8	267.0	0.03
7/19/1989	515.35	396.1	267.0	0.27
7/20/1989	515.40	440.9	267.0	0.00
7/21/1989	515.51	535.1	267.0	0.00
7/22/1989	515.54	620.0	473.5	0.00
7/23/1989	515.49	409.3	535.0	0.00
7/24/1989	515.45	414.1	535.0	0.00
7/25/1989	515.41	397.4	534.1	0.00
7/26/1989	515.38	443.9	534.0	0.00
7/27/1989	515.33	410.4	534.0	0.00
7/28/1989	515.30	437.4	534.0	0.05
7/29/1989	515.29	312.1	353.1	0.00
7/30/1989	515.28	253.9	267.0	0.50
7/31/1989	515.35	481.4	267.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
8/1/1989	515.37	291.0	267.0	0.00
8/2/1989	515.42	409.3	267.0	0.00
8/3/1989	515.44	321.0	267.0	0.00
8/4/1989	515.42	230.0	267.0	0.00
8/5/1989	515.41	237.3	267.0	0.00
8/6/1989	515.43	326.3	267.0	1.80
8/7/1989	515.85	1,335.5	267.6	0.00
8/8/1989	515.91	946.1	626.0	0.00
8/9/1989	515.81	598.4	822.0	0.00
8/10/1989	515.66	373.9	821.1	0.00
8/11/1989	515.49	313.5	820.0	0.00
8/12/1989	515.30	263.1	818.6	0.00
8/13/1989	515.21	330.5	588.0	0.00
8/14/1989	515.14	223.0	463.4	0.00
8/15/1989	515.16	234.9	207.1	0.00
8/16/1989	515.18	234.9	168.0	0.00
8/17/1989	515.25	381.1	168.0	0.00
8/18/1989	515.47	812.5	213.4	0.00
8/19/1989	515.62	735.3	267.6	0.00
8/20/1989	515.66	421.5	268.0	0.15
8/21/1989	515.68	314.4	268.0	0.00
8/22/1989	515.74	446.8	268.0	0.00
8/23/1989	515.65	467.0	682.9	0.46
8/24/1989	515.50	426.3	820.1	0.10
8/25/1989	515.60	923.0	819.5	0.00
8/26/1989	515.60	912.5	820.0	0.00
8/27/1989	515.51	622.0	820.0	0.00
8/28/1989	515.35	347.8	819.1	0.00
8/29/1989	515.18	347.9	818.0	0.00
8/30/1989	515.12	201.6	472.6	0.04
8/31/1989	515.12	262.6	266.0	0.00
9/1/1989	515.10	242.6	266.0	0.42
9/2/1989	515.32	791.8	266.4	0.00
9/3/1989	515.38	498.1	267.0	0.00
9/4/1989	515.38	308.0	267.0	0.00
9/5/1989	515.38	265.1	267.0	0.00
9/6/1989	515.37	237.3	267.0	0.00
9/7/1989	515.35	226.1	267.0	0.00
9/8/1989	515.32	178.0	267.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/9/1989	515.29	178.0	267.0	0.00
9/10/1989	515.27	187.0	267.0	0.00
9/11/1989	515.24	198.3	267.0	0.00
9/12/1989	515.21	175.9	267.0	0.00
9/13/1989	515.17	148.0	266.9	0.00
9/14/1989	515.13	155.4	266.0	0.16
9/15/1989	515.13	262.6	266.0	0.28
9/16/1989	515.10	201.9	266.0	0.14
9/17/1989	515.11	249.8	266.0	0.00
9/18/1989	515.09	204.5	266.0	0.00
9/19/1989	514.97	157.1	460.0	0.00
9/20/1989	514.86	196.5	531.6	0.00
9/21/1989	514.77	257.1	531.0	0.03
9/22/1989	514.71	363.1	531.0	0.47
9/23/1989	514.70	450.9	530.1	0.20
9/24/1989	514.61	304.6	530.0	0.00
9/25/1989	514.58	157.1	236.3	0.00
9/26/1989	514.46	171.3	459.9	0.00
9/27/1989	514.36	197.1	529.0	0.00
9/28/1989	514.22	164.1	528.4	0.04
9/29/1989	514.09	139.0	527.9	0.31
9/30/1989	514.02	253.0	468.4	0.40
10/1/1989	513.97	285.0	430.0	0.23
10/2/1989	513.90	248.4	429.1	0.04
10/3/1989	513.82	190.0	429.0	0.00
10/4/1989	513.77	277.4	429.0	0.00
10/5/1989	513.66	122.5	428.4	0.00
10/6/1989	513.57	176.8	428.0	0.00
10/7/1989	513.48	192.1	427.9	0.00
10/8/1989	513.38	147.6	427.0	0.00
10/9/1989	513.28	157.9	427.0	0.00
10/10/1989	513.16	62.1	426.1	0.22
10/11/1989	513.11	278.1	426.0	0.00
10/12/1989	513.01	161.8	425.6	0.00
10/13/1989	512.92	143.5	425.0	0.00
10/14/1989	512.86	254.8	425.0	0.00
10/15/1989	512.75	158.8	424.1	0.00
10/16/1989	512.45	117.0	845.4	0.64
10/17/1989	512.18	324.3	1,096.4	0.19

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/18/1989	511.84	188.8	1,094.4	0.30
10/19/1989	511.65	494.0	1,092.4	0.18
10/20/1989	511.18	274.4	1,447.8	0.03
10/21/1989	510.68	347.1	1,600.4	0.00
10/22/1989	510.16	186.1	1,594.6	0.00
10/23/1989	509.62	250.0	1,589.3	0.00
10/24/1989	509.05	152.5	1,582.6	0.00
10/25/1989	508.48	152.9	1,576.0	0.00
10/26/1989	507.90	137.9	1,569.4	0.00
10/27/1989	507.30	144.3	1,562.1	0.00
10/28/1989	506.70	80.9	1,555.0	0.00
10/29/1989	506.22	151.3	1,320.6	0.00
10/30/1989	505.85	192.1	1,048.6	0.00
10/31/1989	505.47	141.4	1,045.6	0.12
11/1/1989	505.10	191.0	1,042.6	0.00
11/2/1989	504.70	171.6	1,039.9	0.00
11/3/1989	504.31	129.4	1,036.1	0.00
11/4/1989	503.90	187.6	1,033.4	0.00
11/5/1989	503.50	107.4	1,030.0	0.12
11/6/1989	503.11	190.1	1,026.9	0.00
11/7/1989	502.71	152.5	1,023.9	1.38
11/8/1989	502.48	471.3	1,020.8	0.44
11/9/1989	502.35	718.8	1,019.4	0.00
11/10/1989	502.30	841.0	1,018.4	0.00
11/11/1989	502.18	860.5	1,018.0	0.00
11/12/1989	501.88	426.8	1,016.4	0.00
11/13/1989	501.57	370.4	1,014.3	0.00
11/14/1989	501.23	304.6	1,011.6	0.42
11/15/1989	500.47	320.4	1,753.5	0.63
11/16/1989	500.18	1,315.8	1,984.9	0.54
11/17/1989	499.93	1,375.9	1,981.0	0.00
11/18/1989	499.51	1,264.8	1,976.5	0.00
11/19/1989	498.87	862.9	1,968.9	0.00
11/20/1989	498.10	439.0	1,957.1	0.00
11/21/1989	497.31	470.0	1,945.5	0.00
11/22/1989	496.46	374.0	1,931.8	0.24
11/23/1989	495.58	370.8	1,918.0	0.00
11/24/1989	494.64	332.5	1,903.9	0.00
11/25/1989	493.86	308.6	1,666.4	0.02

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/26/1989	493.18	305.6	1,416.0	0.06
11/27/1989	492.47	285.9	1,409.1	0.01
11/28/1989	491.72	181.5	1,402.0	0.00
11/29/1989	491.49	372.5	820.5	0.00
11/30/1989	491.37	301.0	474.0	0.00
12/1/1989	491.24	282.5	474.0	0.00
12/2/1989	491.18	229.1	355.3	0.00
12/3/1989	491.14	224.8	284.0	0.00
12/4/1989	491.20	253.0	187.8	0.00
12/5/1989	491.27	241.6	142.0	0.00
12/6/1989	491.34	282.6	142.0	0.00
12/7/1989	491.45	281.9	142.0	0.00
12/8/1989	491.00	175.3	681.4	0.14
12/9/1989	490.62	148.3	843.8	0.18
12/10/1989	490.58	213.4	283.0	0.00
12/11/1989	490.54	224.5	283.0	0.00
12/12/1989	490.55	230.1	221.5	0.00
12/13/1989	490.57	215.3	189.0	0.00
12/14/1989	490.56	174.8	189.0	0.00
12/15/1989	490.56	191.5	189.0	0.12
12/16/1989	490.59	229.3	189.0	0.03
12/17/1989	490.57	169.1	189.0	0.06
12/18/1989	490.57	170.1	189.0	0.03
12/19/1989	490.59	218.0	189.0	0.25
12/20/1989	490.60	212.0	189.0	0.07
12/21/1989	490.59	173.8	189.0	0.16
12/22/1989	490.58	172.9	189.0	0.00
12/23/1989	490.55	152.9	189.0	0.00
12/24/1989	490.55	123.6	137.6	0.00
12/25/1989	490.58	148.1	94.0	0.00
12/26/1989	490.62	136.0	94.0	0.00
12/27/1989	490.68	192.1	94.0	0.21
12/28/1989	490.68	163.9	149.4	0.00
12/29/1989	490.60	145.9	242.0	0.35
12/30/1989	490.62	301.0	283.0	1.27
12/31/1989	491.41	1,234.6	374.1	0.63