



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/1990	492.84	2,931.5	645.1	0.01
1/2/1990	493.97	2,072.8	287.8	0.05
1/3/1990	494.05	1,373.5	878.8	0.03
1/4/1990	493.71	896.3	1,419.6	0.12
1/5/1990	493.28	720.3	1,415.9	0.00
1/6/1990	492.80	630.1	1,411.0	0.00
1/7/1990	492.25	559.1	1,405.8	0.00
1/8/1990	491.66	517.6	1,400.5	0.00
1/9/1990	491.00	397.3	1,394.3	0.00
1/10/1990	491.17	450.3	434.3	0.00
1/11/1990	491.43	523.0	95.0	0.00
1/12/1990	491.68	473.3	95.0	0.00
1/13/1990	491.48	390.3	548.9	0.00
1/14/1990	491.05	293.4	930.6	0.00
1/15/1990	490.72	270.6	818.5	0.00
1/16/1990	490.68	311.4	508.3	0.12
1/17/1990	490.74	557.9	283.0	1.27

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/1990	491.94	2,022.6	284.5	0.51
1/19/1990	492.80	1,522.1	286.3	1.24
1/20/1990	494.43	2,631.9	645.4	0.86
1/21/1990	497.30	6,411.9	1,475.1	0.00
1/22/1990	499.92	5,917.6	653.8	0.00
1/23/1990	500.65	3,617.9	1,599.5	0.00
1/24/1990	499.51	1,995.8	3,903.8	0.00
1/25/1990	497.97	1,508.3	4,443.5	0.12
1/26/1990	496.28	1,415.0	4,389.8	0.00
1/27/1990	494.37	1,073.1	4,329.9	0.00
1/28/1990	492.28	860.8	4,262.1	0.92
1/29/1990	490.88	1,308.5	3,744.1	0.43
1/30/1990	492.47	5,135.5	3,251.0	0.00
1/31/1990	495.01	5,303.8	1,440.8	0.00
2/1/1990	496.41	3,245.4	486.9	1.35
2/2/1990	497.87	2,939.4	490.3	1.07
2/3/1990	500.91	6,355.8	497.1	0.70
2/4/1990	505.00	8,666.9	321.0	0.16
2/5/1990	507.51	6,333.5	155.3	0.00
2/6/1990	509.07	4,367.6	157.3	0.03
2/7/1990	510.04	2,749.3	158.6	0.05
2/8/1990	509.86	2,196.8	2,114.8	0.00
2/9/1990	509.17	1,805.0	3,520.6	0.95
2/10/1990	509.02	2,680.3	3,506.6	0.18
2/11/1990	510.14	3,991.0	1,511.9	0.00
2/12/1990	511.24	3,391.4	319.4	0.00
2/13/1990	511.97	2,420.9	321.8	0.00
2/14/1990	511.43	1,838.3	2,670.9	0.00
2/15/1990	510.20	1,589.4	4,598.8	0.93
2/16/1990	511.68	4,971.8	2,555.3	0.35
2/17/1990	514.09	6,712.4	362.6	0.00
2/18/1990	516.27	7,165.6	329.8	0.00
2/19/1990	516.90	3,429.3	961.1	0.00
2/20/1990	516.68	2,221.1	2,524.0	0.00
2/21/1990	515.56	1,661.6	4,818.5	0.00
2/22/1990	514.73	1,743.4	4,242.3	0.00
2/23/1990	514.06	1,313.0	3,298.1	0.07
2/24/1990	512.39	1,426.1	5,617.8	0.03
2/25/1990	509.87	1,218.9	7,641.9	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/1990	507.54	1,064.3	7,120.6	0.10
2/27/1990	504.31	694.9	8,084.4	0.05
2/28/1990	500.69	1,102.0	8,679.5	0.02
3/1/1990	497.10	1,322.3	8,010.0	0.00
3/2/1990	493.85	531.6	6,586.8	0.10
3/3/1990	491.49	650.5	4,684.1	0.00
3/4/1990	490.60	556.0	2,241.0	0.00
3/5/1990	490.47	662.8	927.6	0.00
3/6/1990	490.32	580.5	797.8	0.00
3/7/1990	490.35	434.1	430.8	0.00
3/8/1990	490.37	556.3	516.0	0.02
3/9/1990	490.57	565.3	316.9	0.04
3/10/1990	490.78	611.6	283.0	0.01
3/11/1990	490.96	551.3	283.4	0.00
3/12/1990	491.14	565.1	284.0	0.00
3/13/1990	491.32	547.3	284.0	0.00
3/14/1990	491.48	528.5	284.4	0.00
3/15/1990	491.60	515.3	285.0	1.06
3/16/1990	492.16	888.1	285.1	0.52
3/17/1990	492.98	1,694.1	286.4	0.01
3/18/1990	493.62	1,348.1	287.6	0.00
3/19/1990	494.10	1,129.9	288.9	0.46
3/20/1990	494.48	901.3	289.6	0.00
3/21/1990	494.89	821.5	111.5	0.00
3/22/1990	495.27	710.5	52.4	0.04
3/23/1990	495.62	648.3	53.0	0.00
3/24/1990	495.97	662.4	53.0	0.49
3/25/1990	496.31	675.5	53.1	0.00
3/26/1990	496.60	570.1	54.0	0.00
3/27/1990	496.91	558.5	54.0	0.00
3/28/1990	497.15	563.6	54.0	0.00
3/29/1990	497.40	502.5	54.0	0.00
3/30/1990	497.64	524.5	54.9	0.46
3/31/1990	498.07	772.4	55.0	0.19
4/1/1990	498.52	874.3	55.0	0.00
4/2/1990	498.97	971.5	55.9	0.00
4/3/1990	499.37	837.0	56.0	0.00
4/4/1990	499.71	705.8	56.1	0.00
4/5/1990	500.01	680.4	57.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/6/1990	500.30	607.1	57.0	0.22
4/7/1990	500.55	585.5	57.0	0.00
4/8/1990	500.77	526.6	57.0	0.00
4/9/1990	500.99	493.6	57.1	0.11
4/10/1990	501.19	437.1	58.0	0.31
4/11/1990	501.47	638.3	58.0	0.00
4/12/1990	501.62	425.5	58.0	0.00
4/13/1990	501.81	403.8	58.0	0.00
4/14/1990	501.97	402.0	58.0	0.47
4/15/1990	502.23	600.6	58.0	0.10
4/16/1990	502.44	514.4	58.9	0.02
4/17/1990	502.64	456.3	59.0	0.15
4/18/1990	502.85	514.6	59.0	0.00
4/19/1990	503.02	433.0	59.0	0.00
4/20/1990	503.17	404.8	59.0	0.21
4/21/1990	503.40	508.9	59.0	0.27
4/22/1990	503.68	694.1	59.4	0.00
4/23/1990	503.95	615.8	60.0	0.00
4/24/1990	504.18	609.9	60.0	0.00
4/25/1990	504.39	508.4	60.0	0.00
4/26/1990	504.56	441.3	60.0	0.00
4/27/1990	504.73	450.1	60.0	0.00
4/28/1990	504.84	342.4	60.0	0.00
4/29/1990	505.01	404.5	60.6	0.18
4/30/1990	505.12	344.6	55.9	0.14
5/1/1990	505.28	437.3	50.6	0.55
5/2/1990	505.76	1,030.4	51.0	0.45
5/3/1990	506.20	1,133.0	51.0	0.19
5/4/1990	506.55	825.8	51.0	0.50
5/5/1990	507.01	1,104.6	51.4	0.00
5/6/1990	507.45	1,123.8	52.0	0.11
5/7/1990	507.83	1,024.8	52.0	0.00
5/8/1990	508.13	776.3	52.0	0.00
5/9/1990	508.37	681.3	52.1	0.10
5/10/1990	508.60	630.3	53.0	0.05
5/11/1990	508.77	472.3	53.0	0.00
5/12/1990	508.93	454.1	53.0	0.16
5/13/1990	509.11	518.3	53.0	0.10
5/14/1990	509.28	466.4	53.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/15/1990	509.43	539.9	53.0	0.15
5/16/1990	510.36	1,976.0	53.4	0.19
5/17/1990	511.22	1,906.9	54.0	0.58
5/18/1990	512.15	3,113.1	54.1	0.00
5/19/1990	512.76	1,750.4	55.0	0.00
5/20/1990	513.19	1,242.1	55.0	0.30
5/21/1990	513.77	1,803.5	55.0	0.70
5/22/1990	514.27	1,408.5	55.0	0.21
5/23/1990	514.67	1,297.9	55.9	0.00
5/24/1990	514.99	1,009.6	56.0	0.00
5/25/1990	515.21	834.9	187.4	0.00
5/26/1990	515.35	721.9	267.0	1.20
5/27/1990	515.63	1,028.4	158.0	0.56
5/28/1990	516.36	1,938.9	49.0	1.46
5/29/1990	518.35	5,860.5	49.6	0.00
5/30/1990	519.03	4,110.3	1,540.5	0.00
5/31/1990	518.72	2,454.8	2,939.9	0.00
6/1/1990	518.09	1,470.6	3,387.4	0.00
6/2/1990	517.34	1,060.1	3,372.0	0.39
6/3/1990	516.69	1,223.9	3,356.4	0.13
6/4/1990	515.74	615.1	3,339.0	0.00
6/5/1990	515.50	834.1	1,935.4	0.00
6/6/1990	515.53	679.4	552.0	0.61
6/7/1990	515.68	938.9	552.1	0.10
6/8/1990	515.73	721.0	553.0	0.14
6/9/1990	515.77	689.3	553.0	0.02
6/10/1990	515.61	619.6	1,001.8	0.03
6/11/1990	515.41	535.4	1,118.6	0.00
6/12/1990	515.43	699.0	770.9	0.00
6/13/1990	515.50	691.1	474.0	0.00
6/14/1990	515.51	341.5	267.0	0.00
6/15/1990	515.55	365.5	267.1	0.00
6/16/1990	515.58	373.0	268.0	0.00
6/17/1990	515.59	297.0	268.0	0.00
6/18/1990	515.64	326.6	268.0	0.82
6/19/1990	515.61	265.9	268.0	0.00
6/20/1990	515.61	268.0	268.0	0.00
6/21/1990	515.61	268.0	268.0	0.00
6/22/1990	515.61	277.3	268.0	0.61

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/23/1990	515.66	406.5	268.0	0.00
6/24/1990	515.67	277.3	268.0	0.00
6/25/1990	515.67	288.5	268.0	0.00
6/26/1990	515.66	256.9	268.0	0.00
6/27/1990	515.64	208.5	268.0	0.00
6/28/1990	515.63	215.9	268.0	0.00
6/29/1990	515.60	201.1	268.0	0.00
6/30/1990	515.58	206.4	268.0	0.00
7/1/1990	515.58	183.8	222.6	0.00
7/2/1990	515.58	169.0	169.0	0.00
7/3/1990	515.57	161.6	169.0	0.00
7/4/1990	515.57	169.0	169.0	0.00
7/5/1990	515.57	167.1	169.0	0.00
7/6/1990	515.56	140.5	169.0	0.00
7/7/1990	515.58	154.8	115.4	0.00
7/8/1990	515.59	85.5	52.0	0.00
7/9/1990	515.63	146.8	52.0	0.00
7/10/1990	515.63	96.8	52.0	0.00
7/11/1990	515.66	124.4	52.0	0.41
7/12/1990	515.71	216.8	52.0	1.48
7/13/1990	515.85	453.9	52.0	0.00
7/14/1990	515.80	274.1	385.4	0.00
7/15/1990	515.71	264.6	536.1	0.00
7/16/1990	515.58	174.0	535.9	0.00
7/17/1990	515.54	185.3	331.9	0.00
7/18/1990	515.51	176.1	267.4	0.00
7/19/1990	515.49	142.6	217.5	0.00
7/20/1990	515.47	163.9	201.0	0.44
7/21/1990	515.48	199.0	201.0	1.13
7/22/1990	515.54	391.5	201.0	0.15
7/23/1990	515.70	597.5	201.0	0.00
7/24/1990	515.72	376.9	245.9	0.00
7/25/1990	515.70	204.9	268.0	0.00
7/26/1990	515.66	153.4	268.0	0.00
7/27/1990	515.63	197.4	268.0	0.00
7/28/1990	515.59	147.3	268.0	0.00
7/29/1990	515.54	121.8	268.0	0.00
7/30/1990	515.50	146.4	267.1	0.00
7/31/1990	515.47	116.6	217.5	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
8/1/1990	515.46	186.6	201.0	0.00
8/2/1990	515.44	94.8	169.4	0.00
8/3/1990	515.44	130.1	132.0	0.00
8/4/1990	515.43	107.8	132.0	0.20
8/5/1990	515.46	207.1	132.0	0.36
8/6/1990	515.53	333.0	132.0	0.03
8/7/1990	515.57	244.6	132.0	0.00
8/8/1990	515.60	157.6	65.3	0.00
8/9/1990	515.63	141.3	52.0	0.00
8/10/1990	515.65	132.0	52.0	0.12
8/11/1990	515.68	118.9	52.0	0.00
8/12/1990	515.70	113.4	52.0	0.00
8/13/1990	515.72	141.3	52.0	0.72
8/14/1990	515.74	257.1	196.5	0.05
8/15/1990	515.70	132.9	250.0	0.00
8/16/1990	515.68	167.1	250.0	0.00
8/17/1990	515.63	142.0	264.8	0.00
8/18/1990	515.61	203.0	268.0	0.00
8/19/1990	515.56	119.9	268.0	0.00
8/20/1990	515.51	119.3	267.4	0.15
8/21/1990	515.46	119.3	267.0	0.20
8/22/1990	515.41	121.1	267.0	0.12
8/23/1990	515.37	145.3	267.0	0.00
8/24/1990	515.31	93.3	267.0	0.00
8/25/1990	515.27	144.8	267.0	0.00
8/26/1990	515.22	100.5	267.0	0.00
8/27/1990	515.17	138.8	266.9	0.00
8/28/1990	515.12	112.3	266.0	0.00
8/29/1990	515.10	94.0	130.5	1.64
8/30/1990	515.26	539.8	90.0	0.00
8/31/1990	515.30	184.8	90.0	0.00
9/1/1990	515.32	149.5	90.0	0.00
9/2/1990	515.33	140.3	90.0	0.00
9/3/1990	515.34	116.1	90.0	0.00
9/4/1990	515.33	63.0	90.0	0.00
9/5/1990	515.30	94.1	166.4	0.00
9/6/1990	515.26	102.5	201.0	0.00
9/7/1990	515.23	89.4	200.4	0.04
9/8/1990	515.20	88.5	200.0	0.03

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/9/1990	515.19	136.4	200.0	0.48
9/10/1990	515.17	198.4	200.0	0.00
9/11/1990	515.13	82.0	200.0	0.00
9/12/1990	515.08	80.1	200.0	0.45
9/13/1990	515.09	183.5	200.0	0.00
9/14/1990	515.06	129.9	200.0	0.00
9/15/1990	515.02	82.1	200.0	0.00
9/16/1990	514.95	75.4	240.0	0.00
9/17/1990	514.88	36.6	266.0	0.00
9/18/1990	514.82	25.0	216.0	0.03
9/19/1990	514.76	101.5	265.4	0.62
9/20/1990	514.74	202.3	265.0	0.00
9/21/1990	514.68	115.4	265.0	0.55
9/22/1990	514.66	164.1	265.0	0.00
9/23/1990	514.61	140.8	265.0	0.00
9/24/1990	514.55	107.9	265.0	0.00
9/25/1990	514.47	35.8	265.0	0.00
9/26/1990	514.41	71.5	264.9	0.00
9/27/1990	514.35	91.0	264.0	0.00
9/28/1990	514.29	89.1	264.0	0.00
9/29/1990	514.21	56.9	264.0	0.00
9/30/1990	514.16	101.8	264.0	0.16
10/1/1990	514.11	135.6	264.0	0.00
10/2/1990	514.04	62.5	264.0	0.00
10/3/1990	514.02	81.3	166.5	0.58
10/4/1990	514.03	171.4	177.4	1.06
10/5/1990	514.08	456.8	263.9	0.00
10/6/1990	514.21	561.0	264.0	0.00
10/7/1990	514.21	317.9	264.0	0.00
10/8/1990	514.17	168.4	264.0	0.00
10/9/1990	514.15	175.1	264.0	0.56
10/10/1990	514.19	356.6	264.0	0.54
10/11/1990	514.10	317.3	487.8	0.00
10/12/1990	514.03	317.5	546.0	0.00
10/13/1990	513.90	214.0	546.0	0.00
10/14/1990	513.77	156.9	545.4	0.00
10/15/1990	513.61	112.8	545.0	0.00
10/16/1990	513.01	104.8	1,606.9	0.00
10/17/1990	512.26	252.9	2,164.3	0.33

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/18/1990	511.86	79.3	1,504.9	0.35
10/19/1990	511.54	307.1	1,092.3	0.00
10/20/1990	511.20	198.0	1,089.8	0.00
10/21/1990	510.86	182.6	1,087.6	0.05
10/22/1990	510.56	240.1	1,085.3	0.89
10/23/1990	510.28	412.8	1,083.3	0.12
10/24/1990	509.95	189.0	1,081.3	0.00
10/25/1990	509.64	283.3	1,078.6	0.08
10/26/1990	509.10	182.1	1,456.4	0.00
10/27/1990	508.53	145.6	1,576.6	0.00
10/28/1990	507.92	66.6	1,569.9	0.00
10/29/1990	507.33	129.3	1,562.9	0.00
10/30/1990	506.72	99.1	1,555.1	0.00
10/31/1990	506.12	188.1	1,548.1	0.00
11/1/1990	505.50	73.9	1,541.0	0.00
11/2/1990	505.29	115.6	739.4	0.00
11/3/1990	505.13	147.1	515.9	0.00
11/4/1990	504.97	116.9	515.0	0.00
11/5/1990	504.84	206.1	515.0	0.40
11/6/1990	504.67	147.1	514.1	0.00
11/7/1990	503.89	75.9	1,581.3	0.00
11/8/1990	502.71	250.5	2,696.0	0.00
11/9/1990	501.98	148.1	1,918.0	1.04
11/10/1990	501.97	404.4	506.0	0.06
11/11/1990	501.86	323.9	506.0	0.00
11/12/1990	501.76	312.0	505.4	0.00
11/13/1990	501.66	281.1	505.0	0.00
11/14/1990	501.08	216.0	1,232.9	0.00
11/15/1990	500.43	159.3	1,488.6	0.00
11/16/1990	499.75	186.3	1,482.0	0.10
11/17/1990	499.09	136.6	1,475.4	0.00
11/18/1990	498.38	167.4	1,468.4	0.00
11/19/1990	497.65	19.4	1,461.0	0.00
11/20/1990	496.92	92.6	1,453.9	0.00
11/21/1990	496.18	165.8	1,446.6	0.00
11/22/1990	495.43	100.5	1,439.0	0.86
11/23/1990	494.77	343.8	1,432.3	0.00
11/24/1990	494.06	196.0	1,425.1	0.00
11/25/1990	493.35	249.9	1,418.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/26/1990	493.00	266.3	984.6	0.03
11/27/1990	492.87	285.5	479.0	0.24
11/28/1990	492.61	298.9	629.8	0.41
11/29/1990	492.23	333.0	939.9	0.00
11/30/1990	491.90	255.9	936.4	0.00
12/1/1990	491.32	200.9	933.0	0.00
12/2/1990	490.85	191.3	929.0	1.18
12/3/1990	490.82	716.1	925.9	0.70
12/4/1990	491.77	2,323.4	929.9	0.00
12/5/1990	492.57	2,227.9	936.9	0.00
12/6/1990	492.61	1,121.5	940.9	0.00
12/7/1990	492.47	763.8	940.6	0.00
12/8/1990	492.23	554.9	939.3	0.00
12/9/1990	491.92	470.8	937.0	0.00
12/10/1990	491.57	438.3	934.4	0.00
12/11/1990	491.20	349.5	931.6	0.00
12/12/1990	490.76	277.8	928.1	0.00
12/13/1990	490.37	336.4	925.0	0.00
12/14/1990	490.23	330.0	629.1	0.00
12/15/1990	490.27	354.0	282.0	0.60
12/16/1990	490.47	547.3	282.9	0.00
12/17/1990	490.68	670.5	283.0	2.04
12/18/1990	494.20	3,833.6	284.3	1.47
12/19/1990	501.07	13,739.0	295.3	0.00
12/20/1990	505.33	9,468.5	305.0	0.06
12/21/1990	508.69	8,326.8	311.8	1.33
12/22/1990	511.36	7,607.8	317.4	0.65
12/23/1990	513.88	6,973.3	323.3	0.26
12/24/1990	515.75	6,073.6	328.9	0.01
12/25/1990	516.83	4,020.1	332.6	0.00
12/26/1990	517.55	2,555.8	335.0	0.00
12/27/1990	517.26	2,267.3	2,405.3	0.64
12/28/1990	516.75	2,523.3	4,221.9	0.21
12/29/1990	516.40	3,328.0	4,468.5	0.13
12/30/1990	517.23	3,884.3	1,431.5	2.29
12/31/1990	520.84	10,628.6	339.0	