



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/1992	490.26	587.5	697.0	0.00
1/2/1992	490.26	583.0	593.0	0.00
1/3/1992	490.77	1,049.5	471.1	0.00
1/4/1992	491.97	2,228.4	473.6	0.00
1/5/1992	493.42	2,775.6	477.9	0.00
1/6/1992	494.23	1,948.3	481.3	0.00
1/7/1992	493.95	1,268.5	1,457.9	0.00
1/8/1992	493.40	970.3	1,880.4	0.00
1/9/1992	492.76	845.5	1,870.5	0.00
1/10/1992	492.06	822.8	1,860.6	0.00
1/11/1992	491.58	646.1	1,512.1	0.00
1/12/1992	491.07	632.3	1,393.9	0.00
1/13/1992	490.52	577.4	1,388.6	0.00
1/14/1992	490.75	1,000.8	1,048.6	0.00
1/15/1992	491.67	2,396.9	928.6	0.00
1/16/1992	492.26	2,253.9	1,247.8	0.00
1/17/1992	492.24	1,476.9	1,402.8	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/1992	492.03	1,117.0	1,401.6	0.00
1/19/1992	491.70	924.0	1,399.1	0.00
1/20/1992	491.26	740.1	1,395.6	0.00
1/21/1992	490.78	658.4	1,390.9	0.00
1/22/1992	490.23	585.5	1,385.6	0.00
1/23/1992	490.35	635.6	570.8	0.00
1/24/1992	490.29	624.8	697.0	0.00
1/25/1992	490.31	705.9	697.0	0.00
1/26/1992	490.30	561.4	593.3	0.00
1/27/1992	490.37	591.1	471.0	0.00
1/28/1992	490.40	512.8	471.0	0.00
1/29/1992	490.39	467.5	471.0	0.00
1/30/1992	490.38	463.6	471.0	0.00
1/31/1992	490.35	417.0	471.0	0.00
2/1/1992	490.40	436.8	384.8	0.00
2/2/1992	490.49	424.5	283.0	0.00
2/3/1992	490.56	386.5	283.0	0.00
2/4/1992	490.63	385.6	283.0	0.00
2/5/1992	490.70	375.0	283.0	0.00
2/6/1992	490.73	350.1	283.0	0.00
2/7/1992	490.95	369.8	94.5	0.00
2/8/1992	491.16	373.5	47.0	0.00
2/9/1992	491.36	352.3	47.0	0.00
2/10/1992	491.54	334.3	47.0	0.00
2/11/1992	491.72	333.3	47.1	0.00
2/12/1992	491.91	339.8	48.0	0.00
2/13/1992	492.32	636.8	48.0	0.00
2/14/1992	493.35	1,585.3	48.0	0.00
2/15/1992	493.97	1,112.3	48.0	0.00
2/16/1992	494.61	1,158.5	48.0	0.00
2/17/1992	495.15	996.9	48.1	0.00
2/18/1992	495.60	789.3	49.0	0.00
2/19/1992	495.97	737.0	49.0	0.00
2/20/1992	496.31	661.8	49.0	0.00
2/21/1992	496.61	595.9	49.0	0.00
2/22/1992	496.88	543.4	49.0	0.00
2/23/1992	497.14	550.3	49.0	0.00
2/24/1992	497.91	1,175.3	49.0	0.00
2/25/1992	498.79	1,806.0	49.4	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/1992	499.60	1,644.5	50.0	0.00
2/27/1992	500.20	1,248.3	43.5	0.00
2/28/1992	500.68	1,013.0	50.0	0.00
2/29/1992	501.11	966.0	50.0	0.00
3/1/1992	501.46	811.8	50.0	0.00
3/2/1992	501.79	716.3	50.1	0.00
3/3/1992	502.08	689.4	51.0	0.00
3/4/1992	502.34	588.8	51.0	0.00
3/5/1992	502.60	610.0	51.0	0.00
3/6/1992	502.82	509.0	51.0	0.00
3/7/1992	503.07	611.1	51.0	0.00
3/8/1992	503.32	576.9	51.0	0.00
3/9/1992	503.55	589.4	51.0	0.00
3/10/1992	504.78	1,799.8	51.0	0.00
3/11/1992	506.60	4,662.5	51.9	0.00
3/12/1992	507.84	3,115.9	52.0	0.00
3/13/1992	508.61	2,206.0	52.1	0.00
3/14/1992	509.07	1,622.9	378.5	0.00
3/15/1992	509.39	1,382.4	527.6	0.00
3/16/1992	509.63	1,165.8	528.4	0.00
3/17/1992	509.81	996.4	529.0	0.00
3/18/1992	509.98	1,043.6	529.6	0.00
3/19/1992	511.33	3,621.1	531.9	0.00
3/20/1992	512.32	4,184.9	1,384.9	0.00
3/21/1992	512.34	2,906.9	2,491.5	0.00
3/22/1992	512.06	2,000.4	2,720.5	0.00
3/23/1992	511.67	1,760.3	2,714.6	0.00
3/24/1992	511.58	1,442.8	1,847.6	0.00
3/25/1992	511.43	1,237.0	1,605.3	0.00
3/26/1992	511.30	1,182.9	1,603.6	0.00
3/27/1992	511.24	1,221.0	1,367.3	0.00
3/28/1992	511.42	1,020.4	679.3	0.00
3/29/1992	511.55	1,019.6	535.9	0.00
3/30/1992	511.90	1,499.6	536.4	0.00
3/31/1992	514.48	7,246.0	541.0	0.00
4/1/1992	516.24	5,666.4	550.9	0.00
4/2/1992	517.16	3,617.8	556.8	0.00
4/3/1992	517.01	2,289.6	2,289.1	0.00
4/4/1992	516.63	1,678.6	2,800.3	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/5/1992	516.22	1,525.6	2,793.6	0.00
4/6/1992	515.62	1,103.0	2,785.9	0.00
4/7/1992	515.09	1,175.6	2,777.5	0.00
4/8/1992	514.96	991.0	1,625.0	0.00
4/9/1992	514.97	940.0	899.9	0.00
4/10/1992	514.99	864.9	832.0	0.00
4/11/1992	514.96	785.3	832.0	0.00
4/12/1992	514.78	739.1	1,261.9	0.00
4/13/1992	514.72	672.4	831.0	0.00
4/14/1992	514.61	558.0	830.9	0.00
4/15/1992	514.73	602.5	372.3	0.00
4/16/1992	514.86	604.4	274.6	0.00
4/17/1992	514.93	550.9	275.0	0.00
4/18/1992	515.04	716.8	401.1	0.00
4/19/1992	515.04	570.5	550.0	0.00
4/20/1992	515.04	557.4	550.0	0.00
4/21/1992	515.07	655.4	550.0	0.29
4/22/1992	515.09	585.3	550.0	0.00
4/23/1992	515.09	546.4	550.0	0.00
4/24/1992	515.06	484.1	550.0	0.00
4/25/1992	515.03	477.4	550.0	0.00
4/26/1992	515.03	398.4	449.3	0.00
4/27/1992	515.06	417.1	330.0	0.10
4/28/1992	515.07	378.4	330.0	0.00
4/29/1992	515.07	331.9	330.0	0.00
4/30/1992	515.08	359.8	330.0	0.00
5/1/1992	515.09	357.9	330.0	0.00
5/2/1992	515.09	339.3	330.0	0.00
5/3/1992	515.15	478.0	330.0	0.48
5/4/1992	515.15	350.5	330.0	0.00
5/5/1992	515.15	330.0	330.0	0.10
5/6/1992	515.15	328.3	330.0	0.00
5/7/1992	515.13	291.0	330.0	0.00
5/8/1992	515.13	265.1	280.8	0.00
5/9/1992	515.14	299.5	266.0	0.24
5/10/1992	515.17	347.9	266.0	0.00
5/11/1992	515.16	239.0	266.0	0.00
5/12/1992	515.16	273.5	266.0	0.00
5/13/1992	515.21	386.9	266.6	0.15

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/14/1992	515.21	290.4	267.0	0.00
5/15/1992	515.25	342.4	267.0	0.00
5/16/1992	515.27	346.0	267.0	0.00
5/17/1992	515.29	325.9	267.0	0.00
5/18/1992	515.30	362.9	267.0	0.00
5/19/1992	515.69	1,148.8	267.1	0.70
5/20/1992	515.90	1,281.5	447.1	0.35
5/21/1992	516.11	1,820.0	1,149.5	0.50
5/22/1992	516.22	1,861.1	1,582.1	0.00
5/23/1992	515.63	1,084.8	2,559.0	0.00
5/24/1992	515.22	616.1	2,061.1	0.00
5/25/1992	515.06	515.5	939.3	0.00
5/26/1992	515.06	363.9	445.4	0.00
5/27/1992	515.06	330.0	330.0	0.00
5/28/1992	515.06	328.1	330.0	0.00
5/29/1992	515.06	506.1	330.0	0.17
5/30/1992	516.24	3,775.0	797.3	2.78
5/31/1992	516.85	4,254.9	2,170.1	0.00
6/1/1992	516.65	2,591.3	2,950.9	0.00
6/2/1992	515.96	1,394.9	3,313.5	0.00
6/3/1992	515.33	1,125.8	3,082.6	0.00
6/4/1992	515.27	1,543.8	1,927.1	0.74
6/5/1992	515.56	2,100.9	1,384.8	0.05
6/6/1992	515.61	1,867.5	1,582.1	0.00
6/7/1992	515.57	1,541.6	1,651.0	0.00
6/8/1992	515.35	1,310.9	1,858.4	0.00
6/9/1992	515.23	1,115.0	1,515.6	0.00
6/10/1992	515.07	921.3	1,382.6	0.00
6/11/1992	515.20	761.5	510.1	0.00
6/12/1992	515.34	700.0	267.0	0.00
6/13/1992	515.41	677.3	461.6	0.00
6/14/1992	515.46	698.6	534.1	0.00
6/15/1992	515.49	623.3	535.0	0.00
6/16/1992	515.52	625.1	535.0	0.00
6/17/1992	515.58	682.6	535.0	0.00
6/18/1992	516.11	1,194.9	535.5	2.30
6/19/1992	516.24	2,842.9	1,390.1	0.53
6/20/1992	516.77	2,563.1	1,192.9	0.00
6/21/1992	516.97	1,207.3	557.4	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/22/1992	517.03	815.5	558.0	0.00
6/23/1992	516.39	563.1	2,180.5	0.00
6/24/1992	515.54	358.5	2,787.1	0.00
6/25/1992	515.38	712.5	1,687.1	1.25
6/26/1992	515.18	742.5	1,117.1	0.00
6/27/1992	515.14	441.1	726.6	0.00
6/28/1992	515.20	442.0	266.1	0.00
6/29/1992	515.23	394.4	267.0	0.00
6/30/1992	515.26	331.1	267.0	0.00
7/1/1992	515.27	302.3	267.0	0.00
7/2/1992	515.32	414.6	267.0	0.00
7/3/1992	517.91	3,339.9	267.5	3.67
7/4/1992	519.80	10,767.5	697.3	0.00
7/5/1992	520.94	4,473.3	280.6	0.00
7/6/1992	520.85	2,009.3	1,734.1	0.00
7/7/1992	519.83	863.9	3,993.3	0.05
7/8/1992	518.25	788.1	5,659.6	0.00
7/9/1992	516.58	664.0	5,857.3	0.00
7/10/1992	515.42	652.8	4,389.3	0.00
7/11/1992	515.14	607.0	1,833.8	0.00
7/12/1992	515.22	546.9	266.4	0.00
7/13/1992	515.23	1,290.3	1,320.8	0.00
7/14/1992	515.23	1,026.5	985.9	0.00
7/15/1992	515.18	326.3	432.0	0.00
7/16/1992	515.15	322.5	432.0	0.00
7/17/1992	515.13	400.0	432.0	0.25
7/18/1992	515.12	1,242.6	1,354.5	0.30
7/19/1992	515.11	1,147.1	1,155.3	0.00
7/20/1992	515.13	342.3	266.0	0.00
7/21/1992	515.13	288.3	266.0	0.00
7/22/1992	515.30	690.0	266.6	0.80
7/23/1992	515.59	1,096.6	267.1	0.07
7/24/1992	515.38	646.8	1,106.4	0.00
7/25/1992	515.05	461.9	1,383.6	0.00
7/26/1992	515.17	667.8	452.0	0.55
7/27/1992	515.55	1,253.3	266.6	0.39
7/28/1992	515.74	1,469.8	781.1	0.42
7/29/1992	515.71	1,350.1	1,388.0	0.00
7/30/1992	515.18	775.6	2,157.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
7/31/1992	515.36	954.3	726.1	0.25
8/1/1992	516.50	4,782.3	1,703.0	0.51
8/2/1992	516.31	4,653.5	4,578.8	0.00
8/3/1992	515.32	2,484.6	5,306.1	0.00
8/4/1992	515.00	1,614.1	2,852.3	0.10
8/5/1992	515.08	1,173.6	1,044.3	0.00
8/6/1992	515.12	950.0	816.9	0.00
8/7/1992	515.12	837.0	817.0	0.00
8/8/1992	515.14	829.9	817.0	0.53
8/9/1992	515.10	757.8	817.0	0.22
8/10/1992	515.04	653.8	816.6	0.00
8/11/1992	515.12	539.3	361.5	0.00
8/12/1992	515.18	460.4	266.0	0.00
8/13/1992	515.22	390.5	266.9	0.00
8/14/1992	515.32	506.4	267.0	0.36
8/15/1992	515.36	628.0	473.9	1.10
8/16/1992	515.29	451.8	598.0	0.00
8/17/1992	515.22	385.1	597.1	0.00
8/18/1992	515.12	302.8	597.0	0.00
8/19/1992	515.11	326.4	403.9	0.00
8/20/1992	515.11	286.5	266.0	0.00
8/21/1992	515.11	269.8	266.0	0.00
8/22/1992	515.13	321.8	266.0	0.00
8/23/1992	515.13	267.9	266.0	0.00
8/24/1992	515.14	293.9	266.0	0.16
8/25/1992	515.13	256.8	266.0	0.15
8/26/1992	515.13	246.0	266.4	0.00
8/27/1992	515.12	249.7	266.4	0.00
8/28/1992	515.18	414.2	266.4	1.11
8/29/1992	515.18	292.4	266.5	0.00
8/30/1992	515.23	368.3	266.5	0.00
8/31/1992	515.23	307.2	266.6	0.00
9/1/1992	515.23	264.8	266.6	0.00
9/2/1992	515.22	238.9	266.6	0.11
9/3/1992	515.22	261.8	266.6	0.27
9/4/1992	515.22	195.6	188.9	0.00
9/5/1992	515.23	294.4	266.6	0.29
9/6/1992	515.22	238.9	266.6	0.05
9/7/1992	515.21	235.3	266.6	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/8/1992	515.18	199.9	266.6	0.00
9/9/1992	515.17	211.0	266.5	0.00
9/10/1992	515.13	153.7	266.4	0.14
9/11/1992	515.11	222.0	266.4	0.00
9/12/1992	515.07	128.3	266.3	0.00
9/13/1992	515.05	153.6	204.9	0.00
9/14/1992	515.04	195.5	229.3	0.00
9/15/1992	515.03	198.9	204.8	0.00
9/16/1992	515.01	148.4	213.0	0.00
9/17/1992	514.91	152.1	387.8	0.00
9/18/1992	514.83	266.3	531.3	0.15
9/19/1992	514.76	357.9	531.0	0.41
9/20/1992	514.66	196.9	530.5	0.00
9/21/1992	514.63	476.2	530.2	0.27
9/22/1992	514.69	654.5	530.1	0.89
9/23/1992	514.75	629.7	530.4	0.06
9/24/1992	514.93	1,057.6	531.1	0.00
9/25/1992	514.90	506.3	531.5	0.00
9/26/1992	514.86	453.8	531.4	0.00
9/27/1992	514.81	385.2	531.2	0.35
9/28/1992	514.75	352.4	530.9	0.00
9/29/1992	514.66	272.6	530.5	0.00
9/30/1992	514.56	243.4	530.0	0.00
10/1/1992	514.45	212.1	529.5	0.00
10/2/1992	514.33	208.4	528.9	0.00
10/3/1992	514.28	268.3	389.4	0.00
10/4/1992	514.21	308.2	528.2	0.00
10/5/1992	514.17	365.5	527.8	0.05
10/6/1992	514.09	293.1	527.5	0.00
10/7/1992	513.97	223.3	527.0	0.00
10/8/1992	513.86	211.7	526.4	0.10
10/9/1992	513.72	133.6	525.8	0.00
10/10/1992	513.58	154.1	525.1	0.00
10/11/1992	513.46	183.2	524.4	0.12
10/12/1992	513.33	138.6	523.7	0.00
10/13/1992	513.20	159.0	523.0	0.00
10/14/1992	513.06	169.2	522.4	0.00
10/15/1992	512.97	152.8	384.8	0.00
10/16/1992	512.86	103.3	521.2	0.30



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/17/1992	512.75	270.2	520.7	0.28
10/18/1992	512.60	126.9	520.0	0.00
10/19/1992	512.46	99.9	519.3	0.00
10/20/1992	512.12	45.7	901.8	0.00
10/21/1992	511.65	108.9	1,351.4	0.00
10/22/1992	511.19	158.1	1,347.5	0.00
10/23/1992	510.73	141.7	1,343.7	0.00
10/24/1992	510.27	119.9	1,339.8	0.00
10/25/1992	509.79	110.9	1,335.8	0.00
10/26/1992	509.31	82.5	1,331.2	0.00
10/27/1992	508.83	71.9	1,326.2	0.00
10/28/1992	508.35	208.5	1,321.6	0.00
10/29/1992	507.87	234.6	1,316.9	0.00
10/30/1992	507.37	29.2	1,311.8	0.00
10/31/1992	506.90	200.3	1,307.1	0.25
11/1/1992	506.41	119.2	1,302.1	0.20
11/2/1992	505.97	465.9	1,297.7	1.19
11/3/1992	505.55	127.6	1,293.4	0.00
11/4/1992	505.07	160.0	1,288.7	0.36
11/5/1992	504.60	262.5	1,284.0	0.14
11/6/1992	504.12	267.0	1,279.7	0.00
11/7/1992	503.59	69.5	1,275.4	0.00
11/8/1992	503.05	107.8	1,270.5	0.00
11/9/1992	502.52	126.7	1,265.8	0.00
11/10/1992	501.98	122.7	1,261.0	0.00
11/11/1992	501.28	201.8	1,538.4	0.20
11/12/1992	500.49	93.2	1,742.0	0.30
11/13/1992	499.85	428.8	1,733.2	0.56
11/14/1992	498.91	342.1	2,066.4	0.00
11/15/1992	497.79	487.5	2,453.8	0.00
11/16/1992	496.56	73.0	2,432.7	0.00
11/17/1992	495.24	330.8	2,412.1	0.00
11/18/1992	493.91	10.5	2,385.4	0.00
11/19/1992	492.50	123.9	2,358.2	0.00
11/20/1992	491.33	23.9	1,979.4	0.00
11/21/1992	490.84	267.3	1,195.8	0.86
11/22/1992	490.61	413.3	699.1	0.28
11/23/1992	490.96	1,117.3	699.2	0.38
11/24/1992	491.31	1,230.2	701.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/25/1992	491.52	1,020.0	702.6	0.40
11/26/1992	491.54	772.2	703.4	0.00
11/27/1992	491.50	662.3	703.4	0.00
11/28/1992	491.42	605.6	703.2	0.15
11/29/1992	491.27	472.1	702.5	0.00
11/30/1992	491.09	444.6	701.6	0.00
12/1/1992	490.89	385.4	700.6	0.16
12/2/1992	490.65	354.3	699.4	0.08
12/3/1992	490.41	341.9	698.1	0.00
12/4/1992	490.15	322.5	696.7	0.09
12/5/1992	490.06	319.1	491.4	0.00
12/6/1992	490.06	311.6	335.0	0.00
12/7/1992	490.08	320.0	282.1	0.12
12/8/1992	490.08	283.1	282.1	0.00
12/9/1992	490.09	300.7	282.2	0.00
12/10/1992	490.16	368.3	282.2	0.49
12/11/1992	490.26	430.4	282.4	0.14
12/12/1992	490.37	435.2	282.5	0.00
12/13/1992	490.48	446.5	282.7	0.00
12/14/1992	490.59	454.1	282.9	0.00
12/15/1992	490.68	419.1	283.1	0.00
12/16/1992	490.80	452.6	283.3	0.15
12/17/1992	490.81	316.8	283.5	0.00
12/18/1992	490.80	268.6	283.4	0.00
12/19/1992	490.79	269.6	283.4	0.00
12/20/1992	490.89	365.8	283.4	0.62
12/21/1992	491.06	557.3	283.7	0.00
12/22/1992	491.23	543.1	284.0	0.00
12/23/1992	491.41	538.6	284.3	0.40
12/24/1992	491.58	552.3	284.6	0.00
12/25/1992	491.67	478.1	284.9	0.00
12/26/1992	491.81	472.5	285.1	0.69
12/27/1992	491.87	401.0	285.3	0.18
12/28/1992	491.99	444.1	285.4	0.25
12/29/1992	492.15	597.8	375.0	0.00
12/30/1992	492.26	635.8	428.9	0.00
12/31/1992	492.30	607.1	516.7	0.00