



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/1993	492.34	619.6	569.2	0.14
1/2/1993	492.35	593.1	569.4	0.00
1/3/1993	492.32	532.8	569.4	0.00
1/4/1993	492.29	572.2	569.2	0.00
1/5/1993	492.99	1,440.5	569.8	0.94
1/6/1993	493.76	1,755.3	573.0	0.00
1/7/1993	493.91	1,570.1	1,060.6	0.00
1/8/1993	493.68	1,061.3	1,418.2	0.20
1/9/1993	493.37	947.7	1,415.8	0.00
1/10/1993	492.98	788.4	1,412.3	0.15
1/11/1993	492.50	773.3	1,408.1	0.12
1/12/1993	492.50	1,195.8	1,405.2	0.39
1/13/1993	492.50	1,380.2	1,404.8	0.24
1/14/1993	492.56	1,513.8	1,405.2	0.00
1/15/1993	492.50	1,341.2	1,405.4	0.00
1/16/1993	492.28	1,082.6	1,404.2	0.00
1/17/1993	492.20	940.0	1,112.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/1993	492.15	876.2	937.5	0.00
1/19/1993	492.03	779.8	936.9	0.19
1/20/1993	492.26	745.2	475.6	0.00
1/21/1993	492.64	813.3	286.2	0.75
1/22/1993	493.68	1,947.7	287.5	0.08
1/23/1993	494.00	1,596.8	964.4	0.00
1/24/1993	493.97	1,386.4	1,419.8	0.45
1/25/1993	494.10	1,618.0	1,420.3	0.00
1/26/1993	494.13	1,490.6	1,421.2	0.00
1/27/1993	493.95	1,176.0	1,420.7	0.00
1/28/1993	493.65	924.4	1,418.3	0.00
1/29/1993	493.31	855.5	1,415.2	0.00
1/30/1993	492.90	764.4	1,411.5	0.00
1/31/1993	492.40	672.9	1,407.2	0.00
2/1/1993	492.20	633.1	1,003.8	0.00
2/2/1993	492.21	621.1	674.4	0.00
2/3/1993	492.27	567.6	476.7	0.00
2/4/1993	492.31	542.2	477.0	0.00
2/5/1993	492.33	528.3	476.9	0.00
2/6/1993	492.33	476.0	477.0	0.00
2/7/1993	492.31	455.3	477.0	0.00
2/8/1993	492.28	427.5	476.9	0.00
2/9/1993	492.23	398.8	476.8	0.00
2/10/1993	492.18	407.5	476.7	0.00
2/11/1993	492.13	395.5	476.5	0.00
2/12/1993	492.38	682.9	476.5	1.33
2/13/1993	492.95	1,445.2	477.8	0.05
2/14/1993	493.27	1,030.3	479.2	0.00
2/15/1993	493.47	842.8	480.0	0.00
2/16/1993	493.50	940.0	844.5	1.00
2/17/1993	493.96	1,913.0	1,242.0	0.00
2/18/1993	494.21	1,831.2	1,420.4	0.00
2/19/1993	494.20	1,505.3	1,422.2	0.00
2/20/1993	494.01	1,134.5	1,421.4	0.00
2/21/1993	493.89	1,447.0	1,419.3	1.07
2/22/1993	497.57	6,854.4	1,434.8	0.50
2/23/1993	501.11	7,066.3	499.2	0.00
2/24/1993	503.14	5,109.4	303.5	0.00
2/25/1993	503.89	3,245.6	1,214.2	0.08

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/1993	503.18	2,072.0	3,249.7	1.91
2/27/1993	501.67	1,721.3	4,855.9	0.49
2/28/1993	500.00	1,807.2	5,008.8	0.00
3/1/1993	498.27	1,524.3	4,946.0	0.00
3/2/1993	496.45	1,541.9	4,877.5	0.00
3/3/1993	496.43	2,824.0	3,390.5	0.57
3/4/1993	497.72	4,043.1	1,929.9	0.32
3/5/1993	499.17	4,545.9	1,951.6	0.16
3/6/1993	500.22	4,153.5	1,972.2	0.00
3/7/1993	500.62	3,059.4	1,985.2	0.00
3/8/1993	500.75	2,281.8	1,989.2	0.25
3/9/1993	500.74	2,047.3	1,990.4	0.00
3/10/1993	500.89	1,844.2	1,592.7	0.00
3/11/1993	501.09	1,513.1	1,117.0	0.00
3/12/1993	501.50	1,392.1	597.5	0.00
3/13/1993	501.85	1,272.8	504.9	0.00
3/14/1993	502.11	1,045.6	505.8	0.00
3/15/1993	502.39	1,047.2	506.6	0.00
3/16/1993	502.55	935.3	507.3	0.00
3/17/1993	502.85	1,116.5	508.0	0.56
3/18/1993	503.20	1,196.2	508.9	0.00
3/19/1993	503.51	1,188.1	509.9	0.00
3/20/1993	503.72	1,002.7	510.7	0.00
3/21/1993	503.94	1,030.9	511.4	0.00
3/22/1993	504.13	940.0	512.1	0.00
3/23/1993	504.87	1,519.1	512.7	1.18
3/24/1993	506.15	3,702.7	516.0	0.06
3/25/1993	507.12	2,905.1	519.5	0.00
3/26/1993	507.75	2,082.0	522.0	0.18
3/27/1993	507.86	1,841.3	1,290.8	0.00
3/28/1993	507.78	1,417.5	1,564.0	0.00
3/29/1993	507.65	1,290.2	1,562.9	0.00
3/30/1993	507.87	1,116.7	739.6	0.00
3/31/1993	508.08	1,077.0	523.9	0.00
4/1/1993	508.35	1,198.0	524.5	0.00
4/2/1993	508.72	1,322.7	525.4	0.24
4/3/1993	509.06	1,406.1	526.5	0.00
4/4/1993	509.27	1,109.2	527.4	0.00
4/5/1993	509.46	1,007.7	528.0	0.11

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/6/1993	509.69	921.7	313.8	0.06
4/7/1993	509.98	792.7	152.2	0.00
4/8/1993	510.22	831.5	106.1	0.00
4/9/1993	510.52	753.4	93.8	0.26
4/10/1993	510.77	843.4	86.5	0.16
4/11/1993	511.01	697.8	86.7	0.00
4/12/1993	511.25	740.2	86.9	0.00
4/13/1993	511.46	649.4	87.1	0.00
4/14/1993	511.66	642.9	87.2	0.00
4/15/1993	511.89	689.1	87.4	0.41
4/16/1993	512.30	1,110.5	87.6	1.10
4/17/1993	512.70	1,215.6	88.0	0.25
4/18/1993	513.04	1,032.2	88.3	0.00
4/19/1993	513.33	875.8	88.5	0.00
4/20/1993	513.54	760.5	88.7	0.08
4/21/1993	513.77	730.9	88.9	0.00
4/22/1993	513.95	632.7	89.1	0.00
4/23/1993	514.12	572.6	89.2	0.00
4/24/1993	514.28	550.9	89.3	0.00
4/25/1993	514.46	576.3	89.5	0.15
4/26/1993	514.67	713.4	89.6	0.38
4/27/1993	514.86	654.2	89.8	0.00
4/28/1993	515.05	598.0	89.9	0.00
4/29/1993	515.19	597.0	125.9	0.00
4/30/1993	515.31	540.0	168.4	0.03
5/1/1993	515.41	464.4	168.5	0.00
5/2/1993	515.52	473.7	168.7	0.00
5/3/1993	515.62	526.6	168.9	0.12
5/4/1993	516.17	1,378.0	226.3	1.95
5/5/1993	516.03	1,910.3	1,740.7	0.00
5/6/1993	515.85	1,222.6	1,815.4	0.00
5/7/1993	515.75	865.4	1,238.1	0.00
5/8/1993	515.79	619.6	557.4	0.00
5/9/1993	515.83	571.4	382.0	0.00
5/10/1993	515.84	532.4	506.5	0.00
5/11/1993	515.82	466.7	506.5	0.00
5/12/1993	515.86	453.2	382.0	0.00
5/13/1993	515.95	580.3	338.8	0.12
5/14/1993	515.97	514.4	401.1	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/15/1993	515.97	438.3	438.3	0.00
5/16/1993	515.97	442.0	438.3	0.00
5/17/1993	516.00	499.4	438.3	0.41
5/18/1993	516.00	415.8	438.3	0.20
5/19/1993	515.95	397.5	504.3	0.00
5/20/1993	515.92	450.3	537.2	0.00
5/21/1993	515.89	463.2	537.1	0.08
5/22/1993	515.83	357.5	536.8	0.00
5/23/1993	515.75	322.0	536.5	0.00
5/24/1993	515.69	336.4	536.0	0.00
5/25/1993	515.62	328.6	535.7	0.03
5/26/1993	515.54	318.9	535.3	0.00
5/27/1993	515.47	307.4	534.8	0.00
5/28/1993	515.40	334.8	534.4	0.00
5/29/1993	515.35	425.1	534.2	0.00
5/30/1993	515.31	378.6	533.9	0.00
5/31/1993	515.31	491.1	533.6	0.66
6/1/1993	515.27	472.6	533.7	0.07
6/2/1993	515.22	368.8	533.4	0.00
6/3/1993	515.18	433.4	533.2	0.00
6/4/1993	515.14	466.4	532.9	0.04
6/5/1993	515.61	1,626.0	533.5	1.33
6/6/1993	515.69	960.8	535.6	0.00
6/7/1993	515.68	519.2	535.9	0.15
6/8/1993	515.61	367.4	535.6	0.00
6/9/1993	515.54	363.3	535.3	0.00
6/10/1993	515.83	1,258.0	535.5	1.05
6/11/1993	515.59	1,096.3	1,452.1	0.09
6/12/1993	515.00	814.5	2,553.5	0.00
6/13/1993	515.04	1,312.1	1,498.0	0.55
6/14/1993	514.91	696.7	972.0	0.00
6/15/1993	514.96	672.3	592.1	0.44
6/16/1993	515.25	1,095.1	532.1	0.00
6/17/1993	515.62	1,794.2	534.2	0.00
6/18/1993	515.52	975.1	1,048.5	0.00
6/19/1993	515.21	744.8	1,651.9	0.00
6/20/1993	515.11	839.5	1,213.3	0.00
6/21/1993	515.04	467.3	697.6	0.19
6/22/1993	515.01	442.3	563.7	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/23/1993	515.00	390.1	415.6	0.00
6/24/1993	515.00	368.9	356.0	0.00
6/25/1993	515.10	589.0	356.1	2.11
6/26/1993	515.19	622.7	356.5	0.21
6/27/1993	515.28	621.3	356.8	0.00
6/28/1993	515.35	554.7	312.5	0.00
6/29/1993	515.52	549.4	223.5	0.13
6/30/1993	515.52	717.8	509.5	0.00
7/1/1993	515.47	407.1	534.8	0.00
7/2/1993	515.44	403.4	534.6	0.05
7/3/1993	515.40	416.1	534.3	0.00
7/4/1993	515.35	404.6	534.1	0.00
7/5/1993	515.29	358.2	533.8	0.00
7/6/1993	515.22	360.6	533.5	0.00
7/7/1993	515.19	225.2	366.6	0.00
7/8/1993	515.16	177.7	266.5	0.00
7/9/1993	515.12	170.3	266.4	0.00
7/10/1993	515.08	166.4	266.3	0.00
7/11/1993	515.04	125.7	266.2	0.00
7/12/1993	515.00	142.1	266.1	0.00
7/13/1993	515.05	352.2	193.2	0.16
7/14/1993	515.04	123.7	168.1	0.10
7/15/1993	515.06	227.3	168.1	0.00
7/16/1993	515.10	245.8	168.1	0.27
7/17/1993	515.14	288.3	168.2	0.13
7/18/1993	515.17	295.8	168.2	0.00
7/19/1993	515.19	229.3	168.3	0.00
7/20/1993	515.24	271.8	168.3	0.00
7/21/1993	515.26	244.3	168.4	0.00
7/22/1993	515.26	174.0	168.4	0.00
7/23/1993	515.30	264.6	168.4	0.58
7/24/1993	515.31	260.9	168.5	0.00
7/25/1993	515.46	548.0	168.6	0.70
7/26/1993	515.44	227.8	246.7	0.00
7/27/1993	515.46	280.2	267.2	0.00
7/28/1993	515.43	222.8	267.2	0.00
7/29/1993	515.40	215.4	267.2	0.00
7/30/1993	515.35	119.2	267.1	0.00
7/31/1993	515.30	113.5	266.9	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
8/1/1993	515.25	94.9	266.8	0.00
8/2/1993	515.23	144.6	266.6	0.55
8/3/1993	515.15	135.3	266.6	0.00
8/4/1993	515.09	91.7	266.4	0.00
8/5/1993	515.04	93.3	266.2	0.00
8/6/1993	515.07	406.7	266.2	1.06
8/7/1993	515.00	18.1	266.1	0.00
8/8/1993	514.99	141.3	188.4	0.00
8/9/1993	514.99	110.2	126.2	0.00
8/10/1993	514.99	107.3	90.0	0.00
8/11/1993	514.98	51.5	78.7	0.00
8/12/1993	514.97	68.3	71.0	0.00
8/13/1993	515.01	126.3	52.0	0.20
8/14/1993	515.03	129.7	52.0	0.00
8/15/1993	515.05	88.9	52.0	0.00
8/16/1993	515.06	83.5	52.0	0.00
8/17/1993	515.07	102.0	52.0	0.00
8/18/1993	515.11	109.3	52.0	0.77
8/19/1993	515.13	151.9	52.0	0.00
8/20/1993	515.14	102.0	52.1	0.00
8/21/1993	515.15	81.7	52.1	0.00
8/22/1993	515.16	79.7	52.1	0.00
8/23/1993	515.16	55.8	52.1	0.00
8/24/1993	515.18	115.0	52.1	0.00
8/25/1993	515.25	201.8	52.1	1.03
8/26/1993	515.33	299.9	52.1	0.00
8/27/1993	515.34	126.1	52.1	0.38
8/28/1993	515.38	144.5	52.1	0.00
8/29/1993	515.39	83.6	52.2	0.00
8/30/1993	515.40	102.1	52.2	0.00
8/31/1993	515.41	87.2	52.2	0.00
9/1/1993	515.46	178.0	52.2	0.56
9/2/1993	515.50	168.6	52.2	0.12
9/3/1993	515.53	164.9	52.2	0.58
9/4/1993	515.69	535.8	88.7	1.40
9/5/1993	515.84	567.3	163.8	0.00
9/6/1993	515.90	492.6	256.5	0.00
9/7/1993	515.85	284.5	402.6	0.00
9/8/1993	515.78	227.5	437.6	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/9/1993	515.65	170.2	518.3	0.00
9/10/1993	515.52	147.1	535.4	0.00
9/11/1993	515.39	135.3	534.6	0.00
9/12/1993	515.27	199.3	533.9	0.00
9/13/1993	515.14	163.2	533.3	0.00
9/14/1993	515.08	59.1	276.8	0.00
9/15/1993	515.12	172.7	168.1	0.62
9/16/1993	515.09	370.7	334.6	0.20
9/17/1993	515.02	212.6	434.3	0.00
9/18/1993	514.98	316.7	434.0	0.00
9/19/1993	514.92	264.3	433.8	0.00
9/20/1993	514.85	246.0	433.5	0.00
9/21/1993	514.73	126.7	433.1	0.00
9/22/1993	514.62	97.3	432.6	0.00
9/23/1993	514.50	131.0	432.2	0.30
9/24/1993	514.46	213.7	431.8	0.24
9/25/1993	514.38	240.6	431.5	0.10
9/26/1993	514.28	200.5	475.8	0.53
9/27/1993	514.18	163.9	471.3	0.14
9/28/1993	514.06	104.2	430.2	0.00
9/29/1993	513.99	93.6	327.9	0.00
9/30/1993	513.92	87.4	263.3	0.00
10/1/1993	513.86	90.8	263.1	0.00
10/2/1993	513.79	51.9	263.0	0.08
10/3/1993	513.77	210.1	262.9	0.28
10/4/1993	513.70	50.0	262.7	0.00
10/5/1993	513.64	113.0	262.6	0.00
10/6/1993	513.58	90.1	262.4	0.00
10/7/1993	513.51	49.5	262.2	0.00
10/8/1993	513.45	112.5	262.1	0.00
10/9/1993	513.39	94.9	261.9	0.00
10/10/1993	513.35	126.4	261.8	0.20
10/11/1993	513.28	82.3	261.6	0.00
10/12/1993	513.20	39.8	261.5	0.09
10/13/1993	513.14	94.2	261.3	0.00
10/14/1993	513.09	118.7	261.1	0.00
10/15/1993	513.03	90.5	261.0	0.00
10/16/1993	512.97	79.4	260.8	0.00
10/17/1993	512.93	169.8	260.7	0.30

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/18/1993	512.90	149.8	260.6	0.00
10/19/1993	512.87	124.1	260.5	0.52
10/20/1993	512.93	464.3	260.5	0.90
10/21/1993	512.92	486.5	451.2	0.10
10/22/1993	513.12	1,021.9	521.8	0.00
10/23/1993	513.08	441.3	522.2	0.00
10/24/1993	512.99	286.8	521.9	0.00
10/25/1993	512.90	228.2	521.4	0.00
10/26/1993	512.23	96.7	1,751.4	0.00
10/27/1993	511.47	138.8	2,151.0	0.00
10/28/1993	510.51	72.7	2,582.8	0.00
10/29/1993	509.49	72.3	2,681.6	0.00
10/30/1993	508.47	148.4	2,662.1	0.20
10/31/1993	507.41	230.3	2,642.2	0.17
11/1/1993	506.33	40.2	2,619.6	0.00
11/2/1993	505.66	173.8	1,808.1	0.00
11/3/1993	505.06	93.7	1,535.2	0.11
11/4/1993	504.45	183.8	1,528.2	0.04
11/5/1993	503.81	315.7	1,522.4	0.00
11/6/1993	503.25	39.9	1,516.2	0.00
11/7/1993	502.64	239.0	1,510.1	0.00
11/8/1993	502.04	221.6	1,504.1	0.00
11/9/1993	501.42	267.1	1,498.2	0.00
11/10/1993	500.78	200.8	1,491.9	0.00
11/11/1993	500.18	316.9	1,485.7	0.00
11/12/1993	499.55	130.7	1,479.2	0.00
11/13/1993	498.90	266.8	1,473.1	0.25
11/14/1993	498.53	822.0	1,468.1	1.49
11/15/1993	498.91	1,823.0	1,465.8	0.95
11/16/1993	498.96	1,709.7	1,469.5	0.00
11/17/1993	498.51	1,461.5	2,209.6	1.20
11/18/1993	498.48	2,293.0	2,453.1	0.00
11/19/1993	498.41	2,321.3	2,452.8	0.00
11/20/1993	497.71	1,233.8	2,446.5	0.05
11/21/1993	497.33	901.1	1,660.2	0.00
11/22/1993	496.68	704.0	1,722.2	0.00
11/23/1993	495.99	440.0	1,683.7	0.00
11/24/1993	495.27	449.4	1,674.8	0.00
11/25/1993	494.49	218.8	1,664.8	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/26/1993	493.84	399.1	1,471.2	0.22
11/27/1993	493.17	308.6	1,415.7	0.30
11/28/1993	492.46	271.3	1,408.9	0.00
11/29/1993	491.74	311.3	1,401.6	0.00
11/30/1993	490.99	294.9	1,394.7	0.00
12/1/1993	490.52	201.2	1,041.8	0.00
12/2/1993	490.27	324.1	716.2	0.00
12/3/1993	490.13	266.2	470.6	0.21
12/4/1993	490.31	648.8	470.4	1.10
12/5/1993	491.33	2,348.3	981.9	0.70
12/6/1993	492.59	2,384.5	419.8	0.00
12/7/1993	493.51	1,839.5	287.3	0.00
12/8/1993	494.03	1,209.3	288.7	0.00
12/9/1993	493.62	694.3	1,212.3	0.00
12/10/1993	492.97	797.5	1,873.4	0.73
12/11/1993	492.45	1,071.1	1,864.3	0.00
12/12/1993	491.91	993.7	1,855.7	0.00
12/13/1993	491.22	811.0	1,846.1	0.00
12/14/1993	490.41	630.0	1,834.0	0.28
12/15/1993	490.22	783.1	1,148.3	0.23
12/16/1993	490.18	848.5	921.6	0.06
12/17/1993	490.18	794.9	818.0	0.00
12/18/1993	490.19	729.3	696.0	0.00
12/19/1993	490.15	659.9	696.0	0.00
12/20/1993	490.06	536.4	695.6	0.00
12/21/1993	490.22	616.3	405.3	0.18
12/22/1993	490.38	519.4	282.5	0.00
12/23/1993	490.53	511.3	282.8	0.00
12/24/1993	490.65	450.5	283.0	0.00
12/25/1993	490.74	444.2	283.2	0.08
12/26/1993	490.82	381.4	283.4	0.00
12/27/1993	490.89	393.6	283.5	0.00
12/28/1993	490.91	336.5	283.6	0.02
12/29/1993	491.07	507.6	283.8	0.32
12/30/1993	491.13	257.8	165.6	0.00
12/31/1993	491.18	280.8	213.0	0.00