



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/1994	491.18	305.1	284.1	0.00
1/2/1994	491.32	468.7	284.2	0.05
1/3/1994	491.53	567.5	284.5	0.00
1/4/1994	491.77	663.5	284.9	0.07
1/5/1994	492.04	673.7	285.4	0.00
1/6/1994	492.14	647.7	404.8	0.00
1/7/1994	492.98	1,380.9	476.9	1.08
1/8/1994	494.24	3,106.7	773.7	0.04
1/9/1994	495.45	2,725.0	650.9	0.00
1/10/1994	495.93	1,489.6	601.3	0.00
1/11/1994	496.02	1,169.8	967.7	0.00
1/12/1994	495.92	1,106.8	1,237.3	0.40
1/13/1994	495.77	1,196.8	1,438.7	0.00
1/14/1994	495.57	1,069.5	1,436.9	0.03
1/15/1994	494.50	810.4	2,411.9	0.00
1/16/1994	492.81	609.1	3,307.7	0.00
1/17/1994	491.05	584.3	3,263.2	1.25

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/1994	490.39	802.2	1,924.8	0.24
1/19/1994	490.31	584.1	697.0	0.00
1/20/1994	490.25	480.4	593.0	0.00
1/21/1994	490.30	531.9	470.8	0.00
1/22/1994	490.30	490.3	470.9	0.00
1/23/1994	490.29	458.9	470.9	0.00
1/24/1994	490.35	582.1	470.9	0.00
1/25/1994	491.26	1,837.9	472.1	0.35
1/26/1994	493.77	5,008.5	1,269.4	0.53
1/27/1994	496.15	5,399.9	716.5	0.46
1/28/1994	500.51	7,465.4	296.7	1.17
1/29/1994	503.80	7,541.1	303.7	0.07
1/30/1994	506.15	5,506.1	308.7	0.00
1/31/1994	507.38	3,522.1	312.1	0.00
2/1/1994	507.32	2,069.3	2,029.1	0.00
2/2/1994	506.07	1,584.1	4,375.6	0.00
2/3/1994	504.20	1,270.6	5,548.5	0.00
2/4/1994	502.13	1,225.0	5,606.5	0.00
2/5/1994	499.98	1,052.2	5,524.8	0.00
2/6/1994	497.66	1,125.9	5,440.8	0.00
2/7/1994	495.16	867.4	5,344.3	0.00
2/8/1994	492.78	891.6	4,804.2	0.00
2/9/1994	491.45	1,401.1	3,777.7	1.26
2/10/1994	492.38	2,975.9	1,582.0	0.25
2/11/1994	493.71	2,727.9	627.2	0.00
2/12/1994	495.57	3,331.6	290.1	0.00
2/13/1994	497.74	4,137.1	293.8	0.00
2/14/1994	499.75	4,209.7	297.6	0.00
2/15/1994	501.30	3,396.1	300.9	0.00
2/16/1994	502.41	2,550.3	303.3	0.00
2/17/1994	502.00	1,827.9	2,449.3	0.00
2/18/1994	500.42	1,392.1	4,585.5	0.00
2/19/1994	498.25	1,267.3	5,477.9	0.00
2/20/1994	495.73	1,410.7	5,823.7	0.00
2/21/1994	494.20	2,386.4	5,140.1	1.13
2/22/1994	494.77	2,485.1	1,637.0	0.00
2/23/1994	496.64	4,604.2	1,533.9	1.45
2/24/1994	499.67	6,113.8	549.0	0.00
2/25/1994	502.13	5,279.7	301.6	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/1994	503.41	3,180.0	304.9	0.00
2/27/1994	503.66	1,938.1	1,266.3	0.00
2/28/1994	502.65	1,370.7	3,462.8	0.00
3/1/1994	501.13	1,392.1	4,445.9	0.12
3/2/1994	499.60	1,357.2	4,494.9	0.30
3/3/1994	497.80	1,248.6	4,701.2	0.07
3/4/1994	496.47	1,442.1	3,893.7	0.00
3/5/1994	494.55	795.5	4,188.5	0.00
3/6/1994	490.92	745.2	6,244.9	0.00
3/7/1994	490.41	1,420.2	2,435.5	0.00
3/8/1994	490.90	1,988.2	1,454.2	1.53
3/9/1994	492.10	5,036.6	2,943.9	1.20
3/10/1994	498.80	11,454.2	840.2	1.35
3/11/1994	503.26	9,483.6	301.2	0.00
3/12/1994	506.83	8,638.2	309.3	0.00
3/13/1994	509.15	6,125.4	314.5	0.00
3/14/1994	510.39	3,506.2	317.5	0.10
3/15/1994	510.55	2,481.0	1,766.0	0.00
3/16/1994	510.17	2,242.6	3,208.8	0.00
3/17/1994	509.61	1,763.1	3,198.2	0.00
3/18/1994	508.97	1,711.0	3,185.8	0.05
3/19/1994	508.25	1,240.7	3,170.2	0.00
3/20/1994	507.44	1,262.1	3,153.4	0.00
3/21/1994	506.58	988.4	3,134.9	0.05
3/22/1994	506.09	1,207.5	2,388.8	0.00
3/23/1994	506.02	1,164.7	1,387.0	0.00
3/24/1994	506.20	986.4	650.7	0.00
3/25/1994	506.42	953.4	356.7	0.06
3/26/1994	506.68	933.9	259.8	0.10
3/27/1994	507.80	2,573.1	260.5	2.01
3/28/1994	510.10	6,171.1	263.3	0.87
3/29/1994	512.12	5,542.1	267.1	0.03
3/30/1994	513.57	4,327.7	270.6	0.00
3/31/1994	514.46	2,918.0	273.0	0.20
4/1/1994	515.00	2,137.1	553.0	0.00
4/2/1994	514.74	1,796.5	2,346.5	0.00
4/3/1994	514.26	1,842.3	3,031.5	0.00
4/4/1994	513.55	1,376.6	3,526.4	0.33
4/5/1994	512.58	1,393.4	4,103.1	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/6/1994	511.56	1,383.4	4,078.3	0.40
4/7/1994	511.31	2,005.8	2,884.6	0.25
4/8/1994	511.40	1,844.6	1,658.7	0.00
4/9/1994	511.56	1,550.6	1,090.3	0.00
4/10/1994	511.68	1,517.7	1,091.4	0.00
4/11/1994	512.51	2,962.8	746.3	1.29
4/12/1994	514.17	4,919.8	543.2	0.66
4/13/1994	515.40	4,102.1	548.8	0.10
4/14/1994	516.33	3,448.6	553.4	0.00
4/15/1994	516.00	2,222.8	2,874.1	0.00
4/16/1994	515.66	3,264.5	4,450.5	0.89
4/17/1994	515.90	3,125.8	2,525.9	0.00
4/18/1994	516.60	2,506.7	516.1	0.00
4/19/1994	516.00	1,592.1	2,973.5	0.00
4/20/1994	515.26	1,702.4	3,932.4	0.00
4/21/1994	515.17	1,487.0	1,998.7	0.00
4/22/1994	515.14	1,064.3	1,116.0	0.00
4/23/1994	515.08	960.6	1,115.8	0.00
4/24/1994	515.03	962.1	1,115.4	0.00
4/25/1994	514.94	869.8	1,114.9	0.00
4/26/1994	514.91	804.9	918.0	0.00
4/27/1994	514.94	778.8	702.6	0.20
4/28/1994	514.95	687.1	627.5	0.11
4/29/1994	514.94	686.8	719.2	0.00
4/30/1994	515.04	963.4	719.4	0.68
5/1/1994	515.06	921.8	887.6	0.45
5/2/1994	515.05	940.1	912.8	0.00
5/3/1994	515.07	809.3	728.8	0.00
5/4/1994	515.06	788.6	832.9	0.40
5/5/1994	514.96	561.3	832.6	0.00
5/6/1994	514.97	578.8	596.9	0.00
5/7/1994	514.97	573.2	549.9	0.00
5/8/1994	514.99	611.4	549.9	0.24
5/9/1994	515.04	675.1	550.0	0.00
5/10/1994	515.07	655.6	550.2	0.00
5/11/1994	515.08	574.3	550.3	0.00
5/12/1994	515.06	492.7	550.3	0.00
5/13/1994	515.09	515.7	439.6	0.00
5/14/1994	515.13	537.2	400.4	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/15/1994	515.29	831.9	400.7	0.86
5/16/1994	515.32	872.9	724.3	0.34
5/17/1994	515.60	1,135.7	402.8	0.00
5/18/1994	515.80	852.1	267.9	0.00
5/19/1994	515.93	706.9	268.4	0.00
5/20/1994	516.00	552.6	351.3	0.00
5/21/1994	516.05	567.8	401.1	0.00
5/22/1994	516.05	476.3	456.5	0.00
5/23/1994	516.07	512.8	471.1	0.00
5/24/1994	516.09	547.0	471.2	0.00
5/25/1994	516.08	456.0	471.2	0.00
5/26/1994	516.20	716.8	471.3	0.30
5/27/1994	516.18	569.9	527.5	0.08
5/28/1994	516.16	496.9	538.6	0.00
5/29/1994	516.13	441.9	538.4	0.00
5/30/1994	516.07	358.2	538.1	0.00
5/31/1994	516.01	373.3	537.9	0.00
6/1/1994	515.94	310.2	537.5	0.00
6/2/1994	515.87	359.6	537.1	0.00
6/3/1994	515.86	475.8	536.9	0.24
6/4/1994	515.79	327.7	536.6	0.00
6/5/1994	515.71	299.6	536.2	0.00
6/6/1994	515.63	299.1	535.7	0.22
6/7/1994	515.54	294.9	535.3	0.00
6/8/1994	515.48	359.3	534.9	0.45
6/9/1994	515.45	399.7	534.6	0.07
6/10/1994	515.35	321.7	534.3	0.00
6/11/1994	515.27	275.0	533.8	0.00
6/12/1994	515.19	274.6	533.3	0.00
6/13/1994	515.10	262.6	532.9	0.00
6/14/1994	515.06	201.4	347.2	0.00
6/15/1994	515.04	206.4	266.1	0.00
6/16/1994	515.03	194.9	220.1	0.00
6/17/1994	515.02	190.8	200.1	0.00
6/18/1994	515.04	209.2	200.0	0.00
6/19/1994	515.04	249.9	200.1	0.00
6/20/1994	515.03	170.6	200.1	0.00
6/21/1994	515.02	172.3	200.0	0.00
6/22/1994	515.01	188.9	200.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/23/1994	514.99	140.1	200.0	0.00
6/24/1994	515.00	132.1	112.9	0.15
6/25/1994	515.05	212.0	90.0	0.17
6/26/1994	515.07	162.2	90.1	0.00
6/27/1994	515.16	345.3	90.1	0.95
6/28/1994	515.18	169.6	90.2	0.00
6/29/1994	515.21	158.7	90.2	0.00
6/30/1994	515.24	177.0	90.2	0.00
7/1/1994	515.26	147.6	90.2	0.00
7/2/1994	515.26	112.5	90.3	0.00
7/3/1994	515.27	118.0	90.3	0.00
7/4/1994	515.27	92.1	90.3	0.00
7/5/1994	515.28	118.0	90.3	0.00
7/6/1994	515.28	90.3	90.3	0.00
7/7/1994	515.28	94.0	90.3	0.00
7/8/1994	515.29	136.4	90.3	0.04
7/9/1994	515.30	84.7	90.3	0.19
7/10/1994	515.34	205.0	90.3	0.34
7/11/1994	515.36	147.5	90.3	0.00
7/12/1994	515.37	121.8	90.4	0.00
7/13/1994	515.38	138.5	90.4	0.00
7/14/1994	515.38	97.8	90.4	0.06
7/15/1994	515.43	217.9	90.4	0.33
7/16/1994	515.51	265.4	90.5	1.05
7/17/1994	515.50	279.5	219.5	0.25
7/18/1994	515.47	156.3	267.4	0.00
7/19/1994	515.42	139.8	267.3	0.00
7/20/1994	515.37	121.1	267.1	0.00
7/21/1994	515.32	148.7	267.0	0.00
7/22/1994	515.32	261.4	266.9	0.60
7/23/1994	515.31	196.6	266.9	0.75
7/24/1994	515.28	215.1	266.9	0.00
7/25/1994	515.25	133.6	266.7	0.00
7/26/1994	515.18	104.0	266.6	0.00
7/27/1994	515.14	126.0	266.5	0.17
7/28/1994	515.09	120.2	266.3	0.00
7/29/1994	515.07	109.0	181.8	0.00
7/30/1994	515.05	75.6	131.1	0.00
7/31/1994	515.05	131.1	131.1	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
8/1/1994	515.04	121.8	131.1	0.00
8/2/1994	515.04	108.9	131.0	0.00
8/3/1994	515.03	101.6	131.0	0.00
8/4/1994	515.02	118.7	131.0	0.00
8/5/1994	515.15	385.4	71.8	0.99
8/6/1994	515.19	209.2	52.1	0.00
8/7/1994	515.23	150.1	52.1	0.00
8/8/1994	515.26	160.5	52.1	0.00
8/9/1994	515.26	133.7	120.1	0.00
8/10/1994	515.24	141.7	200.5	0.00
8/11/1994	515.23	142.4	168.8	0.00
8/12/1994	515.22	122.0	131.3	0.00
8/13/1994	515.22	109.1	131.3	0.00
8/14/1994	515.21	111.1	131.3	0.00
8/15/1994	515.28	286.5	131.3	0.29
8/16/1994	515.27	181.3	131.3	0.00
8/17/1994	515.25	92.5	131.3	0.00
8/18/1994	515.24	81.3	131.3	0.00
8/19/1994	515.23	101.7	131.3	0.00
8/20/1994	515.22	105.4	131.3	0.00
8/21/1994	515.23	157.2	131.3	0.20
8/22/1994	515.22	103.5	131.3	0.00
8/23/1994	515.21	103.7	131.3	0.00
8/24/1994	515.20	101.6	131.2	0.00
8/25/1994	515.19	101.6	131.2	0.00
8/26/1994	515.18	101.6	131.2	0.00
8/27/1994	515.18	110.9	131.2	0.00
8/28/1994	515.17	123.8	131.2	0.00
8/29/1994	515.21	171.9	131.2	0.32
8/30/1994	515.24	275.4	131.3	0.09
8/31/1994	515.23	123.9	131.3	0.00
9/1/1994	515.23	131.3	131.3	0.00
9/2/1994	515.23	129.4	131.3	0.08
9/3/1994	515.21	90.6	131.3	0.00
9/4/1994	515.18	42.5	131.2	0.00
9/5/1994	515.15	60.9	131.2	0.00
9/6/1994	515.22	321.6	131.2	1.02
9/7/1994	515.21	81.5	131.3	0.00
9/8/1994	515.19	92.4	131.2	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/9/1994	515.17	70.2	131.2	0.00
9/10/1994	515.15	53.6	131.2	0.00
9/11/1994	515.13	92.3	131.2	0.00
9/12/1994	515.12	79.3	131.2	0.00
9/13/1994	515.10	71.9	131.1	0.00
9/14/1994	515.07	64.7	131.1	0.00
9/15/1994	515.06	77.0	131.1	0.00
9/16/1994	515.00	72.1	232.3	0.00
9/17/1994	514.94	97.8	265.9	0.10
9/18/1994	514.91	175.6	265.8	0.20
9/19/1994	514.84	105.3	265.7	0.00
9/20/1994	514.77	41.0	265.5	0.00
9/21/1994	514.70	60.7	265.3	0.00
9/22/1994	514.62	39.8	265.1	0.00
9/23/1994	514.56	131.5	265.0	0.00
9/24/1994	514.59	397.6	341.6	1.83
9/25/1994	514.51	206.0	432.1	0.07
9/26/1994	514.43	78.2	355.1	0.00
9/27/1994	514.42	228.4	264.5	0.60
9/28/1994	514.37	118.4	264.4	0.00
9/29/1994	514.31	92.2	264.3	0.00
9/30/1994	514.30	107.9	166.8	0.00
10/1/1994	514.24	93.9	219.9	0.00
10/2/1994	514.18	53.0	263.9	0.00
10/3/1994	514.12	106.1	263.8	0.00
10/4/1994	514.05	61.7	263.6	0.00
10/5/1994	513.97	58.3	263.4	0.00
10/6/1994	513.90	67.2	263.3	0.00
10/7/1994	513.84	69.6	263.1	0.00
10/8/1994	513.77	70.4	262.9	0.00
10/9/1994	513.74	139.5	262.7	0.66
10/10/1994	513.69	191.5	262.7	0.00
10/11/1994	513.61	59.4	262.5	0.00
10/12/1994	513.53	47.8	262.3	0.00
10/13/1994	513.55	239.3	262.2	1.14
10/14/1994	513.53	258.6	262.2	0.15
10/15/1994	513.48	117.9	262.1	0.00
10/16/1994	513.42	94.9	262.0	0.00
10/17/1994	513.36	77.9	261.8	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/18/1994	513.02	13.6	853.6	0.00
10/19/1994	512.72	139.5	1,100.1	0.63
10/20/1994	512.36	171.0	1,097.9	0.40
10/21/1994	511.98	99.6	1,095.4	0.00
10/22/1994	511.63	113.4	1,092.7	0.27
10/23/1994	511.26	149.2	1,090.3	0.00
10/24/1994	510.88	38.1	1,087.6	0.00
10/25/1994	510.47	50.0	1,084.9	0.00
10/26/1994	510.06	9.0	1,082.1	0.00
10/27/1994	509.55	2.5	1,269.9	0.00
10/28/1994	509.02	17.7	1,328.4	0.00
10/29/1994	508.50	64.0	1,323.0	0.00
10/30/1994	507.95	6.9	1,317.6	0.00
10/31/1994	507.41	23.1	1,312.2	0.06
11/1/1994	506.85	6.0	1,306.6	0.04
11/2/1994	506.31	30.2	1,301.3	0.00
11/3/1994	505.73	43.7	1,295.8	0.00
11/4/1994	505.18	0.0	1,290.1	0.00
11/5/1994	504.62	9.7	1,284.4	0.00
11/6/1994	504.07	68.5	1,279.3	0.49
11/7/1994	503.53	124.3	1,274.6	0.00
11/8/1994	502.98	57.5	1,269.7	0.00
11/9/1994	502.32	12.7	1,264.4	0.00
11/10/1994	501.82	126.6	1,259.1	0.52
11/11/1994	501.19	1.3	1,254.2	0.00
11/12/1994	500.58	21.5	1,248.3	0.00
11/13/1994	499.97	62.9	1,243.0	0.00
11/14/1994	499.33	20.0	1,237.3	0.00
11/15/1994	498.70	77.1	1,231.7	0.00
11/16/1994	498.07	60.3	1,226.5	0.21
11/17/1994	497.41	1.2	1,220.1	0.00
11/18/1994	496.72	5.0	1,214.1	0.00
11/19/1994	496.08	21.2	1,043.7	0.00
11/20/1994	495.64	207.3	967.6	0.00
11/21/1994	495.08	6.9	963.3	0.25
11/22/1994	494.55	50.7	958.8	0.00
11/23/1994	493.96	45.9	954.7	0.00
11/24/1994	493.38	0.0	949.8	0.00
11/25/1994	492.78	8.3	944.9	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/26/1994	492.20	31.9	940.3	0.00
11/27/1994	491.63	58.3	935.5	0.95
11/28/1994	491.32	431.9	931.9	0.75
11/29/1994	490.89	342.2	929.3	0.00
11/30/1994	490.39	195.4	925.7	0.00
12/1/1994	490.16	180.4	583.9	0.00
12/2/1994	490.07	143.1	303.8	0.00
12/3/1994	490.05	165.9		0.00
12/4/1994	490.08	204.0	141.1	0.25
12/5/1994	490.46	660.2	141.2	0.83
12/6/1994	490.84	663.4	141.5	0.03
12/7/1994	491.09	532.3	141.8	0.00
12/8/1994	491.30	465.2	142.1	0.00
12/9/1994	491.40	342.0	142.2	0.08
12/10/1994	491.89	929.2	142.4	1.16
12/11/1994	494.11	3,475.0	143.6	0.80
12/12/1994	495.27	2,106.0	145.1	0.00
12/13/1994	494.97	1,228.6	1,493.8	0.00
12/14/1994	494.02	660.7	2,198.6	0.00
12/15/1994	492.82	510.2	2,361.2	0.00
12/16/1994	492.18	413.5	1,562.3	0.15
12/17/1994	492.27	705.0	669.4	0.58
12/18/1994	492.37	660.6	476.9	0.00
12/19/1994	492.47	628.3	477.2	0.00
12/20/1994	492.48	512.0	477.4	0.00
12/21/1994	492.46	441.8	477.4	0.00
12/22/1994	492.39	377.6	477.3	0.08
12/23/1994	492.31	361.5	477.1	0.03
12/24/1994	492.23	345.5	476.8	0.00
12/25/1994	492.10	272.1	476.5	0.00
12/26/1994	491.97	281.4	476.1	0.00
12/27/1994	491.82	255.7	475.8	0.00
12/28/1994	491.74	223.2	356.5	0.00
12/29/1994	491.79	235.9	196.0	0.00
12/30/1994	491.84	229.6	142.6	0.00
12/31/1994	491.88	214.4	142.7	0.00