



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/1995	491.93	207.7	142.7	0.08
1/2/1995	491.96	196.3	142.8	0.08
1/3/1995	491.96	142.8	142.8	0.00
1/4/1995	491.95	128.4	142.8	0.00
1/5/1995	491.94	125.5	142.7	0.00
1/6/1995	491.91	218.3	142.7	0.00
1/7/1995	493.93	2,457.7	143.2	1.95
1/8/1995	495.35	3,077.4	145.1	0.00
1/9/1995	496.29	1,885.8	146.2	0.00
1/10/1995	496.72	1,019.3	146.8	0.00
1/11/1995	496.12	618.6	1,502.2	0.03
1/12/1995	495.44	700.6	1,913.1	0.24
1/13/1995	494.75	732.6	1,902.8	0.00
1/14/1995	494.14	811.3	1,891.0	0.50
1/15/1995	494.79	2,882.7	1,890.1	0.52
1/16/1995	495.47	3,004.5	1,901.1	0.10
1/17/1995	495.67	2,365.7	1,909.2	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/1995	495.46	1,645.1	1,909.9	0.00
1/19/1995	495.08	1,236.8	1,905.3	0.37
1/20/1995	494.69	1,251.3	1,899.3	0.14
1/21/1995	494.14	936.7	1,892.2	0.00
1/22/1995	493.50	839.9	1,881.9	0.00
1/23/1995	492.78	689.2	1,870.9	0.00
1/24/1995	492.60	771.6	1,134.8	0.00
1/25/1995	492.69	630.0	477.9	0.00
1/26/1995	492.76	594.7	478.2	0.00
1/27/1995	492.78	510.9	478.3	0.00
1/28/1995	492.82	556.7	478.4	0.38
1/29/1995	493.16	977.4	478.9	0.00
1/30/1995	493.49	1,004.0	479.8	0.00
1/31/1995	493.80	957.1	480.8	0.00
2/1/1995	493.43	697.5	1,170.8	0.00
2/2/1995	492.97	734.2	1,412.6	0.00
2/3/1995	492.43	553.4	1,407.8	0.00
2/4/1995	492.37	597.9	824.6	0.05
2/5/1995	492.44	583.9	477.2	0.00
2/6/1995	492.45	512.9	477.3	0.00
2/7/1995	492.44	459.5	477.3	0.00
2/8/1995	492.40	423.0	477.3	0.03
2/9/1995	492.34	382.3	477.1	0.00
2/10/1995	492.28	383.1	476.9	0.05
2/11/1995	492.23	394.8	476.8	0.00
2/12/1995	492.14	346.3	476.6	0.00
2/13/1995	492.17	346.4	325.6	0.00
2/14/1995	492.18	306.6	285.9	0.00
2/15/1995	492.25	799.8	286.0	1.90
2/16/1995	497.36	7,579.4	290.0	1.39
2/17/1995	501.20	7,849.2	298.0	0.09
2/18/1995	503.35	5,053.8	303.6	0.00
2/19/1995	504.52	3,288.0	306.8	0.00
2/20/1995	504.36	1,928.8	1,869.1	0.00
2/21/1995	503.23	1,522.1	3,890.4	0.00
2/22/1995	501.91	1,436.0	4,073.9	0.00
2/23/1995	500.46	1,084.0	4,032.8	0.00
2/24/1995	498.97	1,016.8	3,987.7	0.00
2/25/1995	497.28	840.9	3,937.6	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/1995	495.28	316.9	3,879.1	0.00
2/27/1995	493.53	783.3	3,821.4	0.00
2/28/1995	492.28	661.5	2,860.0	0.00
3/1/1995	492.08	621.2	1,081.3	0.00
3/2/1995	492.00	577.0	706.3	0.00
3/3/1995	492.03	528.4	504.8	0.02
3/4/1995	492.04	492.9	476.1	0.00
3/5/1995	492.07	520.6	476.1	0.38
3/6/1995	492.29	720.3	476.3	0.52
3/7/1995	492.65	1,138.8	477.2	0.13
3/8/1995	494.50	2,713.3	479.0	1.50
3/9/1995	497.07	5,228.5	486.3	0.00
3/10/1995	499.33	4,677.1	494.0	0.00
3/11/1995	500.66	3,432.2	499.5	0.00
3/12/1995	501.41	2,146.0	502.8	0.00
3/13/1995	501.95	1,705.4	504.8	0.00
3/14/1995	502.15	1,382.8	882.5	0.00
3/15/1995	502.21	1,197.6	1,017.4	0.00
3/16/1995	502.22	1,048.1	1,017.7	0.00
3/17/1995	502.35	943.4	719.4	0.00
3/18/1995	502.51	870.3	507.2	0.00
3/19/1995	502.62	747.5	507.7	0.00
3/20/1995	502.68	633.8	507.9	0.00
3/21/1995	502.84	839.5	508.2	0.70
3/22/1995	502.94	719.6	508.6	0.00
3/23/1995	503.15	708.0	307.5	0.00
3/24/1995	503.31	572.2	254.8	0.00
3/25/1995	502.48	199.0	158.8	0.00
3/26/1995	503.66	2,514.4	102.0	0.00
3/27/1995	503.91	499.2	102.2	0.48
3/28/1995	504.10	640.4	102.4	0.00
3/29/1995	504.27	527.6	102.5	0.00
3/30/1995	504.47	474.1	58.3	0.00
3/31/1995	504.65	447.6	46.7	0.00
4/1/1995	504.81	418.4	46.8	0.00
4/2/1995	504.96	381.0	46.9	0.00
4/3/1995	505.10	363.3	47.0	0.00
4/4/1995	505.23	341.8	47.1	0.00
4/5/1995	505.32	278.6	47.2	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/6/1995	505.48	392.2	47.2	0.00
4/7/1995	505.58	294.5	47.3	0.00
4/8/1995	505.69	299.0	47.4	0.00
4/9/1995	505.79	290.4	47.4	0.00
4/10/1995	505.98	474.7	47.5	0.26
4/11/1995	506.09	330.0	47.6	0.00
4/12/1995	506.33	503.5	47.7	0.76
4/13/1995	506.58	664.5	47.8	0.00
4/14/1995	506.75	514.2	48.0	0.00
4/15/1995	506.90	415.4	48.1	0.00
4/16/1995	507.03	355.9	48.2	0.00
4/17/1995	507.17	410.3	48.2	0.09
4/18/1995	507.60	1,017.8	48.4	0.81
4/19/1995	507.79	513.7	48.6	0.00
4/20/1995	508.06	741.6	48.7	0.74
4/21/1995	509.42	2,756.7	49.1	1.18
4/22/1995	510.67	3,664.2	49.9	0.00
4/23/1995	511.47	2,212.1	50.4	0.00
4/24/1995	512.27	2,169.3	50.7	0.75
4/25/1995	513.03	2,226.3	51.0	0.00
4/26/1995	513.60	1,678.1	51.3	0.00
4/27/1995	513.98	1,176.2	51.5	0.00
4/28/1995	514.30	1,037.9	51.6	0.00
4/29/1995	514.56	825.3	51.8	0.00
4/30/1995	514.79	756.1	51.9	0.18
5/1/1995	515.00	983.8	300.8	0.00
5/2/1995	515.76	1,952.8	52.1	1.46
5/3/1995	516.21	1,921.8	416.2	0.00
5/4/1995	516.52	1,517.1	539.4	0.00
5/5/1995	516.34	1,017.3	1,290.4	0.10
5/6/1995	516.06	756.2	1,662.5	0.00
5/7/1995	515.70	569.8	1,658.4	0.00
5/8/1995	515.36	648.2	1,653.9	0.00
5/9/1995	515.20	939.1	1,405.7	1.27
5/10/1995	516.32	4,493.1	1,452.2	1.02
5/11/1995	517.00	3,134.3	1,120.6	0.00
5/12/1995	517.41	1,992.1	558.7	0.00
5/13/1995	517.13	1,250.4	1,681.7	0.00
5/14/1995	519.35	5,247.0	1,341.6	2.55

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/15/1995	522.82	12,679.4	321.3	0.10
5/16/1995	525.29	10,279.4	292.3	0.00
5/17/1995	527.44	9,119.0	296.7	0.93
5/18/1995	530.01	10,061.3	300.2	1.52
5/19/1995	533.70	15,383.9	304.8	1.95
5/20/1995	536.15	11,404.9	55.1	0.00
5/21/1995	538.21	10,054.8	0.0	0.00
5/22/1995	539.27	6,698.5	0.0	0.00
5/23/1995	539.81	2,916.1	0.0	0.00
5/24/1995	539.63	1,969.2	2,273.9	0.00
5/25/1995	539.17	1,504.4	3,750.3	0.00
5/26/1995	538.70	1,407.1	3,742.1	0.00
5/27/1995	538.18	1,352.9	3,733.7	0.00
5/28/1995	537.64	906.1	3,723.4	0.25
5/29/1995	537.20	1,726.3	3,715.4	0.40
5/30/1995	536.65	1,024.9	3,706.5	0.00
5/31/1995	535.60	722.6	5,276.6	0.00
6/1/1995	534.21	788.1	7,055.6	0.24
6/2/1995	532.80	818.9	7,279.8	0.48
6/3/1995	531.58	1,151.7	6,386.4	0.15
6/4/1995	531.42	869.3	2,246.8	0.00
6/5/1995	530.62	711.6	3,710.3	0.00
6/6/1995	529.29	667.5	5,808.9	0.00
6/7/1995	527.79	548.4	6,395.8	0.62
6/8/1995	526.14	606.4	6,921.6	0.00
6/9/1995	524.62	899.2	6,574.2	0.18
6/10/1995	523.20	746.4	5,784.8	0.15
6/11/1995	521.70	342.6	5,739.6	0.00
6/12/1995	520.25	774.1	5,695.3	0.56
6/13/1995	518.76	811.9	5,650.9	0.00
6/14/1995	517.21	596.5	5,602.2	0.00
6/15/1995	516.13	679.3	4,183.3	0.00
6/16/1995	515.50	485.6	2,600.7	0.00
6/17/1995	515.27	353.7	1,253.8	0.00
6/18/1995	515.18	576.0	763.0	0.00
6/19/1995	515.15	303.4	413.0	0.00
6/20/1995	515.22	469.0	330.4	0.32
6/21/1995	515.22	417.4	330.5	0.00
6/22/1995	515.40	754.8	330.6	0.26

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/23/1995	515.31	385.3	521.1	0.00
6/24/1995	515.20	255.8	551.1	0.00
6/25/1995	515.21	394.2	413.1	0.51
6/26/1995	515.26	456.2	330.5	0.15
6/27/1995	515.29	434.1	330.7	0.00
6/28/1995	515.29	327.0	330.7	0.00
6/29/1995	515.26	264.2	330.7	0.00
6/30/1995	515.25	278.8	330.6	0.10
7/1/1995	515.23	273.2	330.6	0.06
7/2/1995	515.21	286.2	330.5	0.00
7/3/1995	515.17	193.7	330.5	0.00
7/4/1995	515.13	254.7	330.4	0.11
7/5/1995	515.32	681.6	330.4	1.20
7/6/1995	515.56	1,096.3	331.0	0.06
7/7/1995	515.91	1,278.3	331.7	0.08
7/8/1995	516.04	831.7	296.0	0.00
7/9/1995	516.06	399.6	268.9	0.00
7/10/1995	516.19	508.2	269.0	0.00
7/11/1995	515.92	443.6	986.9	0.00
7/12/1995	515.64	273.3	1,105.3	0.00
7/13/1995	515.33	221.0	1,102.9	0.00
7/14/1995	515.34	432.2	579.8	0.00
7/15/1995	515.34	285.5	267.0	0.00
7/16/1995	515.34	254.0	266.9	0.00
7/17/1995	515.38	379.7	267.0	0.00
7/18/1995	515.38	281.9	267.1	0.00
7/19/1995	515.35	180.1	267.0	0.00
7/20/1995	515.32	200.5	267.0	0.00
7/21/1995	515.30	209.5	266.9	0.00
7/22/1995	515.29	233.5	266.8	0.00
7/23/1995	515.27	191.1	266.8	0.00
7/24/1995	515.30	342.5	266.8	0.00
7/25/1995	515.29	246.5	266.8	0.65
7/26/1995	515.33	376.1	266.9	0.44
7/27/1995	515.32	235.4	266.9	0.00
7/28/1995	515.30	205.8	266.9	0.00
7/29/1995	515.26	172.6	266.8	0.00
7/30/1995	515.24	203.8	266.7	0.00
7/31/1995	515.19	122.4	266.6	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
8/1/1995	515.15	150.0	266.5	0.00
8/2/1995	515.12	172.1	266.4	0.00
8/3/1995	515.06	92.0	266.3	0.00
8/4/1995	515.06	147.1	181.7	0.23
8/5/1995	515.07	166.2	131.1	0.04
8/6/1995	515.20	482.4	131.2	1.45
8/7/1995	515.25	282.8	131.3	0.06
8/8/1995	515.44	686.5	131.4	0.95
8/9/1995	515.76	1,104.0	216.6	0.00
8/10/1995	516.85	3,147.8	482.5	0.41
8/11/1995	516.95	2,521.5	1,493.9	0.00
8/12/1995	516.50	1,066.6	2,204.0	0.00
8/13/1995	516.13	773.9	1,996.9	0.00
8/14/1995	515.90	538.5	1,305.0	0.00
8/15/1995	515.68	396.3	1,089.7	0.00
8/16/1995	515.42	381.9	1,087.6	0.00
8/17/1995	515.29	354.1	816.7	0.00
8/18/1995	515.22	320.8	533.5	0.00
8/19/1995	515.12	244.7	533.0	0.00
8/20/1995	515.15	355.1	321.8	0.28
8/21/1995	515.14	255.3	266.4	0.22
8/22/1995	515.11	194.2	266.4	0.00
8/23/1995	515.06	120.2	266.2	0.00
8/24/1995	515.01	141.4	266.1	0.00
8/25/1995	515.02	173.8	180.3	0.00
8/26/1995	515.03	195.8	168.0	0.00
8/27/1995	515.03	166.2	168.0	0.00
8/28/1995	515.01	129.3	168.0	0.00
8/29/1995	515.03	117.6	95.5	0.00
8/30/1995	515.05	112.9	52.0	0.00
8/31/1995	515.08	140.8	52.0	0.40
9/1/1995	515.11	137.0	52.0	0.00
9/2/1995	515.11	72.4	52.0	0.00
9/3/1995	515.12	63.1	52.0	0.00
9/4/1995	515.15	129.8	52.0	0.00
9/5/1995	515.17	140.7	52.1	0.00
9/6/1995	515.18	102.0	52.1	0.00
9/7/1995	515.19	81.7	52.1	0.00
9/8/1995	515.21	89.1	52.1	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/9/1995	515.22	85.3	52.1	0.06
9/10/1995	515.24	127.8	52.1	0.00
9/11/1995	515.25	78.0	52.1	0.00
9/12/1995	515.25	54.0	52.1	0.00
9/13/1995	515.28	103.0	52.1	0.40
9/14/1995	515.33	253.8	111.5	0.00
9/15/1995	515.43	518.1	219.5	0.00
9/16/1995	515.36	365.0	462.9	0.00
9/17/1995	515.53	952.5	534.6	2.16
9/18/1995	515.58	657.0	535.0	0.00
9/19/1995	515.58	563.0	535.2	0.00
9/20/1995	515.48	305.8	535.0	0.00
9/21/1995	515.41	323.8	534.6	0.00
9/22/1995	515.32	264.2	534.1	0.00
9/23/1995	515.21	206.4	533.6	0.00
9/24/1995	515.08	163.2	532.9	0.00
9/25/1995	514.95	127.8	532.2	0.00
9/26/1995	514.84	196.2	531.5	0.22
9/27/1995	514.74	238.9	531.0	0.00
9/28/1995	514.61	175.2	530.3	0.00
9/29/1995	514.48	156.5	529.7	0.00
9/30/1995	514.35	172.1	529.1	0.00
10/1/1995	514.22	137.1	528.4	0.00
10/2/1995	514.11	210.4	527.7	0.00
10/3/1995	514.01	244.1	527.1	0.19
10/4/1995	514.07	655.0	527.0	1.37
10/5/1995	514.20	1,107.5	527.3	0.95
10/6/1995	516.87	7,516.3	534.9	2.03
10/7/1995	518.16	5,429.7	1,253.5	0.00
10/8/1995	518.73	3,998.8	1,690.7	0.00
10/9/1995	518.39	1,822.5	2,202.4	0.00
10/10/1995	517.83	643.9	2,794.7	0.00
10/11/1995	517.19	819.7	2,783.2	0.00
10/12/1995	516.51	761.5	2,770.5	0.00
10/13/1995	515.78	542.2	2,756.7	0.00
10/14/1995	515.03	452.1	2,741.8	0.08
10/15/1995	514.23	377.3	2,725.8	0.00
10/16/1995	513.41	509.8	2,709.3	0.00
10/17/1995	513.30	361.3	1,036.4	0.00



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/18/1995	513.18	386.6	614.4	0.00
10/19/1995	512.97	367.5	964.0	0.00
10/20/1995	512.66	288.3	1,100.1	0.12
10/21/1995	512.39	605.8	1,330.4	0.24
10/22/1995	511.95	403.0	1,612.2	0.00
10/23/1995	511.48	366.4	1,607.8	0.00
10/24/1995	511.04	379.3	1,603.0	0.15
10/25/1995	510.54	295.9	1,598.4	0.00
10/26/1995	510.05	389.7	1,593.9	0.00
10/27/1995	509.61	226.1	1,588.2	1.23
10/28/1995	509.38	1,139.6	1,584.6	0.11
10/29/1995	509.00	676.4	1,580.8	0.00
10/30/1995	508.57	499.6	1,576.2	0.00
10/31/1995	508.18	637.7	1,571.4	0.00
11/1/1995	507.88	326.1	1,093.4	0.00
11/2/1995	507.41	463.4	1,562.7	0.32
11/3/1995	506.97	471.6	1,556.9	0.05
11/4/1995	506.47	373.3	1,551.5	0.00
11/5/1995	505.92	226.2	1,545.1	0.00
11/6/1995	505.41	413.0	1,538.9	0.00
11/7/1995	505.19	792.6	1,533.2	1.17
11/8/1995	504.89	1,454.3	1,911.6	0.16
11/9/1995	504.37	819.6	2,046.0	0.00
11/10/1995	503.70	609.3	2,037.8	0.00
11/11/1995	503.18	842.5	2,028.7	0.00
11/12/1995	503.13	1,897.4	2,025.2	0.00
11/13/1995	503.00	1,643.0	2,022.9	0.38
11/14/1995	502.75	1,559.3	2,020.9	0.00
11/15/1995	502.33	1,155.3	2,016.2	0.00
11/16/1995	501.82	895.9	2,009.8	0.00
11/17/1995	501.14	716.6	2,001.8	0.00
11/18/1995	500.48	671.1	1,992.9	0.00
11/19/1995	499.79	675.5	1,983.5	0.00
11/20/1995	499.02	471.5	1,972.4	0.00
11/21/1995	498.28	526.9	1,960.6	0.00
11/22/1995	497.45	425.0	1,947.8	0.00
11/23/1995	496.75	312.6	1,713.9	0.00
11/24/1995	496.14	375.3	1,445.4	0.48
11/25/1995	495.57	498.2	1,439.5	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/26/1995	495.00	439.5	1,433.7	0.00
11/27/1995	494.40	392.5	1,428.0	0.00
11/28/1995	494.45	653.3	718.6	0.00
11/29/1995	494.37	363.2	483.2	0.00
11/30/1995	494.31	369.3	483.0	0.00
12/1/1995	494.08	126.9	482.7	0.00
12/2/1995	493.97	305.8	482.1	0.00
12/3/1995	493.97	448.3	481.9	0.00
12/4/1995	493.85	329.9	481.8	0.00
12/5/1995	493.62	137.7	481.3	0.00
12/6/1995	493.47	251.4	480.8	0.00
12/7/1995	493.42	326.4	480.3	0.00
12/8/1995	493.28	292.5	480.1	0.00
12/9/1995	493.11	192.1	479.6	0.00
12/10/1995	493.04	222.6	359.4	0.00
12/11/1995	493.04	265.1	287.5	0.00
12/12/1995	493.07	281.6	227.6	0.00
12/13/1995	493.12	272.2	191.7	0.00
12/14/1995	493.16	256.0	191.8	0.00
12/15/1995	493.20	247.9	191.8	0.00
12/16/1995	493.29	304.0	191.9	0.52
12/17/1995	493.34	310.2	192.0	0.00
12/18/1995	493.48	390.7	192.1	0.62
12/19/1995	493.83	964.5	372.7	0.41
12/20/1995	494.93	2,131.3	482.7	0.29
12/21/1995	495.32	2,005.9	1,195.0	0.00
12/22/1995	495.33	1,538.5	1,433.4	0.00
12/23/1995	495.11	1,101.1	1,432.6	0.00
12/24/1995	494.80	889.7	1,430.0	0.00
12/25/1995	494.35	713.7	1,426.3	0.00
12/26/1995	493.88	642.0	1,421.8	0.00
12/27/1995	493.35	585.3	1,416.9	0.00
12/28/1995	493.28	556.2	829.8	0.00
12/29/1995	493.33	569.6	479.9	0.00
12/30/1995	493.33	502.4	480.0	0.00
12/31/1995	493.33	485.1	480.0	0.03