



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/1996	493.40	569.8	480.1	0.33
1/2/1996	493.53	627.1	480.3	0.30
1/3/1996	493.95	1,117.9	481.0	0.18
1/4/1996	494.26	1,273.2	658.7	0.00
1/5/1996	494.51	1,245.6	719.5	0.00
1/6/1996	494.63	828.5	720.1	0.07
1/7/1996	494.73	894.3	720.7	0.20
1/8/1996	494.75	775.8	721.1	0.05
1/9/1996	494.72	681.1	721.1	0.00
1/10/1996	494.57	628.5	868.5	0.00
1/11/1996	494.36	643.4	955.9	0.00
1/12/1996	494.23	712.4	954.5	0.38
1/13/1996	494.10	735.7	953.5	0.00
1/14/1996	493.99	780.0	952.4	0.00
1/15/1996	494.22	1,213.2	952.3	0.00
1/16/1996	494.46	1,359.5	954.4	0.00
1/17/1996	494.21	1,393.7	1,694.8	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/1996	494.06	1,735.5	1,886.4	0.00
1/19/1996	495.50	3,855.8	1,890.7	1.25
1/20/1996	496.75	4,451.6	2,222.8	0.00
1/21/1996	497.23	4,218.0	2,429.3	0.00
1/22/1996	497.09	1,620.7	2,430.9	0.00
1/23/1996	496.66	1,759.9	2,424.9	0.00
1/24/1996	497.62	3,403.0	2,422.3	1.47
1/25/1996	499.42	6,197.8	2,453.3	0.03
1/26/1996	501.76	5,254.7	906.9	0.00
1/27/1996	502.85	3,058.2	506.5	0.12
1/28/1996	503.64	2,249.0	509.4	0.00
1/29/1996	503.51	1,825.6	1,721.5	0.00
1/30/1996	502.89	1,498.2	2,667.8	0.00
1/31/1996	501.66	1,210.7	3,676.7	0.00
2/1/1996	500.20	1,097.9	4,024.9	0.00
2/2/1996	498.63	756.2	3,975.8	0.07
2/3/1996	496.96	1,064.6	3,926.7	0.00
2/4/1996	495.11	521.0	3,870.3	0.00
2/5/1996	493.13	624.6	3,812.6	0.00
2/6/1996	492.82	570.9	1,534.8	0.00
2/7/1996	492.60	609.1	941.9	0.00
2/8/1996	492.43	659.9	940.3	0.10
2/9/1996	492.24	648.5	938.9	0.00
2/10/1996	492.06	625.5	937.1	0.00
2/11/1996	491.80	560.7	935.5	0.00
2/12/1996	491.52	532.0	933.5	0.00
2/13/1996	491.42	506.1	722.1	0.00
2/14/1996	491.43	500.1	474.3	0.00
2/15/1996	491.45	493.4	474.3	0.24
2/16/1996	491.45	482.0	474.3	0.03
2/17/1996	491.40	419.8	474.3	0.00
2/18/1996	491.38	419.7	474.2	0.00
2/19/1996	491.32	432.0	474.1	0.00
2/20/1996	492.15	1,270.4	474.4	1.48
2/21/1996	493.16	2,218.0	477.5	0.00
2/22/1996	494.07	2,690.6	1,066.4	0.00
2/23/1996	493.60	1,501.0	2,012.2	0.00
2/24/1996	492.82	1,124.5	2,354.9	0.00
2/25/1996	492.28	964.7	1,912.6	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/1996	491.90	805.6	1,401.2	0.00
2/27/1996	491.48	820.0	1,397.4	0.00
2/28/1996	491.30	1,009.4	1,393.7	0.55
2/29/1996	491.15	1,201.3	1,392.4	0.00
3/1/1996	491.45	1,115.1	817.8	0.00
3/2/1996	491.78	1,062.1	474.7	0.00
3/3/1996	492.23	1,103.5	475.8	0.00
3/4/1996	492.23	564.4	476.5	0.00
3/5/1996	492.35	739.8	476.8	0.00
3/6/1996	493.36	2,290.9	1,058.0	1.83
3/7/1996	496.13	5,557.7	1,422.6	0.38
3/8/1996	499.30	6,586.2	590.1	0.10
3/9/1996	501.28	4,619.8	300.1	0.00
3/10/1996	502.39	2,730.4	303.0	0.00
3/11/1996	503.20	2,112.2	304.8	0.00
3/12/1996	502.62	1,708.2	2,428.2	0.00
3/13/1996	501.85	1,469.3	3,030.7	0.00
3/14/1996	500.96	1,106.5	3,013.6	0.00
3/15/1996	500.01	1,057.3	2,993.3	0.17
3/16/1996	499.14	1,239.6	2,973.1	0.04
3/17/1996	498.48	1,591.2	2,955.0	0.34
3/18/1996	498.23	2,344.2	2,944.0	0.00
3/19/1996	497.95	2,350.1	2,938.2	0.70
3/20/1996	498.71	3,637.0	2,444.6	0.80
3/21/1996	499.80	4,350.4	1,968.0	1.00
3/22/1996	500.61	3,465.1	1,982.4	0.00
3/23/1996	501.21	3,243.3	1,991.9	0.00
3/24/1996	501.71	2,977.5	1,999.1	0.00
3/25/1996	502.31	3,170.3	2,006.5	0.58
3/26/1996	503.05	3,669.4	2,016.3	0.00
3/27/1996	503.62	2,964.5	1,704.7	0.00
3/28/1996	503.86	2,117.8	1,517.2	0.04
3/29/1996	503.99	1,845.5	1,519.1	0.18
3/30/1996	504.50	1,758.7	722.6	0.00
3/31/1996	504.95	1,576.2	514.0	0.00
4/1/1996	505.77	2,120.3	515.6	0.98
4/2/1996	506.83	3,027.5	518.5	0.00
4/3/1996	507.78	2,587.4	521.4	0.00
4/4/1996	508.44	2,474.6	524.1	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/5/1996	509.12	1,893.3	210.2	0.15
4/6/1996	509.61	1,425.4	105.6	0.00
4/7/1996	509.99	1,141.6	105.9	0.00
4/8/1996	510.36	1,059.3	106.1	0.00
4/9/1996	510.70	949.8	106.4	0.13
4/10/1996	510.98	856.1	106.6	0.00
4/11/1996	511.23	815.7	106.8	0.00
4/12/1996	511.46	629.7	67.0	0.00
4/13/1996	511.70	691.7	50.6	0.00
4/14/1996	512.02	939.1	50.7	0.50
4/15/1996	512.26	782.6	50.9	0.00
4/16/1996	512.51	715.3	50.9	0.18
4/17/1996	512.74	674.0	51.0	0.00
4/18/1996	512.92	536.8	51.1	0.00
4/19/1996	513.02	414.9	51.2	0.10
4/20/1996	513.44	1,040.3	51.3	0.96
4/21/1996	514.31	2,445.8	51.5	0.22
4/22/1996	514.89	1,772.0	51.8	0.00
4/23/1996	515.80	2,589.3	503.9	1.46
4/24/1996	516.68	4,498.9	1,432.0	0.00
4/25/1996	517.31	3,866.3	1,716.2	0.00
4/26/1996	517.21	2,504.7	2,607.6	0.49
4/27/1996	516.93	2,098.4	2,856.5	0.00
4/28/1996	516.35	1,635.3	3,301.9	0.00
4/29/1996	515.67	1,290.1	3,385.8	0.55
4/30/1996	515.77	2,531.9	2,514.9	0.64
5/1/1996	515.64	2,557.2	2,806.4	0.00
5/2/1996	515.17	2,177.4	3,372.7	0.00
5/3/1996	515.05	1,496.8	2,068.8	0.13
5/4/1996	515.23	1,266.2	831.8	0.00
5/5/1996	515.40	1,161.4	603.3	0.00
5/6/1996	515.38	1,506.9	1,647.8	2.25
5/7/1996	516.13	2,872.8	911.6	0.98
5/8/1996	517.04	3,520.2	608.7	0.31
5/9/1996	517.57	2,254.2	611.7	0.00
5/10/1996	517.95	2,237.9	924.7	0.00
5/11/1996	517.79	1,612.0	1,879.4	0.05
5/12/1996	517.43	1,208.1	2,290.3	0.05
5/13/1996	517.01	1,001.5	2,284.9	0.03

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/14/1996	516.35	718.0	2,723.2	0.00
5/15/1996	515.62	796.8	2,839.4	0.55
5/16/1996	515.29	782.6	1,995.3	0.00
5/17/1996	515.23	756.5	1,012.6	0.00
5/18/1996	515.22	571.5	603.0	0.00
5/19/1996	515.19	530.9	602.9	0.00
5/20/1996	515.13	441.9	602.8	0.00
5/21/1996	515.06	386.7	602.4	0.00
5/22/1996	515.17	611.6	392.2	0.00
5/23/1996	515.30	666.7	266.6	0.00
5/24/1996	515.30	555.0	489.2	0.00
5/25/1996	515.28	474.6	533.6	0.00
5/26/1996	515.28	507.6	533.5	0.28
5/27/1996	515.38	968.3	533.7	0.09
5/28/1996	516.75	3,978.7	536.9	1.30
5/29/1996	517.62	4,279.0	1,391.4	0.07
5/30/1996	517.86	3,364.8	2,326.1	0.00
5/31/1996	517.58	2,144.5	2,786.2	0.00
6/1/1996	516.85	1,697.9	3,670.8	0.00
6/2/1996	516.04	1,278.9	3,885.1	0.30
6/3/1996	515.21	1,403.0	3,862.3	0.06
6/4/1996	515.08	1,154.4	1,828.9	0.68
6/5/1996	515.15	890.3	761.8	0.00
6/6/1996	515.25	849.1	533.0	0.00
6/7/1996	515.36	840.5	533.6	0.43
6/8/1996	515.48	956.6	534.3	0.31
6/9/1996	515.97	2,312.8	973.1	0.96
6/10/1996	517.81	5,499.3	418.0	1.16
6/11/1996	519.00	5,103.2	1,176.6	1.70
6/12/1996	520.79	6,388.6	517.5	0.12
6/13/1996	521.73	3,694.6	282.8	0.00
6/14/1996	522.28	2,402.1	284.7	0.00
6/15/1996	522.42	1,497.0	820.5	0.00
6/16/1996	522.06	1,408.3	2,380.5	0.00
6/17/1996	521.43	898.1	3,058.4	0.00
6/18/1996	520.42	722.0	3,999.8	0.00
6/19/1996	519.37	850.5	4,260.8	0.34
6/20/1996	518.31	829.3	4,234.4	1.08
6/21/1996	517.21	772.1	4,208.7	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/22/1996	516.53	709.6	3,038.5	0.00
6/23/1996	515.93	672.1	2,487.9	0.00
6/24/1996	515.60	548.0	1,668.3	0.05
6/25/1996	515.32	581.3	1,385.8	0.05
6/26/1996	515.29	601.2	825.3	0.00
6/27/1996	515.29	513.8	466.9	0.00
6/28/1996	515.27	476.4	533.6	0.00
6/29/1996	515.26	505.7	533.5	0.00
6/30/1996	515.26	533.5	533.5	0.00
7/1/1996	515.25	514.9	533.5	0.00
7/2/1996	515.19	361.3	533.3	0.00
7/3/1996	515.18	455.3	533.0	0.05
7/4/1996	515.10	360.6	532.8	0.00
7/5/1996	515.11	363.4	385.4	0.00
7/6/1996	515.12	384.5	336.4	0.00
7/7/1996	515.12	332.7	336.4	0.00
7/8/1996	515.10	286.1	336.4	0.00
7/9/1996	515.17	439.1	292.6	0.00
7/10/1996	515.21	416.7	266.5	0.00
7/11/1996	515.20	236.5	244.4	0.00
7/12/1996	515.19	238.8	266.5	0.00
7/13/1996	515.19	266.5	266.5	0.00
7/14/1996	515.19	323.9	266.5	0.14
7/15/1996	515.65	1,344.5	266.8	2.36
7/16/1996	515.99	2,001.1	968.6	0.00
7/17/1996	515.68	1,575.3	2,072.3	0.00
7/18/1996	515.27	662.6	1,975.8	0.00
7/19/1996	515.19	463.1	838.9	0.00
7/20/1996	516.20	1,313.9	266.7	1.40
7/21/1996	516.67	3,499.2	269.8	0.00
7/22/1996	516.95	1,188.4	271.0	0.29
7/23/1996	516.97	1,236.0	1,117.9	0.00
7/24/1996	516.49	994.1	2,162.5	0.00
7/25/1996	515.82	531.2	2,487.0	0.00
7/26/1996	515.37	295.4	1,977.3	0.00
7/27/1996	515.37	585.4	557.3	0.00
7/28/1996	515.40	353.6	262.9	0.00
7/29/1996	515.44	386.8	263.0	0.00
7/30/1996	515.51	461.9	263.1	0.37

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
7/31/1996	515.21	352.1	1,126.8	0.56
8/1/1996	515.08	394.7	866.9	0.00
8/2/1996	515.13	386.1	262.2	0.00
8/3/1996	515.16	349.2	262.3	0.00
8/4/1996	515.18	319.6	262.4	0.00
8/5/1996	515.18	280.9	262.4	0.00
8/6/1996	515.17	236.5	262.4	0.00
8/7/1996	515.18	292.0	262.4	0.00
8/8/1996	515.19	319.8	262.4	0.00
8/9/1996	515.40	755.4	262.6	0.13
8/10/1996	515.38	399.5	326.5	0.00
8/11/1996	515.33	233.2	401.4	0.00
8/12/1996	515.29	262.5	401.2	0.28
8/13/1996	515.24	275.4	401.1	0.00
8/14/1996	515.20	284.5	400.9	0.00
8/15/1996	515.17	306.4	400.8	0.00
8/16/1996	515.11	224.3	400.6	0.00
8/17/1996	515.12	270.4	314.0	0.82
8/18/1996	515.12	323.2	262.3	0.00
8/19/1996	515.12	262.3	262.3	0.00
8/20/1996	515.12	260.4	262.3	0.00
8/21/1996	515.10	225.3	262.3	0.00
8/22/1996	515.09	227.1	262.2	0.00
8/23/1996	515.06	155.0	262.2	0.00
8/24/1996	515.03	194.1	262.1	0.00
8/25/1996	515.03	172.7	189.6	0.04
8/26/1996	515.03	109.6	104.0	0.00
8/27/1996	515.06	187.1	104.0	0.00
8/28/1996	515.06	104.0	104.0	0.00
8/29/1996	515.06	105.9	104.0	0.00
8/30/1996	515.08	142.9	104.1	0.00
8/31/1996	515.09	152.2	104.1	0.00
9/1/1996	515.09	105.9	104.1	0.00
9/2/1996	515.10	131.7	104.1	0.00
9/3/1996	515.10	107.8	104.1	0.00
9/4/1996	515.12	157.7	104.1	0.22
9/5/1996	515.11	76.3	104.1	0.00
9/6/1996	515.10	94.8	104.1	0.00
9/7/1996	515.10	93.0	104.1	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/8/1996	515.19	281.7	104.1	0.20
9/9/1996	515.24	252.5	104.2	0.55
9/10/1996	515.24	230.8	151.9	0.00
9/11/1996	515.24	180.5	180.5	0.00
9/12/1996	515.24	178.6	180.5	0.00
9/13/1996	515.23	149.0	180.5	0.00
9/14/1996	515.20	112.1	180.4	0.00
9/15/1996	515.17	105.1	180.4	0.00
9/16/1996	515.25	383.9	297.5	1.65
9/17/1996	515.26	485.5	336.8	0.15
9/18/1996	515.23	317.2	386.4	0.00
9/19/1996	515.22	349.1	400.9	0.00
9/20/1996	515.19	330.7	400.8	0.00
9/21/1996	515.16	292.9	400.7	0.15
9/22/1996	514.97	295.0	764.8	0.47
9/23/1996	514.85	162.8	531.6	0.00
9/24/1996	514.73	165.0	531.0	0.00
9/25/1996	514.61	182.4	530.4	0.03
9/26/1996	514.49	165.5	529.7	0.00
9/27/1996	514.50	465.3	529.2	1.43
9/28/1996	515.67	3,247.7	531.0	2.60
9/29/1996	516.86	4,234.9	374.9	0.05
9/30/1996	517.70	3,070.6	343.0	0.00
10/1/1996	517.39	1,358.7	1,819.1	0.00
10/2/1996	516.69	638.0	2,684.3	0.00
10/3/1996	515.96	692.2	2,793.3	0.33
10/4/1996	515.14	345.5	2,780.8	0.00
10/5/1996	514.61	341.4	2,063.1	0.00
10/6/1996	514.17	310.4	1,634.1	0.00
10/7/1996	513.70	291.9	1,629.9	0.00
10/8/1996	513.46	398.3	1,130.2	0.00
10/9/1996	513.31	151.4	543.6	0.06
10/10/1996	513.31	298.7	367.2	0.00
10/11/1996	513.31	258.3	261.6	0.09
10/12/1996	513.31	212.3	209.0	0.00
10/13/1996	513.30	251.0	261.6	0.00
10/14/1996	513.28	205.3	261.6	0.00
10/15/1996	513.26	199.5	261.5	0.00
10/16/1996	512.96	130.9	891.7	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/17/1996	512.62	223.0	1,099.8	0.00
10/18/1996	512.37	267.0	1,097.6	0.79
10/19/1996	512.10	456.4	1,096.0	0.00
10/20/1996	511.79	196.5	1,093.8	0.00
10/21/1996	511.43	206.1	1,091.6	0.00
10/22/1996	511.00	202.0	1,089.2	0.00
10/23/1996	510.82	318.4	1,086.8	0.65
10/24/1996	510.50	290.6	1,085.0	0.00
10/25/1996	510.00	261.6	1,486.7	0.00
10/26/1996	509.46	163.6	1,587.4	0.37
10/27/1996	508.98	372.3	1,581.5	0.28
10/28/1996	508.51	413.0	1,575.5	0.39
10/29/1996	508.22	1,123.7	1,835.1	0.28
10/30/1996	507.61	594.7	2,091.8	0.00
10/31/1996	506.93	498.5	2,083.4	0.00
11/1/1996	506.21	301.9	2,073.0	0.21
11/2/1996	505.47	310.1	2,063.1	0.00
11/3/1996	504.81	199.3	1,662.4	0.00
11/4/1996	504.75	361.5	714.7	0.00
11/5/1996	504.80	200.3	53.6	0.00
11/6/1996	504.88	235.7	53.7	0.00
11/7/1996	504.45	355.6	1,138.3	0.46
11/8/1996	504.35	1,165.1	1,524.0	0.84
11/9/1996	504.12	1,070.3	1,522.8	0.00
11/10/1996	503.86	976.6	1,520.5	0.00
11/11/1996	503.47	704.6	1,517.4	0.00
11/12/1996	503.01	509.9	1,513.0	0.00
11/13/1996	502.30	451.5	1,890.7	0.00
11/14/1996	501.50	335.8	2,008.2	0.00
11/15/1996	500.68	360.8	1,996.7	0.00
11/16/1996	499.83	217.3	1,985.3	0.00
11/17/1996	498.94	340.8	1,972.4	0.00
11/18/1996	498.20	457.5	1,958.4	0.83
11/19/1996	497.38	395.8	1,945.9	0.00
11/20/1996	496.80	469.2	1,552.6	0.00
11/21/1996	496.22	387.4	1,445.8	0.41
11/22/1996	495.81	672.6	1,440.7	0.07
11/23/1996	495.28	588.3	1,436.3	0.00
11/24/1996	494.71	432.3	1,430.8	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/25/1996	494.13	538.1	1,425.0	0.00
11/26/1996	494.90	2,016.3	1,131.1	0.85
11/27/1996	495.51	2,048.1	961.0	0.00
11/28/1996	495.36	1,466.5	1,528.1	0.00
11/29/1996	494.79	1,017.5	1,902.4	0.00
11/30/1996	494.32	1,002.1	1,893.2	0.93
12/1/1996	495.97	3,245.8	1,063.4	0.63
12/2/1996	497.83	3,806.1	245.0	0.00
12/3/1996	499.16	2,731.7	247.5	0.00
12/4/1996	499.90	1,929.3	249.1	0.00
12/5/1996	499.51	1,247.0	1,647.6	0.00
12/6/1996	498.77	1,344.6	2,784.7	0.52
12/7/1996	497.83	1,273.7	2,945.7	0.00
12/8/1996	496.81	1,027.0	2,924.1	0.00
12/9/1996	495.66	889.1	2,901.1	0.00
12/10/1996	494.22	535.4	2,869.4	0.00
12/11/1996	493.36	838.2	2,483.0	0.00
12/12/1996	493.44	1,190.5	1,869.0	1.56
12/13/1996	495.08	5,071.9	1,886.7	0.00
12/14/1996	495.32	3,259.7	2,619.9	0.00
12/15/1996	494.66	1,914.9	2,872.4	0.00
12/16/1996	493.70	1,551.7	2,853.2	0.04
12/17/1996	496.70	5,950.7	2,143.6	2.50
12/18/1996	501.12	8,777.3	581.9	0.00
12/19/1996	504.44	7,624.4	345.5	0.05
12/20/1996	506.20	5,035.9	356.8	0.00
12/21/1996	506.00	2,719.6		0.00
12/22/1996	504.56	1,822.1		0.00
12/23/1996	502.87	1,423.5	5,108.6	0.05
12/24/1996	501.80	2,554.3	5,048.0	1.03
12/25/1996	502.18	4,069.0	3,554.6	0.00
12/26/1996	502.29	3,278.5	3,029.5	0.00
12/27/1996	501.83	2,241.4	3,026.6	0.14
12/28/1996	501.20	1,741.5	3,015.3	0.08
12/29/1996	500.50	1,634.1	3,001.0	0.00
12/30/1996	499.69	1,353.3	2,984.5	0.00
12/31/1996	498.38	1,102.1	3,422.0	0.04