



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/1999	492.21	233.9	196.3	0.00
1/2/1999	492.21	244.8	196.4	0.11
1/3/1999	492.71	829.3	196.9	1.10
1/4/1999	493.21	1,039.3	199.1	0.00
1/5/1999	493.24	788.4	635.5	0.00
1/6/1999	492.95	486.4	944.8	0.00
1/7/1999	492.63	486.4	942.6	0.00
1/8/1999	492.33	590.2	940.0	0.00
1/9/1999	495.10	4,398.5	943.7	1.71
1/10/1999	498.07	6,088.2	377.0	0.00
1/11/1999	499.99	4,120.4	219.2	0.00
1/12/1999	500.81	2,198.3	223.9	0.00
1/13/1999	501.07	1,378.9	692.2	0.00
1/14/1999	501.13	1,155.0	1,008.8	0.19
1/15/1999	500.28	1,001.8	2,415.4	0.00
1/16/1999	499.21	838.4	2,977.4	0.00
1/17/1999	498.00	685.2	2,952.6	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/1999	496.78	637.6	2,925.7	0.16
1/19/1999	496.81	755.6	983.8	0.00
1/20/1999	497.06	734.3	316.9	0.07
1/21/1999	497.27	647.3	245.7	0.00
1/22/1999	497.48	907.7	246.0	0.00
1/23/1999	501.85	6,082.7	247.5	4.25
1/24/1999	505.88	10,465.0	255.0	0.00
1/25/1999	508.86	7,613.7	260.5	0.00
1/26/1999	510.29	4,573.7	264.3	0.00
1/27/1999	510.72	2,248.1	879.2	0.00
1/28/1999	510.59	1,745.0	1,913.0	0.00
1/29/1999	509.93	1,456.6	3,013.6	0.00
1/30/1999	509.11	1,122.3	3,191.6	0.00
1/31/1999	508.26	1,200.3	3,173.7	0.30
2/1/1999	508.68	2,691.6	2,318.2	1.16
2/2/1999	509.34	4,522.3	2,776.0	0.00
2/3/1999	509.48	3,726.1	3,187.7	0.00
2/4/1999	509.11	2,420.2	3,185.9	0.00
2/5/1999	508.11	1,677.3	4,063.4	0.00
2/6/1999	506.92	1,411.0	4,225.0	0.00
2/7/1999	505.63	1,191.3	4,185.9	0.14
2/8/1999	504.29	1,126.3	4,144.5	0.00
2/9/1999	502.87	1,053.8	4,102.8	0.04
2/10/1999	501.37	867.2	4,059.4	0.00
2/11/1999	499.73	729.8	4,012.4	0.00
2/12/1999	498.09	735.9	3,960.4	0.45
2/13/1999	496.45	977.9	3,909.8	0.04
2/14/1999	494.80	973.5	3,857.7	0.00
2/15/1999	493.68	1,003.1	3,054.9	0.00
2/16/1999	492.61	818.4	2,533.0	0.00
2/17/1999	492.45	890.3	1,348.5	0.26
2/18/1999	492.43	915.9	939.6	0.00
2/19/1999	492.38	855.4	939.4	0.00
2/20/1999	492.27	773.7	938.7	0.00
2/21/1999	492.23	723.3	813.0	0.00
2/22/1999	492.17	631.1	707.1	0.00
2/23/1999	492.08	566.9	706.8	0.00
2/24/1999	492.15	599.4	525.7	0.21
2/25/1999	492.20	547.6	476.5	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/1999	492.25	585.3	476.7	0.00
2/27/1999	492.29	540.0	476.8	0.20
2/28/1999	492.66	957.1	477.1	0.63
3/1/1999	493.07	1,160.9	478.4	0.00
3/2/1999	493.50	1,169.7	479.7	0.00
3/3/1999	493.54	1,008.8	850.7	0.38
3/4/1999	493.38	1,011.2	1,220.5	0.00
3/5/1999	493.07	923.9	1,412.6	0.00
3/6/1999	492.75	862.9	1,409.2	0.35
3/7/1999	492.52	1,093.7	1,406.8	0.00
3/8/1999	492.18	897.2	1,403.9	0.00
3/9/1999	492.32	1,193.8	1,057.3	0.30
3/10/1999	492.58	1,286.0	939.4	0.15
3/11/1999	492.86	1,367.0	941.4	0.00
3/12/1999	493.02	1,253.9	943.3	0.00
3/13/1999	493.09	1,070.8	944.4	0.00
3/14/1999	493.23	1,246.2	945.0	0.83
3/15/1999	494.98	3,506.5	952.1	0.47
3/16/1999	496.58	3,054.5	392.7	0.00
3/17/1999	497.63	2,305.2	245.4	0.00
3/18/1999	498.34	1,669.4	246.8	0.00
3/19/1999	498.66	1,344.3	587.4	0.00
3/20/1999	498.69	1,077.2	989.4	0.00
3/21/1999	498.64	902.7	989.4	0.00
3/22/1999	498.53	804.9	988.8	0.00
3/23/1999	498.41	766.7	987.9	0.00
3/24/1999	498.72	868.1	388.2	0.43
3/25/1999	499.06	859.4	219.3	0.00
3/26/1999	499.41	759.2	78.6	0.00
3/27/1999	499.72	745.8	124.5	0.00
3/28/1999	499.99	664.8	141.6	0.00
3/29/1999	500.22	603.3	142.1	0.00
3/30/1999	500.48	627.3	90.9	0.00
3/31/1999	500.72	567.5	76.6	0.00
4/1/1999	501.05	710.1	76.8	0.64
4/2/1999	501.35	695.4	77.2	0.00
4/3/1999	501.64	708.5	77.5	0.00
4/4/1999	502.10	980.0	77.8	0.80
4/5/1999	502.47	902.4	78.2	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/6/1999	502.89	870.6	78.6	0.42
4/7/1999	503.43	1,255.7	79.1	0.00
4/8/1999	503.93	1,198.9	79.6	0.00
4/9/1999	504.29	932.0	80.1	0.00
4/10/1999	504.63	802.6	80.4	0.00
4/11/1999	504.90	710.9	80.7	0.21
4/12/1999	505.11	602.2	81.0	0.00
4/13/1999	505.32	561.3	81.2	0.00
4/14/1999	505.51	521.3	81.4	0.00
4/15/1999	505.71	550.2	81.6	0.51
4/16/1999	505.89	449.9	81.8	0.09
4/17/1999	506.07	514.3	81.9	0.00
4/18/1999	506.24	496.7	82.1	0.00
4/19/1999	506.38	430.5	82.3	0.00
4/20/1999	506.53	432.1	82.4	0.00
4/21/1999	506.65	365.8	82.6	0.00
4/22/1999	506.77	366.2	82.7	0.00
4/23/1999	506.90	369.4	58.2	0.00
4/24/1999	507.05	399.7	48.2	0.00
4/25/1999	507.17	339.7	48.3	0.00
4/26/1999	507.31	374.4	48.3	0.60
4/27/1999	507.49	481.8	48.4	0.00
4/28/1999	507.80	743.2	48.6	0.13
4/29/1999	508.08	746.1	48.7	0.03
4/30/1999	508.51	1,053.7	48.9	0.00
5/1/1999	508.82	905.3	49.2	0.00
5/2/1999	509.03	581.5	49.3	0.00
5/3/1999	509.20	478.1	49.5	0.00
5/4/1999	509.36	453.1	49.6	0.00
5/5/1999	509.64	728.2	49.7	1.10
5/6/1999	510.11	1,135.9	49.9	0.72
5/7/1999	510.64	1,433.4	50.1	0.00
5/8/1999	511.11	1,384.5	50.3	0.00
5/9/1999	511.41	900.8	50.5	0.00
5/10/1999	511.65	703.4	50.6	0.00
5/11/1999	511.85	562.9	50.7	0.00
5/12/1999	512.01	495.0	50.8	0.00
5/13/1999	512.15	435.6	50.8	0.12
5/14/1999	512.30	466.3	50.9	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/15/1999	512.46	504.1	50.9	0.00
5/16/1999	512.60	414.9	51.0	0.00
5/17/1999	512.71	389.2	51.1	0.00
5/18/1999	512.83	341.1	51.1	0.06
5/19/1999	512.92	336.1	51.1	0.00
5/20/1999	513.01	297.0	51.2	0.00
5/21/1999	513.08	263.6	51.2	0.00
5/22/1999	513.14	204.2	51.2	0.00
5/23/1999	513.22	294.0	51.3	0.00
5/24/1999	513.35	506.8	51.3	0.39
5/25/1999	513.41	135.8	51.3	0.00
5/26/1999	513.50	299.3	51.4	0.00
5/27/1999	513.57	227.3	51.4	0.00
5/28/1999	513.63	218.5	51.4	0.00
5/29/1999	513.68	197.4	51.5	0.00
5/30/1999	513.72	190.5	51.5	0.00
5/31/1999	513.78	202.8	51.5	0.00
6/1/1999	513.86	255.5	51.5	0.43
6/2/1999	513.91	229.1	51.6	0.00
6/3/1999	514.06	423.9	51.6	1.20
6/4/1999	514.11	217.5	51.6	0.00
6/5/1999	514.19	239.2	51.7	0.30
6/6/1999	514.23	206.7	51.7	0.00
6/7/1999	514.26	160.0	51.7	0.07
6/8/1999	514.31	172.5	51.7	0.00
6/9/1999	514.34	142.0	51.7	0.00
6/10/1999	514.38	185.1	51.7	0.00
6/11/1999	514.42	147.2	51.8	0.00
6/12/1999	514.46	165.5	51.8	0.00
6/13/1999	514.49	136.4	51.8	0.00
6/14/1999	514.57	199.7	51.8	1.19
6/15/1999	514.61	318.6	51.8	0.00
6/16/1999	514.65	167.3	51.8	0.00
6/17/1999	514.69	163.6	51.9	0.00
6/18/1999	514.71	109.6	51.9	0.00
6/19/1999	514.72	105.9	51.9	0.00
6/20/1999	514.75	156.6	51.9	0.00
6/21/1999	514.79	124.0	51.9	0.00
6/22/1999	514.81	111.4	51.9	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/23/1999	514.83	133.1	51.9	0.00
6/24/1999	514.89	201.6	51.9	0.39
6/25/1999	515.03	465.0	52.0	1.12
6/26/1999	515.09	253.5	52.0	0.00
6/27/1999	515.18	297.8	52.1	0.68
6/28/1999	515.26	331.3	52.1	0.44
6/29/1999	515.47	621.5	52.1	0.80
6/30/1999	515.50	157.5	52.2	0.00
7/1/1999	515.51	94.1	52.2	0.00
7/2/1999	515.50	174.4	186.7	0.00
7/3/1999	515.51	291.5	267.4	0.36
7/4/1999	515.48	198.9	267.4	0.00
7/5/1999	515.45	178.7	267.3	0.00
7/6/1999	515.42	174.7	267.2	0.00
7/7/1999	515.37	117.4	267.1	0.00
7/8/1999	515.31	89.5	267.0	0.00
7/9/1999	515.24	83.6	266.8	0.00
7/10/1999	515.22	125.6	221.6	0.00
7/11/1999	515.20	127.8	168.3	0.00
7/12/1999	515.18	88.7	168.3	0.00
7/13/1999	515.15	101.7	168.3	0.00
7/14/1999	515.14	116.5	168.2	0.00
7/15/1999	515.11	101.6	168.2	0.00
7/16/1999	515.10	117.3	168.2	0.00
7/17/1999	515.10	114.8	113.8	0.00
7/18/1999	515.10	69.9	90.1	0.00
7/19/1999	515.09	82.7	90.1	0.00
7/20/1999	515.09	90.1	90.1	0.00
7/21/1999	515.09	88.2	90.1	0.00
7/22/1999	515.08	75.0	90.1	0.00
7/23/1999	515.14	219.9	72.7	0.57
7/24/1999	515.18	147.2	52.1	0.30
7/25/1999	515.18	96.5	52.1	0.00
7/26/1999	515.21	118.7	52.1	0.00
7/27/1999	515.23	114.8	52.1	0.00
7/28/1999	515.29	183.4	52.1	0.60
7/29/1999	515.29	114.9	52.1	0.00
7/30/1999	515.30	81.7	52.1	0.00
7/31/1999	515.31	77.1	52.1	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
8/1/1999	515.30	25.3	52.1	0.04
8/2/1999	515.31	75.2	52.1	0.00
8/3/1999	515.30	18.8	52.1	0.00
8/4/1999	515.28	3.7	52.1	0.00
8/5/1999	515.27	22.5	52.1	0.00
8/6/1999	515.26	22.5	52.1	0.00
8/7/1999	515.25	18.8	52.1	0.00
8/8/1999	515.23	6.5	52.1	0.04
8/9/1999	515.27	155.7	52.1	0.33
8/10/1999	515.25	46.8	52.1	0.00
8/11/1999	515.26	27.8	52.1	0.00
8/12/1999	515.27	49.6	52.1	0.00
8/13/1999	515.25	22.3	52.1	0.00
8/14/1999	515.25	27.1	52.1	0.00
8/15/1999	515.25	65.1	52.1	0.00
8/16/1999	515.24	39.1	52.1	0.00
8/17/1999	515.23	48.4	52.1	0.00
8/18/1999	515.23	52.1	52.1	0.00
8/19/1999	515.23	53.9	52.1	0.00
8/20/1999	515.24	79.8	52.1	0.00
8/21/1999	515.24	49.3	52.1	0.00
8/22/1999	515.24	29.0	52.1	0.00
8/23/1999	515.23	48.4	52.1	0.00
8/24/1999	515.22	45.6	52.1	0.00
8/25/1999	515.22	22.4	52.1	0.00
8/26/1999	515.21	15.8	52.1	0.00
8/27/1999	515.20	68.7	52.1	0.00
8/28/1999	515.21	53.0	52.1	0.00
8/29/1999	515.20	25.2	52.1	0.00
8/30/1999	515.20	49.3	52.1	0.00
8/31/1999	515.18	18.7	52.1	0.00
9/1/1999	515.17	3.7	52.1	0.00
9/2/1999	515.16	22.5	52.1	0.00
9/3/1999	515.15	22.6	52.1	0.00
9/4/1999	515.14	25.2	52.1	0.00
9/5/1999	515.14	49.3	52.1	0.00
9/6/1999	515.13	22.4	52.1	0.00
9/7/1999	515.12	22.4	52.0	0.00
9/8/1999	515.11	25.2	52.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/9/1999	515.10	45.5	52.0	0.00
9/10/1999	515.09	3.7	52.0	0.00
9/11/1999	515.08	18.7	52.0	0.00
9/12/1999	515.06	3.7	52.0	0.00
9/13/1999	515.04	19.6	52.0	0.06
9/14/1999	515.06	83.7	52.0	0.11
9/15/1999	515.04	19.4	52.0	0.00
9/16/1999	514.97	3.9	148.7	0.00
9/17/1999	514.92	26.4	167.9	0.00
9/18/1999	514.88	52.5	167.8	0.00
9/19/1999	514.84	45.7	167.7	0.00
9/20/1999	514.84	62.5	167.7	0.66
9/21/1999	514.82	209.2	167.7	0.00
9/22/1999	514.78	94.8	167.7	0.17
9/23/1999	514.74	27.6	167.6	0.00
9/24/1999	514.70	52.2	167.5	0.00
9/25/1999	514.66	53.7	167.4	0.00
9/26/1999	514.64	93.5	167.4	0.00
9/27/1999	514.59	59.3	167.3	0.00
9/28/1999	514.55	32.7	167.2	0.00
9/29/1999	514.53	97.8	167.2	0.18
9/30/1999	514.53	183.4	167.2	0.21
10/1/1999	514.51	109.4	167.1	0.00
10/2/1999	514.48	100.3	167.1	0.00
10/3/1999	514.46	89.6	167.0	0.00
10/4/1999	514.44	107.4	167.0	0.00
10/5/1999	514.40	68.6	167.0	0.00
10/6/1999	514.35	27.2	166.9	0.00
10/7/1999	514.32	80.3	166.8	0.00
10/8/1999	514.30	96.4	166.8	0.00
10/9/1999	514.41	350.7	166.8	0.00
10/10/1999	514.57	776.5	167.1	1.42
10/11/1999	514.66	417.9	167.3	0.00
10/12/1999	514.70	302.7	167.4	0.00
10/13/1999	514.70	189.9	167.5	0.00
10/14/1999	514.61	124.0	365.5	0.00
10/15/1999	514.47	117.2	493.7	0.00
10/16/1999	514.21	129.6	879.0	0.00
10/17/1999	513.73	79.9	1,390.5	0.00



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/18/1999	513.34	71.6	1,104.9	0.00
10/19/1999	513.05	34.1	893.4	0.00
10/20/1999	512.87	43.1	541.9	0.05
10/21/1999	512.69	62.4	541.2	0.00
10/22/1999	512.51	243.1	540.6	0.00
10/23/1999	512.08	0.0	1,003.6	0.00
10/24/1999	511.65	0.0	1,093.5	0.00
10/25/1999	511.23	76.9	1,090.3	0.00
10/26/1999	510.64	171.2	1,450.3	0.00
10/27/1999	510.37	9.3	811.3	0.00
10/28/1999	510.17	27.1	531.2	0.00
10/29/1999	509.98	17.6	530.4	0.00
10/30/1999	509.78	40.1	529.7	0.00
10/31/1999	509.58	41.2	529.1	0.00
11/1/1999	509.40	52.5	528.6	0.00
11/2/1999	509.27	149.8	528.0	1.02
11/3/1999	509.08	60.2	527.6	0.00
11/4/1999	508.87	20.1	527.0	0.00
11/5/1999	508.65	5.4	526.3	0.00
11/6/1999	508.45	50.5	525.7	0.00
11/7/1999	508.27	45.2	525.1	0.00
11/8/1999	508.08	112.4	524.7	0.00
11/9/1999	507.88	2.4	524.0	0.00
11/10/1999	507.66	13.7	523.4	0.00
11/11/1999	507.46	6.4	522.7	0.00
11/12/1999	507.26	45.0	522.2	0.00
11/13/1999	507.07	54.4	521.6	0.00
11/14/1999	506.86	32.9	520.9	0.00
11/15/1999	506.64	48.2	520.3	0.00
11/16/1999	506.44	18.1	519.7	0.00
11/17/1999	506.21	34.3	519.0	0.00
11/18/1999	505.99	0.0	518.4	0.00
11/19/1999	505.76	12.2	517.7	0.00
11/20/1999	505.56	90.9	517.0	0.45
11/21/1999	505.36	54.1	516.5	0.00
11/22/1999	505.16	14.5	515.9	0.00
11/23/1999	504.95	30.8	515.2	0.00
11/24/1999	504.71	20.4	514.6	0.00
11/25/1999	504.51	29.9	513.9	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/26/1999	504.33	80.3	513.3	0.70
11/27/1999	504.12	89.7	512.8	0.00
11/28/1999	503.91	43.5	512.1	0.00
11/29/1999	503.70	17.4	511.5	0.00
11/30/1999	503.47	35.9	510.8	0.00
12/1/1999	503.24	33.2	510.2	0.00
12/2/1999	503.02	30.0	509.5	0.00
12/3/1999	502.79	3.1	508.8	0.00
12/4/1999	502.55	20.0	508.1	0.00
12/5/1999	502.32	38.6	507.4	0.00
12/6/1999	502.13	65.8	506.7	0.40
12/7/1999	501.93	74.9	506.2	0.00
12/8/1999	501.69	15.8	505.5	0.00
12/9/1999	501.47	52.5	504.8	0.00
12/10/1999	501.27	80.3	504.1	0.53
12/11/1999	501.10	126.0	503.6	0.00
12/12/1999	500.87	87.3	503.0	0.00
12/13/1999	501.00	662.1	502.7	1.77
12/14/1999	501.45	1,373.4	503.4	2.17
12/15/1999	501.86	1,372.0	504.9	0.04
12/16/1999	501.93	720.4	505.7	0.07
12/17/1999	501.64	372.7	866.1	0.00
12/18/1999	501.20	118.0	1,011.8	0.00
12/19/1999	500.76	109.8	1,008.3	0.00
12/20/1999	500.38	159.8	1,004.8	0.00
12/21/1999	499.96	223.9	1,001.7	0.06
12/22/1999	499.48	85.1	998.2	0.00
12/23/1999	499.01	82.3	994.4	0.00
12/24/1999	498.56	286.1	991.5	0.00
12/25/1999	498.56	337.2	557.6	0.00
12/26/1999	498.32	19.6	495.4	0.00
12/27/1999	498.11	98.6	494.7	0.00
12/28/1999	498.02	124.2	309.3	0.00
12/29/1999	497.98	104.3	216.6	0.00
12/30/1999	497.97	149.7	152.0	0.00
12/31/1999	497.96	120.6	137.9	0.00