



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/2000	497.96	137.9	137.9	0.00
1/2/2000	497.96	144.9	137.9	0.00
1/3/2000	498.06	404.8	138.0	0.51
1/4/2000	499.83	2,839.9	139.0	0.94
1/5/2000	501.84	4,355.9	143.1	0.00
1/6/2000	502.66	2,620.8	505.3	0.00
1/7/2000	502.88	1,187.8	655.2	0.00
1/8/2000	502.94	807.0	656.0	0.00
1/9/2000	502.94	685.2	656.1	0.00
1/10/2000	502.89	565.9	656.0	0.16
1/11/2000	502.81	487.4	655.7	0.00
1/12/2000	502.72	483.4	655.3	0.00
1/13/2000	502.48	324.0	833.2	0.15
1/14/2000	502.13	336.4	1,018.7	0.00
1/15/2000	501.38	0.0	1,015.3	0.00
1/16/2000	500.43	0.0	1,008.1	0.00
1/17/2000	499.49	0.0	1,000.6	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/2000	498.51	0.0	992.9	0.54
1/19/2000	498.19	37.8	761.6	0.00
1/20/2000	498.09	263.9	444.2	0.30
1/21/2000	498.22	355.2	161.5	0.00
1/22/2000	498.32	310.1	107.2	0.00
1/23/2000	498.43	300.8	107.4	0.00
1/24/2000	498.52	276.0	107.5	0.15
1/25/2000	498.59	239.7	107.7	0.00
1/26/2000	498.60	224.1	182.3	0.00
1/27/2000	498.60	227.7	215.2	0.00
1/28/2000	498.60	217.3	218.5	0.00
1/29/2000	498.60	206.6	218.5	0.00
1/30/2000	498.60	230.4	218.5	0.00
1/31/2000	498.59	200.7	218.5	0.75
2/1/2000	498.59	218.5	218.5	0.00
2/2/2000	498.59	217.3	218.5	0.00
2/3/2000	498.57	193.5	218.5	0.00
2/4/2000	498.59	204.2	218.4	0.00
2/5/2000	498.58	239.8	218.4	0.00
2/6/2000	498.57	209.0	218.5	0.00
2/7/2000	498.56	186.4	218.4	0.00
2/8/2000	498.58	241.0	218.4	0.00
2/9/2000	498.55	203.0	218.4	0.00
2/10/2000	498.56	208.9	218.4	0.00
2/11/2000	498.55	204.1	218.4	0.00
2/12/2000	498.57	267.1	218.4	0.00
2/13/2000	498.58	223.2	218.4	0.00
2/14/2000	498.81	528.6	218.5	0.90
2/15/2000	499.12	911.6	219.6	0.00
2/16/2000	499.44	743.1	220.6	0.00
2/17/2000	499.55	686.6	403.0	0.00
2/18/2000	500.22	1,406.1	828.0	1.66
2/19/2000	503.18	6,716.1	565.2	0.00
2/20/2000	506.17	6,795.7	256.5	0.00
2/21/2000	508.28	5,766.7	260.6	0.00
2/22/2000	509.13	2,561.8	254.3	0.00
2/23/2000	508.87	1,703.6	1,969.5	0.00
2/24/2000	508.34	1,339.0	2,653.0	0.32
2/25/2000	507.75	1,281.5	2,642.4	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/2000	506.75	1,273.3	3,550.2	0.00
2/27/2000	505.71	1,160.3	3,654.8	0.00
2/28/2000	504.70	1,338.3	3,628.8	0.55
2/29/2000	503.60	1,169.4	3,600.2	0.00
3/1/2000	502.35	891.3	3,567.6	0.00
3/2/2000	501.04	858.0	3,532.0	0.00
3/3/2000	500.37	753.7	2,327.8	0.00
3/4/2000	499.91	627.0	1,669.5	0.00
3/5/2000	499.49	746.2	1,477.6	0.00
3/6/2000	499.04	578.6	1,473.2	0.00
3/7/2000	498.74	548.1	1,170.5	0.00
3/8/2000	498.46	468.5	989.1	0.00
3/9/2000	498.40	436.9	624.5	0.04
3/10/2000	498.38	479.7	495.2	0.00
3/11/2000	498.36	484.5	495.2	0.00
3/12/2000	498.30	339.1	495.0	0.12
3/13/2000	498.32	375.5	329.9	0.00
3/14/2000	498.34	321.9	297.0	0.00
3/15/2000	498.35	327.9	297.0	0.00
3/16/2000	498.51	441.1	178.4	0.47
3/17/2000	499.04	1,065.6	139.4	0.57
3/18/2000	499.55	1,111.8	140.5	0.00
3/19/2000	499.97	1,070.1	141.4	0.26
3/20/2000	501.44	2,588.0	142.6	1.38
3/21/2000	503.24	3,991.4	145.8	0.00
3/22/2000	504.62	3,542.2	148.9	0.00
3/23/2000	505.42	1,917.5	150.9	0.00
3/24/2000	506.00	1,513.4	152.0	0.00
3/25/2000	506.15	1,132.6	640.2	0.00
3/26/2000	506.23	980.2	784.0	0.00
3/27/2000	506.26	835.9	784.3	0.32
3/28/2000	506.19	751.1	784.3	0.00
3/29/2000	506.29	689.1	574.0	0.00
3/30/2000	506.50	711.2	251.6	0.16
3/31/2000	506.68	634.7	181.8	0.00
4/1/2000	506.83	536.2	182.2	0.00
4/2/2000	507.02	578.9	182.5	0.52
4/3/2000	507.27	848.4	183.0	0.57
4/4/2000	507.84	1,353.7	99.1	0.65

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/5/2000	508.53	1,754.9	48.9	0.00
4/6/2000	509.03	1,356.2	49.2	0.00
4/7/2000	509.42	1,037.2	49.5	0.00
4/8/2000	509.96	1,338.5	49.8	0.00
4/9/2000	510.52	1,595.7	50.1	0.00
4/10/2000	511.09	1,458.0	50.3	0.00
4/11/2000	511.46	1,104.0	50.5	0.00
4/12/2000	512.00	1,464.9	50.7	0.00
4/13/2000	512.47	1,295.7	50.9	0.00
4/14/2000	512.87	1,236.0	51.1	0.00
4/15/2000	513.22	1,019.3	51.2	0.00
4/16/2000	513.52	925.3	51.3	0.00
4/17/2000	513.83	728.9	51.5	0.44
4/18/2000	513.88	385.6	51.5	0.00
4/19/2000	514.14	746.1	51.6	0.00
4/20/2000	514.33	686.3	51.7	0.00
4/21/2000	514.56	709.9	51.8	0.00
4/22/2000	514.81	668.4	51.9	0.00
4/23/2000	514.99	651.2	52.0	0.00
4/24/2000	515.18	631.5	52.0	0.10
4/25/2000	515.59	1,296.3	195.5	1.10
4/26/2000	515.63	1,069.3	800.1	0.00
4/27/2000	515.52	806.6	1,119.1	0.00
4/28/2000	515.35	657.9	1,118.2	0.08
4/29/2000	515.14	596.4	1,117.0	0.00
4/30/2000	515.11	510.3	762.5	0.12
5/1/2000	515.08	474.3	550.4	0.00
5/2/2000	515.10	344.6	301.7	0.06
5/3/2000	515.19	517.7	266.4	0.00
5/4/2000	515.34	643.8	266.7	0.85
5/5/2000	515.43	588.7	267.0	0.00
5/6/2000	515.49	441.0	267.3	0.00
5/7/2000	515.54	393.2	267.4	0.00
5/8/2000	515.57	372.8	267.5	0.00
5/9/2000	515.48	279.6	479.2	0.00
5/10/2000	515.37	226.4	551.7	0.00
5/11/2000	515.26	227.3	551.3	0.00
5/12/2000	515.23	237.5	329.5	0.00
5/13/2000	515.35	373.9	266.7	1.38

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/14/2000	515.33	448.2	266.9	0.00
5/15/2000	515.33	239.2	266.9	0.00
5/16/2000	515.32	239.5	266.9	0.00
5/17/2000	515.28	215.1	266.9	0.00
5/18/2000	515.28	222.4	266.8	0.00
5/19/2000	515.28	224.3	266.8	0.00
5/20/2000	515.27	239.0	266.7	0.17
5/21/2000	515.25	246.4	266.7	0.06
5/22/2000	515.23	181.6	266.7	0.00
5/23/2000	515.22	181.6	266.6	0.45
5/24/2000	515.53	869.8	266.7	1.11
5/25/2000	515.52	1,982.5	1,757.3	0.37
5/26/2000	515.18	1,477.5	2,205.8	0.00
5/27/2000	515.24	763.7	837.7	0.40
5/28/2000	515.40	793.8	266.8	0.37
5/29/2000	515.50	563.0	267.2	0.05
5/30/2000	515.56	474.9	267.5	0.00
5/31/2000	515.32	293.9	940.9	0.00
6/1/2000	515.22	333.9	669.0	0.00
6/2/2000	515.09	213.1	550.7	0.00
6/3/2000	515.12	269.7	247.8	0.00
6/4/2000	515.17	233.6	106.4	0.00
6/5/2000	515.20	186.3	90.2	0.00
6/6/2000	515.23	262.1	90.2	0.00
6/7/2000	515.27	118.0	90.2	0.00
6/8/2000	515.29	169.8	90.3	0.00
6/9/2000	515.31	149.4	90.3	0.00
6/10/2000	515.33	151.4	90.3	0.00
6/11/2000	515.35	169.7	90.3	0.00
6/12/2000	515.37	149.6	90.4	0.00
6/13/2000	515.39	147.7	90.4	0.00
6/14/2000	515.40	123.7	90.4	0.00
6/15/2000	515.44	195.7	90.4	0.34
6/16/2000	515.49	298.0	90.5	0.64
6/17/2000	515.54	215.3	90.4	0.56
6/18/2000	515.61	217.2	90.6	0.18
6/19/2000	515.98	514.2	90.7	0.70
6/20/2000	516.13	2,058.8	907.9	0.00
6/21/2000	515.96	677.2	1,122.5	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/22/2000	515.72	382.8	1,121.0	0.06
6/23/2000	515.43	282.2	1,119.1	0.00
6/24/2000	515.30	262.4	700.1	0.00
6/25/2000	515.24	250.7	412.5	0.00
6/26/2000	515.24	246.3	266.7	0.00
6/27/2000	515.27	381.3	266.7	0.75
6/28/2000	515.29	281.6	266.8	0.36
6/29/2000	515.28	253.9	266.8	0.00
6/30/2000	515.26	186.7	266.8	0.00
7/1/2000	515.27	204.0	184.8	0.00
7/2/2000	515.27	194.3	168.4	0.00
7/3/2000	515.27	193.5	168.4	0.00
7/4/2000	515.32	329.0	168.0	0.12
7/5/2000	515.39	302.8	168.6	0.09
7/6/2000	515.48	407.2	168.7	0.00
7/7/2000	515.58	394.7	168.8	0.00
7/8/2000	515.74	939.5	398.3	0.00
7/9/2000	515.78	645.4	536.2	0.00
7/10/2000	515.72	454.9	536.3	0.00
7/11/2000	515.65	290.0	535.9	0.00
7/12/2000	515.61	370.9	535.4	0.80
7/13/2000	515.51	300.5	535.2	0.00
7/14/2000	515.40	226.9	534.6	0.00
7/15/2000	515.36	163.1	308.4	0.00
7/16/2000	515.33	158.3	248.8	0.00
7/17/2000	515.29	130.8	248.8	0.00
7/18/2000	515.28	138.3	183.0	0.00
7/19/2000	515.32	260.8	168.5	0.52
7/20/2000	515.32	194.4	168.5	0.00
7/21/2000	515.32	168.5	168.5	0.00
7/22/2000	515.32	168.5	168.5	0.00
7/23/2000	515.30	111.1	168.5	0.00
7/24/2000	515.27	80.7	168.5	0.00
7/25/2000	515.26	90.9	114.0	0.00
7/26/2000	515.27	118.0	90.3	0.00
7/27/2000	515.27	88.4	90.3	0.00
7/28/2000	515.26	73.6	90.3	0.00
7/29/2000	515.37	330.6	90.3	1.32
7/30/2000	515.65	879.9	90.5	1.15

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
7/31/2000	515.87	796.5	90.8	0.33
8/1/2000	516.05	682.4	224.2	0.43
8/2/2000	516.07	639.5	478.6	0.00
8/3/2000	516.01	399.5	537.8	0.00
8/4/2000	516.12	777.7	537.8	0.73
8/5/2000	516.22	1,060.9	776.2	0.04
8/6/2000	516.25	977.9	824.4	0.10
8/7/2000	516.14	549.5	824.2	0.00
8/8/2000	516.01	431.2	823.3	0.16
8/9/2000	515.73	291.3	1,031.3	0.00
8/10/2000	515.53	446.8	1,088.2	0.00
8/11/2000	515.39	668.8	1,086.6	0.00
8/12/2000	515.80	1,564.1	611.1	0.00
8/13/2000	515.88	801.0	536.6	0.00
8/14/2000	515.86	536.9	536.9	0.00
8/15/2000	515.82	435.1	536.7	0.00
8/16/2000	515.76	360.9	536.5	0.00
8/17/2000	515.72	395.5	536.2	0.00
8/18/2000	515.67	391.8	535.9	0.00
8/19/2000	515.64	439.7	535.7	0.00
8/20/2000	515.55	304.3	535.4	0.00
8/21/2000	515.44	185.4	534.8	0.00
8/22/2000	515.31	153.3	534.1	0.00
8/23/2000	515.27	198.0	322.4	0.00
8/24/2000	515.35	261.3	184.8	0.47
8/25/2000	515.35	316.3	168.5	0.00
8/26/2000	515.38	253.7	168.6	0.00
8/27/2000	515.46	299.9	168.6	0.68
8/28/2000	515.47	377.5	168.7	0.50
8/29/2000	515.49	205.8	168.8	0.00
8/30/2000	515.49	187.3	168.8	0.00
8/31/2000	515.48	139.2	168.8	0.00
9/1/2000	515.47	137.3	168.8	0.00
9/2/2000	515.46	128.2	168.7	0.00
9/3/2000	515.43	126.1	168.7	0.00
9/4/2000	515.41	128.0	168.7	0.00
9/5/2000	515.40	94.8	168.6	0.00
9/6/2000	515.35	65.0	168.6	0.00
9/7/2000	515.32	81.7	168.5	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/8/2000	515.31	118.5	168.5	0.04
9/9/2000	515.30	137.0	168.5	0.00
9/10/2000	515.27	103.9	168.5	0.00
9/11/2000	515.26	148.1	168.4	0.15
9/12/2000	515.33	307.1	168.5	1.52
9/13/2000	515.34	233.3	168.5	0.10
9/14/2000	515.32	111.2	168.5	0.00
9/15/2000	515.30	128.2	168.5	0.00
9/16/2000	515.26	101.3	246.3	0.00
9/17/2000	515.10	95.4	499.8	0.00
9/18/2000	514.95	76.2	532.2	0.00
9/19/2000	514.84	162.2	531.5	0.00
9/20/2000	514.72	18.7	324.0	0.00
9/21/2000	514.67	122.8	265.2	0.08
9/22/2000	514.61	110.1	265.1	0.00
9/23/2000	514.54	64.8	264.9	0.00
9/24/2000	514.48	100.7	264.8	0.26
9/25/2000	514.46	218.9	264.6	0.14
9/26/2000	514.49	320.9	264.7	1.13
9/27/2000	514.44	76.2	264.6	0.00
9/28/2000	514.39	122.1	264.5	0.00
9/29/2000	514.35	148.9	264.4	0.00
9/30/2000	514.31	147.1	264.3	0.00
10/1/2000	514.26	118.1	264.1	0.00
10/2/2000	514.20	90.9	264.0	0.00
10/3/2000	514.14	90.8	263.8	0.00
10/4/2000	514.08	92.4	263.7	0.00
10/5/2000	514.02	115.6	263.6	0.00
10/6/2000	513.98	164.9	263.4	0.47
10/7/2000	513.93	97.5	263.3	0.00
10/8/2000	513.86	41.5	263.1	0.00
10/9/2000	513.77	36.1	262.9	0.00
10/10/2000	513.70	67.5	262.7	0.00
10/11/2000	513.65	87.2	262.6	0.00
10/12/2000	513.56	21.3	262.4	0.00
10/13/2000	513.54	72.0	262.2	0.00
10/14/2000	513.49	82.0	262.2	0.00
10/15/2000	513.42	87.9	262.0	0.00
10/16/2000	513.36	73.6	261.8	0.00



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/17/2000	513.29	85.8	261.7	0.04
10/18/2000	513.25	98.9	261.5	0.00
10/19/2000	513.17	62.3	261.4	0.00
10/20/2000	512.88	32.6	728.6	0.00
10/21/2000	512.59	5.6	801.3	0.00
10/22/2000	512.32	56.3	799.4	0.20
10/23/2000	512.04	12.6	797.6	0.00
10/24/2000	511.74	33.5	795.7	0.00
10/25/2000	511.46	47.9	793.8	0.00
10/26/2000	511.04	65.1	1,176.9	0.12
10/27/2000	510.53	45.4	1,341.0	0.00
10/28/2000	510.04	18.3	1,336.3	0.00
10/29/2000	509.53	63.1	1,331.3	0.00
10/30/2000	509.00	10.8	1,325.6	0.00
10/31/2000	508.48	87.5	1,319.8	0.00
11/1/2000	507.93	11.6	1,313.9	0.00
11/2/2000	507.40	134.0	1,308.3	0.00
11/3/2000	506.70	0.0	1,655.1	0.00
11/4/2000	505.91	0.0	1,789.1	0.00
11/5/2000	505.09	2.8	1,776.9	0.00
11/6/2000	504.36	6.7	1,765.5	0.00
11/7/2000	503.49	0.0	1,755.2	0.50
11/8/2000	502.64	0.0	1,743.9	0.07
11/9/2000	502.15	30.4	1,198.6	1.04
11/10/2000	501.95	498.0	1,016.8	0.00
11/11/2000	501.54	212.3	1,014.3	0.00
11/12/2000	501.14	200.0	1,011.2	0.00
11/13/2000	500.74	189.1	1,008.0	0.68
11/14/2000	500.31	137.1	1,004.6	0.06
11/15/2000	499.86	79.2	1,001.0	0.00
11/16/2000	499.38	77.0	997.3	0.12
11/17/2000	498.89	47.1	993.5	0.00
11/18/2000	498.37	9.1	989.5	0.00
11/19/2000	497.86	33.3	985.4	0.00
11/20/2000	497.33	21.0	981.3	0.00
11/21/2000	496.82	27.2	977.1	0.00
11/22/2000	496.29	38.6	973.0	0.00
11/23/2000	495.78	51.2	968.8	0.00
11/24/2000	495.25	54.8	964.9	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/25/2000	494.77	128.0	960.3	0.00
11/26/2000	494.32	189.3	957.4	0.00
11/27/2000	493.87	136.2	953.2	1.15
11/28/2000	493.38	226.9	949.4	0.00
11/29/2000	492.86	108.7	945.4	0.12
11/30/2000	492.32	83.0	941.2	0.00
12/1/2000	492.15	180.9	530.7	0.00
12/2/2000	492.21	145.2	104.0	0.00
12/3/2000	492.27	182.2	67.7	0.00
12/4/2000	492.31	129.9	67.7	0.18
12/5/2000	492.34	116.2	67.8	0.00
12/6/2000	492.39	135.0	67.8	0.00
12/7/2000	492.41	121.2	67.9	0.00
12/8/2000	492.43	101.3	67.9	0.00
12/9/2000	492.46	136.9	104.1	0.00
12/10/2000	492.48	152.6	125.9	0.00
12/11/2000	492.49	169.4	125.9	0.19
12/12/2000	492.53	167.5	126.0	0.18
12/13/2000	492.55	184.3	126.1	0.00
12/14/2000	492.66	257.4	126.2	0.55
12/15/2000	492.73	298.8	160.6	0.06
12/16/2000	492.78	496.3	335.7	0.00
12/17/2000	495.28	4,142.4	293.8	0.65
12/18/2000	497.57	4,738.7	243.9	2.75
12/19/2000	498.69	2,687.0	247.1	0.07
12/20/2000	498.69	1,312.6	1,063.0	0.00
12/21/2000	497.89	852.0	2,184.0	0.07
12/22/2000	496.83	499.4	2,435.0	0.00
12/23/2000	495.67	373.8	2,415.1	0.00
12/24/2000	494.40	231.6	2,393.4	0.00
12/25/2000	493.06	154.7	2,368.0	0.00
12/26/2000	491.50	15.3	2,339.1	0.00
12/27/2000	491.57	284.3	529.1	0.05
12/28/2000	491.82	435.1	67.0	0.00
12/29/2000	492.02	386.4	67.3	0.00
12/30/2000	492.23	405.8	67.5	0.00
12/31/2000	492.42	357.1	67.8	0.15