



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/2001	492.59	358.3	68.0	0.00
1/2/2001	492.76	335.8	68.2	0.00
1/3/2001	492.91	312.7	68.4	0.00
1/4/2001	492.96	240.8	150.7	0.00
1/5/2001	492.81	165.2	365.4	0.00
1/6/2001	492.81	385.5	378.9	0.00
1/7/2001	492.78	173.8	292.3	0.00
1/8/2001	492.85	241.8	126.7	0.00
1/9/2001	492.73	273.9	400.9	0.00
1/10/2001	492.51	129.3	477.9	0.00
1/11/2001	492.29	122.6	477.3	0.00
1/12/2001	492.37	204.3	154.8	0.12
1/13/2001	492.48	253.6	67.9	0.00
1/14/2001	492.60	257.6	68.0	0.12
1/15/2001	493.12	578.2	68.3	0.00
1/16/2001	492.95	62.3	68.5	0.00
1/17/2001	493.08	269.9	68.6	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/2001	493.16	193.6	68.7	0.08
1/19/2001	493.26	323.1	155.2	0.61
1/20/2001	493.62	700.3	181.3	0.34
1/21/2001	493.92	726.3	186.7	0.00
1/22/2001	494.19	602.7	188.9	0.00
1/23/2001	493.74	608.7	1,164.8	0.00
1/24/2001	493.03	307.9	1,414.6	0.00
1/25/2001	492.61	368.9	1,117.5	0.00
1/26/2001	492.44	376.2	708.9	0.00
1/27/2001	492.39	398.2	477.3	0.00
1/28/2001	492.33	394.2	477.1	0.00
1/29/2001	492.30	421.2	476.9	0.00
1/30/2001	492.60	671.4	321.3	0.65
1/31/2001	492.86	622.4	169.7	0.00
2/1/2001	493.23	739.3	174.9	0.03
2/2/2001	493.02	634.1	817.3	0.00
2/3/2001	492.69	446.0	943.2	0.00
2/4/2001	492.34	354.8	940.4	0.00
2/5/2001	491.97	379.8	937.5	0.12
2/6/2001	492.12	441.0	330.5	0.00
2/7/2001	492.31	474.0	162.0	0.00
2/8/2001	492.45	401.7	164.8	0.00
2/9/2001	492.58	394.2	167.1	0.00
2/10/2001	492.88	580.0	169.7	0.51
2/11/2001	493.18	666.9	174.8	0.00
2/12/2001	493.33	654.0	354.3	0.00
2/13/2001	493.09	494.2	840.0	0.00
2/14/2001	492.78	577.7	943.8	0.08
2/15/2001	493.79	2,161.3	943.7	1.46
2/16/2001	495.84	4,280.6	956.3	0.58
2/17/2001	498.98	5,835.8	516.9	0.62
2/18/2001	501.33	5,092.9	249.8	0.00
2/19/2001	502.69	3,422.2	252.8	0.00
2/20/2001	502.71	2,185.9	1,691.1	0.00
2/21/2001	501.55	1,817.5	3,943.2	0.06
2/22/2001	499.66	1,439.3	5,176.7	0.00
2/23/2001	497.44	1,270.3	5,433.3	0.00
2/24/2001	496.15	895.9	3,535.8	0.00
2/25/2001	496.63	1,522.3	1,207.2	0.90

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/2001	497.89	2,852.3	491.4	0.00
2/27/2001	497.16	2,424.4	3,195.8	0.00
2/28/2001	495.45	1,409.1	4,362.2	0.00
3/1/2001	494.24	1,092.7	3,261.1	0.00
3/2/2001	493.58	1,011.5	2,205.0	0.00
3/3/2001	493.54	1,153.4	1,180.6	0.00
3/4/2001	493.58	3,987.3	951.2	0.52
3/5/2001	494.55	347.5	952.3	0.47
3/6/2001	495.80	2,982.1	960.2	0.00
3/7/2001	496.00	2,292.6	1,660.5	0.00
3/8/2001	495.02	1,574.8	2,938.5	0.00
3/9/2001	493.21	857.9	3,809.2	0.00
3/10/2001	493.08	1,034.6	1,661.7	0.00
3/11/2001	492.75	909.8	1,331.9	0.00
3/12/2001	492.57	770.8	1,115.7	0.00
3/13/2001	492.50	840.6	940.4	0.49
3/14/2001	492.43	836.2	939.8	0.00
3/15/2001	492.43	916.9	939.7	0.00
3/16/2001	492.23	613.6	938.4	0.35
3/17/2001	492.63	1,032.8	490.1	0.05
3/18/2001	493.24	1,084.8	128.4	0.00
3/19/2001	493.79	949.8	54.3	0.00
3/20/2001	494.21	752.1	54.6	0.24
3/21/2001	494.67	834.9	55.0	0.15
3/22/2001	495.06	725.5	55.3	0.01
3/23/2001	495.45	727.4	55.7	0.00
3/24/2001	495.79	667.8	56.0	0.00
3/25/2001	496.10	605.9	56.3	0.00
3/26/2001	496.39	561.9	56.6	0.00
3/27/2001	496.65	545.4	56.8	0.00
3/28/2001	496.90	501.1	57.1	0.00
3/29/2001	497.12	456.2	57.3	0.07
3/30/2001	497.34	479.0	57.5	0.00
3/31/2001	497.59	517.2	57.7	0.25
4/1/2001	497.83	489.8	57.9	0.31
4/2/2001	498.08	543.7	58.1	0.00
4/3/2001	498.88	1,272.5	58.4	1.65
4/4/2001	500.97	4,123.2	59.8	0.06
4/5/2001	502.17	2,649.2	61.2	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/6/2001	502.88	1,713.9	61.9	0.00
4/7/2001	503.43	1,285.9	62.5	0.00
4/8/2001	503.89	1,050.9	62.9	0.00
4/9/2001	504.27	938.1	63.2	0.00
4/10/2001	504.59	823.4	63.5	0.00
4/11/2001	504.88	737.4	63.8	0.00
4/12/2001	505.14	635.2	64.0	0.34
4/13/2001	505.41	647.8	64.2	0.15
4/14/2001	505.63	594.8	64.4	0.00
4/15/2001	505.81	527.4	64.5	0.00
4/16/2001	506.02	555.7	64.7	0.38
4/17/2001	506.18	425.5	64.9	0.01
4/18/2001	506.32	426.5	65.0	0.00
4/19/2001	506.46	377.9	65.1	0.00
4/20/2001	506.58	364.6	65.2	0.04
4/21/2001	506.71	479.8	58.8	0.08
4/22/2001	506.85	365.3	48.1	0.00
4/23/2001	506.96	349.4	48.1	0.00
4/24/2001	507.11	386.6	48.2	0.39
4/25/2001	507.22	327.7	48.3	0.00
4/26/2001	507.31	268.8	48.4	0.00
4/27/2001	507.41	302.1	48.4	0.00
4/28/2001	507.50	232.7	48.5	0.00
4/29/2001	507.59	262.9	48.5	0.00
4/30/2001	507.65	210.1	48.6	0.00
5/1/2001	507.72	205.6	48.6	0.00
5/2/2001	507.81	279.7	48.6	0.48
5/3/2001	507.87	210.2	48.7	0.00
5/4/2001	507.94	199.8	48.7	0.00
5/5/2001	508.00	193.9	48.8	0.00
5/6/2001	508.05	188.8	48.8	0.00
5/7/2001	508.10	186.6	48.8	0.00
5/8/2001	508.39	514.9	48.9	1.53
5/9/2001	508.58	717.8	49.1	0.00
5/10/2001	508.73	417.6	49.2	0.00
5/11/2001	508.84	352.7	49.3	0.00
5/12/2001	508.93	269.1	49.3	0.05
5/13/2001	509.00	221.4	49.4	0.00
5/14/2001	509.06	197.9	49.4	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/15/2001	509.09	147.9	49.4	0.00
5/16/2001	509.15	198.9	49.5	0.00
5/17/2001	509.19	152.8	49.5	0.00
5/18/2001	509.25	183.0	49.5	0.00
5/19/2001	509.29	176.7	49.6	0.00
5/20/2001	509.37	257.8	49.6	0.00
5/21/2001	509.47	218.1	49.6	0.82
5/22/2001	509.78	744.2	49.8	0.95
5/23/2001	510.00	699.0	49.9	0.00
5/24/2001	510.23	641.1	50.0	0.31
5/25/2001	510.39	515.0	50.1	0.00
5/26/2001	510.51	363.4	50.2	0.00
5/27/2001	510.62	353.6	50.2	0.04
5/28/2001	510.73	317.8	50.3	0.00
5/29/2001	510.82	301.5	50.3	0.00
5/30/2001	510.89	252.7	50.3	0.00
5/31/2001	510.98	284.3	50.4	0.07
6/1/2001	511.20	572.1	50.4	1.06
6/2/2001	511.32	432.1	50.5	0.01
6/3/2001	511.49	428.9	50.6	0.15
6/4/2001	511.68	572.9	50.6	1.33
6/5/2001	512.48	2,161.4	50.8	0.43
6/6/2001	512.78	917.8	51.0	0.00
6/7/2001	512.99	642.2	51.1	0.00
6/8/2001	513.21	590.4	51.2	0.00
6/9/2001	513.42	665.0	51.3	0.00
6/10/2001	513.63	670.5	51.4	0.00
6/11/2001	513.76	454.1	51.5	0.00
6/12/2001	513.88	387.4	51.5	0.00
6/13/2001	513.97	343.8	51.6	0.00
6/14/2001	514.06	305.1	51.6	0.00
6/15/2001	514.13	262.6	51.6	0.00
6/16/2001	514.25	383.4	51.7	0.65
6/17/2001	514.32	232.0	51.7	0.00
6/18/2001	514.39	273.6	51.7	0.00
6/19/2001	514.45	237.5	51.8	0.00
6/20/2001	514.48	120.2	51.8	0.00
6/21/2001	514.51	161.9	51.8	0.00
6/22/2001	514.57	199.6	51.8	0.05

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/23/2001	514.62	161.9	51.8	0.00
6/24/2001	514.69	275.4	51.9	0.00
6/25/2001	514.75	226.8	51.9	0.00
6/26/2001	514.79	185.4	51.9	0.00
6/27/2001	514.82	140.2	51.9	0.00
6/28/2001	514.87	174.5	51.9	0.50
6/29/2001	514.89	160.2	52.0	0.00
6/30/2001	514.97	281.0	52.0	0.16
7/1/2001	515.04	244.1	52.0	0.28
7/2/2001	515.08	142.7	52.0	0.00
7/3/2001	515.11	142.5	52.0	0.00
7/4/2001	515.14	172.3	52.0	0.00
7/5/2001	515.25	325.6	52.1	1.48
7/6/2001	515.33	238.9	52.1	0.00
7/7/2001	515.45	438.4	52.1	0.00
7/8/2001	515.51	248.2	52.2	0.00
7/9/2001	515.56	200.1	52.2	0.00
7/10/2001	515.60	191.0	52.2	0.15
7/11/2001	515.64	168.7	52.2	0.00
7/12/2001	515.66	129.1	52.3	0.00
7/13/2001	515.64	69.6	144.5	0.00
7/14/2001	515.60	51.6	167.6	0.00
7/15/2001	515.58	93.2	168.9	0.00
7/16/2001	515.55	85.6	168.9	0.00
7/17/2001	515.52	80.4	168.9	0.00
7/18/2001	515.57	138.4	103.6	0.69
7/19/2001	515.59	266.2	90.6	0.24
7/20/2001	515.59	73.9	90.6	0.00
7/21/2001	515.61	149.6	90.6	0.00
7/22/2001	515.62	138.7	90.6	0.00
7/23/2001	515.64	144.3	90.6	0.00
7/24/2001	515.66	129.5	90.7	0.00
7/25/2001	515.67	138.4	90.7	0.00
7/26/2001	515.69	147.2	126.6	0.65
7/27/2001	515.86	643.2	169.2	0.40
7/28/2001	516.05	855.9	250.9	0.05
7/29/2001	516.24	858.2	269.2	0.82
7/30/2001	516.55	1,033.3	269.7	0.03
7/31/2001	516.00	404.1	1,737.9	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
8/1/2001	515.61	218.1	1,465.6	0.00
8/2/2001	515.44	95.1	670.2	0.00
8/3/2001	515.43	153.7	240.8	0.00
8/4/2001	515.46	252.0	168.7	0.15
8/5/2001	515.46	168.7	168.7	0.00
8/6/2001	515.46	166.9	168.7	0.00
8/7/2001	515.45	137.5	168.7	0.00
8/8/2001	515.45	107.0	103.5	0.00
8/9/2001	515.46	120.0	90.5	0.00
8/10/2001	515.58	425.1	90.5	1.72
8/11/2001	515.58	138.7	90.6	0.03
8/12/2001	515.76	544.0	90.6	0.16
8/13/2001	515.80	321.1	179.5	0.00
8/14/2001	515.67	157.8	475.5	0.00
8/15/2001	515.51	91.8	543.9	0.00
8/16/2001	515.48	93.1	243.7	0.00
8/17/2001	515.46	126.5	168.8	0.00
8/18/2001	515.45	58.2	104.0	0.00
8/19/2001	515.46	77.0	66.5	0.00
8/20/2001	515.46	74.4	52.2	0.00
8/21/2001	515.47	79.8	52.2	0.00
8/22/2001	515.47	52.2	52.2	0.00
8/23/2001	515.46	30.1	52.2	0.00
8/24/2001	515.49	103.8	52.2	0.64
8/25/2001	515.54	205.7	52.2	0.58
8/26/2001	515.54	104.0	52.2	0.00
8/27/2001	515.52	315.6	52.2	0.99
8/28/2001	515.52	8.4	52.2	0.05
8/29/2001	515.52	74.4	52.2	0.00
8/30/2001	515.54	92.8	52.2	0.00
8/31/2001	515.56	131.8	52.2	0.15
9/1/2001	515.59	117.0	52.2	0.10
9/2/2001	515.61	90.9	52.2	0.00
9/3/2001	515.62	102.2	52.2	0.26
9/4/2001	515.64	91.1	52.3	0.04
9/5/2001	515.65	99.4	52.3	0.00
9/6/2001	515.64	45.7	76.2	0.00
9/7/2001	515.62	76.8	124.9	0.00
9/8/2001	515.67	265.7	131.8	0.95

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/9/2001	515.61	73.6	216.8	0.00
9/10/2001	515.65	241.4	226.2	0.64
9/11/2001	515.60	111.2	201.3	0.00
9/12/2001	515.55	34.3	212.0	0.00
9/13/2001	515.54	55.9	117.3	0.00
9/14/2001	515.55	83.0	55.2	0.00
9/15/2001	515.54	48.3	55.2	0.00
9/16/2001	515.53	4.1	55.2	0.00
9/17/2001	515.52	28.4	55.2	0.00
9/18/2001	515.52	55.2	55.2	0.00
9/19/2001	515.52	78.4	55.2	0.07
9/20/2001	515.65	401.5	62.0	1.34
9/21/2001	515.57	30.2	241.6	0.00
9/22/2001	515.49	24.8	276.1	0.00
9/23/2001	515.48	98.6	138.0	0.00
9/24/2001	515.50	86.6	55.2	0.24
9/25/2001	515.48	44.6	55.2	0.00
9/26/2001	515.46	6.9	55.2	0.00
9/27/2001	515.45	48.6	55.2	0.00
9/28/2001	515.45	30.3	53.3	0.00
9/29/2001	515.45	52.2	52.2	0.00
9/30/2001	515.45	52.2	52.2	0.00
10/1/2001	515.45	54.0	52.2	0.00
10/2/2001	515.46	79.9	52.2	0.00
10/3/2001	515.46	54.0	52.2	0.00
10/4/2001	515.47	73.2	52.2	0.00
10/5/2001	515.39	20.6	186.6	0.00
10/6/2001	515.40	300.5	308.0	0.88
10/7/2001	515.33	130.2	337.2	0.00
10/8/2001	515.17	113.2	336.9	0.00
10/9/2001	515.26	331.7	336.8	0.00
10/10/2001	515.03	20.6	473.0	0.00
10/11/2001	514.90	155.1	531.9	0.00
10/12/2001	514.92	355.0	531.3	1.98
10/13/2001	515.12	1,240.8	532.1	0.06
10/14/2001	515.31	1,359.2	877.3	1.46
10/15/2001	515.34	1,445.7	1,085.4	0.45
10/16/2001	515.27	853.9	1,085.1	0.25
10/17/2001	515.05	476.1	1,083.7	0.00



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/18/2001	514.83	423.1	1,081.6	0.00
10/19/2001	514.32	124.1	1,430.9	0.00
10/20/2001	513.86	267.0	1,636.6	0.00
10/21/2001	513.36	208.1	1,630.6	0.00
10/22/2001	512.86	258.4	1,624.7	0.00
10/23/2001	512.32	173.0	1,618.5	0.00
10/24/2001	511.80	157.7	1,611.8	0.06
10/25/2001	511.39	539.4	1,605.6	0.79
10/26/2001	511.03	516.5	1,601.0	0.00
10/27/2001	510.64	626.2	1,596.6	0.00
10/28/2001	510.12	342.8	1,591.3	0.00
10/29/2001	509.60	246.0	1,584.9	0.00
10/30/2001	509.05	199.6	1,577.5	0.00
10/31/2001	508.50	211.9	1,569.8	0.00
11/1/2001	507.92	128.4	1,561.8	0.00
11/2/2001	507.35	175.6	1,553.9	0.00
11/3/2001	506.81	209.0	1,546.0	0.17
11/4/2001	506.22	162.5	1,538.2	0.00
11/5/2001	505.63	151.7	1,529.9	0.00
11/6/2001	505.01	113.2	1,521.5	0.00
11/7/2001	504.38	114.6	1,512.8	0.00
11/8/2001	503.76	126.4	1,504.2	0.00
11/9/2001	503.13	125.2	1,495.3	0.00
11/10/2001	502.51	118.2	1,486.4	0.00
11/11/2001	501.83	80.5	1,477.3	0.00
11/12/2001	501.17	119.6	1,468.1	0.00
11/13/2001	500.50	91.8	1,458.8	0.00
11/14/2001	499.79	47.5	1,449.2	0.00
11/15/2001	499.11	95.6	1,439.4	0.00
11/16/2001	498.40	82.5	1,429.2	0.00
11/17/2001	497.68	63.5	1,419.1	0.00
11/18/2001	496.95	63.7	1,408.6	0.00
11/19/2001	496.20	68.9	1,396.0	0.00
11/20/2001	495.49	131.4	1,387.6	0.45
11/21/2001	494.71	45.3	1,376.1	0.00
11/22/2001	493.95	61.9	1,351.2	0.00
11/23/2001	493.15	44.5	1,319.9	0.00
11/24/2001	492.98	295.8	707.2	0.00
11/25/2001	492.98	319.4	349.8	0.63

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/26/2001	492.89	214.0	348.4	0.00
11/27/2001	493.53	714.3	346.4	2.48
11/28/2001	495.26	3,839.2	392.4	0.36
11/29/2001	496.30	2,681.0	1,090.4	1.37
11/30/2001	498.61	5,317.2	1,404.1	1.09
12/1/2001	500.08	4,678.3	1,435.5	0.00
12/2/2001	500.44	2,405.0	1,449.6	0.00
12/3/2001	499.82	1,279.2	2,242.8	0.00
12/4/2001	498.68	807.8	2,967.0	0.00
12/5/2001	497.46	660.8	2,940.9	0.00
12/6/2001	496.11	511.5	2,912.8	0.00
12/7/2001	495.00	873.6	2,885.0	0.80
12/8/2001	493.93	956.2	2,859.0	0.83
12/9/2001	493.84	2,101.0	2,363.4	0.00
12/10/2001	493.56	1,480.2	1,880.0	0.00
12/11/2001	493.02	1,038.1	1,873.8	0.00
12/12/2001	492.77	860.0	1,289.6	0.00
12/13/2001	493.43	1,817.0	943.8	0.10
12/14/2001	494.23	2,194.0	949.8	0.24
12/15/2001	494.95	2,231.6	956.3	0.21
12/16/2001	495.31	1,706.6	960.8	0.00
12/17/2001	496.25	2,457.3	965.2	0.80
12/18/2001	497.79	3,582.8	974.9	0.25
12/19/2001	498.81	3,011.0	985.6	0.00
12/20/2001	498.48	2,124.1	2,366.2	0.00
12/21/2001	497.16	1,410.7	3,677.7	0.00
12/22/2001	495.55	1,044.2	3,880.1	0.00
12/23/2001	493.79	822.8	3,826.7	0.49
12/24/2001	493.00	967.1	2,473.0	0.00
12/25/2001	492.66	978.0	1,580.2	0.00
12/26/2001	492.42	876.3	1,260.3	0.00
12/27/2001	492.54	772.1	670.1	0.00
12/28/2001	492.71	750.1	477.8	0.00
12/29/2001	492.49	609.7	863.8	0.00
12/30/2001	492.30	499.4	823.8	0.00
12/31/2001	492.27	480.0	563.3	0.00