



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/2002	492.25	454.1	476.8	0.00
1/2/2002	492.21	420.4	476.7	0.00
1/3/2002	492.14	367.4	476.6	0.00
1/4/2002	492.24	395.0	280.9	0.00
1/5/2002	492.33	390.5	238.4	0.00
1/6/2002	492.44	379.8	238.5	0.16
1/7/2002	492.51	390.8	238.7	0.18
1/8/2002	492.56	315.8	238.8	0.00
1/9/2002	492.59	287.2	238.9	0.00
1/10/2002	492.48	290.3	427.9	0.00
1/11/2002	492.45	334.0	399.0	0.15
1/12/2002	492.41	325.6	381.9	0.00
1/13/2002	492.34	262.2	381.7	0.00
1/14/2002	492.26	287.7	381.6	0.00
1/15/2002	492.20	272.5	381.4	0.00
1/16/2002	492.23	397.0	384.9	0.00
1/17/2002	492.25	220.3	190.7	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/2002	492.26	203.5	190.7	0.17
1/19/2002	492.37	337.9	190.8	0.40
1/20/2002	492.40	271.9	190.9	0.00
1/21/2002	492.43	252.1	190.9	0.00
1/22/2002	492.52	328.2	190.9	0.00
1/23/2002	493.17	981.6	191.2	1.27
1/24/2002	494.91	2,707.8	192.5	1.15
1/25/2002	498.18	6,028.6	195.6	0.00
1/26/2002	500.49	4,894.2	199.0	0.00
1/27/2002	501.58	2,718.0	201.1	0.00
1/28/2002	501.51	1,679.2	1,486.1	0.00
1/29/2002	499.84	1,496.4	4,444.8	0.00
1/30/2002	497.69	1,334.8	5,441.9	0.00
1/31/2002	495.32	1,146.2	5,352.8	0.00
2/1/2002	493.83	992.7	3,937.6	0.66
2/2/2002	493.35	1,935.5	2,755.6	0.00
2/3/2002	492.98	1,764.4	2,354.8	0.00
2/4/2002	492.80	1,388.0	1,761.1	0.00
2/5/2002	492.64	1,179.7	1,407.5	0.00
2/6/2002	492.63	1,006.1	1,038.0	0.00
2/7/2002	492.57	865.1	940.9	0.00
2/8/2002	492.63	806.6	757.5	0.00
2/9/2002	492.66	775.7	709.5	0.00
2/10/2002	492.63	676.0	709.5	0.06
2/11/2002	492.61	672.9	709.4	0.07
2/12/2002	492.52	587.8	709.2	0.00
2/13/2002	492.59	556.7	515.3	0.00
2/14/2002	492.63	527.7	422.1	0.00
2/15/2002	492.61	455.1	477.9	0.00
2/16/2002	492.58	417.5	477.8	0.00
2/17/2002	492.52	395.7	477.6	0.00
2/18/2002	492.46	382.7	477.5	0.00
2/19/2002	492.36	345.5	477.3	0.00
2/20/2002	492.47	406.7	282.8	0.36
2/21/2002	492.63	488.4	238.8	0.08
2/22/2002	492.74	445.2	272.2	0.00
2/23/2002	492.83	446.1	285.2	0.00
2/24/2002	492.88	363.9	285.9	0.00
2/25/2002	492.93	384.9	286.5	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/2002	493.23	694.4	288.7	0.35
2/27/2002	493.21	371.6	341.5	0.02
2/28/2002	492.86	270.0	726.5	0.00
3/1/2002	492.61	233.8	700.6	0.00
3/2/2002	492.38	284.3	621.2	0.00
3/3/2002	492.38	397.6	428.7	0.00
3/4/2002	492.50	368.2	219.2	0.02
3/5/2002	492.54	346.0	263.8	0.00
3/6/2002	492.59	360.3	282.6	0.00
3/7/2002	492.61	336.5	295.7	0.00
3/8/2002	492.63	325.0	305.2	0.00
3/9/2002	492.62	324.3	305.4	0.00
3/10/2002	492.77	503.2	306.8	0.60
3/11/2002	492.83	413.4	308.8	0.00
3/12/2002	492.90	397.6	309.9	0.00
3/13/2002	492.96	380.4	242.5	0.00
3/14/2002	493.11	386.7	175.5	0.00
3/15/2002	493.19	296.0	177.1	0.00
3/16/2002	493.59	631.7	128.5	0.85
3/17/2002	494.64	1,780.1	99.9	0.35
3/18/2002	495.80	2,048.1	102.0	0.35
3/19/2002	496.89	2,201.1	60.0	0.37
3/20/2002	501.36	6,266.6	42.4	2.50
3/21/2002	507.42	14,479.6	46.3	0.11
3/22/2002	511.29	10,384.2	174.6	0.00
3/23/2002	514.12	8,540.4	270.0	0.00
3/24/2002	515.11	3,520.7	274.0	0.00
3/25/2002	515.33	2,540.2	1,516.1	0.00
3/26/2002	515.64	2,610.5	2,204.8	1.39
3/27/2002	517.35	6,048.0	1,092.7	0.00
3/28/2002	519.01	6,061.7	562.3	0.00
3/29/2002	519.35	3,094.9	1,641.6	0.00
3/30/2002	518.90	2,402.2	3,512.7	0.10
3/31/2002	518.29	1,993.6	3,950.9	0.44
4/1/2002	518.12	2,130.9	2,904.9	0.21
4/2/2002	517.84	1,666.7	2,463.9	0.00
4/3/2002	517.82	1,495.4	1,700.7	0.11
4/4/2002	517.10	1,065.0	2,855.5	0.00
4/5/2002	516.40	985.4	3,308.4	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/6/2002	515.96	982.3	2,360.2	0.00
4/7/2002	515.68	921.7	1,743.9	0.00
4/8/2002	515.47	996.5	1,647.3	0.00
4/9/2002	515.20	865.9	1,644.3	0.32
4/10/2002	515.17	849.1	1,035.7	0.05
4/11/2002	515.22	947.9	833.5	0.00
4/12/2002	515.27	793.7	586.3	0.05
4/13/2002	515.70	1,642.8	551.7	1.68
4/14/2002	516.33	3,185.6	1,241.2	0.17
4/15/2002	516.60	3,097.9	2,226.1	0.26
4/16/2002	516.11	2,450.7	3,670.5	0.00
4/17/2002	515.57	1,684.8	3,382.9	0.00
4/18/2002	515.68	1,375.0	1,274.4	0.00
4/19/2002	515.68	1,152.8	1,069.0	0.00
4/20/2002	515.63	1,010.6	1,119.6	0.00
4/21/2002	515.60	967.6	1,119.2	0.35
4/22/2002	515.53	996.7	1,119.0	0.10
4/23/2002	515.81	1,372.6	834.4	0.00
4/24/2002	515.78	1,357.9	1,028.6	0.00
4/25/2002	516.34	2,583.6	1,409.4	1.85
4/26/2002	516.52	3,089.8	2,295.5	0.00
4/27/2002	515.98	2,317.5	3,576.2	0.00
4/28/2002	516.61	3,513.1	2,112.9	1.90
4/29/2002	517.69	5,628.3	2,523.3	0.00
4/30/2002	518.09	5,288.8	3,647.1	0.00
5/1/2002	517.05	2,954.2	5,584.8	0.42
5/2/2002	516.01	1,917.5	5,271.6	0.00
5/3/2002	515.72	2,452.6	3,515.0	0.33
5/4/2002	515.66	2,665.4	2,849.2	0.00
5/5/2002	515.34	1,958.9	2,778.6	0.00
5/6/2002	515.39	1,545.8	1,550.6	0.00
5/7/2002	515.47	1,417.5	1,117.9	0.00
5/8/2002	515.86	2,090.9	1,119.3	0.07
5/9/2002	515.76	1,900.0	1,984.4	0.00
5/10/2002	515.46	1,403.1	2,209.2	0.10
5/11/2002	515.40	986.5	1,299.4	0.00
5/12/2002	515.40	913.3	893.7	0.00
5/13/2002	515.56	1,111.6	657.9	1.18
5/14/2002	516.54	3,090.8	553.6	0.57

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/15/2002	517.15	3,974.4	1,955.7	0.00
5/16/2002	516.37	2,332.4	4,211.5	0.00
5/17/2002	515.44	1,691.3	4,455.2	0.06
5/18/2002	516.50	3,404.5	1,350.1	1.88
5/19/2002	517.81	4,698.0	340.4	0.00
5/20/2002	518.66	3,145.8	281.3	0.00
5/21/2002	519.18	2,058.8	282.7	0.00
5/22/2002	518.40	1,327.3	3,334.3	0.00
5/23/2002	517.18	1,241.3	5,070.9	0.00
5/24/2002	515.77	1,063.8	5,036.1	0.00
5/25/2002	515.37	550.8	2,245.1	0.00
5/26/2002	515.51	970.5	655.8	0.15
5/27/2002	515.63	908.5	535.1	0.00
5/28/2002	515.72	850.3	535.7	0.00
5/29/2002	515.77	937.8	786.5	0.22
5/30/2002	515.67	812.5	836.6	0.00
5/31/2002	515.57	307.4	836.0	0.00
6/1/2002	515.44	474.2	835.3	0.00
6/2/2002	515.46	496.8	498.0	0.00
6/3/2002	515.52	492.8	337.5	0.00
6/4/2002	515.57	504.1	337.7	0.00
6/5/2002	515.62	465.4	337.9	0.17
6/6/2002	515.66	511.0	338.0	0.16
6/7/2002	515.86	985.1	437.6	0.84
6/8/2002	515.63	469.1	1,015.8	0.00
6/9/2002	515.39	378.6	1,118.8	0.00
6/10/2002	515.22	255.4	825.4	0.00
6/11/2002	515.26	360.7	281.7	0.00
6/12/2002	515.36	383.4	104.2	0.18
6/13/2002	515.50	482.1	104.3	1.27
6/14/2002	515.60	590.0	252.3	0.33
6/15/2002	515.61	567.2	498.9	0.00
6/16/2002	515.62	504.5	498.9	0.00
6/17/2002	515.60	458.2	498.9	0.16
6/18/2002	515.56	400.9	498.8	0.00
6/19/2002	515.52	382.2	498.6	0.00
6/20/2002	515.49	407.8	498.4	0.00
6/21/2002	515.45	378.0	498.3	0.00
6/22/2002	515.44	343.9	386.3	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/23/2002	515.44	340.1	299.8	0.00
6/24/2002	515.47	267.8	180.9	0.00
6/25/2002	515.48	240.0	180.9	0.00
6/26/2002	515.55	362.2	181.0	0.07
6/27/2002	515.57	298.1	225.9	0.08
6/28/2002	515.55	263.6	300.6	0.00
6/29/2002	515.54	272.8	300.5	0.00
6/30/2002	515.55	367.2	300.5	0.00
7/1/2002	515.56	314.7	300.6	0.00
7/2/2002	515.57	385.6	323.9	0.00
7/3/2002	515.54	247.0	337.8	0.00
7/4/2002	515.55	223.2	226.8	0.00
7/5/2002	515.56	232.9	181.1	0.00
7/6/2002	515.59	245.9	181.1	0.00
7/7/2002	515.58	192.3	181.2	0.00
7/8/2002	515.57	149.7	181.2	0.00
7/9/2002	515.56	140.4	181.1	0.00
7/10/2002	515.63	329.0	181.1	0.00
7/11/2002	515.69	391.4	181.3	0.36
7/12/2002	515.66	228.2	279.4	0.00
7/13/2002	515.65	308.6	338.1	0.32
7/14/2002	515.75	614.5	338.3	0.35
7/15/2002	515.70	340.6	494.8	0.00
7/16/2002	515.65	408.2	535.8	0.00
7/17/2002	515.60	367.3	535.5	0.00
7/18/2002	515.48	197.9	535.0	0.09
7/19/2002	515.47	337.3	381.1	0.49
7/20/2002	515.44	278.4	337.5	0.00
7/21/2002	515.49	415.0	337.4	0.30
7/22/2002	515.46	311.7	337.5	0.00
7/23/2002	515.45	285.8	337.5	0.26
7/24/2002	515.42	267.8	337.4	0.00
7/25/2002	515.42	224.1	239.5	0.00
7/26/2002	515.42	186.4	180.8	0.00
7/27/2002	515.47	282.6	180.9	0.00
7/28/2002	515.47	219.7	180.9	0.00
7/29/2002	515.46	153.3	180.9	0.00
7/30/2002	515.46	184.6	180.9	0.12
7/31/2002	515.49	243.7	180.9	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
8/1/2002	515.48	171.7	181.0	0.00
8/2/2002	515.47	153.2	181.0	0.00
8/3/2002	515.47	177.2	180.9	0.00
8/4/2002	515.45	125.6	180.9	0.00
8/5/2002	515.43	143.6	180.9	0.00
8/6/2002	515.44	109.1	100.4	0.00
8/7/2002	515.43	22.6	52.2	0.00
8/8/2002	515.42	22.6	52.2	0.00
8/9/2002	515.41	34.5	52.2	0.00
8/10/2002	515.41	72.4	52.2	0.00
8/11/2002	515.41	52.2	52.2	0.00
8/12/2002	515.41	52.2	52.2	0.04
8/13/2002	515.41	59.6	52.2	0.00
8/14/2002	515.49	218.6	52.2	1.12
8/15/2002	515.64	459.3	52.2	1.53
8/16/2002	515.59	196.3	231.8	0.00
8/17/2002	515.54	117.8	267.6	0.20
8/18/2002	515.48	93.7	267.4	0.10
8/19/2002	515.46	210.0	267.3	0.07
8/20/2002	515.47	293.2	267.3	0.30
8/21/2002	515.47	247.0	267.3	0.00
8/22/2002	515.47	265.5	267.3	0.00
8/23/2002	515.46	241.6	267.3	0.00
8/24/2002	515.47	289.6	267.3	0.34
8/25/2002	515.45	191.3	230.3	0.00
8/26/2002	515.58	448.1	168.8	0.66
8/27/2002	515.62	444.3	243.0	0.00
8/28/2002	515.56	129.1	267.7	0.00
8/29/2002	515.50	73.4	267.5	0.00
8/30/2002	515.46	150.8	267.4	0.00
8/31/2002	515.43	180.4	267.3	0.00
9/1/2002	515.41	208.0	267.2	0.00
9/2/2002	515.40	219.2	267.1	0.00
9/3/2002	515.39	141.8	156.7	0.00
9/4/2002	515.38	81.1	90.4	0.00
9/5/2002	515.38	59.3	90.4	0.00
9/6/2002	515.34	1.3	90.4	0.00
9/7/2002	515.33	40.5	90.3	0.00
9/8/2002	515.32	60.7	90.3	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/9/2002	515.31	58.9	90.3	0.00
9/10/2002	515.29	32.9	90.3	0.00
9/11/2002	515.28	60.9	90.3	0.00
9/12/2002	515.26	51.3	90.3	0.00
9/13/2002	515.24	8.9	90.3	0.00
9/14/2002	515.21	29.2	90.2	0.03
9/15/2002	515.24	140.1	90.2	0.47
9/16/2002	515.23	160.4	152.1	0.35
9/17/2002	515.21	116.6	168.4	0.00
9/18/2002	515.25	1,147.5	168.2	0.57
9/19/2002	515.14	2,187.0	452.5	0.00
9/20/2002	515.02	192.4	532.5	0.00
9/21/2002	515.00	376.9	532.1	1.15
9/22/2002	514.85	88.0	531.6	0.00
9/23/2002	514.74	345.3	531.0	0.00
9/24/2002	514.58	87.3	530.3	0.00
9/25/2002	514.51	58.1	309.7	0.00
9/26/2002	514.47	464.0	285.3	0.35
9/27/2002	516.20	5,095.4	324.8	5.29
9/28/2002	518.11	5,278.5	271.4	0.10
9/29/2002	519.20	4,352.0	448.7	0.00
9/30/2002	519.42	1,591.5	555.9	0.00
10/1/2002	519.03	285.6	1,270.7	0.00
10/2/2002	517.63	564.9	4,539.0	0.00
10/3/2002	515.93	327.7	5,561.4	0.00
10/4/2002	514.82	455.3	3,958.0	0.00
10/5/2002	514.51	322.0	1,550.7	0.60
10/6/2002	514.41	372.8	649.7	0.00
10/7/2002	514.34	350.1	528.8	0.05
10/8/2002	514.16	360.9	795.0	0.00
10/9/2002	513.87	259.2	1,073.2	0.00
10/10/2002	513.79	1,423.1	753.8	0.63
10/11/2002	516.94	7,898.5	535.2	3.52
10/12/2002	518.69	7,438.9	939.7	0.00
10/13/2002	519.82	4,093.9	1,143.8	0.00
10/14/2002	519.74	2,734.6	2,328.1	0.00
10/15/2002	519.00	1,220.5	3,356.8	0.56
10/16/2002	517.94	1,061.0	4,351.0	0.00
10/17/2002	516.77	886.8	4,490.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/18/2002	515.53	726.0	4,460.4	0.00
10/19/2002	514.27	794.9	4,431.0	0.00
10/20/2002	513.48	630.2	3,117.6	0.60
10/21/2002	512.71	636.9	2,737.3	0.00
10/22/2002	511.92	409.8	2,722.8	0.00
10/23/2002	511.64	538.8	1,541.1	0.00
10/24/2002	510.97	501.6	1,946.1	0.00
10/25/2002	510.52	382.6	1,598.1	0.00
10/26/2002	510.07	415.3	1,593.6	0.05
10/27/2002	509.58	345.6	1,588.6	0.00
10/28/2002	509.16	467.9	1,583.0	0.90
10/29/2002	508.86	836.7	1,578.6	0.37
10/30/2002	509.01	1,716.8	1,576.9	0.34
10/31/2002	509.26	1,739.4	1,074.1	0.00
11/1/2002	509.12	1,314.3	1,580.5	0.00
11/2/2002	508.29	953.0	2,798.8	0.00
11/3/2002	507.28	728.9	3,153.6	0.06
11/4/2002	506.23	685.0	3,131.5	0.08
11/5/2002	505.17	734.5	3,108.2	0.07
11/6/2002	505.50	2,556.9	2,443.1	1.40
11/7/2002	506.00	2,981.5	1,719.8	0.00
11/8/2002	505.93	2,034.7	2,063.6	0.00
11/9/2002	505.61	1,427.4	2,061.4	0.00
11/10/2002	505.20	1,188.3	2,056.5	0.28
11/11/2002	505.06	1,677.1	2,052.1	0.50
11/12/2002	505.88	2,949.8	1,422.0	0.00
11/13/2002	506.45	2,429.6	1,048.7	0.00
11/14/2002	506.60	1,555.1	1,052.0	0.00
11/15/2002	506.65	1,216.7	1,052.9	0.40
11/16/2002	506.96	1,674.1	1,054.1	0.45
11/17/2002	507.11	1,502.5	1,056.2	0.00
11/18/2002	507.24	1,333.8	1,057.4	0.00
11/19/2002	506.83	1,095.0	1,908.7	0.07
11/20/2002	505.96	860.5	2,814.9	0.00
11/21/2002	504.95	867.8	3,102.8	0.00
11/22/2002	503.88	742.3	3,080.3	0.00
11/23/2002	503.24	877.3	2,418.0	0.00
11/24/2002	502.57	513.7	2,022.0	0.00
11/25/2002	501.88	619.7	2,012.5	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/26/2002	501.31	490.4	1,770.9	0.00
11/27/2002	500.82	541.3	1,491.3	0.17
11/28/2002	500.31	470.6	1,486.4	0.00
11/29/2002	499.96	395.5	1,181.5	0.00
11/30/2002	499.67	469.3	998.8	0.00
12/1/2002	499.38	404.3	996.5	0.00
12/2/2002	499.05	369.1	994.0	0.00
12/3/2002	498.98	380.3	600.2	0.00
12/4/2002	498.91	397.2	496.9	0.00
12/5/2002	498.92	488.5	496.7	0.95
12/6/2002	498.86	406.5	496.7	0.00
12/7/2002	498.75	282.9	496.4	0.00
12/8/2002	498.71	425.0	496.2	0.00
12/9/2002	498.71	491.4	496.2	0.00
12/10/2002	498.66	442.7	496.1	0.00
12/11/2002	498.94	936.5	496.3	0.92
12/12/2002	499.48	1,462.5	497.5	0.00
12/13/2002	499.62	1,332.9	913.3	0.00
12/14/2002	500.44	2,347.7	999.0	0.78
12/15/2002	501.07	2,347.4	1,005.3	0.00
12/16/2002	501.45	1,872.3	1,009.7	0.00
12/17/2002	501.18	1,455.7	1,822.1	0.00
12/18/2002	500.72	1,070.8	1,994.1	0.07
12/19/2002	500.28	1,106.2	1,986.1	0.09
12/20/2002	502.41	4,409.4	957.6	1.78
12/21/2002	504.57	5,372.3	509.8	0.00
12/22/2002	504.52	3,597.6	2,964.0	0.06
12/23/2002	503.81	2,233.5	3,599.0	0.00
12/24/2002	502.95	1,931.7	3,578.6	0.00
12/25/2002	502.07	1,529.0	3,553.6	0.01
12/26/2002	501.43	2,107.2	3,531.5	0.00
12/27/2002	500.58	1,823.2	3,511.5	0.00
12/28/2002	499.50	1,404.8	3,484.8	0.00
12/29/2002	499.05	1,151.3	2,272.6	0.00
12/30/2002	498.87	1,135.1	1,469.8	0.00
12/31/2002	498.68	1,148.8	1,467.9	0.15