



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/2003	499.28	2,312.6	1,467.7	1.27
1/2/2003	501.06	4,761.5	1,479.7	0.25
1/3/2003	501.66	3,832.1	2,242.1	0.20
1/4/2003	501.29	2,631.7	3,142.8	0.00
1/5/2003	500.13	2,005.3	4,133.7	0.00
1/6/2003	498.99	1,537.9	3,887.2	0.00
1/7/2003	497.38	1,240.7	4,096.4	0.00
1/8/2003	496.22	1,144.0	3,339.9	0.00
1/9/2003	495.57	961.8	2,281.3	0.00
1/10/2003	495.24	996.4	1,611.7	0.00
1/11/2003	495.28	889.2	909.8	0.00
1/12/2003	495.26	816.5	823.0	0.00
1/13/2003	495.20	736.3	819.1	0.00
1/14/2003	495.15	670.3	767.1	0.00
1/15/2003	495.17	624.6	614.2	0.00
1/16/2003	495.25	624.4	485.6	0.00
1/17/2003	495.33	620.3	485.8	0.22

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/2003	495.36	548.9	486.0	0.00
1/19/2003	495.38	519.7	486.1	0.50
1/20/2003	495.39	506.8	486.1	0.00
1/21/2003	495.43	546.8	486.2	0.00
1/22/2003	495.45	404.3	344.5	0.00
1/23/2003	495.40	399.5	486.3	1.00
1/24/2003	495.33	384.2	486.2	0.00
1/25/2003	495.24	308.0	485.9	0.00
1/26/2003	495.26	356.7	333.9	0.00
1/27/2003	495.33	349.2	242.9	0.02
1/28/2003	495.36	313.5	243.0	0.00
1/29/2003	495.45	406.9	243.1	0.25
1/30/2003	495.63	525.1	243.3	0.07
1/31/2003	495.93	491.9	77.0	0.00
2/1/2003	496.22	613.9	40.8	0.10
2/2/2003	496.50	563.1	41.1	0.00
2/3/2003	496.75	498.6	41.3	0.00
2/4/2003	497.12	676.2	41.5	0.35
2/5/2003	497.56	818.4	41.8	0.00
2/6/2003	497.44	693.1	773.0	0.00
2/7/2003	497.22	580.3	978.8	0.52
2/8/2003	496.96	485.4	976.9	0.00
2/9/2003	496.66	479.9	974.8	0.00
2/10/2003	496.75	515.8	468.4	0.20
2/11/2003	497.03	551.6	37.2	0.00
2/12/2003	497.32	569.4	50.3	0.00
2/13/2003	497.61	565.6	57.7	0.00
2/14/2003	497.87	656.1	57.9	0.00
2/15/2003	499.16	2,576.8	122.1	1.80
2/16/2003	504.19	9,090.1	143.9	0.90
2/17/2003	508.31	9,780.1	151.9	0.15
2/18/2003	511.67	9,210.1	158.5	0.00
2/19/2003	513.43	5,645.5	163.5	0.03
2/20/2003	514.46	3,270.9	165.9	0.15
2/21/2003	515.35	2,728.8	167.6	0.35
2/22/2003	516.19	3,934.4	1,319.0	0.85
2/23/2003	518.36	6,419.4	496.4	0.45
2/24/2003	520.39	6,759.2	174.5	0.18
2/25/2003	521.67	5,136.6	177.3	0.10

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/2003	522.47	2,995.1	178.8	0.00
2/27/2003	522.97	2,692.0	798.5	0.05
2/28/2003	522.86	1,980.4	2,151.0	0.15
3/1/2003	522.22	2,092.1	4,143.4	0.00
3/2/2003	521.43	2,003.3	4,592.7	0.00
3/3/2003	520.58	1,712.7	4,574.7	0.00
3/4/2003	519.71	1,662.9	4,555.6	0.00
3/5/2003	518.70	1,355.6	4,534.4	0.00
3/6/2003	517.67	853.0	4,506.6	0.10
3/7/2003	516.55	1,388.1	4,483.7	0.00
3/8/2003	515.40	1,008.6	4,456.2	0.00
3/9/2003	514.25	1,096.5	4,429.1	0.00
3/10/2003	512.99	861.3	4,398.5	0.00
3/11/2003	511.70	833.9	4,365.2	0.00
3/12/2003	510.37	814.0	4,331.3	0.00
3/13/2003	509.00	927.5	4,294.8	0.00
3/14/2003	507.80	2,749.0	3,922.9	0.04
3/15/2003	506.75	118.2	3,346.2	0.00
3/16/2003	505.90	946.0	2,865.0	0.00
3/17/2003	505.22	447.1	2,212.0	0.00
3/18/2003	504.79	692.1	1,725.8	0.00
3/19/2003	504.62	739.9	1,145.9	0.25
3/20/2003	504.86	1,445.9	1,038.0	0.56
3/21/2003	505.09	1,503.0	1,039.5	0.28
3/22/2003	505.07	1,404.3	1,347.4	0.00
3/23/2003	504.86	1,084.7	1,529.9	0.00
3/24/2003	504.62	1,012.2	1,527.7	0.00
3/25/2003	504.28	814.9	1,525.0	0.00
3/26/2003	504.31	824.8	896.9	0.27
3/27/2003	504.45	807.6	513.1	0.00
3/28/2003	504.65	777.9	340.4	0.00
3/29/2003	504.92	869.2	237.3	0.46
3/30/2003	505.19	825.1	238.1	0.00
3/31/2003	505.50	924.6	239.0	0.00
4/1/2003	505.71	750.7	239.8	0.00
4/2/2003	505.96	661.3	87.6	0.00
4/3/2003	506.26	727.5	47.6	0.00
4/4/2003	506.50	654.2	47.8	0.04
4/5/2003	506.92	1,007.8	48.0	0.90

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/6/2003	507.38	1,132.9	48.3	0.00
4/7/2003	508.32	2,067.5	48.6	1.22
4/8/2003	509.31	2,629.1	49.2	0.04
4/9/2003	510.08	2,394.0	49.8	0.20
4/10/2003	512.59	6,147.2	50.5	1.19
4/11/2003	514.91	6,170.9	51.4	0.00
4/12/2003	516.42	4,971.9	222.8	0.00
4/13/2003	517.24	3,108.4	270.8	0.00
4/14/2003	517.83	2,208.0	272.9	0.00
4/15/2003	517.88	1,649.4	1,246.4	0.00
4/16/2003	517.16	1,151.5	3,117.4	0.00
4/17/2003	516.30	1,341.4	3,910.2	0.82
4/18/2003	515.53	1,574.7	3,892.3	0.12
4/19/2003	515.56	1,791.9	2,066.2	0.00
4/20/2003	515.31	1,530.8	2,089.7	0.00
4/21/2003	515.63	1,840.6	1,236.6	1.63
4/22/2003	515.76	1,682.3	1,101.1	0.00
4/23/2003	515.62	1,264.4	1,651.4	0.00
4/24/2003	515.40	1,077.8	1,646.5	0.00
4/25/2003	515.35	1,054.6	1,205.7	0.21
4/26/2003	515.96	2,029.8	653.5	0.72
4/27/2003	516.40	2,512.8	1,021.3	0.00
4/28/2003	516.44	1,862.8	1,568.5	0.00
4/29/2003	515.93	1,443.1	2,580.0	0.00
4/30/2003	515.36	930.2	2,781.6	0.88
5/1/2003	515.30	859.7	1,338.1	0.00
5/2/2003	515.41	892.7	551.3	0.22
5/3/2003	515.42	804.3	752.0	0.04
5/4/2003	515.38	794.8	818.7	0.00
5/5/2003	515.94	2,182.1	819.6	1.50
5/6/2003	517.06	4,483.0	1,221.8	0.05
5/7/2003	517.69	5,978.0	3,789.2	1.50
5/8/2003	518.44	6,317.0	4,172.4	0.49
5/9/2003	519.15	4,998.6	2,650.2	0.00
5/10/2003	519.53	3,126.2	1,691.8	0.00
5/11/2003	519.27	2,838.6	3,526.5	1.25
5/12/2003	518.98	4,670.1	5,565.0	0.00
5/13/2003	518.39	4,143.7	6,203.0	0.00
5/14/2003	517.08	2,449.6	6,169.9	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/15/2003	516.32	1,728.8	4,257.8	0.00
5/16/2003	516.66	2,954.3	2,420.3	0.66
5/17/2003	517.33	3,775.6	2,973.5	1.88
5/18/2003	518.50	7,943.9	3,369.6	0.00
5/19/2003	518.06	5,178.7	5,474.6	0.06
5/20/2003	516.83	2,655.8	6,158.2	0.00
5/21/2003	516.29	2,017.3	3,995.4	0.46
5/22/2003	516.06	1,855.1	2,636.4	0.00
5/23/2003	515.72	1,587.2	2,562.5	0.00
5/24/2003	515.58	1,431.3	1,905.1	0.00
5/25/2003	515.62	1,213.4	1,119.2	0.00
5/26/2003	515.63	1,027.6	1,119.9	0.05
5/27/2003	515.57	119.8	1,119.7	0.00
5/28/2003	515.58	911.6	886.0	0.00
5/29/2003	515.48	836.4	1,118.8	0.12
5/30/2003	515.36	724.0	1,093.0	0.00
5/31/2003	515.38	783.9	740.8	0.00
6/1/2003	515.45	717.3	534.3	0.00
6/2/2003	515.49	676.9	534.6	0.00
6/3/2003	515.56	725.3	534.9	0.36
6/4/2003	515.65	807.2	535.3	0.12
6/5/2003	515.77	883.5	535.9	0.00
6/6/2003	515.67	773.6	990.0	0.00
6/7/2003	515.60	832.6	1,088.2	0.96
6/8/2003	515.58	749.8	834.4	0.00
6/9/2003	515.70	861.7	535.5	0.06
6/10/2003	515.80	742.1	402.2	0.00
6/11/2003	515.76	882.8	882.1	0.80
6/12/2003	516.50	2,763.3	1,091.9	1.29
6/13/2003	517.33	3,255.9	580.9	0.00
6/14/2003	517.84	1,975.5	273.1	0.00
6/15/2003	518.06	1,702.0	841.9	0.00
6/16/2003	518.08	1,542.6	1,411.1	0.05
6/17/2003	518.55	2,471.8	1,412.1	1.73
6/18/2003	519.31	3,887.5	1,418.6	0.35
6/19/2003	519.72	2,876.9	1,424.6	0.00
6/20/2003	519.81	1,898.1	1,427.5	0.00
6/21/2003	519.71	1,220.9	1,427.7	0.00
6/22/2003	519.34	852.2	1,891.4	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/23/2003	518.46	776.4	3,437.3	0.00
6/24/2003	517.52	599.5	3,652.0	0.00
6/25/2003	516.50	616.0	3,628.7	0.00
6/26/2003	515.67	913.6	3,604.0	0.00
6/27/2003	515.40	965.8	1,889.1	1.43
6/28/2003	515.27	731.6	1,147.6	0.00
6/29/2003	515.24	643.1	785.9	0.00
6/30/2003	515.27	618.5	533.4	0.00
7/1/2003	515.26	522.4	533.5	0.00
7/2/2003	515.31	459.1	322.4	0.00
7/3/2003	515.35	387.1	266.9	0.00
7/4/2003	515.40	411.2	267.0	0.00
7/5/2003	515.43	355.8	267.1	0.00
7/6/2003	515.49	378.2	267.2	0.00
7/7/2003	515.49	344.9	267.3	0.00
7/8/2003	515.60	550.4	267.5	0.00
7/9/2003	515.69	584.7	267.8	0.00
7/10/2003	515.96	1,155.4	491.6	0.66
7/11/2003	516.44	1,983.2	592.9	0.44
7/12/2003	516.60	1,641.6	1,029.0	0.00
7/13/2003	516.57	1,074.5	1,097.3	0.00
7/14/2003	516.43	727.3	1,096.6	0.00
7/15/2003	516.08	551.5	1,534.1	0.00
7/16/2003	515.71	548.9	1,658.8	0.00
7/17/2003	515.47	461.2	1,229.6	0.00
7/18/2003	515.33	381.3	851.2	0.00
7/19/2003	515.32	356.0	393.2	0.00
7/20/2003	515.35	335.3	266.9	0.00
7/21/2003	515.38	376.0	267.0	0.00
7/22/2003	515.55	688.8	267.3	1.95
7/23/2003	515.58	422.2	267.6	0.00
7/24/2003	515.56	432.0	468.3	0.17
7/25/2003	515.50	357.5	535.0	0.00
7/26/2003	515.43	346.1	534.6	0.00
7/27/2003	515.34	288.4	534.2	0.00
7/28/2003	515.26	282.1	533.7	0.00
7/29/2003	515.30	392.5	347.9	0.33
7/30/2003	515.31	335.2	266.8	0.00
7/31/2003	515.31	274.3	266.9	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
8/1/2003	515.36	396.3	266.9	0.43
8/2/2003	515.44	494.5	267.1	0.33
8/3/2003	515.76	1,081.0	267.5	2.25
8/4/2003	516.10	1,408.4	391.6	0.00
8/5/2003	516.46	1,709.3	539.1	0.26
8/6/2003	516.38	1,254.8	1,430.5	0.00
8/7/2003	516.20	1,176.9	1,663.5	0.00
8/8/2003	515.86	695.8	1,660.4	0.00
8/9/2003	515.49	576.9	1,656.0	0.10
8/10/2003	515.31	465.2	1,107.2	0.20
8/11/2003	515.29	449.2	533.7	0.00
8/12/2003	515.65	712.0	333.6	0.00
8/13/2003	515.77	1,260.0	267.9	0.33
8/14/2003	515.65	398.4	682.6	0.07
8/15/2003	515.44	276.4	819.9	0.00
8/16/2003	515.22	154.2	818.4	0.00
8/17/2003	515.24	284.3	317.1	0.00
8/18/2003	515.28	315.2	200.5	0.00
8/19/2003	515.30	257.8	200.6	0.00
8/20/2003	515.30	243.1	200.6	0.00
8/21/2003	515.44	508.4	200.7	0.00
8/22/2003	515.33	78.7	200.7	0.00
8/23/2003	515.77	1,146.2	200.9	1.55
8/24/2003	515.54	580.2	854.5	0.00
8/25/2003	515.15	240.7	1,318.6	0.00
8/26/2003	515.11	165.7	432.8	0.00
8/27/2003	515.13	204.1	143.5	0.00
8/28/2003	515.17	179.7	100.4	0.00
8/29/2003	515.20	202.9	90.2	0.00
8/30/2003	515.25	260.3	90.2	0.05
8/31/2003	515.45	624.6	90.3	0.55
9/1/2003	515.72	780.1	90.5	0.55
9/2/2003	515.87	873.7	120.4	0.00
9/3/2003	517.01	3,554.5	832.4	1.62
9/4/2003	517.65	3,532.3	1,103.7	0.20
9/5/2003	519.17	4,685.0	448.7	0.00
9/6/2003	519.67	3,176.3	995.1	0.00
9/7/2003	519.45	1,623.2	2,054.9	0.00
9/8/2003	519.00	869.5	2,260.0	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/9/2003	518.24	674.3	3,011.1	0.00
9/10/2003	517.34	574.1	3,373.0	0.00
9/11/2003	516.39	545.6	3,353.7	0.00
9/12/2003	515.81	471.8	2,403.4	0.00
9/13/2003	515.51	455.1	1,496.8	0.00
9/14/2003	515.26	434.0	1,117.9	0.20
9/15/2003	515.11	619.2	1,116.4	0.58
9/16/2003	515.06	446.6	629.7	0.00
9/17/2003	515.00	373.5	532.2	0.00
9/18/2003	514.94	336.1	531.9	0.00
9/19/2003	514.86	315.1	531.5	0.00
9/20/2003	514.76	224.6	531.0	0.00
9/21/2003	514.66	279.8	530.5	0.00
9/22/2003	514.72	731.1	530.2	2.50
9/23/2003	516.38	3,831.9	533.1	0.45
9/24/2003	517.67	5,348.7	542.2	0.00
9/25/2003	517.66	2,029.2	1,256.4	0.00
9/26/2003	516.90	782.3	2,940.0	0.00
9/27/2003	516.18	1,138.5	3,345.9	0.78
9/28/2003	515.37	973.2	3,329.4	0.00
9/29/2003	514.52	764.8	3,310.5	0.00
9/30/2003	514.00	520.7	2,184.0	0.00
10/1/2003	513.82	591.0	1,107.6	0.22
10/2/2003	513.76	467.0	687.9	0.00
10/3/2003	513.71	418.2	545.0	0.00
10/4/2003	513.72	323.1	340.5	0.00
10/5/2003	513.74	328.7	272.4	0.00
10/6/2003	513.76	328.8	272.5	0.00
10/7/2003	513.77	324.7	272.5	0.00
10/8/2003	513.73	375.0	462.3	0.00
10/9/2003	513.67	354.7	525.3	0.00
10/10/2003	513.61	338.5	525.0	0.04
10/11/2003	513.56	385.8	524.7	0.00
10/12/2003	513.52	411.9	524.4	0.00
10/13/2003	513.46	372.9	524.2	0.00
10/14/2003	513.37	298.4	523.8	0.00
10/15/2003	513.47	425.1	316.4	0.60
10/16/2003	513.14	318.3	1,031.0	0.00
10/17/2003	512.74	247.6	1,360.3	0.00



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/18/2003	512.31	213.8	1,356.9	0.00
10/19/2003	511.88	182.3	1,353.2	0.00
10/20/2003	511.46	241.7	1,349.7	0.00
10/21/2003	510.96	146.9	1,345.8	0.00
10/22/2003	510.52	32.5	1,341.7	0.00
10/23/2003	510.06	159.7	1,338.0	0.00
10/24/2003	509.61	81.2	1,333.2	0.00
10/25/2003	509.06	311.6	1,328.7	0.00
10/26/2003	508.64	132.7	1,323.9	0.72
10/27/2003	508.24	326.3	1,319.9	0.17
10/28/2003	507.82	286.2	1,315.8	0.00
10/29/2003	507.42	339.2	1,311.7	0.10
10/30/2003	506.97	238.6	1,307.4	0.00
10/31/2003	506.52	239.2	1,303.0	0.00
11/1/2003	506.06	246.8	1,298.6	0.00
11/2/2003	505.64	218.1	1,294.1	0.00
11/3/2003	505.13	228.1	1,289.5	0.00
11/4/2003	504.66	158.5	1,284.5	0.00
11/5/2003	504.17	219.4	1,280.3	0.20
11/6/2003	503.70	239.3	1,276.0	0.10
11/7/2003	503.24	255.5	1,271.8	0.20
11/8/2003	502.76	243.5	1,267.5	0.00
11/9/2003	502.23	169.3	1,263.3	0.00
11/10/2003	501.72	137.3	1,258.3	0.00
11/11/2003	501.19	166.1	1,253.6	0.00
11/12/2003	500.65	224.0	1,248.8	0.00
11/13/2003	500.69	1,054.5	1,245.5	1.30
11/14/2003	500.56	1,604.3	1,793.3	0.00
11/15/2003	500.14	1,264.1	1,985.6	0.10
11/16/2003	499.53	833.7	1,978.5	0.39
11/17/2003	499.14	647.4	1,510.3	0.04
11/18/2003	498.82	741.5	1,231.2	0.00
11/19/2003	499.55	2,375.0	1,232.7	1.10
11/20/2003	500.09	2,720.6	1,700.4	0.05
11/21/2003	499.67	2,042.5	2,604.5	0.00
11/22/2003	498.71	1,176.1	2,964.4	0.00
11/23/2003	497.58	867.4	2,942.4	0.00
11/24/2003	496.47	877.9	2,916.6	0.75
11/25/2003	495.50	1,119.3	2,892.1	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/26/2003	494.92	1,002.2	2,078.1	0.00
11/27/2003	494.29	885.0	1,894.6	0.17
11/28/2003	494.45	1,977.6	1,889.0	0.95
11/29/2003	494.92	2,612.2	1,894.1	0.03
11/30/2003	495.18	2,383.5	1,900.3	0.00
12/1/2003	495.05	1,771.6	1,902.2	0.00
12/2/2003	494.67	1,265.5	1,897.7	0.00
12/3/2003	494.15	1,048.5	1,890.6	0.00
12/4/2003	493.56	972.8	1,882.8	0.37
12/5/2003	493.04	1,032.2	1,874.0	0.15
12/6/2003	493.29	1,154.3	962.8	0.17
12/7/2003	493.46	1,176.5	840.0	0.00
12/8/2003	493.48	998.7	947.7	0.00
12/9/2003	493.43	900.7	947.7	0.00
12/10/2003	493.54	907.1	753.0	0.55
12/11/2003	493.94	1,286.2	715.2	0.15
12/12/2003	494.43	1,684.0	894.3	0.00
12/13/2003	494.18	1,423.1	1,644.6	0.00
12/14/2003	493.99	1,151.3	1,517.8	0.78
12/15/2003	493.78	1,092.7	1,419.1	0.00
12/16/2003	493.72	1,141.0	1,245.1	0.00
12/17/2003	494.05	1,622.8	1,184.5	0.29
12/18/2003	494.26	1,910.1	1,531.6	0.05
12/19/2003	494.30	1,752.5	1,655.8	0.14
12/20/2003	494.14	1,420.7	1,655.1	0.06
12/21/2003	493.82	1,169.6	1,652.3	0.00
12/22/2003	493.62	985.0	1,357.9	0.00
12/23/2003	493.47	973.1	1,182.1	0.00
12/24/2003	493.66	1,383.6	1,181.7	0.60
12/25/2003	493.90	1,562.1	1,183.7	0.00
12/26/2003	494.11	1,527.7	1,185.8	0.00
12/27/2003	493.98	1,233.0	1,333.0	0.00
12/28/2003	493.71	979.6	1,418.8	0.00
12/29/2003	493.57	896.7	1,124.4	0.00
12/30/2003	494.24	1,838.6	950.5	0.95
12/31/2003	494.25	1,880.8	1,693.6	0.00