



	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/1/2004	493.85	1,702.3	2,264.9	0.00
1/2/2004	493.70	2,156.4	2,061.7	1.80
1/3/2004	498.56	9,582.4	1,911.4	0.50
1/4/2004	501.28	7,115.1	1,973.7	0.50
1/5/2004	502.92	5,658.0	2,006.3	1.15
1/6/2004	503.94	4,435.4	2,026.6	0.00
1/7/2004	505.12	3,391.9	809.3	0.00
1/8/2004	506.00	2,425.1	309.8	0.00
1/9/2004	506.69	1,875.8	311.3	0.00
1/10/2004	507.24	1,768.9	312.4	0.00
1/11/2004	507.68	1,415.3	313.3	0.00
1/12/2004	507.05	1,198.6	2,422.6	0.00
1/13/2004	506.19	1,202.4	3,128.0	0.00
1/14/2004	504.88	1,043.0	3,934.8	0.00
1/15/2004	503.11	963.8	4,869.5	0.00
1/16/2004	501.02	567.6	5,044.6	0.00
1/17/2004	499.12	893.2	4,573.8	0.04

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
1/18/2004	497.17	861.6	4,425.2	0.55
1/19/2004	495.41	1,155.3	4,362.2	0.20
1/20/2004	494.53	923.1	2,791.3	0.00
1/21/2004	494.24	1,177.1	1,662.8	0.00
1/22/2004	493.91	909.8	1,421.1	0.00
1/23/2004	493.80	815.1	1,048.3	0.00
1/24/2004	493.66	843.6	1,066.8	0.00
1/25/2004	493.62	765.8	806.9	0.15
1/26/2004	493.82	1,179.9	949.5	0.72
1/27/2004	493.81	1,372.4	1,334.4	0.00
1/28/2004	493.99	1,515.6	1,242.5	0.00
1/29/2004	493.94	1,356.5	1,419.8	0.00
1/30/2004	493.72	1,079.9	1,418.3	0.00
1/31/2004	493.70	1,007.3	1,066.5	0.00
2/1/2004	493.67	906.6	949.5	0.00
2/2/2004	493.57	869.9	949.1	0.13
2/3/2004	494.61	2,133.4	950.5	1.22
2/4/2004	495.74	3,769.6	1,499.6	0.00
2/5/2004	495.46	2,831.8	3,038.3	0.28
2/6/2004	497.31	4,307.0	1,681.4	0.88
2/7/2004	500.11	5,389.8	271.9	0.00
2/8/2004	501.81	3,924.6	200.8	0.00
2/9/2004	502.88	2,880.4	202.7	0.00
2/10/2004	503.35	1,874.8	785.6	0.00
2/11/2004	501.99	1,609.6	3,974.7	0.00
2/12/2004	499.68	1,244.0	5,791.4	0.00
2/13/2004	497.61	1,521.3	5,538.5	0.00
2/14/2004	495.89	1,053.6	4,293.9	0.00
2/15/2004	495.20	890.4	2,274.2	0.00
2/16/2004	494.57	767.6	1,899.3	0.00
2/17/2004	493.81	678.0	1,888.2	0.00
2/18/2004	493.91	750.1	792.6	0.00
2/19/2004	493.79	733.6	853.1	0.00
2/20/2004	493.60	663.3	949.8	0.00
2/21/2004	493.68	649.4	564.8	0.00
2/22/2004	493.78	630.0	481.2	0.00
2/23/2004	493.84	587.4	481.4	0.00
2/24/2004	493.87	530.5	481.5	0.00
2/25/2004	493.90	527.6	481.6	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
2/26/2004	493.89	475.6	481.7	0.00
2/27/2004	493.86	443.9	481.6	0.00
2/28/2004	493.83	430.6	481.6	0.00
2/29/2004	493.78	398.8	481.4	0.00
3/1/2004	493.70	383.4	481.3	0.00
3/2/2004	493.76	529.1	481.2	0.57
3/3/2004	493.76	494.5	481.3	0.00
3/4/2004	493.80	523.1	481.3	0.30
3/5/2004	493.81	596.4	481.4	0.00
3/6/2004	495.00	2,025.8	482.3	1.10
3/7/2004	496.76	3,562.0	487.1	0.00
3/8/2004	497.87	2,842.5	663.7	0.00
3/9/2004	498.16	1,742.2	977.6	0.00
3/10/2004	497.43	1,226.4	2,341.7	0.00
3/11/2004	496.30	873.7	2,911.0	0.00
3/12/2004	495.88	965.4	1,803.9	0.00
3/13/2004	495.75	840.2	1,084.5	0.00
3/14/2004	495.60	718.1	965.6	0.10
3/15/2004	495.46	719.2	964.4	0.08
3/16/2004	495.63	701.1	500.4	0.52
3/17/2004	495.96	800.2	256.7	0.00
3/18/2004	496.35	801.7	131.3	0.13
3/19/2004	496.76	795.2	56.8	0.00
3/20/2004	497.09	716.7	57.2	0.08
3/21/2004	497.98	1,485.4	57.6	0.83
3/22/2004	498.95	2,409.2	58.5	0.00
3/23/2004	499.51	1,122.7	59.2	0.00
3/24/2004	499.89	961.2	59.7	0.00
3/25/2004	500.21	740.2	60.0	0.00
3/26/2004	500.61	796.5	60.3	0.00
3/27/2004	500.90	671.8	60.6	0.00
3/28/2004	501.19	661.6	60.8	0.08
3/29/2004	501.45	617.9	61.0	0.00
3/30/2004	501.90	928.8	61.3	0.78
3/31/2004	502.30	892.1	61.6	0.10
4/1/2004	502.69	816.3	61.9	0.00
4/2/2004	503.02	862.8	62.2	0.00
4/3/2004	503.31	732.1	62.5	0.00
4/4/2004	503.58	633.1	62.7	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
4/5/2004	503.81	589.7	62.9	0.00
4/6/2004	504.02	507.7	63.1	0.00
4/7/2004	504.24	549.9	63.3	0.00
4/8/2004	504.43	507.0	63.4	0.00
4/9/2004	504.64	542.0	63.6	0.00
4/10/2004	504.81	443.1	63.8	0.00
4/11/2004	504.97	436.7	63.9	0.00
4/12/2004	505.15	456.4	64.0	0.10
4/13/2004	505.46	840.6	64.2	1.03
4/14/2004	506.87	2,946.2	64.8	0.79
4/15/2004	508.03	2,920.5	52.0	0.00
4/16/2004	508.73	1,928.6	49.0	0.00
4/17/2004	509.21	1,271.7	49.3	0.00
4/18/2004	509.61	1,094.5	49.6	0.00
4/19/2004	509.93	901.0	49.8	0.00
4/20/2004	510.22	844.1	50.0	0.00
4/21/2004	510.48	753.5	50.1	0.06
4/22/2004	511.26	1,916.4	50.3	1.63
4/23/2004	512.46	3,256.6	50.7	0.76
4/24/2004	513.67	2,835.3	51.1	0.00
4/25/2004	514.66	3,354.0	51.6	0.20
4/26/2004	515.38	2,237.4	52.0	0.08
4/27/2004	515.81	1,788.3	400.4	0.00
4/28/2004	515.87	1,271.7	971.9	0.00
4/29/2004	515.67	1,047.8	1,539.2	0.00
4/30/2004	515.43	983.2	1,647.0	0.41
5/1/2004	515.48	1,239.2	1,212.7	0.44
5/2/2004	515.90	2,120.2	1,119.2	1.35
5/3/2004	516.78	3,630.4	1,124.1	0.07
5/4/2004	516.98	2,823.4	1,984.3	0.00
5/5/2004	516.58	1,656.4	2,788.2	0.00
5/6/2004	515.89	1,395.5	3,338.4	0.00
5/7/2004	515.41	1,101.6	2,535.0	0.00
5/8/2004	515.44	935.1	1,016.1	0.00
5/9/2004	515.53	813.1	551.9	0.00
5/10/2004	515.60	769.0	552.2	0.00
5/11/2004	515.43	631.5	1,052.8	0.00
5/12/2004	515.26	635.9	1,117.5	0.00
5/13/2004	515.24	533.4	645.3	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
5/14/2004	515.22	521.8	550.9	0.00
5/15/2004	515.36	707.9	379.3	1.25
5/16/2004	515.70	1,262.5	331.2	0.25
5/17/2004	515.89	1,318.0	693.5	0.00
5/18/2004	515.92	1,447.8	1,364.0	1.05
5/19/2004	515.67	1,099.8	1,649.9	0.00
5/20/2004	515.49	609.6	1,251.2	0.00
5/21/2004	515.42	649.2	854.5	0.00
5/22/2004	515.28	673.1	1,115.0	0.00
5/23/2004	515.31	575.6	488.5	0.00
5/24/2004	515.36	479.8	342.1	0.00
5/25/2004	515.45	541.6	249.0	0.22
5/26/2004	515.89	1,299.9	259.2	0.93
5/27/2004	517.70	4,985.3	1,113.5	1.30
5/28/2004	520.68	10,967.9	702.0	0.58
5/29/2004	523.28	9,218.8	283.8	0.00
5/30/2004	525.75	9,852.9	1,611.8	1.45
5/31/2004	527.40	10,850.7	2,088.5	1.20
6/1/2004	529.19	8,639.5	1,503.7	0.00
6/2/2004	531.14	8,933.0	1,517.8	1.35
6/3/2004	532.04	6,581.9	1,961.1	0.00
6/4/2004	531.98	3,010.6	2,615.5	0.08
6/5/2004	531.08	1,192.3	5,256.2	0.00
6/6/2004	529.76	2,419.1	6,868.5	0.00
6/7/2004	528.27	1,337.5	7,134.4	0.00
6/8/2004	526.70	913.9	7,085.0	0.00
6/9/2004	524.86	766.0	7,470.2	0.00
6/10/2004	523.01	843.2	7,549.2	0.07
6/11/2004	521.33	827.3	6,902.2	0.00
6/12/2004	519.62	2,745.7	6,278.1	0.00
6/13/2004	518.86	313.4	4,870.4	1.39
6/14/2004	517.91	1,365.5	3,946.8	0.23
6/15/2004	516.93	813.2	3,925.8	0.00
6/16/2004	516.28	459.3	2,517.4	0.31
6/17/2004	515.74	1,170.7	2,787.3	0.22
6/18/2004	515.71	1,511.1	1,743.2	0.00
6/19/2004	516.23	2,190.8	977.5	0.00
6/20/2004	516.50	2,108.6	1,124.5	0.00
6/21/2004	516.19	1,229.3	1,923.5	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
6/22/2004	515.70	817.1	2,214.1	0.00
6/23/2004	515.56	758.3	1,301.3	0.05
6/24/2004	515.61	700.2	646.8	0.00
6/25/2004	515.50	739.1	953.7	0.00
6/26/2004	515.46	899.4	1,086.7	0.06
6/27/2004	515.41	773.9	919.2	0.00
6/28/2004	515.48	539.9	366.1	0.00
6/29/2004	515.57	549.7	267.4	0.00
6/30/2004	515.59	531.5	465.0	0.00
7/1/2004	515.60	562.6	535.3	0.00
7/2/2004	515.60	535.4	535.4	0.03
7/3/2004	515.60	550.0	535.4	0.00
7/4/2004	515.72	815.3	535.5	1.07
7/5/2004	515.81	1,026.7	729.9	0.00
7/6/2004	515.53	839.4	1,514.6	0.13
7/7/2004	515.23	781.6	1,652.3	0.00
7/8/2004	515.08	876.2	1,436.9	0.00
7/9/2004	514.94	742.1	1,082.3	0.00
7/10/2004	514.91	492.3	653.0	0.00
7/11/2004	515.00	547.8	313.5	0.16
7/12/2004	515.23	879.8	266.2	0.22
7/13/2004	515.43	782.6	176.5	0.00
7/14/2004	515.85	1,040.9	0.0	0.33
7/15/2004	516.01	707.7	0.0	0.00
7/16/2004	516.17	459.6	0.0	0.00
7/17/2004	516.32	454.0	0.0	0.05
7/18/2004	516.10	443.0	880.0	0.07
7/19/2004	515.90	284.9	1,063.7	0.00
7/20/2004	516.02	322.2	0.0	0.00
7/21/2004	516.10	226.0	0.0	0.00
7/22/2004	516.19	318.0	0.0	0.00
7/23/2004	516.03	360.7	720.3	0.44
7/24/2004	515.93	571.7	936.8	0.00
7/25/2004	515.92	997.2	1,047.3	0.00
7/26/2004	515.69	496.6	1,090.0	0.00
7/27/2004	515.43	367.7	1,087.8	0.00
7/28/2004	515.37	337.2	626.3	0.00
7/29/2004	515.39	401.1	372.5	0.00
7/30/2004	515.41	441.3	337.3	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
7/31/2004	515.66	965.2	337.6	2.00
8/1/2004	516.36	2,445.4	479.5	0.20
8/2/2004	516.91	3,196.7	1,435.7	0.01
8/3/2004	516.39	1,357.5	2,666.0	0.00
8/4/2004	515.82	803.1	2,509.5	0.00
8/5/2004	515.67	765.8	1,361.0	0.29
8/6/2004	515.71	1,097.8	982.5	0.00
8/7/2004	516.31	2,518.0	1,009.4	0.00
8/8/2004	516.49	2,207.9	1,479.8	0.00
8/9/2004	516.22	1,015.2	1,656.6	0.00
8/10/2004	515.69	635.5	2,113.4	0.00
8/11/2004	515.50	650.8	1,314.7	0.07
8/12/2004	515.42	641.1	927.5	0.04
8/13/2004	515.45	594.4	544.3	0.00
8/14/2004	515.51	509.2	337.5	0.00
8/15/2004	515.56	476.4	337.7	0.00
8/16/2004	515.58	398.1	337.8	0.00
8/17/2004	515.61	423.4	337.9	0.00
8/18/2004	515.59	391.7	437.0	0.00
8/19/2004	515.55	365.3	458.5	0.00
8/20/2004	515.54	418.2	458.4	0.00
8/21/2004	515.60	586.3	458.4	1.08
8/22/2004	515.59	489.6	458.6	0.00
8/23/2004	515.59	434.7	458.6	0.00
8/24/2004	515.53	383.8	522.4	0.00
8/25/2004	515.47	363.2	534.8	0.00
8/26/2004	515.43	437.9	534.6	0.00
8/27/2004	515.57	783.0	534.7	0.44
8/28/2004	515.53	558.8	535.1	0.00
8/29/2004	515.50	423.6	534.9	0.00
8/30/2004	515.44	377.7	534.7	0.05
8/31/2004	515.37	328.8	534.3	0.04
9/1/2004	515.36	306.0	367.2	0.00
9/2/2004	515.34	230.5	267.0	0.00
9/3/2004	515.35	260.9	266.9	0.10
9/4/2004	515.37	383.5	324.6	0.22
9/5/2004	515.41	450.5	337.2	0.00
9/6/2004	515.42	382.9	337.3	0.00
9/7/2004	515.40	293.5	337.3	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
9/8/2004	515.35	193.0	337.2	0.00
9/9/2004	515.31	222.1	337.1	0.00
9/10/2004	515.28	247.5	337.0	0.00
9/11/2004	515.24	221.8	336.8	0.00
9/12/2004	515.21	249.1	336.7	0.00
9/13/2004	515.18	247.2	336.6	0.00
9/14/2004	515.14	216.4	336.5	0.00
9/15/2004	515.17	163.1	100.2	0.00
9/16/2004	515.16	187.8	183.6	0.00
9/17/2004	515.16	310.9	336.5	0.26
9/18/2004	515.12	241.6	336.5	0.00
9/19/2004	515.09	246.8	336.3	0.00
9/20/2004	515.05	219.4	336.2	0.00
9/21/2004	515.01	215.7	336.1	0.00
9/22/2004	514.94	149.7	336.0	0.00
9/23/2004	514.89	187.7	335.7	0.00
9/24/2004	514.87	253.5	335.6	0.00
9/25/2004	514.83	220.5	335.5	0.00
9/26/2004	514.80	242.2	335.4	0.00
9/27/2004	514.74	160.0	335.2	0.00
9/28/2004	514.48	143.9	785.0	0.00
9/29/2004	514.24	158.3	881.4	0.00
9/30/2004	514.00	150.9	879.5	0.00
10/1/2004	513.83	107.7	618.7	0.00
10/2/2004	513.78	197.7	366.5	0.12
10/3/2004	513.73	190.8	331.5	0.00
10/4/2004	513.67	166.3	331.3	0.00
10/5/2004	513.62	188.7	331.1	0.00
10/6/2004	513.54	131.0	330.9	0.00
10/7/2004	513.48	162.1	330.7	0.00
10/8/2004	513.42	142.7	330.4	0.00
10/9/2004	513.35	139.0	330.2	0.00
10/10/2004	513.30	191.0	330.0	0.00
10/11/2004	513.24	185.6	329.8	0.00
10/12/2004	513.23	246.1	329.6	0.68
10/13/2004	513.22	319.2	329.6	0.85
10/14/2004	513.18	253.2	329.6	0.07
10/15/2004	513.12	162.6	329.4	0.29
10/16/2004	513.07	171.0	329.2	0.00

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
10/17/2004	513.01	183.0	329.0	0.00
10/18/2004	512.96	212.3	328.8	0.00
10/19/2004	513.06	554.5	328.9	1.30
10/20/2004	512.72	336.0	1,016.6	0.00
10/21/2004	512.37	76.8	1,425.1	0.00
10/22/2004	511.82	175.6	1,420.5	0.00
10/23/2004	511.26	133.1	1,665.6	0.00
10/24/2004	510.95	283.5	1,155.2	0.48
10/25/2004	510.62	253.8	1,085.8	0.00
10/26/2004	510.26	143.5	1,083.3	0.00
10/27/2004	509.93	339.1	1,081.1	0.17
10/28/2004	509.45	18.5	1,077.9	0.06
10/29/2004	509.10	158.9	1,074.4	0.28
10/30/2004	508.74	239.2	1,071.7	0.00
10/31/2004	508.38	183.3	1,068.9	0.06
11/1/2004	508.09	299.6	1,066.1	1.13
11/2/2004	507.95	702.5	1,064.3	0.00
11/3/2004	508.09	1,294.5	1,064.1	1.20
11/4/2004	508.13	1,193.5	1,064.8	0.05
11/5/2004	507.69	997.5	1,834.7	0.00
11/6/2004	507.03	450.4	2,084.6	0.00
11/7/2004	506.31	384.0	2,074.6	0.00
11/8/2004	505.56	341.0	2,064.8	0.00
11/9/2004	504.77	259.8	2,053.6	0.00
11/10/2004	503.95	498.8	2,043.4	0.00
11/11/2004	503.10	220.3	2,030.3	0.00
11/12/2004	503.66	2,684.1	2,024.3	2.00
11/13/2004	504.39	3,748.9	2,034.9	0.00
11/14/2004	504.14	2,552.5	2,688.2	0.00
11/15/2004	503.22	1,141.4	3,063.4	0.00
11/16/2004	502.17	845.5	3,042.2	0.00
11/17/2004	501.33	637.8	2,483.9	0.06
11/18/2004	500.64	615.1	1,995.3	0.03
11/19/2004	499.87	447.0	1,984.9	0.30
11/20/2004	499.24	727.1	1,973.9	0.00
11/21/2004	498.56	571.2	1,963.4	0.00
11/22/2004	497.79	570.8	1,952.3	0.00
11/23/2004	496.99	453.5	1,939.1	0.05
11/24/2004	496.30	717.5	1,927.8	0.94

	ELEVATION OBS (FEET) INST-VAL	INFLOW OBS (CFS) 24-HR AVG	OUTFLOW OBS (CFS) 24-HR AVG	PRECIP OBS (INCHES) 24-HR CUM
11/25/2004	495.82	992.4	1,918.1	0.08
11/26/2004	495.27	1,024.7	1,910.0	0.00
11/27/2004	494.88	756.6	1,535.4	0.00
11/28/2004	494.55	872.9	1,427.4	0.52
11/29/2004	494.37	890.8	1,248.7	0.00
11/30/2004	494.29	1,017.3	1,071.9	0.32
12/1/2004	495.26	2,236.7	956.6	0.99
12/2/2004	496.39	2,936.3	965.5	0.00
12/3/2004	497.18	2,234.1	972.2	0.00
12/4/2004	497.46	1,904.3	978.2	0.00
12/5/2004	497.09	1,238.8	1,737.7	0.00
12/6/2004	496.87	1,241.7	1,930.5	1.08
12/7/2004	497.40	3,106.4	1,932.5	1.82
12/8/2004	500.14	6,591.0	1,959.2	0.04
12/9/2004	501.74	5,375.9	1,990.7	0.28
12/10/2004	502.69	4,143.3	2,009.4	0.32
12/11/2004	503.16	3,229.2	2,020.4	0.10
12/12/2004	503.42	2,583.6	2,025.6	0.12
12/13/2004	503.45	2,164.1	2,028.0	0.00
12/14/2004	503.29	1,726.0	2,027.5	0.00
12/15/2004	502.07	1,273.8	3,602.2	0.00
12/16/2004	500.57	1,603.9	4,037.6	0.00
12/17/2004	498.99	293.5	3,989.2	0.00
12/18/2004	497.27	742.3	3,937.2	0.00
12/19/2004	495.40	580.0	3,880.2	0.00
12/20/2004	494.29	716.7	2,850.9	0.00
12/21/2004	493.86	666.6	1,523.8	0.00
12/22/2004	493.72	768.2	950.4	0.24
12/23/2004	494.68	2,192.0	952.0	2.50
12/24/2004	495.77	2,865.5	960.7	0.00
12/25/2004	496.72	2,662.2	969.0	0.00
12/26/2004	496.25	1,789.7	2,165.5	0.00
12/27/2004	494.72	1,016.6	3,608.9	0.00
12/28/2004	493.77	951.6	2,689.8	0.00
12/29/2004	493.72	1,215.4	1,376.0	0.00
12/30/2004	494.28	1,817.2	952.0	0.00
12/31/2004	495.40	2,680.8	957.7	0.00